

Huarong Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11831943/publications.pdf>

Version: 2024-02-01

64
papers

3,900
citations

109264

35
h-index

118793

62
g-index

64
all docs

64
docs citations

64
times ranked

3105
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of dual pH- and temperature-sensitive poly(N-isopropylacrylamide-co-acrylic) Tj ETQq1 1 0.784314 rg deswelling. <i>Polymers for Advanced Technologies</i> , 2022, 33, 235-245.	1.6	7
2	Photolytic quorum quenching effects on the microbial communities and functional gene expressions in membrane bioreactors. <i>Science of the Total Environment</i> , 2022, 819, 152017.	3.9	3
3	Oxidation-enhanced ferric coagulation for alleviating ultrafiltration membrane fouling by algal organic matter: A comparison of moderate and strong oxidation. <i>Algal Research</i> , 2022, 63, 102652.	2.4	14
4	Membrane fouling control by UV/persulfate in tertiary wastewater treatment with ultrafiltration: A comparison with UV/hydroperoxide and role of free radicals. <i>Separation and Purification Technology</i> , 2021, 257, 117877.	3.9	27
5	Algae-laden water treatment with ultrafiltration: effects of moderate oxidation by Fe(II)/permanganate on hydraulically irreversible fouling and deposition of iron and manganese oxides. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 122-133.	1.2	6
6	A review of the current in-situ fouling control strategies in MBR: Biological versus physicochemical. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 98, 42-59.	2.9	38
7	Effect of sewage sludge ash contents on the performance of thermo-sensitive hydrogel as draw agent for forward osmosis application. <i>Journal of Cleaner Production</i> , 2021, 313, 127941.	4.6	9
8	Sewage sludge ash-based thermo-responsive hydrogel as a novel draw agent towards high performance of water flux and recovery for forward-osmosis. <i>Desalination</i> , 2021, 512, 115147.	4.0	10
9	Impacts of Natural Organic Matter Adhesion on Irreversible Membrane Fouling during Surface Water Treatment Using Ultrafiltration. <i>Membranes</i> , 2020, 10, 238.	1.4	9
10	Front-face fluorescence excitation-emission matrix (FF-EEM) for direct analysis of flocculated suspension without sample preparation in coagulation-ultrafiltration for wastewater reclamation. <i>Water Research</i> , 2020, 187, 116452.	5.3	39
11	Biodegradation of Polyvinyl Chloride (PVC) in <i>Tenebrio molitor</i> (Coleoptera: Tenebrionidae) larvae. <i>Environment International</i> , 2020, 145, 106106.	4.8	129
12	Fouling Mechanisms Analysis via Combined Fouling Models for Surface Water Ultrafiltration Process. <i>Membranes</i> , 2020, 10, 149.	1.4	16
13	Effect of residual commercial antiscalants on gypsum scaling and membrane wetting during direct contact membrane distillation. <i>Desalination</i> , 2020, 486, 114493.	4.0	39
14	A new backwash strategy for reducing the cost of an immersed ultrafiltration system by restricting cake layer breakage. <i>Water Science and Technology: Water Supply</i> , 2020, 20, 1453-1462.	1.0	0
15	Photolytic quorum quenching: A new anti-biofouling strategy for membrane bioreactors. <i>Chemical Engineering Journal</i> , 2019, 378, 122235.	6.6	31
16	Application of membrane distillation to anaerobic digestion effluent treatment: Identifying culprits of membrane fouling and scaling. <i>Science of the Total Environment</i> , 2019, 688, 880-889.	3.9	63
17	In situ versus pre-quorum quenching of microbial signaling for enhanced biofouling control in membrane bioreactors. <i>Journal of Membrane Science</i> , 2019, 592, 117387.	4.1	10
18	Development of correlation spectroscopy (COS) method for analyzing fluorescence excitation emission matrix (EEM): A case study of effluent organic matter (EfOM) ozonation. <i>Chemosphere</i> , 2019, 228, 35-43.	4.2	33

#	ARTICLE	IF	CITATIONS
19	Tertiary treatment of secondary effluent using ultrafiltration for wastewater reuse: correlating membrane fouling with rejection of effluent organic matter and hydrophobic pharmaceuticals. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 672-683.	1.2	30
20	Characterization of fluorescence foulants on ultrafiltration membrane using front-face excitation-emission matrix (FF-EEM) spectroscopy: Fouling evolution and mechanism analysis. <i>Water Research</i> , 2019, 148, 546-555.	5.3	52
21	Treatment of anaerobic digestion effluent using membrane distillation: Effects of feed acidification on pollutant removal, nutrient concentration and membrane fouling. <i>Desalination</i> , 2019, 449, 6-15.	4.0	54
22	Core-shell structured quorum quenching beads for more sustainable anti-biofouling in membrane bioreactors. <i>Water Research</i> , 2019, 150, 321-329.	5.3	48
23	Removal of lead from aqueous solutions by ferric activated sludge-based adsorbent derived from biological sludge. <i>Arabian Journal of Chemistry</i> , 2019, 12, 4142-4149.	2.3	31
24	Effect of quorum quenching on biofouling and ammonia removal in membrane bioreactor under stressful conditions. <i>Chemosphere</i> , 2018, 199, 114-121.	4.2	28
25	Reverse osmosis brine treatment using direct contact membrane distillation (DCMD): effect of membrane characteristics on desalination performance and the wetting phenomenon. <i>Environmental Science: Water Research and Technology</i> , 2018, 4, 428-437.	1.2	23
26	Dynamic membrane for micro-particle removal in wastewater treatment: Performance and influencing factors. <i>Science of the Total Environment</i> , 2018, 627, 332-340.	3.9	133
27	Membrane Fouling and Rejection of Organics during Algae-Laden Water Treatment Using Ultrafiltration: A Comparison between in Situ Pretreatment with Fe(II)/Persulfate and Ozone. <i>Environmental Science & Technology</i> , 2018, 52, 765-774.	4.6	111
28	A pilot study of hybrid biological activated carbon (BAC) filtration-ultrafiltration process for water supply in rural areas: role of BAC pretreatment in alleviating membrane fouling. <i>Environmental Science: Water Research and Technology</i> , 2018, 4, 315-324.	1.2	15
29	Applying ultraviolet/persulfate (UV/PS) pre-oxidation for controlling ultrafiltration membrane fouling by natural organic matter (NOM) in surface water. <i>Water Research</i> , 2018, 132, 190-199.	5.3	195
30	Dynamic Membrane Filtration: Formation, Filtration, Cleaning, and Applications. <i>Chemical Engineering and Technology</i> , 2018, 41, 7-18.	0.9	47
31	Quorum sensing and quenching in membrane bioreactors: Opportunities and challenges for biofouling control. <i>Bioresource Technology</i> , 2018, 270, 656-668.	4.8	95
32	Immobilized microalgae for anaerobic digestion effluent treatment in a photobioreactor-ultrafiltration system: Algal harvest and membrane fouling control. <i>Bioresource Technology</i> , 2018, 268, 139-148.	4.8	41
33	<i>Microcystis aeruginosa</i> -laden surface water treatment using ultrafiltration: Membrane fouling, cell integrity and extracellular organic matter rejection. <i>Water Research</i> , 2017, 112, 83-92.	5.3	78
34	Algae-laden water treatment using ultrafiltration: Individual and combined fouling effects of cells, debris, extracellular and intracellular organic matter. <i>Journal of Membrane Science</i> , 2017, 528, 178-186.	4.1	91
35	A strategy to speed up formation and strengthen activity of biofilms at low temperature. <i>RSC Advances</i> , 2017, 7, 22788-22796.	1.7	21
36	Effect of filtration mode and backwash water on hydraulically irreversible fouling of ultrafiltration membrane. <i>Chemosphere</i> , 2017, 179, 254-264.	4.2	26

#	ARTICLE	IF	CITATIONS
37	Microbial community composition and electricity generation in cattle manure slurry treatment using microbial fuel cells: effects of inoculum addition. <i>Environmental Science and Pollution Research</i> , 2017, 24, 23226-23235.	2.7	19
38	Reverse osmosis brine treatment using direct contact membrane distillation: Effects of feed temperature and velocity. <i>Desalination</i> , 2017, 423, 149-156.	4.0	67
39	Microcystis aeruginosa-laden water treatment using enhanced coagulation by persulfate/Fe(II), ozone and permanganate: Comparison of the simultaneous and successive oxidant dosing strategy. <i>Water Research</i> , 2017, 125, 72-80.	5.3	113
40	Hydraulic backwashing for low-pressure membranes in drinking water treatment: A review. <i>Journal of Membrane Science</i> , 2017, 540, 362-380.	4.1	138
41	Presence of an adsorbent cake layer improves the performance of gravity-driven membrane (GDM) filtration system. <i>Water Research</i> , 2017, 108, 240-249.	5.3	82
42	A Pilot Study of the Sludge Recycling Enhanced Coagulation-Ultrafiltration Process for Drinking Water: The Effects of Sludge Recycling Ratio and Coagulation Stirring Strategy. <i>Water (Switzerland)</i> , 2017, 9, 183.	1.2	8
43	Preparation of ferric-activated sludge-based adsorbent from biological sludge for tetracycline removal. <i>Bioresource Technology</i> , 2016, 211, 566-573.	4.8	184
44	Effect of solid retention time on membrane fouling in membrane bioreactor: from the perspective of quorum sensing and quorum quenching. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 7887-7897.	1.7	32
45	Biofouling control by biostimulation of quorum-quenching bacteria in a membrane bioreactor for wastewater treatment. <i>Biotechnology and Bioengineering</i> , 2016, 113, 2624-2632.	1.7	59
46	Biofilm activity and sludge characteristics affected by exogenous N-acyl homoserine lactones in biofilm reactors. <i>Bioresource Technology</i> , 2016, 211, 339-347.	4.8	74
47	Role of N-acyl-homoserine lactone (AHL) based quorum sensing on biofilm formation on packing media in wastewater treatment process. <i>RSC Advances</i> , 2016, 6, 11128-11139.	1.7	68
48	Combined influence by humic acid (HA) and powdered activated carbon (PAC) particles on ultrafiltration membrane fouling. <i>Journal of Membrane Science</i> , 2016, 500, 99-105.	4.1	79
49	Identification of irreversible UF membrane foulants by fluorescence excitation-emission matrix coupled with parallel factor analysis. <i>Desalination and Water Treatment</i> , 2016, 57, 21794-21805.	1.0	5
50	Role of backwash water composition in alleviating ultrafiltration membrane fouling by sodium alginate and the effectiveness of salt backwashing. <i>Journal of Membrane Science</i> , 2016, 499, 429-441.	4.1	65
51	A pilot-scale study of a powdered activated carbon-membrane bioreactor for the treatment of water with a high concentration of ammonia. <i>Environmental Science: Water Research and Technology</i> , 2016, 2, 125-133.	1.2	9
52	Impact of dataset diversity on accuracy and sensitivity of parallel factor analysis model of dissolved organic matter fluorescence excitation-emission matrix. <i>Scientific Reports</i> , 2015, 5, 10207.	1.6	72
53	Understanding ultrafiltration membrane fouling by soluble microbial product and effluent organic matter using fluorescence excitation-emission matrix coupled with parallel factor analysis. <i>International Biodeterioration and Biodegradation</i> , 2015, 102, 56-63.	1.9	27
54	Correlating ultrafiltration membrane fouling with membrane properties, water quality, and permeate flux. <i>Desalination and Water Treatment</i> , 2015, 56, 1746-1757.	1.0	5

#	ARTICLE	IF	CITATIONS
55	Powdered activated carbon “ membrane bioreactor operated under intermittent aeration and short sludge retention times for micro-polluted surface water treatment. <i>International Biodeterioration and Biodegradation</i> , 2015, 102, 81-88.	1.9	13
56	Hydraulic irreversibility of ultrafiltration membrane fouling by humic acid: Effects of membrane properties and backwash water composition. <i>Journal of Membrane Science</i> , 2015, 493, 723-733.	4.1	102
57	Relationship between soluble microbial products (SMP) and effluent organic matter (EfOM): Characterized by fluorescence excitation emission matrix coupled with parallel factor analysis. <i>Chemosphere</i> , 2015, 121, 101-109.	4.2	107
58	Understanding ultrafiltration membrane fouling by extracellular organic matter of <i>Microcystis aeruginosa</i> using fluorescence excitation emission matrix coupled with parallel factor analysis. <i>Desalination</i> , 2014, 337, 67-75.	4.0	52
59	Control of natural organic matter fouling of ultrafiltration membrane by adsorption pretreatment: Comparison of mesoporous adsorbent resin and powdered activated carbon. <i>Journal of Membrane Science</i> , 2014, 471, 94-102.	4.1	128
60	Characterization of membrane foulants in a pilot-scale powdered activated carbon “ membrane bioreactor for drinking water treatment. <i>Process Biochemistry</i> , 2014, 49, 1741-1746.	1.8	18
61	Fluorescent natural organic matter fractions responsible for ultrafiltration membrane fouling: Identification by adsorption pretreatment coupled with parallel factor analysis of excitation emission matrices. <i>Journal of Membrane Science</i> , 2014, 464, 33-42.	4.1	98
62	Ultrafiltration membrane fouling by extracellular organic matters (EOM) of <i>Microcystis aeruginosa</i> in stationary phase: Influences of interfacial characteristics of foulants and fouling mechanisms. <i>Water Research</i> , 2012, 46, 1490-1500.	5.3	255
63	Characterization of dissolved extracellular organic matter (dEOM) and bound extracellular organic matter (bEOM) of <i>Microcystis aeruginosa</i> and their impacts on UF membrane fouling. <i>Water Research</i> , 2012, 46, 2881-2890.	5.3	316
64	Ultrafiltration (UF) membrane fouling caused by cyanobacteria: Fouling effects of cells and extracellular organics matter (EOM). <i>Desalination</i> , 2012, 293, 30-37.	4.0	103