

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11833737/publications.pdf>

Version: 2024-02-01

206  
papers

4,477  
citations

117453

34  
h-index

197535

49  
g-index

209  
all docs

209  
docs citations

209  
times ranked

1332  
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined atomic and molecular (CAM) ionization with the liquid sampling atmospheric pressure glow discharge microplasma. <i>Mass Spectrometry Reviews</i> , 2023, 42, 652-673.	2.8	7
2	Facile, generic capture and on-fiber differentiation of exosomes via confocal immunofluorescence microscopy using a capillary-channeled polymer fiber solid-phase extraction tip. <i>Sensors &amp; Diagnostics</i> , 2022, 1, 525-533.	1.9	2
3	Improved uranium isotopic ratio determinations for the liquid sampling-atmospheric pressure glow discharge orbitrap mass spectrometer by use of moving average processing. <i>Journal of Analytical Atomic Spectrometry</i> , 2022, 37, 814-822.	1.6	5
4	Comparison of the separation of proteins of wide-ranging molecular weight via trilobal polypropylene capillary-channeled polymer fiber, commercial superficially porous, and commercial size exclusion columns. <i>Journal of Separation Science</i> , 2022, 45, 1502-1513.	1.3	5
5	Comparison of the capillary-channeled polymer (C-CP) fiber spin-down tip approach to traditional methods for the isolation of extracellular vesicles from human urine. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 3813-3825.	1.9	3
6	A novel method of high-purity extracellular vesicle enrichment from microliter-scale human serum for proteomic analysis. <i>Electrophoresis</i> , 2021, 42, 245-256.	1.3	18
7	Development of an integrated, single electrode liquid sampling atmospheric pressure glow discharge microplasma ionization source. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021, 179, 105994.	1.5	4
8	Rapid isolation of extracellular vesicles from diverse biofluid matrices via capillary-channeled polymer fiber solid-phase extraction micropipette tips. <i>Analyst</i> , 2021, 146, 4314-4325.	1.7	13
9	Quantitative trace metal determinations in cell culture media using LS-APGD-MS and ICP-OES with free/bound species differentiation following polymer fiber separations. <i>Analytical Methods</i> , 2021, 13, 1945-1954.	1.3	2
10	Rapid isolation of lentivirus particles from cell culture media via a hydrophobic interaction chromatography method on a polyester, capillary-channeled polymer fiber stationary phase. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 2985-2994.	1.9	7
11	Evaluation of the powering modes and geometries of the Liquid Sampling Atmospheric Pressure Glow Discharge Orbitrap system for analytical performance and isotope ratio analysis. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2021, 176, 106044.	1.5	2
12	Improved Uranium Isotope Ratio Analysis in Liquid Sampling Atmospheric Pressure Glow Discharge/Orbitrap FTMS Coupling through the Use of an External Data Acquisition System. <i>Journal of the American Society for Mass Spectrometry</i> , 2021, 32, 1224-1236.	1.2	27
13	MICA-G129R: A bifunctional fusion protein increases PRLR-positive breast cancer cell death in co-culture with natural killer cells. <i>PLoS ONE</i> , 2021, 16, e0252662.	1.1	0
14	Roles of collisional dissociation modalities on spectral composition and isotope ratio measurement performance of the liquid sampling atmospheric pressure glow discharge / orbitrap mass spectrometer coupling. <i>International Journal of Mass Spectrometry</i> , 2021, 464, 116572.	0.7	10
15	Rapid separation of blood plasma exosomes from low-density lipoproteins via a hydrophobic interaction chromatography method on a polyester capillary-channeled polymer fiber phase. <i>Analytica Chimica Acta</i> , 2021, 1167, 338578.	2.6	27
16	Resolving Severe Elemental Isobaric Interferences with a Combined Atomic and Molecular Ionization Source Orbitrap Mass Spectrometry Approach: The <sup>87</sup> Sr and <sup>87</sup> Rb Geochronology Pair. <i>Analytical Chemistry</i> , 2021, 93, 11506-11514.	3.2	7
17	Application of polydopamine-coated nylon capillary-channeled polymer fibers as a stationary phase for mass spectrometric phosphopeptide analysis. <i>Electrophoresis</i> , 2020, 41, 215-224.	1.3	7
18	Fiber-based HIC capture loop for coupling of protein A and size exclusion chromatography in a two-dimensional separation of monoclonal antibodies. <i>Analytica Chimica Acta</i> , 2020, 1098, 190-200.	2.6	7

#	ARTICLE	IF	CITATIONS
19	A multi-electrode glow discharge ionization source for atomic and molecular mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 1969-1978.	1.6	16
20	Mass spectrometric characteristics and preliminary figures of merit for polyaromatic hydrocarbons via the liquid sampling-atmospheric pressure glow discharge microplasma. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 2475-2478.	1.6	9
21	Coupling of Laser Ablation and the Liquid Sampling-Atmospheric Pressure Glow Discharge Plasma for Simultaneous, Comprehensive Mapping: Elemental, Molecular, and Spatial Analysis. <i>Analytical Chemistry</i> , 2020, 92, 12622-12629.	3.2	14
22	Solid-phase extraction of exosomes from diverse matrices via a polyester capillary-channeled polymer (C-CP) fiber stationary phase in a spin-down tip format. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 4713-4724.	1.9	17
23	Coupling the liquid sampling atmospheric pressure glow discharge, a combined atomic and molecular (CAM) ionization source, to a reduced-format mass spectrometer for the analysis of diverse species. <i>Journal of Analytical Atomic Spectrometry</i> , 2020, 35, 1910-1921.	1.6	13
24	Rapid Determination of Uranium Isotopic Abundance from Cotton Swipes: Direct Extraction via a Planar Surface Reader and Coupling to a Microplasma Ionization Source. <i>Analytical Chemistry</i> , 2020, 92, 8591-8598.	3.2	20
25	Polypropylene capillary-channeled polymer fiber column as the second dimension in a comprehensive two-dimensional RP- $\mu$ RP analysis of a mixture of intact proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 2963-2979.	1.9	7
26	Evaluation of exosome loading characteristics in their purification via a glycerol-assisted hydrophobic interaction chromatography method on a polyester, capillary-channeled polymer fiber phase. <i>Biotechnology Progress</i> , 2020, 36, e2998.	1.3	16
27	Isolation and quantification of human urinary exosomes by hydrophobic interaction chromatography on a polyester capillary-channeled polymer fiber stationary phase. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 6591-6601.	1.9	23
28	Application of trilobal capillary-channeled polymer (C-CP) fibers for reversed phase liquid chromatography and ESI-MS for the determination of proteins in different biological matrices. <i>Analytical Methods</i> , 2019, 11, 3800-3809.	1.3	5
29	Isolation and quantitation of exosomes isolated from human plasma via hydrophobic interaction chromatography using a polyester, capillary-channeled polymer fiber phase. <i>Analytica Chimica Acta</i> , 2019, 1082, 186-193.	2.6	28
30	Coupling of the liquid sampling-atmospheric pressure glow discharge (LS-APGD) ionization source with a commercial triple-quadrupole mass spectrometer. <i>Journal of Analytical Atomic Spectrometry</i> , 2019, 34, 1468-1477.	1.6	11
31	Coupling of an atmospheric pressure microplasma ionization source with an Orbitrap Fusion Lumos Tribrid 1M mass analyzer for ultra-high resolution isotopic analysis of uranium. <i>Journal of Analytical Atomic Spectrometry</i> , 2019, 34, 1387-1395.	1.6	18
32	Ultra-High Resolution Elemental/Isotopic Mass Spectrometry ( $m/\bar{m}$ > 1,000,000): Coupling of the Liquid Sampling-Atmospheric Pressure Glow Discharge with an Orbitrap Mass Spectrometer for Applications in Biological Chemistry and Environmental Analysis. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 1163-1168.	1.2	23
33	Sheathing of the liquid sampling Atmospheric pressure glow discharge microplasma from ambient atmosphere and its implications for optical emission spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019, 155, 99-106.	1.5	9
34	Grafting polymerization of glycidyl methacrylate onto capillary-channeled polymer (C-CP) fibers as a ligand binding platform: Applications in immobilized metal-ion affinity chromatography (IMAC) protein separations. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1110-1111, 144-154.	1.2	13
35	Monochromatic spatial imaging of the liquid sampling Atmospheric pressure glow discharge: Effects of gas flow on spatial profiles of analyte and background species. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2019, 154, 33-42.	1.5	5
36	Parametric optimization and spectral line selection for liquid sampling-atmospheric pressure glow discharge optical emission spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2019, 34, 2428-2439.	1.6	6

#	ARTICLE	IF	CITATIONS
37	Exosome isolation and purification via hydrophobic interaction chromatography using a polyester, capillary- $\epsilon$ -channeled polymer fiber phase. <i>Electrophoresis</i> , 2019, 40, 571-581.	1.3	45
38	Evaluation of protein separations based on hydrophobic interaction chromatography using polyethylene terephthalate capillary- $\epsilon$ -channeled polymer (C-CP) fiber phases. <i>Journal of Chromatography A</i> , 2019, 1585, 161-171.	1.8	18
39	Initial Benchmarking of the Liquid Sampling-Atmospheric Pressure Glow Discharge-Orbitrap System Against Traditional Atomic Mass Spectrometry Techniques for Nuclear Applications. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 278-288.	1.2	23
40	Investigation of hydrophobic substrates for solution residue analysis utilizing an ambient desorption liquid sampling-atmospheric pressure glow discharge microplasma. <i>Analyst</i> , The, 2018, 143, 1417-1425.	1.7	3
41	Concomitant ion effects on isotope ratio measurements with liquid sampling $\epsilon$ -atmospheric pressure glow discharge ion source Orbitrap mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 251-259.	1.6	19
42	Proof-of-concept: Interfacing the liquid sampling-atmospheric pressure glow discharge ion source with a miniature quadrupole mass spectrometer towards trace metal analysis in cell culture media. <i>Journal of Analytical Atomic Spectrometry</i> , 2018, 33, 2015-2020.	1.6	9
43	Dynamic evaluation of a trilobal capillary- $\epsilon$ -channeled polymer fiber shape for reversed phase protein separations and comparison to the eight- $\epsilon$ -channeled form. <i>Journal of Separation Science</i> , 2018, 41, 1063-1073.	1.3	10
44	Overload Effects in Reversed Phase Protein Separations using Capillary- $\epsilon$ -Channeled Polymer Fiber Columns. <i>Biotechnology Progress</i> , 2018, 34, 1221-1233.	1.3	5
45	Parametric evaluation of ambient desorption optical emission spectroscopy utilizing a liquid sampling-atmospheric pressure glow discharge microplasma. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 931-941.	1.6	8
46	Application of protein A-modified capillary- $\epsilon$ -channeled polymer polypropylene fibers to the quantitation of IgG in complex matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 142, 49-58.	1.4	17
47	Microwave-assisted, grafting polymerization preparation of strong cation exchange nylon 6 capillary- $\epsilon$ -channeled polymer fibers and their chromatographic properties. <i>Analytica Chimica Acta</i> , 2017, 977, 52-64.	2.6	19
48	Liquid sampling-atmospheric pressure glow discharge (LS-APGD) microplasmas for diverse spectrochemical analysis applications. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 704-716.	1.6	48
49	Microwave-assisted grafting polymerization modification of nylon 6 capillary- $\epsilon$ -channeled polymer fibers for enhanced weak cation exchange protein separations. <i>Analytica Chimica Acta</i> , 2017, 954, 129-139.	2.6	20
50	Determination of uranium isotope ratios using a liquid sampling atmospheric pressure glow discharge/Orbitrap mass spectrometer system. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1534-1540.	0.7	20
51	Demonstration of a novel ion-exchange column for pre-concentration of silver ions in optical emission spectroscopy utilizing a liquid-sampling atmospheric pressure glow discharge microplasma. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 2463-2468.	1.6	10
52	Glow Discharge Mass Spectrometry. , 2017, , 30-36.		4
53	Conceptual Demonstration of Ambient Desorption-Optical Emission Spectroscopy Using a Liquid Sampling-Atmospheric Pressure Glow Discharge Microplasma Source. <i>Analytical Chemistry</i> , 2016, 88, 5579-5584.	3.2	23
54	Preliminary Figures of Merit for Isotope Ratio Measurements: The Liquid Sampling-Atmospheric Pressure Glow Discharge Microplasma Ionization Source Coupled to an Orbitrap Mass Analyzer. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 1393-1403.	1.2	33

#	ARTICLE	IF	CITATIONS
55	Isotope ratio characteristics and sensitivity for uranium determinations using a liquid sampling-atmospheric pressure glow discharge ion source coupled to an Orbitrap mass analyzer. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 2355-2362.	1.6	31
56	Coupling of capillary-channeled polymer (C-CP) fibers for reversed phase liquid chromatography and ESI-MS for the determination of proteins in a urine matrix. <i>Analytical Methods</i> , 2016, 8, 8410-8419.	1.3	8
57	Evaluation of loading characteristics and IgG binding performance of Staphylococcal protein A on polypropylene capillary-channeled polymer fibers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1015-1016, 92-104.	1.2	19
58	Parallel, open-channel lateral flow (immuno) assay substrate based on capillary-channeled polymer films. <i>Analyst, The</i> , 2016, 141, 807-814.	1.7	1
59	Mass spectra of diverse organic species utilizing the liquid sampling-atmospheric pressure glow discharge (LS-APGD) microplasma ionization source. <i>Journal of Analytical Atomic Spectrometry</i> , 2016, 31, 145-151.	1.6	37
60	Fiber-based platforms for bioanalytics. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1281-1283.	1.9	3
61	Comparison of analytical protein separation characteristics for three amine-based capillary-channeled polymer (C-CP) stationary phases. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1373-1383.	1.9	7
62	Capillary-channeled polymer (C-CP) fibers for the rapid extraction of proteins from urine matrices prior to detection with MALDI-MS. <i>Proteomics - Clinical Applications</i> , 2015, 9, 522-530.	0.8	3
63	Determination of Isoflavone Content in SRM 3238 Using Liquid Chromatography-Particle Beam/Electron Ionization Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2015, 98, 1483-1490.	0.7	8
64	Roles of interstitial fraction and load conditions on the dynamic binding capacity of proteins on capillary-channeled polymer fiber columns. <i>Biotechnology Progress</i> , 2015, 31, 97-109.	1.3	17
65	Evaluation of synthesized lipid tethered ligands for surface functionalization of polypropylene capillary-channeled polymer fiber stationary phases. <i>Analyst, The</i> , 2015, 140, 1523-1534.	1.7	11
66	Preliminary Assessment of Potential for Metal-Ligand Speciation in Aqueous Solution via the Liquid Sampling-Atmospheric Pressure Glow Discharge (LS-APGD) Ionization Source: Uranyl Acetate. <i>Analytical Chemistry</i> , 2015, 87, 7218-7225.	3.2	23
67	Liquid Sampling-Atmospheric Pressure Glow Discharge as a Secondary Excitation Source for Laser Ablation-Generated Aerosols: Parametric Dependence and Robustness to Particle Loading. <i>Applied Spectroscopy</i> , 2015, 69, 58-66.	1.2	15
68	Polyethylenimine modified poly(ethylene terephthalate) capillary channeled-polymer fibers for anion exchange chromatography of proteins. <i>Journal of Chromatography A</i> , 2015, 1410, 200-209.	1.8	29
69	Evidence for the Intercalation of Lipid Acyl Chains into Polypropylene Fiber Matrices. <i>Langmuir</i> , 2015, 31, 10418-10425.	1.6	5
70	Liquid sampling-atmospheric pressure glow discharge excitation of atomic and ionic species. <i>Journal of Analytical Atomic Spectrometry</i> , 2015, 30, 285-295.	1.6	16
71	Biotin-functionalized poly(ethylene terephthalate) capillary-channeled polymer fibers as HPLC stationary phase for affinity chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 939-951.	1.9	25
72	Evaluation of the operating parameters of the liquid sampling-atmospheric pressure glow discharge (LS-APGD) ionization source for elemental mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 7497-7509.	1.9	26

#	ARTICLE	IF	CITATIONS
73	Loading characteristics and chemical stability of headgroup- $\epsilon$ -functionalized poly(ethylene glycol)-lipid ligand tethers on polypropylene capillary- $\epsilon$ -channeled polymer fibers. <i>Journal of Separation Science</i> , 2014, 37, 3595-3602.	1.3	11
74	Initial evaluation of protein A modified capillary- $\epsilon$ -channeled polymer fibers for the capture and recovery of immunoglobulin G. <i>Journal of Separation Science</i> , 2014, 37, 495-504.	1.3	36
75	Liquid sampling-atmospheric pressure glow discharge as a secondary excitation source: Assessment of plasma characteristics. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 94-95, 39-47.	1.5	26
76	Head group-functionalized poly(ethyleneglycol)-lipid (PEG-lipid) surface modification for highly selective analyte extractions on capillary- $\epsilon$ -channeled polymer (C-CP) fibers. <i>Analyst, The</i> , 2014, 139, 2108.	1.7	11
77	Investigation of spectrochemical matrix effects in the liquid sampling-atmospheric pressure glow discharge source. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 100, 44-51.	1.5	8
78	Determination of pore size distributions in capillary- $\epsilon$ -channeled polymer fiber stationary phases by inverse size-exclusion chromatography and implications for fast protein separations. <i>Journal of Chromatography A</i> , 2014, 1351, 82-89.	1.8	26
79	In-Line Desalting of Proteins from Buffer and Synthetic Urine Solution Prior to ESI-MS Analysis via a Capillary- $\epsilon$ -channeled Polymer Fiber Microcolumn. <i>Journal of the American Society for Mass Spectrometry</i> , 2013, 24, 975-978.	1.2	14
80	Ambient desorption/ionization mass spectrometry using a liquid sampling- $\epsilon$ -atmospheric glow discharge (LS-APGD) ionization source. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 8171-8184.	1.9	34
81	Optimization of capillary- $\epsilon$ -channeled polymer (C-CP) fiber stationary phase extractions of proteins from MALDI-MS suppressing media. <i>Analytical Methods</i> , 2013, 5, 3194.	1.3	3
82	Selenium speciation by liquid chromatography-particle beam/mass spectrometry (LC-PB/MS): application to a yeast reference material and synthetic urine. <i>Analytical Methods</i> , 2013, 5, 4053.	1.3	6
83	Solid phase extraction of proteins from buffer solutions employing capillary- $\epsilon$ -channeled polymer (C-CP) fibers as the stationary phase. <i>Analyst, The</i> , 2013, 138, 1098-1106.	1.7	20
84	Initial evaluation of protein throughput and yield characteristics on nylon 6 capillary- $\epsilon$ -channeled polymer (C-CP) fiber stationary phases by frontal analysis. <i>Biotechnology Progress</i> , 2013, 29, 1222-1229.	1.3	28
85	Extrusion-based differences in two types of nylon 6 capillary- $\epsilon$ -channeled polymer (C-CP) fiber stationary phases as applied to the separation of proteins via ion exchange chromatography. <i>Journal of Applied Polymer Science</i> , 2013, 128, 1257-1265.	1.3	13
86	Determination of Isoflavone Content in Soy, Red Clover, and Kudzu Dietary Supplement Materials by Liquid Chromatography-Particle Beam/Electron Ionization Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2013, 96, 925-932.	0.7	18
87	Dynamic evaluation of polypropylene capillary- $\epsilon$ -channeled fibers as a stationary phase in high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2012, 35, 3270-3280.	1.3	40
88	Femtosecond laser ablation particle introduction to a liquid sampling-atmospheric pressure glow discharge ionization source. <i>Journal of Analytical Atomic Spectrometry</i> , 2012, 27, 385.	1.6	27
89	Liquid sampling-atmospheric pressure glow discharge optical emission spectroscopy detection of laser ablation produced particles: A feasibility study. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2012, 76, 190-196.	1.5	24
90	Roles of electrode material and geometry in liquid sampling-atmospheric pressure glow discharge (LS-APGD) microplasma emission spectroscopy. <i>Microchemical Journal</i> , 2012, 105, 48-55.	2.3	25

#	ARTICLE	IF	CITATIONS
91	Microbore polypropylene capillary channeled polymer (C-CP) fiber columns for rapid reversed-phase HPLC of proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 721-729.	1.9	51
92	Capillary-Channeled Polymer (C-CP) Fibers as a Stationary Phase for Sample Clean-Up of Protein Solutions for Matrix-Assisted Laser/Desorption Ionization Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 1419-1423.	1.2	13
93	Capillary-Channeled Polymer (C-CP) Films as Processing Platforms for Protein Analysis by Matrix-Assisted Laser/Desorption Ionization Mass Spectrometry (MALDI-MS). <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 102-107.	1.2	2
94	Liquid sampling atmospheric pressure glow discharge (LS-APGD) ionization source for elemental mass spectrometry: preliminary parametric evaluation and figures of merit. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 261-268.	1.9	42
95	Metal retention in human transferrin: Consequences of solvent composition in analytical sample preparation methods. <i>Metallomics</i> , 2011, 3, 1027.	1.0	4
96	Liquid Sampling-Atmospheric Pressure Glow Discharge Ionization Source for Elemental Mass Spectrometry. <i>Analytical Chemistry</i> , 2011, 83, 2425-2429.	3.2	76
97	Nickel ions inhibit $\beta$ -actin expression and decrease aspect ratio of rat vascular smooth muscle cells in vitro. <i>Metallomics</i> , 2011, 3, 934.	1.0	8
98	Competitive binding of Fe <sup>3+</sup> , Cr <sup>3+</sup> , and Ni <sup>2+</sup> to transferrin. <i>Journal of Biological Inorganic Chemistry</i> , 2011, 16, 913-921.	1.1	38
99	Analysis of caffeic acid derivatives in echinacea extracts by liquid chromatography particle beam mass spectrometry (LC-PB/MS) employing electron impact and glow discharge ionization sources. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1259-1271.	1.9	23
100	Small molecule adsorption on to polyester capillary-channeled polymer fibers: Frontal analysis of naphthalene and naphthol (naphthalene and naphthol adsorption on capillary-channeled polymer) <i>Talanta</i> , 2010, 52, 107-110.	1.0	10
101	Liquid Chromatography-Particle Beam Electron Ionization Mass Spectrometry Method for Analysis of Botanical Extracts: Evaluation of Ephedrine Alkaloids in Standard Reference Materials. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 1788-1797.	0.7	4
102	Conversion of a commercial gas chromatography-mass spectrometer to a liquid chromatography-particle beam/glow discharge mass spectrometer. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 1780.	1.6	3
103	Extraction of metals from aqueous systems employing capillary-channeled polymer (C-CP) fibers modified with poly(acrylic acid) (PAA). <i>Analytical Methods</i> , 2010, 2, 461.	1.3	15
104	Glow Discharge Mass Spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2010, 25, 762-769.	1.0	2
105	Determination of catechins and caffeine in proposed green tea standard reference materials by liquid chromatography-particle beam/electron ionization mass spectrometry (LC-PB/EIMS). <i>Talanta</i> , 2010, 82, 1687-1695.	2.9	35
106	Instrumental comparison of the determination of Cr <sup>3+</sup> uptake by human transferrin. <i>Metallomics</i> , 2010, 2, 792.	1.0	27
107	Simultaneous multiple element detection by particle beam/hollow cathode-optical emission spectroscopy as a tool for metallomic studies: Determinations of metal binding with apo-transferrin. <i>Metallomics</i> , 2010, 2, 154-161.	1.0	16
108	Use of polymer fiber stationary phases for liquid chromatography separations: Part II applications. <i>Journal of Separation Science</i> , 2009, 32, 695-705.	1.3	28

#	ARTICLE	IF	CITATIONS
109	Simultaneous multielement detection in particle beam/hollow cathode-optical emission spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2009, 64, 1185-1193.	1.5	6
110	Nylon-6 capillary-channeled polymer (C-CP) fibers as a hydrophobic interaction chromatography stationary phase for the separation of proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 393, 273-281.	1.9	34
111	On-line separation and identification of inorganic and organic arsenic species in ethanolic kelp and bladderwrack extracts through liquid chromatography/particle beam-electron ionization mass spectrometry (LC/PB-EIMS). <i>Journal of Analytical Atomic Spectrometry</i> , 2009, 24, 199-208.	1.6	9
112	Metals analysis of botanical products in various matrices using a single microwave digestion and inductively coupled plasma optical emission spectrometry (ICP-OES) method. <i>Analytical Methods</i> , 2009, 1, 188.	1.3	14
113	Use of polymer fiber stationary phases for liquid chromatography separations: Part I " physical and chemical rationale. <i>Journal of Separation Science</i> , 2008, 31, 1923-1935.	1.3	37
114	Nylon-6 Capillary-Channeled Polymer Fibers as a Stationary Phase for the Mixed-Mode Ion Exchange/Reversed-Phase Chromatography Separation of Proteins. <i>Journal of Chromatographic Science</i> , 2007, 45, 415-421.	0.7	28
115	Separation and Determination of Iron-Containing Proteins via Liquid Chromatography Particle Beam/Hollow Cathode Optical Emission Spectroscopy. <i>Analytical Chemistry</i> , 2007, 79, 2402-2411.	3.2	12
116	Determination of free iron and iron bound in metalloproteins via liquid chromatography separation and inductively coupled plasma-optical emission spectrometry (LC-ICP-OES) and particle beam/hollow cathode-optical emission spectrometry (LC-PB/HC-OES) techniques. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 1067.	1.6	13
117	Online mercury speciation through liquid chromatography with particle beam/electron ionization mass spectrometry detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 283-291.	1.6	40
118	Plasma parameter and film casting optimization for the determination of particulate matter in a sol-gel matrix by radiofrequency glow discharge optical emission spectrometry (rf-GD-OES). <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 126-133.	1.6	6
119	Characterization of Capillary-Channeled Polymer Fiber Stationary Phases for High-Performance Liquid Chromatography Protein Separations: A Comparative Analysis with a Packed-Bed Column. <i>Analytical Chemistry</i> , 2006, 78, 8462-8471.	3.2	58
120	Capillary-Channeled Polymer Fibers as a Stationary Phase for Desalting of Protein Solutions for Electrospray Ionization Mass Spectrometry Analysis. <i>Analytical Chemistry</i> , 2006, 78, 5617-5621.	3.2	27
121	Particle beam sample introduction into glow discharge plasmas for speciation analysis. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2006, 61, 134-149.	1.5	32
122	Effects of easily ionizable elements on the liquid sampling atmospheric pressure glow discharge. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2006, 61, 715-721.	1.5	33
123	Capillary-channeled polymer (C-CP) fibers as a stationary phase in microbore high-performance liquid chromatography columns. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 384, 250-258.	1.9	59
124	Non-metal element detection by radio-frequency glow-discharge optical-emission spectrometry (rf-GD-OES) for determination of sol-gel-immobilized nucleotides. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 386, 1357-1365.	1.9	3
125	Electron-impact and glow-discharge ionization LC-MS analysis of green tea tincture. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 387, 321-333.	1.9	15
126	Potential for Ultrafast Protein Separations with Capillary-Channeled Polymer (C-CP) Fiber Columns. <i>Protein and Peptide Letters</i> , 2006, 13, 95-99.	0.4	29

#	ARTICLE	IF	CITATIONS
127	Hydrodynamic flow in capillary-channel fiber columns for liquid chromatography. <i>Journal of Chromatography A</i> , 2005, 1100, 68-75.	1.8	106
128	Micro-scale analytical plasmas for liquid chromatography detection. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 96-98.	1.9	19
129	Determination of phosphorus and carbon in phosphorylated deoxynucleotides via particle beam/hollow cathode glow discharge optical emission spectroscopy (PB/HC-OES). <i>Journal of Analytical Atomic Spectrometry</i> , 2005, 20, 924.	1.6	10
130	Total protein determinations by particle beam/hollow cathode optical emission spectroscopy (PB/HC-OES) system III: Investigation of carrier salts for enhanced particle transport. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 380, 204-211.	1.9	22
131	Organic and inorganic arsenic speciation through ion exchange chromatography with particle beam-glow discharge mass spectrometry detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 1309.	1.6	17
132	Total protein determinations by particle beam/hollow cathode optical emission spectroscopy (PB/HC-OES) system. <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 1199.	1.6	9
133	Comparative study of different modes of calibration and quantification in radiofrequency glow discharge optical emission spectroscopy (rf-GD-OES). <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 333.	1.6	7
134	Depth-resolved analysis of Ni <sup>62</sup> P plated aluminium hard disks by radiofrequency glow discharge optical emission spectroscopy (rf-GD-OES). <i>Journal of Analytical Atomic Spectrometry</i> , 2004, 19, 345-353.	1.6	12
135	Capillary-channeled polymer fibers as stationary phases in liquid chromatography separations. <i>Journal of Chromatography A</i> , 2003, 986, 17-31.	1.8	84
136	Particle beam glow discharge mass spectrometry: spectral characteristics of nucleobases. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 1749-1758.	0.7	14
137	Use of Solâˆ“Gels as Solid Matrixes for Simultaneous Multielement Determination by Radio Frequency Glow Discharge Optical Emission Spectrometry:â€‰ Determinations of Suspended Particulate Matter. <i>Analytical Chemistry</i> , 2003, 75, 2243-2250.	3.2	9
138	Total Protein Determinations by Particle Beam/Hollow Cathode Optical Emission Spectroscopy. <i>Analytical Chemistry</i> , 2003, 75, 4801-4810.	3.2	21
139	Selenium compound analysis by particle beam/hollow cathode optical emission spectroscopy (PB/HC-OES): monitoring of carbon and hydrogen emission from organoselenium compounds. <i>Journal of Analytical Atomic Spectrometry</i> , 2003, 18, 589.	1.6	14
140	A Novel Stationary Phase: Capillary-Channeled Polymer (C-CP) Fibers for HPLC Separations of Proteins. <i>Journal of Chromatographic Science</i> , 2003, 41, 475-479.	0.7	42
141	Development of a new liquid chromatography method for the separation and speciation of organic and inorganic selenium compounds via particle beam-hollow cathode glow discharge-optical emission spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 2002, 17, 99-103.	1.6	17
142	Radio frequency glow discharge optical emission spectroscopy: a new weapon in the depth profiling arsenal. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 373, 656-663.	1.9	18
143	Radio frequency glow discharge optical emission spectrometry (rf-GD-OES) analysis of solid glass samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 506-513.	1.6	31
144	An Atmospheric Pressure Glow Discharge Optical Emission Source for the Direct Sampling of Liquid Media. <i>Analytical Chemistry</i> , 2001, 73, 2903-2910.	3.2	144

#	ARTICLE	IF	CITATIONS
145	An atmospheric pressure glow discharge optical emission source for the direct sampling of liquid media. <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 931-937.	1.6	100
146	Investigation of the role of hollow cathode (vaporization) temperature on the performance of particle beam-hollow cathode atomic emission spectrometry (PB-HC-AES). <i>Journal of Analytical Atomic Spectrometry</i> , 2001, 16, 115-121.	1.6	17
147	Characterization of bis-(phenoxy)phosphazene polymers using radio frequency glow discharge mass spectrometry. <i>Journal of Applied Polymer Science</i> , 2000, 76, 954-961.	1.3	6
148	Analysis of amino acids and organometallic compounds by particle beam-hollow cathode glow discharge atomic emission spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2000, 15, 43-48.	1.6	29
149	Glow Discharge Ionization Source for Liquid Chromatography/Particle Beam Mass Spectrometry. <i>Analytical Chemistry</i> , 2000, 72, 3833-3840.	3.2	30
150	On-line determination of sputtered depth in a radio frequency glow discharge atomic emission source by laser confocal displacement. <i>Surface and Interface Analysis</i> , 1999, 27, 962-971.	0.8	5
151	Evaluation of helium-argon mixed gas plasmas for bulk and depth-resolved analyses by radiofrequency glow discharge atomic emission spectroscopy. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1039-1045.	1.6	27
152	Sampling and Analysis of Particulate Matter by Glow Discharge Atomic Emission and Mass Spectrometries. <i>Analytical Chemistry</i> , 1999, 71, 3061-3069.	3.2	25
153	Direct analysis of glass powder samples by radio frequency glow discharge atomic emission spectrometry (rf-GD-AES). <i>Mikrochimica Acta</i> , 1998, 129, 239-250.	2.5	12
154	Influence of discharge parameters on the resultant sputtered crater shapes for a radio frequency glow discharge mass spectrometry source. <i>Journal of Analytical Atomic Spectrometry</i> , 1998, 13, 1303-1311.	1.6	21
155	Rapid Depth-Resolved Analysis of Nitride Layers (>50 Micrometers) on Prosthetic Devices by Radio Frequency Glow Discharge Atomic Emission Spectroscopy. <i>Materials Research Society Symposia Proceedings</i> , 1998, 550, 343.	0.1	0
156	Practical Aspects in the Determination of Gaseous Elements by Radiofrequency Glow Discharge Atomic Emission Spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1997, 12, 1027-1032.	1.6	19
157	Studies of Analyte Particle Transport in a Particle Beam-Hollow Cathode Atomic Emission Spectrometry System. <i>Journal of Analytical Atomic Spectrometry</i> , 1997, 12, 807-815.	1.6	13
158	Analysis of Organic Compounds by Particle Beam/Hollow Cathode Atomic Emission Spectroscopy: $\lambda$ Determinations of Carbon and Hydrogen in Amino Acids. <i>Analytical Chemistry</i> , 1997, 69, 3419-3426.	3.2	29
159	Effects of Limiting Orifice (Anode) Geometries on Charged Particle Characteristics in an Analytical Radiofrequency Glow Discharge as Determined by Langmuir, Current and Voltage Probes. <i>Journal of Analytical Atomic Spectrometry</i> , 1997, 12, 33-41.	1.6	14
160	Cryogenically cooled sample holder for polymer sample analysis by radiofrequency glow discharge mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1997, 8, 1214-1219.	1.2	12
161	Radio Frequency Glow Discharge Mass Spectrometry for the Characterization of Bulk Polymers. <i>Analytical Chemistry</i> , 1996, 68, 2113-2121.	3.2	50
162	Influence of Discharge Parameters on the Resultant Sputtered Crater Shapes for a Radio Frequency Glow Discharge Atomic Emission Source. <i>Analytical Chemistry</i> , 1996, 68, 4213-4220.	3.2	35

#	ARTICLE	IF	CITATIONS
163	Investigation of Sample Atomization Using a Power-Modulated Radio-Frequency Glow Discharge Source. <i>Applied Spectroscopy</i> , 1996, 50, 366-376.	1.2	8
164	Optimization of Discharge Parameters for a Flat-Type Radio-Frequency Glow Discharge Source Coupled to a Quadrupole Mass Spectrometer System. <i>Applied Spectroscopy</i> , 1996, 50, 454-466.	1.2	25
165	Nebulization and analysis characteristics of a particle beam "hollow cathode glow discharge atomic emission spectrometry system. <i>Journal of Analytical Atomic Spectrometry</i> , 1996, 11, 483-490.	1.6	21
166	Radiofrequency powered glow discharges: opportunities and challenges. Plenary lecture. <i>Journal of Analytical Atomic Spectrometry</i> , 1996, 11, 821.	1.6	38
167	Investigations of self-absorption in a radio-frequency glow discharge device. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1996, 51, 839-850.	1.5	9
168	Direct generation of ion beam images with a two-dimensional charge injection device. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 140-147.	1.2	0
169	Investigation of dielectric sample atomization and electrical characteristics in a radio frequency glow discharge source. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1995, 50, 617-638.	1.5	33
170	Determination of Precious Metal Alloys by Radio Frequency Glow Discharge Atomic Emission Spectroscopy. <i>Analytical Chemistry</i> , 1995, 67, 1271-1277.	3.2	26
171	Ion Kinetic Energy Determinations in Radio-Frequency Glow Discharge Mass Spectrometry. <i>Applied Spectroscopy</i> , 1995, 49, 917-926.	1.2	6
172	Preliminary study of the role of discharge conditions on the in-depth analysis of conducting thin films by radiofrequency glow discharge optical emission spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1995, 10, 671-676.	1.6	16
173	Effects of target gas in collision-induced dissociation using a double quadrupole mass spectrometer and radiofrequency. <i>Journal of the American Society for Mass Spectrometry</i> , 1994, 5, 845-851.	1.2	16
174	Role of Discharge Parameters and Limiting Orifice Diameter in Radio-Frequency Glow Discharge-Atomic Absorption Spectrophotometry (rf-GD-AAS). <i>Applied Spectroscopy</i> , 1994, 48, 623-629.	1.2	20
175	Radiofrequency powered glow discharges for emission and mass spectrometry: operating characteristics, figures of merit and future prospects. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 1029.	1.6	26
176	Optimization of discharge parameters of a pin-type radio frequency glow discharge source for a quadrupole mass spectrometer system. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 1045.	1.6	20
177	rf-Powered glow discharges. Elemental analysis. <i>Analytical Chemistry</i> , 1994, 66, 902A-911A.	3.2	20
178	rf-Powered Glow Discharges Elemental Analysis across the Solids Spectrum. <i>Analytical Chemistry</i> , 1994, 66, 902A-911A.	3.2	54
179	Particle Beam Aqueous Sample Introduction for Hollow Cathode Atomic Emission Spectroscopy. <i>Analytical Chemistry</i> , 1994, 66, 3916-3924.	3.2	29
180	Line selection and evaluation of radio frequency glow discharge atomic emission spectrometry for the analysis of copper and aluminum alloys. <i>Analytical Chemistry</i> , 1993, 65, 3636-3643.	3.2	38

#	ARTICLE	IF	CITATIONS
181	Design and characterization of a radio-frequency-powered glow discharge source for double-focusing mass spectrometers. <i>Analytical Chemistry</i> , 1993, 65, 2478-2484.	3.2	54
182	Fundamental Plasma Processes. , 1993, , 17-66.		11
183	Analysis of Nonconducting Sample Types. , 1993, , 263-328.		7
184	Operation principles and design considerations for radiofrequency powered glow discharge devices. A review. <i>Journal of Analytical Atomic Spectrometry</i> , 1993, 8, 935.	1.6	49
185	Complementary radiofrequency glow discharge source for a commercial quadrupole mass spectrometer system. <i>Journal of Analytical Atomic Spectrometry</i> , 1993, 8, 1043.	1.6	34
186	Inter-Laboratory note. Direct insertion probe for radiofrequency powered glow discharge mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1992, 7, 711.	1.6	58
187	Radio-frequency glow discharge ion trap mass spectrometry. <i>Analytical Chemistry</i> , 1992, 64, 1606-1609.	3.2	63
188	Emission characteristics of a pulsed, radiofrequency glow discharge atomic emission device. <i>Analytical Chemistry</i> , 1992, 64, 2067-2074.	3.2	43
189	A Simple, Lensless Interface of an RF Glow Discharge Device to an FT-ICR (FTMS). <i>Applied Spectroscopy</i> , 1992, 46, 1327-1330.	1.2	24
190	Determination of platinum and rhodium in $\hat{1}^3$ -alumina catalysts by glow discharge atomization atomic absorption spectrophotometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1991, 46, 615-627.	1.5	24
191	Applicability of a radiofrequency powered glow discharge for the direct solids analysis of non-conducting materials by atomic emission spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1990, 5, 575.	1.6	59
192	Sampling an RF-Powered Glow Discharge Source with a Double Quadrupole Mass Spectrometer. <i>Applied Spectroscopy</i> , 1990, 44, 649-655.	1.2	51
193	Radio frequency powered glow discharge atomization/ionization source for solids mass spectrometry. <i>Analytical Chemistry</i> , 1989, 61, 1879-1886.	3.2	177
194	Glow Discharge Sputter Atomization for Atomic Absorption Analysis of Nonconducting Powder Samples. <i>Applied Spectroscopy</i> , 1988, 42, 941-944.	1.2	50
195	Glow discharge sputtering and excitation characteristics of brass alloys. <i>Journal of Analytical Atomic Spectrometry</i> , 1988, 3, 873.	1.6	21
196	Analysis of geological samples by hollow cathode plume atomic emission spectrometry. <i>Analytical Chemistry</i> , 1987, 59, 2369-2373.	3.2	17
197	Hollow cathode plume as an atomic emission source for elemental analysis of metal alloys. <i>Analytical Chemistry</i> , 1986, 58, 797-802.	3.2	6
198	Hollow cathode plume as an atomization/ionization source for solids mass spectrometry. <i>Analytical Chemistry</i> , 1986, 58, 972-974.	3.2	22

#	ARTICLE	IF	CITATIONS
199	Mass Spectrometry of Glow Discharges. , 0, , 71-96.		4
200	Analysis of Samples of Nuclear Concern with Glow Discharge Atomic Spectrometry. , 0, , 273-292.		0
201	Analysis of Nonconducting Materials by dc Glow Discharge Spectrometry. , 0, , 293-315.		1
202	Analysis of Liquid Samples Using Glow Discharge Spectroscopies. , 0, , 335-362.		0
203	GC Speciation with GDMS Detection. , 0, , 363-379.		0
204	Low-Pressure Inductively Coupled Plasmas. , 0, , 401-433.		0
205	Multidimensional Ionization Sources for Plasma-Source Mass Spectrometry. , 0, , 435-468.		0
206	Radio Frequency Glow Discharges. , 0, , 97-139.		4