

# Ling Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/118340/publications.pdf>

Version: 2024-02-01

23  
papers

318  
citations

1051969

10  
h-index

993246

17  
g-index

26  
all docs

26  
docs citations

26  
times ranked

444  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical heterogeneities and prognoses of patients with myositis specific antibody negative dermatomyositis: a retrospective study in China. <i>Clinical and Experimental Rheumatology</i> , 2022, 40, 284-291.	0.4	2
2	Relationship between intraoperative measured parameters of parathyroid gland and pathological patterns in patients with secondary hyperparathyroidism. <i>Annals of Translational Medicine</i> , 2021, 9, 99-99.	0.7	2
3	Right ventricular end-systolic remodeling index on cardiac magnetic resonance imaging: comparison with other functional markers in patients with chronic thromboembolic pulmonary hypertension. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 12, 0-0.	1.1	2
4	Clinical and CT findings of adenovirus pneumonia in immunocompetent adults. <i>Clinical Respiratory Journal</i> , 2021, 15, 1343-1351.	0.6	1
5	Predictive markers for severe hypocalcemia in dialysis patients with secondary hyperparathyroidism after near-total parathyroidectomy. <i>Annals of Palliative Medicine</i> , 2021, 10, 10712-10719.	0.5	4
6	Clinical heterogeneities and prognoses of patients with myositis specific antibody negative dermatomyositis: a retrospective study in China. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.4	0
7	Evaluation of acute pulmonary embolism and clot burden on CTPA with deep learning. <i>European Radiology</i> , 2020, 30, 3567-3575.	2.3	51
8	Risk factors predicting severe hypocalcemia after total parathyroidectomy without autotransplantation in patients with secondary hyperparathyroidism. <i>Journal of International Medical Research</i> , 2020, 48, 030006051989750.	0.4	10
9	Progress in the study on COVID19related renal injury. <i>Journal of Central South University (Medical)</i> Tj ETQq1 1 0.784314 rgBT <sub>0</sub> /Overl 0.1	0.1	0
10	Effect of extended hours dialysis on markers of chronic kidney disease-mineral and bone disorder in the ACTIVE Dialysis study. <i>BMC Nephrology</i> , 2019, 20, 258.	0.8	7
11	Microwave ablation of hyperplastic parathyroid glands is a treatment option for end-stage renal disease patients ineligible for surgical resection. <i>International Journal of Hyperthermia</i> , 2019, 36, 29-35.	1.1	25
12	Varying Association of Extended Hours Dialysis with Quality of Life. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1751-1762.	2.2	13
13	Extreme manifestations of hyperparathyroidism in a hemodialysis patient. <i>Kidney International</i> , 2018, 94, 1028.	2.6	0
14	Risk factors for severe hypocalcemia after parathyroidectomy in dialysis patients with secondary hyperparathyroidism. <i>Scientific Reports</i> , 2018, 8, 7743.	1.6	27
15	A Trial of Extending Hemodialysis Hours and Quality of Life. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1898-1911.	3.0	62
16	Risk Factors for Elevated Preoperative Alkaline Phosphatase in Patients with Refractory Secondary Hyperparathyroidism. <i>American Surgeon</i> , 2017, 83, 1368-1372.	0.4	2
17	Impact of Different Levels of iPTH on All-Cause Mortality in Dialysis Patients with Secondary Hyperparathyroidism after Parathyroidectomy. <i>BioMed Research International</i> , 2017, 2017, 1-7.	0.9	5
18	Association of CKD-MBD Markers with All-Cause Mortality in Prevalent Hemodialysis Patients: A Cohort Study in Beijing. <i>PLoS ONE</i> , 2017, 12, e0168537.	1.1	15

#	ARTICLE	IF	CITATIONS
19	Impact of parathyroidectomy on survival among haemodialysis patients: A prospective cohort study. <i>Nephrology</i> , 2016, 21, 133-138.	0.7	14
20	Factors predictive of critical value of hypocalcemia after total parathyroidectomy without autotransplantation in patients with secondary hyperparathyroidism. <i>Renal Failure</i> , 2016, 38, 1224-1227.	0.8	21
21	Clinical significance of different carnitine levels for improving the prognosis of patients undergoing hemodialysis. <i>Renal Failure</i> , 2016, 38, 1654-1658.	0.8	9
22	Safety and efficiency of microwave ablation for recurrent and persistent secondary hyperparathyroidism after parathyroidectomy: A retrospective pilot study. <i>International Journal of Hyperthermia</i> , 2016, 32, 180-186.	1.1	31
23	Severe uremic leontiasis ossea ameliorated by total parathyroidectomy. <i>Kidney International</i> , 2009, 76, 1118.	2.6	14