

Hong Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1183553/hong-lin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

3,755
citations

33
h-index

59
g-index

114
ext. papers

4,305
ext. citations

7.6
avg, IF

5.54
L-index

#	Paper	IF	Citations
109	Microstructurally Tailored Thin EAg Se Films towards Commercial Flexible Thermoelectrics. <i>Advanced Materials</i> , 2021 , e2104786	24	4
108	Efficient and Stable Red Perovskite Light-Emitting Diodes with Operational Stability >300 h. <i>Advanced Materials</i> , 2021 , 33, e2008820	24	38
107	Recent progress in meniscus coating for large-area perovskite solar cells and solar modules. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 1926-1951	5.8	6
106	P-13.3: Efficient Blue and Color Tunable White OLED Based on Platinum Complex. <i>Digest of Technical Papers SID International Symposium</i> , 2021 , 52, 637-637	0.5	
105	Screening of perhydrolases to optimize glucose oxidase-perhydrolase-in situ chemical oxidation cascade reaction system and its application in melanin decolorization. <i>Journal of Biotechnology</i> , 2021 , 328, 106-114	3.7	3
104	Improved Physicochemical Properties of Curcumin-Loaded Solid Lipid Nanoparticles Stabilized by Sodium Caseinate-Lactose Maillard Conjugate. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 7072-7081	5.7	19
103	Suppressed phase transition of a Rb/K incorporated inorganic perovskite with a water-repelling surface. <i>Nanoscale</i> , 2020 , 12, 6571-6581	7.7	7
102	Improved phase stability of E CsPbI3 perovskite nanocrystals using the interface effect using iodine modified graphene oxide. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 2569-2578	7.1	8
101	Enhanced Photocatalytic Property of E CsPbI3 Perovskite Nanocrystals with WS2. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 1219-1229	8.3	14
100	Advances in Phase Stability of Cesium Lead Halide Perovskites. <i>Solar Rrl</i> , 2020 , 4, 2000495	7.1	5
99	Zein-Polyglycerol Conjugates with Enhanced Water Solubility and Stabilization of High Oil Loading Emulsion. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 11810-11816	5.7	6
98	Gamma-phase CsPbBr perovskite nanocrystals/polymethyl methacrylate electrospun nanofibrous membranes with superior photo-catalytic property. <i>Journal of Chemical Physics</i> , 2020 , 153, 024703	3.9	5
97	Defect/Interface Recombination Limited Quasi-Fermi Level Splitting and Open-Circuit Voltage in Mono- and Triple-Cation Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 37647-37656	9.5	16
96	To Be Higher and Stronger-Metal Oxide Electron Transport Materials for Perovskite Solar Cells. <i>Small</i> , 2020 , 16, e1902579	11	46
95	Improved Moisture Stability of Perovskite Solar Cells Using N719 Dye Molecules. <i>Solar Rrl</i> , 2019 , 3, 1900345	3.45	21
94	Achieving High-Quality Sn-Pb Perovskite Films on Complementary Metal-Oxide-Semiconductor-Compatible Metal/Silicon Substrates for Efficient Imaging Array. <i>ACS Nano</i> , 2019 , 13, 11800-11808	16.7	22
93	Improvement of Cs-(FAPbI3)0.85(MAPbBr3)0.15 Quality Via DMSO-Molecule-Control to Increase the Efficiency and Boost the Long-Term Stability of 1 cm2 Sized Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1800338	7.1	15

92	All Solution-Processed Cu ₂ ZnSnS ₄ Solar Cell by Using High-Boiling-Point Solvent Treated Ball-Milling Process with Efficiency Exceeding 6%. <i>ChemistrySelect</i> , 2019 , 4, 982-989	1.8	3
91	Focus issue on organic and hybrid photovoltaics. <i>Science and Technology of Advanced Materials</i> , 2019 , 20, 42-43	7.1	1
90	Critical roles of potassium in charge-carrier balance and diffusion induced defect passivation for efficient inverted perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 5666-5676	13	35
89	Enhancing electron transport via graphene quantum dot/SnO ₂ composites for efficient and durable flexible perovskite photovoltaics. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 1878-1888	13	48
88	All-Layer Sputtering-Free Cu ₂ Zn _{1-x} CdxSnS ₄ Solar Cell with Efficiency Exceeding 7.5%. <i>ChemistrySelect</i> , 2019 , 4, 5979-5983	1.8	1
87	An Excellent Modifier: Carbon Quantum Dots for Highly Efficient Carbon-Electrode-Based Methylammonium Lead Iodide Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1900146	7.1	18
86	Loading Auristatin PE onto boron nitride nanotubes and their effects on the apoptosis of Hep G2 cells. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 181, 305-314	6	3
85	In situ growth of CsPbI_3 perovskite nanocrystals on the surface of reduced graphene oxide with enhanced stability and carrier transport quality. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 6795-6804	7.1	25
84	Comparative analysis of polyester hydrolysis activity among three lipolytic enzymes. <i>Journal of Chemical Technology and Biotechnology</i> , 2019 , 94, 2522-2528	3.5	4
83	Preparation and Enhanced UV-Visible Light Photoelectrocatalytic Activity of TiO ₂ -Fe ₂ O ₃ /Cu Ternary Nanocomposites. <i>ChemistrySelect</i> , 2019 , 4, 2892-2897	1.8	5
82	Generation of Ultrafine Droplets in Femtoliter Scale from a Large Needle with Diameter of 200 Microns. <i>Journal of Nanoscience and Nanotechnology</i> , 2019 , 19, 4244-4248	1.3	1
81	Single-phase alkylammonium cesium lead iodide quasi-2D perovskites for color-tunable and spectrum-stable red LEDs. <i>Nanoscale</i> , 2019 , 11, 16907-16918	7.7	14
80	Hole Transport Bilayer Structure for Quasi-2D Perovskite Based Blue Light-Emitting Diodes with High Brightness and Good Spectral Stability. <i>Advanced Functional Materials</i> , 2019 , 29, 1905339	15.6	50
79	In situ formation of a 2D/3D heterostructure for efficient and stable CsPbI ₂ Br solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 22675-22682	13	37
78	Synergistic effect of charge separation and defect passivation using zinc porphyrin dye incorporation for efficient and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 26334-26341	13	29
77	Band alignment and charge transfer in CsPbBr ₃ -CdSe nanoplatelet hybrids coupled by molecular linkers. <i>Journal of Chemical Physics</i> , 2019 , 151, 174704	3.9	13
76	Improved Moisture Stability of Perovskite Solar Cells Using N719 Dye Molecules. <i>Solar Rrl</i> , 2019 , 3, 1970115	1.5	1
75	Reduced Graphene Oxide/CZTS _x Se _{1-x} Composites as a Novel Hole-Transport Functional Layer in Perovskite Solar Cells. <i>ChemElectroChem</i> , 2019 , 6, 1500-1507	4.3	8

74	High-Quality Cuboid CH ₃ NH ₃ PbI ₃ Single Crystals for High Performance X-Ray and Photon Detectors. <i>Advanced Functional Materials</i> , 2019 , 29, 1806984	15.6	76
73	Competition between Metallic and Vacancy Defect Conductive Filaments in a CH ₃ NH ₃ PbI ₃ -Based Memory Device. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 6431-6436	3.8	69
72	Bending Durable and Recyclable Mesostructured Perovskite Solar Cells Based on Superaligned ZnO Nanorod Electrode. <i>Solar Rrl</i> , 2018 , 2, 1700194	7.1	19
71	Perovskite solar cells: must lead be replaced - and can it be done?. <i>Science and Technology of Advanced Materials</i> , 2018 , 19, 425-442	7.1	99
70	All-Solution-Processed Cu ₂ ZnSnS ₄ Solar Cells with Self-Depleted Na ₂ S Back Contact Modification Layer. <i>Advanced Functional Materials</i> , 2018 , 28, 1703369	15.6	28
69	Bifacial Modified Charge Transport Materials for Highly Efficient and Stable Inverted Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 17861-17870	9.5	21
68	Solution-processed Kesterite Cu ₂ ZnSnS ₄ as Efficient Hole Extraction Layer for Inverted Perovskite Solar Cells. <i>Chemistry Letters</i> , 2018 , 47, 817-820	1.7	8
67	Efficiently Improving the Stability of Inverted Perovskite Solar Cells by Employing Polyethylenimine-Modified Carbon Nanotubes as Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31384-31393	9.5	54
66	Ultrasonic Remove of Particle Aggregation in Carbon Based Counter Electrodes for Dye-Sensitized Solar Cells. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 4366-4370	1.3	1
65	Cobalt Salt as Efficient Dopant for Spiro-MeOTAD in Cesium-Containing Planar Perovskite Solar Cells. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 2898-2902	1.3	4
64	Low-Temperature and Large-Scale Synthesis of Carbon Nanofiber Web via Electrospinning and Their Efficient Removal of Cr(VI) Ions. <i>ChemistrySelect</i> , 2018 , 3, 10543-10548	1.8	2
63	Perovskite/Poly[bis(4-phenyl)(2,4,6-trimethylphenyl)amine] Bulk Heterojunction for High-Efficient Carbon-Based Large-Area Solar Cells by Gradient Engineering. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 42328-42334	9.5	22
62	Thiazole-Induced Surface Passivation and Recrystallization of CH ₃ NH ₃ PbI ₃ Films for Perovskite Solar Cells with Ultrahigh Fill Factors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 42436-42443	9.5	36
61	Thermionic EmissionBased Interconnecting Layer Featuring Solvent Resistance for Monolithic Tandem Solar Cells with Solution-Processed Perovskites. <i>Advanced Energy Materials</i> , 2018 , 8, 1801954	21.8	31
60	Solar Cells: Thermionic EmissionBased Interconnecting Layer Featuring Solvent Resistance for Monolithic Tandem Solar Cells with Solution-Processed Perovskites (Adv. Energy Mater. 36/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870155	21.8	2
59	Highly efficient inverted perovskite solar cells based on self-assembled graphene derivatives. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20702-20711	13	17
58	All-Perovskite Emission Architecture for White Light-Emitting Diodes. <i>ACS Nano</i> , 2018 , 12, 10486-10492	16.7	61
57	Inverted Perovskite Solar Cells with Efficient Mixed-Fullerene Derivative Charge Extraction Layers. <i>ChemistrySelect</i> , 2018 , 3, 6802-6809	1.8	12

56	Hybrid PbS Quantum-Dot-in-Perovskite for High-Efficiency Perovskite Solar Cell. <i>Small</i> , 2018 , 14, e1801016	11.6	77
55	CHNHPbI grain growth and interfacial properties in meso-structured perovskite solar cells fabricated by two-step deposition. <i>Science and Technology of Advanced Materials</i> , 2017 , 18, 253-262	7.1	36
54	Vertically aligned ZnO/ZnTe core/shell heterostructures on an AZO substrate for improved photovoltaic performance. <i>RSC Advances</i> , 2017 , 7, 14837-14845	3.7	9
53	High Efficiency Inverted Planar Perovskite Solar Cells with Solution-Processed NiO Hole Contact. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 2439-2448	9.5	126
52	Cesium-Containing Perovskite Solar Cell Based on Graphene/TiO ₂ Electron Transport Layer. <i>ChemistrySelect</i> , 2017 , 2, 9433-9437	1.8	16
51	Rational Design of Solution-Processed Ti-Fe-O Ternary Oxides for Efficient Planar CHNHPbI Perovskite Solar Cells with Suppressed Hysteresis. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 34833-34843	9.5	30
50	Enhancing the Performance of Perovskite Solar Cells by Hybridizing SnS Quantum Dots with CH ₃ NH ₃ PbI. <i>Small</i> , 2017 , 13, 1700953	11	64
49	A Switchable Interconnecting Layer for High Performance Tandem Organic Solar Cell. <i>Advanced Energy Materials</i> , 2017 , 7, 1701164	21.8	25
48	Perovskite photodetectors prepared by flash evaporation printing. <i>RSC Advances</i> , 2017 , 7, 34795-34800	3.7	7
47	Flash-evaporation printing methodology for perovskite thin films. <i>NPG Asia Materials</i> , 2017 , 9, e395-e395	10.3	12
46	Upconversion 32Nb ₂ O ₅ ·10La ₂ O ₃ ·6ZrO ₂ glass activated with Er ³⁺ /Yb ³⁺ and dye sensitized solar cell application. <i>Journal of Advanced Ceramics</i> , 2017 , 6, 312-319	10.7	17
45	Polyhedral Oligomeric Silsesquioxane Enhances the Brightness of Perovskite Nanocrystal-Based Green Light-Emitting Devices. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 4398-4404	6.4	95
44	Efficient near-infrared light-emitting diodes based on organometallic halide perovskite-poly(2-ethyl-2-oxazoline) nanocomposite thin films. <i>Nanoscale</i> , 2016 , 8, 19846-19852	7.7	36
43	Improved charge separation and transport efficiency in panchromatic-sensitized solar cells with co-sensitization of PbS/CdS/ZnS quantum dots and dye molecules. <i>RSC Advances</i> , 2016 , 6, 21156-21164	3.7	13
42	Working from Both Sides: Composite Metallic Semitransparent Top Electrode for High Performance Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 4523-31	9.5	50
41	Aluminum-Doped Zinc Oxide as Highly Stable Electron Collection Layer for Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7826-33	9.5	158
40	Enhancing the Brightness of Cesium Lead Halide Perovskite Nanocrystal Based Green Light-Emitting Devices through the Interface Engineering with Perfluorinated Ionomer. <i>Nano Letters</i> , 2016 , 16, 1415-20	11.5	606
39	Cell-bound lipases from Burkholderia sp. ZYB002: gene sequence analysis, expression, enzymatic characterization, and 3D structural model. <i>BMC Biotechnology</i> , 2016 , 16, 38	3.5	3

38	Facile in situ synthesis of dendrite-like ZnO/ZnTe core/shell nanorod heterostructures for sensitized solar cells. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 4740-4747	7.1	19
37	Recent progress in efficient hybrid lead halide perovskite solar cells. <i>Science and Technology of Advanced Materials</i> , 2015 , 16, 036004	7.1	72
36	Iodide-reduced graphene oxide with dopant-free spiro-OMeTAD for ambient stable and high-efficiency perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15996-16004	13	120
35	Synthesis, electrochemical, photophysical, and electroluminescent properties of organic dyes containing pyrazolo[3, 4-b]quinoline chromophore. <i>Dyes and Pigments</i> , 2015 , 121, 138-146	4.6	13
34	Charge selective contacts, mobile ions and anomalous hysteresis in organic/inorganic perovskite solar cells. <i>Materials Horizons</i> , 2015 , 2, 315-322	14.4	338
33	Organic/Inorganic Perovskite Light-Emitting Electrochemical Cells with a Large Capacitance. <i>Advanced Functional Materials</i> , 2015 , 25, 7226-7232	15.6	77
32	Solid Electrolytes: Organic/Inorganic Perovskite Light-Emitting Electrochemical Cells with a Large Capacitance (Adv. Funct. Mater. 46/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 7243-7243	15.6	1
31	Low temperature reduction of free-standing graphene oxide papers with metal iodides for ultrahigh bulk conductivity. <i>Scientific Reports</i> , 2014 , 4, 3965	4.9	39
30	BMP2-encapsulated chitosan coatings on functionalized Ti surfaces and their performance in vitro and in vivo. <i>Materials Science and Engineering C</i> , 2014 , 40, 1-8	8.3	35
29	Chromatic-stability white organic light emitting diodes based on phosphorescence doped electron transport layer. <i>Solid-State Electronics</i> , 2014 , 94, 6-10	1.7	5
28	Deep-blue, low-threshold amplified spontaneous emitting and high thermal stability binaphthyl derivatives. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014 , 211, 2372-2377	1.6	4
27	Vertically Aligned Carbon Nanotubes/Graphene Hybrid Electrode as a TCO- and Pt-Free Flexible Cathode for Application in Solar Cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20902-20907	13	41
26	Graphene on Metal Grids as the Transparent Conductive Material for Dye Sensitized Solar Cell. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 25863-25868	3.8	32
25	Fabrication of flexible MnO ₂ nanowire membranes with superior mechanical strength. <i>Science Bulletin</i> , 2014 , 59, 1454-1458		1
24	Energetic alignment in nontoxic SnS quantum dot-sensitized solar cell employing spiro-OMeTAD as the solid-state electrolyte. <i>Science and Technology of Advanced Materials</i> , 2014 , 15, 035006	7.1	36
23	Electron transport in dye-sensitized solar cells based on TiO ₂ nanowires. <i>Science China: Physics, Mechanics and Astronomy</i> , 2014 , 57, 892-897	3.6	5
22	Doping effect of Ir(ppy) ₃ on white-light electrophosphorescent devices based on platinum(II) [1,3-difluoro-4,6-di(2-pyridinyl)benzene] chloride. <i>Displays</i> , 2014 , 35, 74-78	3.4	1
21	Reduction of free-standing graphene oxide papers by a hydrothermal process at the solid/gas interface. <i>RSC Advances</i> , 2013 , 3, 2971	3.7	24

20	Recent advances in alternative cathode materials for iodine-free dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2013 , 6, 2003	35.4	124
19	Enhanced efficiency and reduced roll-off in white organic light-emitting diodes based on two ultra-thin emitting layers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013 , 210, 408-412	1.6	8
18	Sunlight-like, color-temperature tunable white organic light-emitting diode with high color rendering index for solid-state lighting application. <i>Journal of Materials Chemistry</i> , 2012 , 22, 22097		42
17	Highly catalytic cross-stacked superaligned carbon nanotube sheets for iodine-free dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 22756		26
16	Effect of LiF on the optical transmittance of magnesium aluminate spinel. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2012 , 27, 526-528	1	2
15	Cobalt-based layered double hydroxides as oxygen evolving electrocatalysts in neutral electrolyte. <i>Frontiers of Materials Science</i> , 2012 , 6, 142-148	2.5	33
14	Facile solvothermal synthesis of single-crystalline anatase nanorods for efficient dye-sensitized solar cells. <i>Pure and Applied Chemistry</i> , 2012 , 85, 417-425	2.1	3
13	Extremely High Efficiency Orange Phosphorescent Organic Light-Emitting Devices. <i>Advanced Materials Research</i> , 2012 , 490-495, 3221-3225	0.5	
12	Use of Versatile Binaphthalene Derivative in Chromatic-Stability Non-Doped White Organic Light Emitting Diodes. <i>Advanced Materials Research</i> , 2012 , 490-495, 3887-3891	0.5	
11	HIGHLY CATALYTIC ACTIVE NANOSTRUCTURED Pt ELECTRODES FOR DYE-SENSITIZED SOLAR CELLS PREPARED BY LOW TEMPERATURE ELECTRODEPOSITION. <i>Functional Materials Letters</i> , 2011 , 04, 7-11	1.2	8
10	Facile conversion of silicon nitride nanobelts into sandwich-like nanosaws II: growth mechanism and optical properties. <i>Applied Physics A: Materials Science and Processing</i> , 2010 , 98, 321-326	2.6	
9	New trends for solar cell development and recent progress of dye sensitized solar cells. <i>Frontiers of Materials Science in China</i> , 2009 , 3, 345-352		7
8	Facile conversion of silicon nitride nanobelts into sandwich-like nanosaws: towards functional nanostructured materials. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 97, 729-734	2.6	8
7	Phase Evolution in Heat-Treated Si ₃ N ₄ with Additions of Yb ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2008 , 91, 611-614	3.8	3
6	Formation of Titania Nanoarrays by Hydrothermal Reaction and Their Application in Photovoltaic Cells. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 628-631	3.8	52
5	Strong Orange Luminescence from a Novel Hexagonal ZnO Nanosheet Film Grown on Aluminum Substrate by a Simple Wet-Chemical Approach. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 635-637	3.8	17
4	Improved quasi-solid dye-sensitized solar cells by composite ionic liquid electrolyte including layered zirconium phosphate. <i>Applied Physics Letters</i> , 2006 , 89, 194104	3.4	31
3	Mechanical Property and Oxidation Behavior of Self-Reinforced Si ₃ N ₄ Doped with Re ₂ O ₃ (Re=Yb, Lu). <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1730-1732	3.8	7

- 2 Crystalline Transition from H₂Ti₃O₇ Nanotubes to Anatase Nanocrystallines Under Low-Temperature Hydrothermal Conditions. *Journal of the American Ceramic Society*, **2006**, 89, 3564-3568^{3,8} 35
- 1 A novel preparation method for NiCo₂O₄ electrodes stacked with hexagonal nanosheets for water electrolysis. *Journal of Applied Electrochemistry*, **2006**, 36, 945-950 2.6 22