

Paul Franck Adjou Moumouni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11840789/publications.pdf>

Version: 2024-02-01

56
papers

851
citations

516710

16
h-index

580821

25
g-index

57
all docs

57
docs citations

57
times ranked

795
citing authors

#	ARTICLE	IF	CITATIONS
1	A Survey of Tick Infestation and Tick-Borne Piroplasm Infection of Cattle in Oudalan and SÃ©no Provinces, Northern Burkina Faso. <i>Pathogens</i> , 2022, 11, 31.	2.8	3
2	PLK:Î”gra9 Live Attenuated Strain Induces Protective Immunity Against Acute and Chronic Toxoplasmosis. <i>Frontiers in Microbiology</i> , 2021, 12, 619335.	3.5	7
3	Molecular detection of <i>Borrelia burgdorferi</i> (sensu lato) and <i>Rickettsia</i> spp. in hard ticks distributed in Tokachi District, eastern Hokkaido, Japan. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100059.	1.9	1
4	Molecular investigation of tick-borne infections in cattle from Xinjiang Uygur Autonomous Region, China. <i>Parasitology International</i> , 2020, 74, 101925.	1.3	8
5	Drug screening of food and drug administration-approved compounds against <i>Babesia bovis</i> in vitro. <i>Experimental Parasitology</i> , 2020, 210, 107831.	1.2	6
6	First description of <i>Coxiella burnetii</i> and <i>Rickettsia</i> spp. infection and molecular detection of piroplasma co-infecting horses in Xinjiang Uygur Autonomous Region, China. <i>Parasitology International</i> , 2020, 76, 102028.	1.3	17
7	Molecular Detection and Identification of <i>Babesia</i> spp., <i>Theileria</i> spp., and <i>Anaplasma</i> spp. in Sheep From Border Regions, Northwestern China. <i>Frontiers in Veterinary Science</i> , 2020, 7, 630.	2.2	9
8	Subolesin vaccination inhibits blood feeding and reproduction of <i>Haemaphysalis longicornis</i> in rabbits. <i>Parasites and Vectors</i> , 2020, 13, 478.	2.5	11
9	First Molecular Detection of <i>Babesia ovis</i> , <i>Theileria</i> spp., <i>Anaplasma</i> spp., and <i>Ehrlichia ruminantium</i> in Goats from Western Uganda. <i>Pathogens</i> , 2020, 9, 895.	2.8	16
10	Molecular survey of tick-borne pathogens infecting backyard cattle and water buffaloes in Quezon province, Philippines. <i>Journal of Veterinary Medical Science</i> , 2020, 82, 886-890.	0.9	10
11	Identification of <i>Haemaphysalis longicornis</i> Genes Differentially Expressed in Response to <i>Babesia microti</i> Infection. <i>Pathogens</i> , 2020, 9, 378.	2.8	2
12	<i>Babesia microti</i> Confers Macrophage-Based Cross-Protective Immunity Against Murine Malaria. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 193.	3.9	8
13	First detection of <i>Anaplasma ovis</i> in sheep and <i>Anaplasma platys</i> -like variants from cattle in Menoufia governorate, Egypt. <i>Parasitology International</i> , 2020, 78, 102150.	1.3	17
14	First molecular detection and identification of <i>Trypanosoma evansi</i> in goats from Cebu, Philippines using a PCR-based assay. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 21, 100414.	0.5	4
15	Molecular detection of tick-borne pathogens harbored by ticks collected from livestock in the Xinjiang Uygur Autonomous Region, China. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101478.	2.7	19
16	Porin Expression Profiles in <i>Haemaphysalis longicornis</i> Infected With <i>Babesia microti</i> . <i>Frontiers in Physiology</i> , 2020, 11, 502.	2.8	1
17	Molecular detection and characterization of tick-borne haemoparasites among cattle on Zanzibar Island, Tanzania. <i>Acta Tropica</i> , 2020, 211, 105598.	2.0	9
18	Transient Transfection of the Zoonotic Parasite <i>Babesia microti</i> . <i>Pathogens</i> , 2020, 9, 108.	2.8	5

#	ARTICLE	IF	CITATIONS
19	Human Spotted Fever Group Rickettsia Infecting Yaks (<i>Bos grunniens</i>) in the Qinghai-Tibetan Plateau Area. <i>Pathogens</i> , 2020, 9, 249.	2.8	3
20	Development and evaluation of an enzyme-linked immunosorbent assay based on recombinant TgSRS2 for serodiagnosis of <i>Toxoplasma gondii</i> infection in cats. <i>Journal of Veterinary Medical Science</i> , 2020, 82, 1662-1665.	0.9	3
21	Differential diagnosis and molecular characterization of <i>Theileria</i> spp. in sika deer (<i>Cervus nippon</i>) in Hokkaido, Japan. <i>Parasitology International</i> , 2019, 70, 23-26.	1.3	10
22	Molecular evidence of hemotropic mycoplasmas in goats from Cebu, Philippines. <i>Journal of Veterinary Medical Science</i> , 2019, 81, 869-873.	0.9	8
23	Genetic characterization of tick-borne pathogens in ticks infesting cattle and sheep from three South African provinces. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 875-882.	2.7	29
24	First molecular detection and characterization of tick-borne pathogens in water buffaloes in Bohol, Philippines. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 815-821.	2.7	12
25	Characterization of strain-specific phenotypes associated with knockout of dense granule protein 9 in <i>Toxoplasma gondii</i> . <i>Molecular and Biochemical Parasitology</i> , 2019, 229, 53-61.	1.1	8
26	Molecular survey and characterization of tick-borne pathogens in sheep from Qinghai, China. <i>Small Ruminant Research</i> , 2019, 175, 23-30.	1.2	8
27	Hard ticks as research resources for vector biology: from genome to whole-body level. <i>Medical Entomology and Zoology</i> , 2019, 70, 181-188.	0.1	7
28	Inhibitory effects of the phytohormone inhibitors fluridone and inabenfide against <i>Babesia gibsoni</i> in vitro. <i>Veterinary Parasitology</i> , 2019, 265, 19-23.	1.8	3
29	Detection and molecular characterization of tick-borne pathogens infecting sheep and goats in Blue Nile and West Kordofan states in Sudan. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 598-604.	2.7	27
30	Molecular analysis of tick-borne protozoan and rickettsial pathogens in small ruminants from two South African provinces. <i>Parasitology International</i> , 2018, 67, 144-149.	1.3	36
31	Prevalence, risk factors, and genetic diversity of veterinary important tick-borne pathogens in cattle from <i>Rhipicephalus microplus</i> -invaded and non-invaded areas of Benin. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 450-464.	2.7	24
32	Identification and characterization of interchangeable cross-species functional promoters between <i>Babesia gibsoni</i> and <i>Babesia bovis</i> . <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 330-333.	2.7	5
33	First Molecular Evidence of <i>Anaplasma phagocytophilum</i> in Rodent Populations of Nanchang, China. <i>Japanese Journal of Infectious Diseases</i> , 2018, 71, 129-133.	1.2	5
34	Identification and genetic characterization of Piroplasmida and Anaplasmataceae agents in feeding <i>Amblyomma variegatum</i> ticks from Benin. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2018, 14, 137-143.	0.5	3
35	Evaluation of the protective effect of a prime-boost strategy with plasmid DNA followed by recombinant adenovirus expressing BmAMA1 as vaccines against <i>Babesia microti</i> infection in hamster. <i>Acta Parasitologica</i> , 2018, 63, 368-374.	1.1	3
36	Molecular survey and characterization of <i>Theileria annulata</i> and <i>Ehrlichia ruminantium</i> in cattle from Northwest China. <i>Parasitology International</i> , 2018, 67, 679-683.	1.3	20

#	ARTICLE	IF	CITATIONS
37	Molecular epidemiology of <i>Babesia</i> species, <i>Theileria parva</i> , and <i>Anaplasma marginale</i> infecting cattle and the tick control malpractices in Central and Eastern Uganda. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1475-1483.	2.7	25
38	Molecular detection and characterization of tick-borne protozoan and rickettsial pathogens isolated from cattle on Pemba Island, Tanzania. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1437-1445.	2.7	26
39	Establishment of a stable transfection system for genetic manipulation of <i>Babesia gibsoni</i> . <i>Parasites and Vectors</i> , 2018, 11, 260.	2.5	14
40	Expression of truncated <i>Babesia microti</i> apical membrane protein 1 and rhoptry neck protein 2 and evaluation of their protective efficacy. <i>Experimental Parasitology</i> , 2017, 172, 5-11.	1.2	17
41	Molecular detection and genetic diversity of bovine <i>Babesia</i> spp., <i>Theileria orientalis</i> , and <i>Anaplasma marginale</i> in beef cattle in Thailand. <i>Parasitology Research</i> , 2017, 116, 751-762.	1.6	30
42	Transient transfection of intraerythrocytic <i>Babesia gibsoni</i> using elongation factor-1 alpha promoter. <i>Molecular and Biochemical Parasitology</i> , 2017, 216, 56-59.	1.1	11
43	Genetic mutations in sodium channel domain II and carboxylesterase genes associated with phenotypic resistance against synthetic pyrethroids by <i>Rhipicephalus (Boophilus) decoloratus</i> ticks in Uganda. <i>Pesticide Biochemistry and Physiology</i> , 2017, 143, 181-190.	3.6	12
44	A PCR survey of vector-borne pathogens in different dog populations from Turkey. <i>Acta Parasitologica</i> , 2017, 62, 533-540.	1.1	9
45	Molecular detection and genetic characterization of <i>Babesia</i> , <i>Theileria</i> and <i>Anaplasma</i> amongst apparently healthy sheep and goats in the central region of Turkey. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 246-252.	2.7	51
46	First report on <i>Babesia vogeli</i> infection in dogs in the Philippines. <i>Parasitology International</i> , 2017, 66, 813-815.	1.3	10
47	Molecular survey of canine vector-borne diseases in stray dogs in Thailand. <i>Parasitology International</i> , 2016, 65, 357-361.	1.3	49
48	Molecular detection of spotted fever group rickettsiae in <i>Amblyomma variegatum</i> ticks from Benin. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 828-833.	2.7	20
49	Primary <i>Babesia rodhaini</i> infection followed by recovery confers protective immunity against <i>B. rodhaini</i> reinfection and <i>Babesia microti</i> challenge infection in mice. <i>Experimental Parasitology</i> , 2016, 169, 6-12.	1.2	5
50	Molecular identification and antigenic characterization of a merozoite surface antigen and a secreted antigen of <i>Babesia canis</i> (BcMSA1 and BcSA1). <i>Parasites and Vectors</i> , 2016, 9, 257.	2.5	7
51	Molecular detection and genetic identification of <i>Babesia bigemina</i> , <i>Theileria annulata</i> , <i>Theileria orientalis</i> and <i>Anaplasma marginale</i> in Turkey. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 126-134.	2.7	43
52	Genetic variations of four immunodominant antigens of <i>Babesia gibsoni</i> isolated from dogs in southwest Japan. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 298-305.	2.7	5
53	Molecular epidemiology of bovine <i>Babesia</i> spp. and <i>Theileria orientalis</i> parasites in beef cattle from northern and northeastern Thailand. <i>Parasitology International</i> , 2016, 65, 62-69.	1.3	19
54	Molecular detection and characterization of <i>Babesia bovis</i> , <i>Babesia bigemina</i> , <i>Theileria</i> species and <i>Anaplasma marginale</i> isolated from cattle in Kenya. <i>Parasites and Vectors</i> , 2015, 8, 496.	2.5	63

#	ARTICLE	IF	CITATIONS
55	Macrophages Are the Determinant of Resistance to and Outcome of Nonlethal <i>Babesia microti</i> Infection in Mice. <i>Infection and Immunity</i> , 2015, 83, 8-16.	2.2	34
56	Molecular Detection of <i>Theileria</i> Species in Sheep from Northern China. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 1227-1230.	0.9	34