

George A Wells

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11842056/george-a-wells-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

25,392
citations

69
h-index

154
g-index

154
ext. papers

28,986
ext. citations

8.7
avg, IF

6.1
L-index

#	Paper	IF	Citations
150	Development of AMSTAR: a measurement tool to assess the methodological quality of systematic reviews. <i>BMC Medical Research Methodology</i> , 2007 , 7, 10	4.7	2536
149	Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. <i>Nature Genetics</i> , 2011 , 43, 333-8	36.3	1394
148	Cardiac-resynchronization therapy for mild-to-moderate heart failure. <i>New England Journal of Medicine</i> , 2010 , 363, 2385-95	59.2	1258
147	AMSTAR is a reliable and valid measurement tool to assess the methodological quality of systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 1013-20	5.7	1211
146	Effects of exercise on glycemic control and body mass in type 2 diabetes mellitus: a meta-analysis of controlled clinical trials. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 1218-27	27.4	1184
145	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013 , 45, 25-33	36.3	1172
144	The Canadian CT Head Rule for patients with minor head injury. <i>Lancet, The</i> , 2001 , 357, 1391-6	4.0	1016
143	Effects of aerobic training, resistance training, or both on glycemic control in type 2 diabetes: a randomized trial. <i>Annals of Internal Medicine</i> , 2007 , 147, 357-69	8	764
142	Advanced cardiac life support in out-of-hospital cardiac arrest. <i>New England Journal of Medicine</i> , 2004 , 351, 647-56	59.2	671
141	Resistance exercise in men receiving androgen deprivation therapy for prostate cancer. <i>Journal of Clinical Oncology</i> , 2003 , 21, 1653-9	2.2	601
140	The Canadian C-spine rule versus the NEXUS low-risk criteria in patients with trauma. <i>New England Journal of Medicine</i> , 2003 , 349, 2510-8	59.2	468
139	A decision aid for women considering hormone therapy after menopause: decision support framework and evaluation. <i>Patient Education and Counseling</i> , 1998 , 33, 267-79	3.1	453
138	A genome-wide meta-analysis identifies 22 loci associated with eight hematological parameters in the HaemGen consortium. <i>Nature Genetics</i> , 2009 , 41, 1182-90	36.3	433
137	Assessing the quality of randomized trials: reliability of the Jadad scale. <i>Contemporary Clinical Trials</i> , 1999 , 20, 448-52		431
136	Randomized controlled trial of resistance or aerobic exercise in men receiving radiation therapy for prostate cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 344-51	2.2	407
135	Pacemaker or defibrillator surgery without interruption of anticoagulation. <i>New England Journal of Medicine</i> , 2013 , 368, 2084-93	59.2	372
134	Ventricular Tachycardia Ablation versus Escalation of Antiarrhythmic Drugs. <i>New England Journal of Medicine</i> , 2016 , 375, 111-21	59.2	372

133	Many faces of the minimal clinically important difference (MCID): a literature review and directions for future research. <i>Current Opinion in Rheumatology</i> , 2002 , 14, 109-14	5.3	366
132	Adverse effects of biologics: a network meta-analysis and Cochrane overview. <i>The Cochrane Library</i> , 2011 , CD008794	5.2	353
131	Risk of serious infection in biological treatment of patients with rheumatoid arthritis: a systematic review and meta-analysis. <i>Lancet, The</i> , 2015 , 386, 258-65	4.0	350
130	The use of 18F-FDG PET in the diagnosis of cardiac sarcoidosis: a systematic review and metaanalysis including the Ontario experience. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 241-8	8.9	344
129	CATCH: a clinical decision rule for the use of computed tomography in children with minor head injury. <i>Cmaj</i> , 2010 , 182, 341-8	3.5	333
128	Comparison of the Canadian CT Head Rule and the New Orleans Criteria in patients with minor head injury. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 1511-8	27.4	331
127	A citywide protocol for primary PCI in ST-segment elevation myocardial infarction. <i>New England Journal of Medicine</i> , 2008 , 358, 231-40	59.2	323
126	High-dose epinephrine in adult cardiac arrest. <i>New England Journal of Medicine</i> , 1992 , 327, 1045-50	59.2	308
125	An individual patient meta-analysis of five randomized trials assessing the effects of cardiac resynchronization therapy on morbidity and mortality in patients with symptomatic heart failure. <i>European Heart Journal</i> , 2013 , 34, 3547-56	9.5	297
124	Derivation of the San Francisco Syncope Rule to predict patients with short-term serious outcomes. <i>Annals of Emergency Medicine</i> , 2004 , 43, 224-32	2.1	286
123	Point-of-care genetic testing for personalisation of antiplatelet treatment (RAPID GENE): a prospective, randomised, proof-of-concept trial. <i>Lancet, The</i> , 2012 , 379, 1705-11	4.0	285
122	A cumulative meta-analysis of the effectiveness of defibrillator-capable emergency medical services for victims of out-of-hospital cardiac arrest. <i>Annals of Emergency Medicine</i> , 1999 , 34, 517-525	2.1	273
121	Vasopressin versus epinephrine for in-hospital cardiac arrest: a randomised controlled trial. <i>Lancet, The</i> , 2001 , 358, 105-9	4.0	265
120	Improved out-of-hospital cardiac arrest survival through the inexpensive optimization of an existing defibrillation program: OPALS study phase II. Ontario Prehospital Advanced Life Support. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1175-81	27.4	265
119	Modifiable factors associated with improved cardiac arrest survival in a multicenter basic life support/defibrillation system: OPALS Study Phase I results. Ontario Prehospital Advanced Life Support. <i>Annals of Emergency Medicine</i> , 1999 , 33, 44-50	2.1	254
118	The OPALS Major Trauma Study: impact of advanced life-support on survival and morbidity. <i>Cmaj</i> , 2008 , 178, 1141-52	3.5	180
117	Combined angioplasty and pharmacological intervention versus thrombolysis alone in acute myocardial infarction (CAPITAL AMI study). <i>Journal of the American College of Cardiology</i> , 2005 , 46, 417-24	15.1	175
116	Derivation of a decision rule for the use of radiography in acute knee injuries. <i>Annals of Emergency Medicine</i> , 1995 , 26, 405-13	2.1	175

115	Optimal defibrillation response intervals for maximum out-of-hospital cardiac arrest survival rates. <i>Annals of Emergency Medicine</i> , 2003 , 42, 242-50	2.1	147
114	What is the quality of life for survivors of cardiac arrest? A prospective study. <i>Academic Emergency Medicine</i> , 1999 , 6, 95-102	3.4	138
113	Design of the Coronary ARtery Disease Genome-Wide Replication And Meta-Analysis (CARDIoGRAM) Study: A Genome-wide association meta-analysis involving more than 22 000 cases and 60 000 controls. <i>Circulation: Cardiovascular Genetics</i> , 2010 , 3, 475-83		135
112	Evaluating the effectiveness of dispatch-assisted cardiopulmonary resuscitation instructions. <i>Academic Emergency Medicine</i> , 2007 , 14, 877-83	3.4	132
111	Do advanced cardiac life support drugs increase resuscitation rates from in-hospital cardiac arrest? The OTAC Study Group. <i>Annals of Emergency Medicine</i> , 1998 , 32, 544-53	2.1	129
110	Potential cost-effectiveness of public access defibrillation in the United States. <i>Circulation</i> , 1998 , 97, 1315-20	16.7	127
109	Understanding and improving low bystander CPR rates: a systematic review of the literature. <i>Canadian Journal of Emergency Medicine</i> , 2008 , 10, 51-65	0.6	124
108	Insulin-sensitizing agents as primary therapy for patients with polycystic ovarian syndrome. <i>Human Reproduction</i> , 2004 , 19, 2474-83	5.7	117
107	Biologics for rheumatoid arthritis: an overview of Cochrane reviews. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007848		115
106	Three independent factors predicted adherence in a randomized controlled trial of resistance exercise training among prostate cancer survivors. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 571-9	5.7	113
105	Cardiac resynchronization therapy in patients with permanent atrial fibrillation: results from the Resynchronization for Ambulatory Heart Failure Trial (RAFT). <i>Circulation: Heart Failure</i> , 2012 , 5, 566-70	7.6	110
104	Variation in ED use of computed tomography for patients with minor head injury. <i>Annals of Emergency Medicine</i> , 1997 , 30, 14-22	2.1	105
103	High risk clinical characteristics for subarachnoid haemorrhage in patients with acute headache: prospective cohort study. <i>BMJ, The</i> , 2010 , 341, c5204	5.9	102
102	Transcutaneous electrical nerve stimulation for knee osteoarthritis. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002823		102
101	Clinically Significant Pocket Hematoma Increases Long-Term Risk of Device Infection: BRUISE CONTROL INFECTION Study. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1300-8	15.1	101
100	Implementation of the Canadian C-Spine Rule: prospective 12 centre cluster randomised trial. <i>BMJ, The</i> , 2009 , 339, b4146	5.9	97
99	A survey of the decision-making needs of Canadians faced with complex health decisions. <i>Health Expectations</i> , 2003 , 6, 97-109	3.7	95
98	Emergency physicians Attitudes toward and use of clinical decision rules for radiography. <i>Academic Emergency Medicine</i> , 1998 , 5, 134-40	3.4	94

97	A prospective cluster-randomized trial to implement the Canadian CT Head Rule in emergency departments. <i>Cmaj</i> , 2010 , 182, 1527-32	3.5	93
96	Comparison of the Cerebral Performance Category score and the Health Utilities Index for survivors of cardiac arrest. <i>Annals of Emergency Medicine</i> , 2009 , 53, 241-248	2.1	93
95	A genome-wide association study for coronary artery disease identifies a novel susceptibility locus in the major histocompatibility complex. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 217-25		92
94	The Canadian CT Head Rule Study for patients with minor head injury: rationale, objectives, and methodology for phase I (derivation). <i>Annals of Emergency Medicine</i> , 2001 , 38, 160-9	2.1	88
93	Performance of the Canadian CT Head Rule and the New Orleans Criteria for predicting any traumatic intracranial injury on computed tomography in a United States Level I trauma center. <i>Academic Emergency Medicine</i> , 2012 , 19, 2-10	3.4	87
92	Thermotherapy for treatment of osteoarthritis. <i>The Cochrane Library</i> , 2003 , CD004522	5.2	85
91	The Canadian C-spine rule performs better than unstructured physician judgment. <i>Annals of Emergency Medicine</i> , 2003 , 42, 395-402	2.1	84
90	Effect of transport interval on out-of-hospital cardiac arrest survival in the OPALS study: implications for triaging patients to specialized cardiac arrest centers. <i>Annals of Emergency Medicine</i> , 2009 , 54, 248-55	2.1	80
89	Association of drug therapy with survival in cardiac arrest: limited role of advanced cardiac life support drugs. <i>Academic Emergency Medicine</i> , 1995 , 2, 264-73	3.4	80
88	Continued vs. interrupted direct oral anticoagulants at the time of device surgery, in patients with moderate to high risk of arterial thrombo-embolic events (BRUISE CONTROL-2). <i>European Heart Journal</i> , 2018 , 39, 3973-3979	9.5	79
87	Improved prediction of cardiovascular disease based on a panel of single nucleotide polymorphisms identified through genome-wide association studies. <i>Circulation: Cardiovascular Genetics</i> , 2010 , 3, 468-74		76
86	Development and pilot testing of a decision aid for postmenopausal women with osteoporosis. <i>Patient Education and Counseling</i> , 2002 , 47, 245-55	3.1	76
85	An assessment of clinical wound evaluation scales. <i>Academic Emergency Medicine</i> , 1998 , 5, 583-6	3.4	75
84	BIPHASIC Trial: a randomized comparison of fixed lower versus escalating higher energy levels for defibrillation in out-of-hospital cardiac arrest. <i>Circulation</i> , 2007 , 115, 1511-7	16.7	73
83	The out-of-hospital validation of the Canadian C-Spine Rule by paramedics. <i>Annals of Emergency Medicine</i> , 2009 , 54, 663-671.e1	2.1	70
82	The effects of an 'explicit' values clarification exercise in a woman's decision aid regarding postmenopausal hormone therapy. <i>Health Expectations</i> , 1999 , 2, 21-32	3.7	70
81	Development of the Canadian Syncope Risk Score to predict serious adverse events after emergency department assessment of syncope. <i>Cmaj</i> , 2016 , 188, E289-E298	3.5	69
80	Transcutaneous electrical nerve stimulation (TENS) for the treatment of rheumatoid arthritis in the hand. <i>The Cochrane Library</i> , 2003 , CD004377	5.2	68

79	Canadian CT head rule study for patients with minor head injury: methodology for phase II (validation and economic analysis). <i>Annals of Emergency Medicine</i> , 2001 , 38, 317-22	2.1	67
78	Is there an association between clinical presentation and the location and extent of myocardial involvement of cardiac sarcoidosis as assessed by 18 F-fluorodeoxyglucose positron emission tomography?. <i>Circulation: Cardiovascular Imaging</i> , 2013 , 6, 617-26	3.9	66
77	The Ontario Prehospital Advanced Life Support (OPALS) Study: rationale and methodology for cardiac arrest patients. <i>Annals of Emergency Medicine</i> , 1998 , 32, 180-90	2.1	61
76	Biologics for rheumatoid arthritis: an overview of Cochrane reviews 2009 ,		60
75	Cardiac arrest witnessed by emergency medical services personnel: descriptive epidemiology, prodromal symptoms, and predictors of survival. <i>Annals of Emergency Medicine</i> , 2000 , 35, 138-146	2.1	60
74	Options for basing Dietary Reference Intakes (DRIs) on chronic disease endpoints: report from a joint US-/Canadian-sponsored working group. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 249S-285S	7	59
73	Transradial versus transfemoral artery approach for coronary angiography and percutaneous coronary intervention in the extremely obese. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 819-26	5	58
72	External validation of the San Francisco Syncope Rule in the Canadian setting. <i>Annals of Emergency Medicine</i> , 2010 , 55, 464-72	2.1	58
71	Comparison of 18 F-fluorodeoxyglucose positron emission tomography (FDG PET) and cardiac magnetic resonance (CMR) in corticosteroid-naive patients with conduction system disease due to cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 259-269	8.8	57
70	Reduction in mortality as a result of direct transport from the field to a receiving center for primary percutaneous coronary intervention. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1223-30	15.1	55
69	Effect of exercise training on physical fitness in type II diabetes mellitus. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1439-47	1.2	53
68	Age and androgen-deprivation therapy on exercise outcomes in men with prostate cancer. <i>Supportive Care in Cancer</i> , 2012 , 20, 971-81	3.9	52
67	The San Francisco Syncope Rule vs physician judgment and decision making. <i>American Journal of Emergency Medicine</i> , 2005 , 23, 782-6	2.9	52
66	Retrospective application of the NEXUS low-risk criteria for cervical spine radiography in Canadian emergency departments. <i>Annals of Emergency Medicine</i> , 2004 , 43, 507-14	2.1	52
65	Deep transverse friction massage for treating tendinitis. <i>Cochrane Database of Systematic Reviews</i> , 2002 , CD003528		52
64	An assessment of methods to combine published survival curves. <i>Medical Decision Making</i> , 2000 , 20, 104-114		47
63	Predicting intervention in renal colic patients after emergency department evaluation. <i>Canadian Journal of Emergency Medicine</i> , 2005 , 7, 78-86	0.6	44
62	Primary percutaneous coronary angioplasty with and without eptifibatide in ST-segment elevation myocardial infarction: a safety and efficacy study of integrilin-facilitated versus primary percutaneous coronary intervention in ST-segment elevation myocardial infarction (ASSIST). <i>Circulation: Cardiovascular Interventions</i> , 2009 , 2, 280-8	6	40

61	Outcomes in Canadian emergency department syncope patients--are we doing a good job?. <i>Journal of Emergency Medicine</i> , 2013 , 44, 321-8	1.5	37
60	Multicentre prospective validation of use of the Canadian C-Spine Rule by triage nurses in the emergency department. <i>Cmaj</i> , 2010 , 182, 1173-9	3.5	37
59	Biologics or tofacitinib for rheumatoid arthritis in incomplete responders to methotrexate or other traditional disease-modifying anti-rheumatic drugs: a systematic review and network meta-analysis. <i>The Cochrane Library</i> , 2016 , CD012183	5.2	36
58	A prospective cohort study of patients with transient ischemic attack to identify high-risk clinical characteristics. <i>Stroke</i> , 2014 , 45, 92-100	6.7	36
57	Clinical characteristics associated with adverse events in patients with exacerbation of chronic obstructive pulmonary disease: a prospective cohort study. <i>Cmaj</i> , 2014 , 186, E193-204	3.5	32
56	Cardiac arrest diagnostic accuracy of 9-1-1 dispatchers: a prospective multi-center study. <i>Resuscitation</i> , 2015 , 90, 116-20	4	31
55	Effects of aerobic training, resistance training, or both on cardiorespiratory and musculoskeletal fitness in adolescents with obesity: the HEARTY trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 255-65	3	31
54	Prophylactic warfarin therapy after primary percutaneous coronary intervention for anterior ST-segment elevation myocardial infarction. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 155-162	5	31
53	Evaluation of the safety of C-spine clearance by paramedics: design and methodology. <i>BMC Emergency Medicine</i> , 2011 , 11, 1	2.4	31
52	CPR-only survivors of out-of-hospital cardiac arrest: implications for out-of-hospital care and cardiac arrest research methodology. <i>Annals of Emergency Medicine</i> , 2001 , 37, 602-8	2.1	31
51	Barriers and facilitators to CPR training and performing CPR in an older population most likely to witness cardiac arrest: a national survey. <i>Resuscitation</i> , 2013 , 84, 1747-52	4	29
50	Bivalirudin for primary percutaneous coronary interventions: outcome assessment in the Ottawa STEMI registry. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 805-12	6	28
49	Adiposity significantly modifies genetic risk for dyslipidemia. <i>Journal of Lipid Research</i> , 2014 , 55, 2416-226.3		25
48	Clinical features of head injury patients presenting with a Glasgow Coma Scale score of 15 and who require neurosurgical intervention. <i>Annals of Emergency Medicine</i> , 2006 , 48, 245-51	2.1	25
47	Therapeutic ultrasound for treating patellofemoral pain syndrome. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD003375		25
46	Emergency department management of syncope: need for standardization and improved risk stratification. <i>Internal and Emergency Medicine</i> , 2015 , 10, 619-27	3.7	24
45	Prospective and Explicit Clinical Validation of the Ottawa Heart Failure Risk Scale, With and Without Use of Quantitative NT-proBNP. <i>Academic Emergency Medicine</i> , 2017 , 24, 316-327	3.4	22
44	The genome-wide association study--a new era for common polygenic disorders. <i>Journal of Cardiovascular Translational Research</i> , 2010 , 3, 173-82	3.3	22

43	A survey of attitudes and factors associated with successful cardiopulmonary resuscitation (CPR) knowledge transfer in an older population most likely to witness cardiac arrest: design and methodology. <i>BMC Emergency Medicine</i> , 2008 , 8, 13	2.4	22
42	Duration of Electrocardiographic Monitoring of Emergency Department Patients With Syncope. <i>Circulation</i> , 2019 , 139, 1396-1406	16.7	20
41	Multicenter Emergency Department Validation of the Canadian Syncope Risk Score. <i>JAMA Internal Medicine</i> , 2020 , 180, 737-744	11.5	19
40	A novel algorithm to assess risk of heart failure exacerbation using ICD diagnostics: validation from RAFT. <i>Heart Rhythm</i> , 2014 , 11, 1626-31	6.7	19
39	Safety and Efficacy of a Pharmacoinvasive Strategy in ST-Segment Elevation Myocardial Infarction: A Patient Population Study Comparing a Pharmacoinvasive Strategy With a Primary Percutaneous Coronary Intervention Strategy Within a Regional System. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 2014-2020	5	19
38	Cost Effectiveness of Ventricular Tachycardia Ablation Versus Escalation of Antiarrhythmic Drug Therapy: The VANISH Trial. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 660-668	4.6	18
37	Allergen immunotherapy for the treatment of allergic rhinitis and/or asthma: an umbrella review. <i>CMAJ Open</i> , 2017 , 5, E373-E385	2.5	17
36	Cardiac Resynchronization Therapy Reduces Ventricular Arrhythmias in Primary but Not Secondary Prophylactic Implantable Cardioverter Defibrillator Patients: Insight From the Resynchronization in Ambulatory Heart Failure Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	16
35	Barriers and facilitators to CPR knowledge transfer in an older population most likely to witness cardiac arrest: a theory-informed interview approach. <i>Emergency Medicine Journal</i> , 2014 , 31, 700-5	1.5	16
34	Cost-effectiveness of exercise programs in type 2 diabetes. <i>International Journal of Technology Assessment in Health Care</i> , 2012 , 28, 228-34	1.8	16
33	Update of strategies to translate evidence from cochrane musculoskeletal group systematic reviews for use by various audiences. <i>Journal of Rheumatology</i> , 2014 , 41, 206-15	4.1	15
32	Risk stratification of adult emergency department syncope patients to predict short-term serious outcomes after discharge (RiSEDS) study. <i>BMC Emergency Medicine</i> , 2014 , 14, 8	2.4	15
31	Is the combination of vasopressin and epinephrine superior to repeated doses of epinephrine alone in the treatment of cardiac arrest-a systematic review. <i>Resuscitation</i> , 2008 , 79, 380-6	4	15
30	Electrical stimulation for the treatment of rheumatoid arthritis. <i>The Cochrane Library</i> , 2002 , CD003687	5.2	15
29	Biologics for rheumatoid arthritis. <i>BMJ, The</i> , 2011 , 343, d4027	5.9	14
28	A matched-pair cluster design study protocol to evaluate implementation of the Canadian C-spine rule in hospital emergency departments: Phase III. <i>Implementation Science</i> , 2007 , 2, 4	8.4	14
27	Predicting Short-term Risk of Arrhythmia among Patients With Syncope: The Canadian Syncope Arrhythmia Risk Score. <i>Academic Emergency Medicine</i> , 2017 , 24, 1315-1326	3.4	13
26	Outcomes in presyncope patients: a prospective cohort study. <i>Annals of Emergency Medicine</i> , 2015 , 65, 268-276.e6	2.1	13

25	Effect of Direct Oral Anticoagulants, Warfarin, and Antiplatelet Agents on Risk of Device Pocket Hematoma: Combined Analysis of BRUISE CONTROL 1 and 2. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007545	6.4	12
24	Effect of coronary revascularization on long-term clinical outcomes in patients with ischemic cardiomyopathy and recurrent ventricular arrhythmia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 775-779	1.6	12
23	Derivation of a clinical decision rule for chest radiography in emergency department patients with chest pain and possible acute coronary syndrome. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 128-34	0.6	12
22	An evaluation of 9-1-1 calls to assess the effectiveness of dispatch-assisted cardiopulmonary resuscitation (CPR) instructions: design and methodology. <i>BMC Emergency Medicine</i> , 2008 , 8, 12	2.4	11
21	What factors are associated with a woman's decision to take hormone replacement therapy? Evaluated in the context of a decision aid. <i>Health Expectations</i> , 2003 , 6, 110-7	3.7	11
20	A pharmacodynamic comparison of a personalized strategy for anti-platelet therapy versus ticagrelor in achieving a therapeutic window. <i>International Journal of Cardiology</i> , 2015 , 197, 318-25	3.2	10
19	Recent success in the discovery of coronary artery disease genes. <i>Canadian Journal of Physiology and Pharmacology</i> , 2011 , 89, 609-15	2.4	9
18	Impact of cardiac resynchronization therapy on hospitalizations in the Resynchronization-Defibrillation for Ambulatory Heart Failure trial. <i>Circulation</i> , 2014 , 129, 2021-30	16.7	7
17	Derivation of a risk scale and quantification of risk factors for serious adverse events in adult emergency department syncope patients. <i>Canadian Journal of Emergency Medicine</i> , 2014 , 16, 120-30	0.6	7
16	Resistance Exercise in Already-Active Diabetic Individuals (READI): study rationale, design and methods for a randomized controlled trial of resistance and aerobic exercise in type 1 diabetes. <i>Contemporary Clinical Trials</i> , 2015 , 41, 129-38	2.3	7
15	ST segment resolution in patients with tenecteplase-facilitated percutaneous coronary intervention versus tenecteplase alone: Insights from the Combined Angioplasty and Pharmacological Intervention versus Thrombolysis Alone in Acute Myocardial Infarction (CAPITAL AMI) trial. <i>Canadian Journal of Cardiology</i> , 2010 , 26, e7-12	3.8	6
14	Concomitant anti-platelet therapy in warfarin-treated patients undergoing cardiac rhythm device implantation: A secondary analysis of the BRUISE CONTROL trial. <i>International Journal of Cardiology</i> , 2019 , 288, 87-93	3.2	5
13	Factors associated with the successful recognition of abnormal breathing and cardiac arrest by ambulance communications officers: a qualitative iterative survey. <i>Prehospital Emergency Care</i> , 2012 , 16, 443-50	2.8	5
12	Incremental Value of Implantable Cardiac Device Diagnostic Variables Over Clinical Parameters to Predict Mortality in Patients With Mild to Moderate Heart Failure. <i>Journal of the American Heart Association</i> , 2019 , 8, e010998	6	4
11	Short-term risk of arrhythmias among emergency department syncope patients with non-sinus rhythm. <i>International Journal of Cardiology</i> , 2015 , 189, 12-4	3.2	3
10	A survey of factors associated with the successful recognition of agonal breathing and cardiac arrest by 9-1-1 call takers: design and methodology. <i>BMC Emergency Medicine</i> , 2009 , 9, 14	2.4	3
9	CT scanning for minor head injury. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 498	27.4	3
8	Philadelphia Panel Evidence-Based Clinical Practice Guidelines on Selected Rehabilitation Interventions for Low Back Pain. <i>Physical Therapy</i> , 2001 ,	3.3	3

7	Post-operative pain following cardiac implantable electronic device implantation: insights from the BRUISE CONTROL trials. <i>Europace</i> , 2021 , 23, 748-756	3.9	2
6	Philadelphia Panel Evidence-Based Clinical Practice Guidelines on Selected Rehabilitation Interventions for Neck Pain. <i>Physical Therapy</i> , 2001 ,	3.3	1
5	Philadelphia Panel Evidence-Based Clinical Practice Guidelines on Selected Rehabilitation Interventions for Shoulder Pain. <i>Physical Therapy</i> , 2001 ,	3.3	1
4	Philadelphia Panel Evidence-Based Clinical Practice Guidelines on Selected Rehabilitation Interventions: Overview and Methodology. <i>Physical Therapy</i> , 2001 ,	3.3	1
3	Sex differences in CRT device implantation rates, efficacy, and complications following implantation: protocol for a systematic review and meta-analysis of cohort studies. <i>Systematic Reviews</i> , 2021 , 10, 210	3	0
2	Advanced Life Support for out-of-hospital Chest Pain: The Opals Study.. <i>Prehospital Emergency Care</i> , 2022 , 1-13	2.8	0
1	Augmented Wide Area Circumferential Catheter Ablation for Reduction of Atrial Fibrillation Recurrence (AWARE) Trial: Design and Rationale.. <i>American Heart Journal</i> , 2022 , 248, 1-1	4.9	0