

# Mustafa Cekmen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11845416/publications.pdf>

Version: 2024-02-01

29  
papers

1,209  
citations

516215

16  
h-index

476904

29  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1671  
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum levels of TNF- $\alpha$ , sIL-2R, IL-6, and IL-8 are increased and associated with elevated lipid peroxidation in patients with Behçet's disease. <i>Mediators of Inflammation</i> , 2002, 11, 87-93.	1.4	201
2	Potential chemoprotective effect of melatonin in cyclophosphamide- and cisplatin-induced testicular damage in rats. <i>Fertility and Sterility</i> , 2009, 92, 1124-1132.	0.5	125
3	Increased nitric oxide production in patients with Behçet's disease: Is it a new activity marker?. <i>Journal of the American Academy of Dermatology</i> , 2002, 46, 50-54.	0.6	98
4	Atorvastatin Prevents Gentamicin-Induced Renal Damage in Rats through the Inhibition of p38-MAPK and NF- $\kappa$ B Pathways. <i>Renal Failure</i> , 2009, 31, 382-392.	0.8	97
5	Nitric oxide and lipid peroxidation are increased and associated with decreased antioxidant enzyme activities in patients with age-related macular degeneration. <i>Documenta Ophthalmologica</i> , 2003, 106, 129-136.	1.0	94
6	Melatonin Attenuates Unilateral Ureteral Obstruction-Induced Renal Injury by Reducing Oxidative Stress, iNOS, MAPK, and NF- $\kappa$ B Expression. <i>Journal of Endourology</i> , 2009, 23, 1165-1173.	1.1	72
7	The role of tissue reperfusion in the reexpansion injury of the lungs. <i>European Journal of Cardio-thoracic Surgery</i> , 2002, 22, 721-727.	0.6	60
8	Adenosine deaminase enzyme activity is increased and negatively correlates with catalase, superoxide dismutase and glutathione peroxidase in patients with Behçet's disease: original contributions/clinical and laboratory investigations. <i>Mediators of Inflammation</i> , 2003, 12, 107-116.	1.4	56
9	Increased Plasma Adrenomedullin Levels in Patients with Behçet's Disease. <i>Dermatology</i> , 2000, 201, 312-315.	0.9	45
10	Protective effect of hydrogen sulfide on gentamicin-induced renal injury. <i>Renal Failure</i> , 2014, 36, 925-931.	0.8	39
11	Protective Effect of Montelukast Which Is Cysteinyl-Leukotriene Receptor Antagonist on Gentamicin-Induced Nephrotoxicity and Oxidative Damage in Rat Kidney. <i>Renal Failure</i> , 2013, 35, 403-410.	0.8	35
12	The Levels of Cytokines and Nitric Oxide in Rabbit Vitreous Humor after Retinal Laser Photocoagulation. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2000, 31, 479-483.	0.4	30
13	Pomegranate Extract Attenuates Gentamicin-Induced Nephrotoxicity in Rats by Reducing Oxidative Stress. <i>Renal Failure</i> , 2013, 35, 268-274.	0.8	28
14	Synovial nitric oxide concentrations are increased and correlated with serum levels in patients with active Behçet's disease: a pilot study. <i>Clinical Rheumatology</i> , 2005, 24, 324-330.	1.0	25
15	Malondialdehyde, nitric oxide and adrenomedullin levels in patients with primary dysmenorrhea. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 1049-1053.	0.6	24
16	Adrenomedullin and nitrite levels in children with Bartter syndrome. <i>Pediatric Nephrology</i> , 2000, 15, 266-270.	0.9	21
17	The pathophysiological significance of red blood cell nitric oxide concentrations in inflammatory Behçet's disease. <i>Mediators of Inflammation</i> , 2003, 12, 255-256.	1.4	16
18	Urinary adrenomedullin levels are increased and correlated with plasma concentrations in patients with Behçet's syndrome. <i>International Journal of Urology</i> , 2002, 9, 296-303.	0.5	15

#	ARTICLE	IF	CITATIONS
19	Adrenomedullin and total nitrite levels in children with Henoch-Schönlein purpura. <i>Pediatric Nephrology</i> , 2003, 18, 1132-1137.	0.9	15
20	Malon dialdehyde, nitrite and adrenomedullin levels in patients with premenstrual syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 361-365.	0.8	15
21	Beneficial effects montelukast, cysteinyl-leukotriene receptor antagonist, on renal damage after unilateral ureteral obstruction in rats. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 279-287.	0.7	15
22	Effects of Erdosteine on Smoking-Induced Lipid Peroxidation in Healthy Smokers. <i>Drugs in R and D</i> , 2005, 6, 83-89.	1.1	13
23	Low serum insulin-like growth factor-1 in patients with erectile dysfunction. <i>Basic and Clinical Andrology</i> , 2016, 26, 1.	0.8	12
24	Protective effect of hydrogen sulfide on renal injury in the experimental unilateral ureteral obstruction. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 1185-1193.	0.7	11
25	Urinary nitric oxide levels are increased and correlated with plasma concentrations in patients with Behcet's disease: Is it a new urinary activity marker?. <i>Nephrology</i> , 2003, 8, 231-238.	0.7	10
26	Genetic polymorphism in the serotonin transporter gene-linked polymorphic region and response to serotonin reuptake inhibitors in patients with premature ejaculation. <i>Clinics</i> , 2014, 69, 710-713.	0.6	10
27	Pomegranate extract attenuates unilateral ureteral obstruction-induced renal damage by reducing oxidative stress. <i>Urology Annals</i> , 2015, 7, 166.	0.3	10
28	Association of serum paraoxonase 1 activities, polymorphisms and oxidative stress in breast cancer patients with type 2 diabetes mellitus. <i>Journal of Medical Biochemistry</i> , 2019, 38, 368-375.	0.7	10
29	Beneficial effects of Oltipraz, nuclear factor - erythroid $\alpha$ 2 - related factor 2 (Nrf2), on renal damage in unilateral ureteral obstruction rat model. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 1243-1251.	0.7	7