

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11855908/marit-lag-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63 papers	2,099 citations	27 h-index	44 g-index
65 ext. papers	2,392 ext. citations	5.1 avg, IF	4.65 L-index

#	Paper	IF	Citations
63	The pro-inflammatory effects of combined exposure to diesel exhaust particles and mineral particles in human bronchial epithelial cells.. <i>Particle and Fibre Toxicology</i> , 2022 , 19, 14	8.4	0
62	Role of scavenger receptors in silica nanoparticle-induced cytokine responses in bronchial epithelial cells. <i>Toxicology Letters</i> , 2021 , 353, 100-106	4.4	0
61	Respirable stone particles differ in their ability to induce cytotoxicity and pro-inflammatory responses in cell models of the human airways. <i>Particle and Fibre Toxicology</i> , 2021 , 18, 18	8.4	3
60	Synthetic hydrosilicate nanotubes induce low pro-inflammatory and cytotoxic responses compared to natural chrysotile in lung cell cultures. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 126, 374-388	3.1	4
59	Potential role of polycyclic aromatic hydrocarbons in air pollution-induced non-malignant respiratory diseases. <i>Respiratory Research</i> , 2020 , 21, 299	7.3	28
58	Per- and polyfluoroalkyl substances (PFASs) modify lung surfactant function and pro-inflammatory responses in human bronchial epithelial cells. <i>Toxicology in Vitro</i> , 2020 , 62, 104656	3.6	24
57	Pro-inflammatory effects of crystalline- and nano-sized non-crystalline silica particles in a 3D alveolar model. <i>Particle and Fibre Toxicology</i> , 2020 , 17, 13	8.4	15
56	Potential role of polycyclic aromatic hydrocarbons as mediators of cardiovascular effects from combustion particles. <i>Environmental Health</i> , 2019 , 18, 74	6	57
55	Concentration-dependent cytokine responses of silica nanoparticles and role of ROS in human lung epithelial cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 125, 304-314	3.1	7
54	Silica Nanoparticle-induced Cytokine Responses in BEAS-2B and HBEC3-KT Cells: Significance of Particle Size and Signalling Pathways in Different Lung Cell Cultures. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 620-632	3.1	17
53	Early life exposure to air pollution particulate matter (PM) as risk factor for attention deficit/hyperactivity disorder (ADHD): Need for novel strategies for mechanisms and causalities. <i>Toxicology and Applied Pharmacology</i> , 2018 , 354, 196-214	4.6	37
52	Lipophilic components of diesel exhaust particles induce pro-inflammatory responses in human endothelial cells through AhR dependent pathway(s). <i>Particle and Fibre Toxicology</i> , 2018 , 15, 21	8.4	36
51	Triggering Mechanisms and Inflammatory Effects of Combustion Exhaust Particles with Implication for Carcinogenesis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 121 Suppl 3, 55-62	3.1	26
50	Cytokine responses induced by diesel exhaust particles are suppressed by PAR-2 silencing and antioxidant treatment, and driven by polar and non-polar soluble constituents. <i>Toxicology Letters</i> , 2015 , 238, 72-82	4.4	16
49	Differential proinflammatory responses induced by diesel exhaust particles with contrasting PAH and metal content. <i>Environmental Toxicology</i> , 2015 , 30, 188-96	4.2	51
48	Activation of Proinflammatory Responses in Cells of the Airway Mucosa by Particulate Matter: Oxidant- and Non-Oxidant-Mediated Triggering Mechanisms. <i>Biomolecules</i> , 2015 , 5, 1399-440	5.9	137
47	The occurrence of polycyclic aromatic hydrocarbons and their derivatives and the proinflammatory potential of fractionated extracts of diesel exhaust and wood smoke particles. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2014 , 48, 383-96	2.3	36

46	AhR and Arnt differentially regulate NF- κ B signaling and chemokine responses in human bronchial epithelial cells. <i>Cell Communication and Signaling</i> , 2014 , 12, 48	7.5	43
45	Toll like receptor-3 priming alters diesel exhaust particle-induced cytokine responses in human bronchial epithelial cells. <i>Toxicology Letters</i> , 2014 , 228, 42-7	4.4	13
44	Silica nanoparticles induce cytokine responses in lung epithelial cells through activation of a p38/TACE/TGF- β /EGFR-pathway and NF- κ B signalling. <i>Toxicology and Applied Pharmacology</i> , 2014 , 279, 76-86	4.6	31
43	Differential NF- κ B and MAPK activation underlies fluoride- and TPA-mediated CXCL8 (IL-8) induction in lung epithelial cells. <i>Journal of Inflammation Research</i> , 2014 , 7, 169-85	4.8	16
42	Mechanisms of chemokine responses by polycyclic aromatic hydrocarbons in bronchial epithelial cells: sensitization through toll-like receptor-3 priming. <i>Toxicology Letters</i> , 2013 , 219, 125-32	4.4	21
41	Cell toxicity and oxidative potential of engine exhaust particles: impact of using particulate filter or biodiesel fuel blend. <i>Environmental Science & Technology</i> , 2013 , 47, 5931-8	10.3	56
40	Differential chemokine induction by 1-nitropyrene and 1-aminopyrene in bronchial epithelial cells: importance of the TACE/TGF- β /EGFR-pathway. <i>Environmental Toxicology and Pharmacology</i> , 2013 , 35, 235-9	5.8	12
39	Importance of agglomeration state and exposure conditions for uptake and pro-inflammatory responses to amorphous silica nanoparticles in bronchial epithelial cells. <i>Nanotoxicology</i> , 2012 , 6, 700-12	5.3	32
38	Differential effects of the particle core and organic extract of diesel exhaust particles. <i>Toxicology Letters</i> , 2012 , 208, 262-8	4.4	82
37	Comparison of non-crystalline silica nanoparticles in IL-1 β release from macrophages. <i>Particle and Fibre Toxicology</i> , 2012 , 9, 32	8.4	103
36	Cadmium-induced inflammatory responses in cells relevant for lung toxicity: Expression and release of cytokines in fibroblasts, epithelial cells and macrophages. <i>Toxicology Letters</i> , 2010 , 193, 252-60	4.4	79
35	Mechanisms involved in ultrafine carbon black-induced release of IL-6 from primary rat epithelial lung cells. <i>Toxicology in Vitro</i> , 2010 , 24, 10-20	3.6	21
34	Diesel exhaust particles induce CYP1A1 and pro-inflammatory responses via differential pathways in human bronchial epithelial cells. <i>Particle and Fibre Toxicology</i> , 2010 , 7, 41	8.4	114
33	Signalling pathways involved in 1-nitropyrene (1-NP)-induced and 3-nitrofluoranthene (3-NF)-induced cell death in Hepa1c1c7 cells. <i>Mutagenesis</i> , 2009 , 24, 481-93	2.8	16
32	3-Nitrofluoranthene (3-NF) but not 3-aminofluoranthene (3-AF) elicits apoptosis as well as programmed necrosis in Hepa1c1c7 cells. <i>Toxicology</i> , 2009 , 255, 140-50	4.4	14
31	Role of IL-1 beta and COX2 in silica-induced IL-6 release and loss of pneumocytes in co-cultures. <i>Toxicology in Vitro</i> , 2009 , 23, 1342-53	3.6	18
30	Fluoride-induced IL-8 release in human epithelial lung cells: relationship to EGF-receptor-, SRC- and MAP-kinase activation. <i>Toxicology and Applied Pharmacology</i> , 2008 , 227, 56-67	4.6	16
29	1-Nitropyrene (1-NP) induces apoptosis and apparently a non-apoptotic programmed cell death (paraptosis) in Hepa1c1c7 cells. <i>Toxicology and Applied Pharmacology</i> , 2008 , 230, 175-86	4.6	34

28	Particles from wood smoke and traffic induce differential pro-inflammatory response patterns in co-cultures. <i>Toxicology and Applied Pharmacology</i> , 2008 , 232, 317-26	4.6	60
27	The ability of oxidative stress to mimic quartz-induced chemokine responses is lung cell line-dependent. <i>Toxicology Letters</i> , 2008 , 181, 75-80	4.4	17
26	Particle-induced cytokine responses in cardiac cell cultures--the effect of particles versus soluble mediators released by particle-exposed lung cells. <i>Toxicological Sciences</i> , 2008 , 106, 233-41	4.4	33
25	IL-1beta differently involved in IL-8 and FGF-2 release in crystalline silica-treated lung cell co-cultures. <i>Particle and Fibre Toxicology</i> , 2008 , 5, 16	8.4	24
24	Pro-inflammatory potential of ultrafine particles in mono- and co-cultures of primary cardiac cells. <i>Toxicology</i> , 2008 , 247, 23-32	4.4	27
23	Regulation of rat alveolar type 2 cell proliferation in vitro involves type II cAMP-dependent protein kinase. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007 , 292, L232-9	5.8	7
22	Metabolism of nilutamide in rat lung. <i>Biochemical Pharmacology</i> , 2006 , 71, 377-85	6	10
21	Different particle determinants induce apoptosis and cytokine release in primary alveolar macrophage cultures. <i>Particle and Fibre Toxicology</i> , 2006 , 3, 10	8.4	16
20	Mechanisms of silica-induced IL-8 release from A549 cells: initial kinase-activation does not require EGFR activation or particle uptake. <i>Toxicology</i> , 2006 , 227, 105-16	4.4	30
19	Role of mitogen activated protein kinases and protein kinase C in cadmium-induced apoptosis of primary epithelial lung cells. <i>Toxicology</i> , 2005 , 211, 253-64	4.4	54
18	Role of cell signaling in B[a]P-induced apoptosis: characterization of unspecific effects of cell signaling inhibitors and apoptotic effects of B[a]P metabolites. <i>Chemico-Biological Interactions</i> , 2005 , 151, 101-19	5	50
17	Cytokine release from alveolar macrophages exposed to ambient particulate matter: heterogeneity in relation to size, city and season. <i>Particle and Fibre Toxicology</i> , 2005 , 2, 4	8.4	121
16	p38 and Src-ERK1/2 pathways regulate crystalline silica-induced chemokine release in pulmonary epithelial cells. <i>Toxicological Sciences</i> , 2004 , 81, 480-90	4.4	54
15	Polycyclic aromatic hydrocarbons induce both apoptotic and anti-apoptotic signals in Hepa1c1c7 cells. <i>Carcinogenesis</i> , 2004 , 25, 809-19	4.6	96
14	Fluoride-induced apoptosis in human epithelial lung cells (A549 cells): role of different G protein-linked signal systems. <i>Human and Experimental Toxicology</i> , 2003 , 22, 111-23	3.4	66
13	Mineral composition other than quartz is a critical determinant of the particle inflammatory potential. <i>International Journal of Hygiene and Environmental Health</i> , 2002 , 204, 327-31	6.9	7
12	Mechanisms in fluoride-induced interleukin-8 synthesis in human lung epithelial cells. <i>Toxicology</i> , 2001 , 167, 145-58	4.4	24
11	Persistent versus transient map kinase (ERK) activation in the proliferation of lung epithelial type 2 cells. <i>Experimental Lung Research</i> , 2001 , 27, 387-400	2.3	18

10	Regulation of CCSP (PCB-BP/uteroglobin) expression in primary cultures of lung cells: involvement of C/EBP. <i>DNA and Cell Biology</i> , 1998 , 17, 481-92	3.6	33
9	Expression of CYP2B1 in freshly isolated and proliferating cultures of epithelial rat lung cells. <i>Experimental Lung Research</i> , 1996 , 22, 627-49	2.3	43
8	Mutagenic activity of halogenated propanes and propenes: effect of bromine and chlorine positioning. <i>Chemico-Biological Interactions</i> , 1994 , 93, 73-84	5	20
7	Prevention of 1,2-dibromo-3-chloropropane (DBCP)-induced kidney necrosis and testicular atrophy by 3-aminobenzamide. <i>Toxicology and Applied Pharmacology</i> , 1991 , 110, 118-28	4.6	6
6	Species differences in kidney necrosis and DNA damage, distribution and glutathione-dependent metabolism of 1,2-dibromo-3-chloropropane (DBCP). <i>Basic and Clinical Pharmacology and Toxicology</i> , 1990 , 66, 287-93		8
5	Metabolism of selectively methylated and deuterated analogs of 1,2-dibromo-3-chloropropane: role in organ toxicity and mutagenicity. <i>Chemico-Biological Interactions</i> , 1989 , 69, 33-44	5	6
4	Species differences in testicular necrosis and DNA damage, distribution and metabolism of 1,2-dibromo-3-chloropropane (DBCP). <i>Toxicology</i> , 1989 , 58, 133-44	4.4	25
3	Role of P-450 activity and glutathione levels in 1,2-dibromo-3-chloropropane tissue distribution, renal necrosis and in vivo DNA damage. <i>Toxicology</i> , 1989 , 56, 273-88	4.4	19
2	Ion transport and cadmium-induced inhibition of ciliary activity and induction of swelling of epithelial cells in mouse trachea organ culture. <i>Toxicology</i> , 1987 , 47, 247-58	4.4	3
1	Effects of cadmium acetate and sodium selenite on mucociliary functions and adenosine triphosphate content in mouse trachea organ cultures. <i>Toxicology</i> , 1986 , 39, 323-32	4.4	7