## **Boyang Liu**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11857241/publications.pdf

Version: 2024-02-01

52	10,943	45	52
papers	citations	h-index	g-index
52	52	52	10370 citing authors
all docs	docs citations	times ranked	

#	Article	IF	Citations
1	Negating interfacial impedance in garnet-based solid-state Li metal batteries. Nature Materials, 2017, 16, 572-579.	27.5	1,583
2	Toward garnet electrolyte–based Li metal batteries: An ultrathin, highly effective, artificial solid-state electrolyte/metallic Li interface. Science Advances, 2017, 3, e1601659.	10.3	647
3	Conformal, Nanoscale ZnO Surface Modification of Garnet-Based Solid-State Electrolyte for Lithium Metal Anodes. Nano Letters, 2017, 17, 565-571.	9.1	556
4	Transition from Superlithiophobicity to Superlithiophilicity of Garnet Solid-State Electrolyte. Journal of the American Chemical Society, 2016, 138, 12258-12262.	13.7	548
5	3Dâ€Printed, Allâ€inâ€One Evaporator for Highâ€Efficiency Solar Steam Generation under 1 Sun Illumination. Advanced Materials, 2017, 29, 1700981.	21.0	511
6	Three-dimensional bilayer garnet solid electrolyte based high energy density lithium metal–sulfur batteries. Energy and Environmental Science, 2017, 10, 1568-1575.	30.8	499
7	Mesoporous, Three-Dimensional Wood Membrane Decorated with Nanoparticles for Highly Efficient Water Treatment. ACS Nano, 2017, 11, 4275-4282.	14.6	392
8	Highly Compressible, Anisotropic Aerogel with Aligned Cellulose Nanofibers. ACS Nano, 2018, 12, 140-147.	14.6	364
9	New Energy Storage Option: Toward ZnCo <sub>2</sub> O <sub>4</sub> Nanorods/Nickel Foam Architectures for High-Performance Supercapacitors. ACS Applied Materials & Samp; Interfaces, 2013, 5, 10011-10017.	8.0	362
10	Three-Dimensional Printed Thermal Regulation Textiles. ACS Nano, 2017, 11, 11513-11520.	14.6	261
11	Continuous plating/stripping behavior of solid-state lithium metal anode in a 3D ion-conductive framework. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 3770-3775.	7.1	250
12	Garnet Solid Electrolyte Protected Li-Metal Batteries. ACS Applied Materials & Samp; Interfaces, 2017, 9, 18809-18815.	8.0	247
13	Encapsulation of Metallic Na in an Electrically Conductive Host with Porous Channels as a Highly Stable Na Metal Anode. Nano Letters, 2017, 17, 3792-3797.	9.1	243
14	Extrusionâ€Based 3D Printing of Hierarchically Porous Advanced Battery Electrodes. Advanced Materials, 2018, 30, e1705651.	21.0	241
15	Transient Behavior of the Metal Interface in Lithium Metal–Garnet Batteries. Angewandte Chemie - International Edition, 2017, 56, 14942-14947.	13.8	227
16	Visualizing plating-induced cracking in lithium-anode solid-electrolyte cells. Nature Materials, 2021, 20, 1121-1129.	27.5	221
17	A carbon-based 3D current collector with surface protection for Li metal anode. Nano Research, 2017, 10, 1356-1365.	10.4	200
18	3D Wettable Framework for Dendriteâ€Free Alkali Metal Anodes. Advanced Energy Materials, 2018, 8, 1800635.	19.5	196

#	Article	IF	CITATIONS
19	Flexible, Scalable, and Highly Conductive Garnetâ€Polymer Solid Electrolyte Templated by Bacterial Cellulose. Advanced Energy Materials, 2018, 8, 1703474.	19.5	189
20	An Electron/Ion Dualâ€Conductive Alloy Framework for Highâ€Rate and Highâ€Capacity Solidâ€State Lithiumâ€Metal Batteries. Advanced Materials, 2019, 31, e1804815.	21.0	188
21	Universal Soldering of Lithium and Sodium Alloys on Various Substrates for Batteries. Advanced Energy Materials, 2018, 8, 1701963.	19.5	186
22	Conductive Cellulose Nanofiber Enabled Thick Electrode for Compact and Flexible Energy Storage Devices. Advanced Energy Materials, 2018, 8, 1802398.	19.5	163
23	Hierarchically Porous, Ultrathick, "Breathable―Woodâ€Derived Cathode for Lithiumâ€Oxygen Batteries. Advanced Energy Materials, 2018, 8, 1701203.	19.5	161
24	<i>In Situ</i> Neutron Depth Profiling of Lithium Metal–Garnet Interfaces for Solid State Batteries. Journal of the American Chemical Society, 2017, 139, 14257-14264.	13.7	154
25	Enabling High-Areal-Capacity Lithium–Sulfur Batteries: Designing Anisotropic and Low-Tortuosity Porous Architectures. ACS Nano, 2017, 11, 4801-4807.	14.6	151
26	FeS <sub>2</sub> Nanoparticles Embedded in Reduced Graphene Oxide toward Robust, Highâ€Performance Electrocatalysts. Advanced Energy Materials, 2017, 7, 1700482.	19.5	144
27	Superflexible Wood. ACS Applied Materials & Superflexible Wood. ACS Applied Wood. ACS Ap	8.0	141
28	3Dâ€Printed Graphene Oxide Framework with Thermal Shock Synthesized Nanoparticles for Li O <sub>2</sub> Batteries. Advanced Functional Materials, 2018, 28, 1805899.	14.9	135
29	Transient, <i>in situ</i> synthesis of ultrafine ruthenium nanoparticles for a high-rate Li–CO <sub>2</sub> battery. Energy and Environmental Science, 2019, 12, 1100-1107.	30.8	129
30	From Wood to Textiles: Topâ€Down Assembly of Aligned Cellulose Nanofibers. Advanced Materials, 2018, 30, e1801347.	21.0	121
31	Natureâ€Inspired Triâ€Pathway Design Enabling Highâ€Performance Flexible Li–O <sub>2</sub> Batteries. Advanced Energy Materials, 2019, 9, 1802964.	19.5	121
32	Flexible lithium–CO <sub>2</sub> battery with ultrahigh capacity and stable cycling. Energy and Environmental Science, 2018, 11, 3231-3237.	30.8	117
33	3D lithium metal anodes hosted in asymmetric garnet frameworks toward high energy density batteries. Energy Storage Materials, 2018, 14, 376-382.	18.0	114
34	Advanced rechargeable lithium-ion batteries based on bendable ZnCo2O4-urchins-on-carbon-fibers electrodes. Nano Research, 2013, 6, 525-534.	10.4	109
35	Architecting a Floatable, Durable, and Scalable Steam Generator: Hydrophobic/Hydrophilic Bifunctional Structure for Solar Evaporation Enhancement. Small Methods, 2019, 3, 1800176.	8.6	97
36	3D printed separator for the thermal management of high-performance Li metal anodes. Energy Storage Materials, 2018, 12, 197-203.	18.0	95

#	Article	IF	CITATIONS
37	Textile Inspired Lithium–Oxygen Battery Cathode with Decoupled Oxygen and Electrolyte Pathways. Advanced Materials, 2018, 30, 1704907.	21.0	92
38	Rapid Thermal Annealing of Cathode-Garnet Interface toward High-Temperature Solid State Batteries. Nano Letters, 2017, 17, 4917-4923.	9.1	89
39	Achieving Ultrahighâ€Rate Planar and Dendriteâ€Free Zinc Electroplating for Aqueous Zinc Battery Anodes. Advanced Materials, 2022, 34, e2202552.	21.0	88
40	Millisecond synthesis of CoS nanoparticles for highly efficient overall water splitting. Nano Research, 2019, 12, 2259-2267.	10.4	85
41	In Situ "Chainmail Catalyst―Assembly in Lowâ€Tortuosity, Hierarchical Carbon Frameworks for Efficient and Stable Hydrogen Generation. Advanced Energy Materials, 2018, 8, 1801289.	19.5	79
42	Garnet/polymer hybrid ion-conducting protective layer for stable lithium metal anode. Nano Research, 2017, 10, 4256-4265.	10.4	76
43	Stabilizing the Garnet Solid-Electrolyte/Polysulfide Interface in Li–S Batteries. Chemistry of Materials, 2017, 29, 8037-8041.	6.7	73
44	Revealing the Role of Fluorideâ€Rich Battery Electrode Interphases by Operando Transmission Electron Microscopy. Advanced Energy Materials, 2021, 11, 2003118.	19.5	54
45	Mixed ionic-electronic conductor enabled effective cathode-electrolyte interface in all solid state batteries. Nano Energy, 2018, 50, 393-400.	16.0	52
46	Compressible, Dense, Three-Dimensional Holey Graphene Monolithic Architecture. ACS Nano, 2017, 11, 3189-3197.	14.6	44
47	Current-Density-Dependent Electroplating in Ca Electrolytes: From Globules to Dendrites. ACS Energy Letters, 2020, 5, 2283-2290.	17.4	44
48	Universal, In Situ Transformation of Bulky Compounds into Nanoscale Catalysts by High-Temperature Pulse. Nano Letters, 2017, 17, 5817-5822.	9.1	29
49	Fly-through synthesis of nanoparticles on textile and paper substrates. Nanoscale, 2019, 11, 6174-6181.	5.6	25
50	Design of High Capacity Dissoluble Electrodes for All Transient Batteries. Advanced Functional Materials, 2017, 27, 1605724.	14.9	21
51	Necklaceâ€Like Silicon Carbide and Carbon Nanocomposites Formed by Steady Joule Heating. Small Methods, 2018, 2, 1700371.	8.6	17
52	Transient Behavior of the Metal Interface in Lithium Metal–Garnet Batteries. Angewandte Chemie, 2017, 129, 15138-15143.	2.0	12