

# Wei Shen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11860495/publications.pdf>

Version: 2024-02-01

15  
papers

1,779  
citations

840585

11  
h-index

1058333

14  
g-index

15  
all docs

15  
docs citations

15  
times ranked

1217  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and Safety of Tadalafil for the Treatment of Erectile Dysfunction: Results of Integrated Analyses. <i>Journal of Urology</i> , 2002, 168, 1332-1336.	0.2	508
2	Health-Related Quality of Life in Postmenopausal Women With Low BMD With or Without Prevalent Vertebral Fractures. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 1384-1392.	3.1	432
3	The relationship of health-related quality of life to prevalent and incident vertebral fractures in postmenopausal women with osteoporosis: Results from the Multiple Outcomes of Raloxifene Evaluation Study. <i>Arthritis and Rheumatism</i> , 2001, 44, 2611-2619.	6.7	311
4	Evaluation of the Efficacy and Safety of Once-a-Day Dosing of Tadalafil 5mg and 10mg in the Treatment of Erectile Dysfunction: Results of a Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial. <i>European Urology</i> , 2006, 50, 351-359.	0.9	171
5	Impact of incident vertebral fractures on health related quality of life (HRQOL) in postmenopausal women with prevalent vertebral fractures. <i>Osteoporosis International</i> , 2005, 16, 861-870.	1.3	91
6	The Efficacy of Tadalafil in Clinical Populations. <i>Journal of Sexual Medicine</i> , 2005, 2, 517-531.	0.3	64
7	Tadalafil Improved Erectile Function at Twenty-Four and Thirty-Six Hours After Dosing in Men With Erectile Dysfunction: US Trial. <i>Journal of Andrology</i> , 2005, 26, 310-318.	2.0	55
8	Prevalence of depressive symptoms in postmenopausal women with low bone mineral density and/or prevalent vertebral fracture: results from the Multiple Outcomes of Raloxifene Evaluation (MORE) study. <i>Journal of Rheumatology</i> , 2007, 34, 140-4.	1.0	36
9	The impact of incident vertebral and non-vertebral fragility fractures on health-related quality of life in established postmenopausal osteoporosis: results from the teriparatide randomized, placebo-controlled trial in postmenopausal women. <i>Journal of Rheumatology</i> , 2003, 30, 1579-83.	1.0	34
10	Empirical Bayes Estimation via the Smoothing by Roughening Approach. <i>Journal of Computational and Graphical Statistics</i> , 1999, 8, 800.	0.9	32
11	Triple-goal estimates for disease mapping. <i>Statistics in Medicine</i> , 2000, 19, 2295-2308.	0.8	29
12	Efficacy and safety of tadalafil taken as needed for the treatment of erectile dysfunction in Asian men: results of an integrated analysis. <i>Asian Journal of Andrology</i> , 2009, 11, 423-433.	0.8	11
13	Use of health-related quality of life measures to predict health utility in postmenopausal osteoporotic women: results from the Multiple Outcomes of Raloxifene Evaluation study. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 189.	1.0	3
14	Psychometric properties of the osteoporosis assessment questionnaire (OPAQ) 2.0: results from the multiple outcomes of raloxifene evaluation (MORE) study. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 374.	0.8	2
15	Nonparametric empirical Bayes method for comparison of treatment effects with application to stress urinary incontinence data. <i>Pharmaceutical Statistics</i> , 2008, 7, 42-52.	0.7	0