

Boris Buerke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1186198/publications.pdf>

Version: 2024-02-01

10
papers

178
citations

1040056

9
h-index

1372567

10
g-index

10
all docs

10
docs citations

10
times ranked

284
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Clot Analog Attenuation in Non-contrast CT Predicts Histology: an Experimental Study Using Machine Learning. <i>Translational Stroke Research</i> , 2020, 11, 940-949. | 4.2 | 10 |
| 2 | Predictors of Successful First-Pass Thrombectomy with a Balloon Guide Catheter: Results of a Decision Tree Analysis. <i>Translational Stroke Research</i> , 2020, 11, 900-909. | 4.2 | 16 |
| 3 | The role of multislice computed tomography (MSCT) angiography in the diagnosis and therapy of non-occlusive mesenteric ischemia (NOMI): Could MSCT replace DSA in diagnosis?. <i>PLoS ONE</i> , 2018, 13, e0193698. | 2.5 | 20 |
| 4 | Usefulness of semi-automatic volumetry compared to established linear measurements in predicting lymph node metastases in MSCT. <i>Acta Radiologica</i> , 2011, 52, 540-546. | 1.1 | 8 |
| 5 | Semiautomatic Lymph Node Segmentation in Multislice Computed Tomography. <i>Investigative Radiology</i> , 2010, 45, 82-88. | 6.2 | 13 |
| 6 | Measurement Accuracy and Reproducibility of Semiautomated Metric and Volumetric Lymph Node Analysis in MDCT. <i>American Journal of Roentgenology</i> , 2010, 195, 979-985. | 2.2 | 27 |
| 7 | Microbiologic Contamination and Time Efficiency of Use of Automatic MDCT Injectors With Prefilled Syringes: Results of a Clinical Investigation. <i>American Journal of Roentgenology</i> , 2010, 194, 299-303. | 2.2 | 28 |
| 8 | Dual-Energy CTA with Bone Removal for Transcranial Arteries. <i>Academic Radiology</i> , 2009, 16, 1348-1355. | 2.5 | 22 |
| 9 | Qualitative and Quantitative Analysis of Routinely Postprocessed (CLEAR) CE-MRA Data Sets. <i>Academic Radiology</i> , 2008, 15, 1111-1117. | 2.5 | 13 |
| 10 | Microbiologic Contamination of Automatic Injectors at MDCT: Experimental and Clinical Investigations. <i>American Journal of Roentgenology</i> , 2008, 191, W283-W287. | 2.2 | 21 |