## Robert H Goldstein

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11862293/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Stable Bromine Isotopic Composition of Coal Bed Methane (CBM) Produced Water, the Occurrence of Enriched 81Br, and Implications for Fluid Flow in the Midcontinent, USA. Minerals (Basel,) Tj ETQq1 1 0.7843	l4 rg <b>₿₮.</b> фОve	rloak 10 Tf 5
2	History of hydrothermal fluid flow in the midcontinent, USA: the relationship between inverted thermal structure, unconformities and porosity distribution. Geological Society Special Publication, 2018, 435, 283-320.	1.3	6
3	Diagenetic controls on the location of reservoir sweet spots relative to palaeotopographical and structural highs. Geological Society Special Publication, 2018, 435, 177-215.	1.3	1
4	Meteoric calcite cementation: diagenetic response to relative fall in sea-level and effect on porosity and permeability, Las Negras area, southeastern Spain. Sedimentary Geology, 2017, 348, 1-18.	2.1	27
5	Repeated injection of hydrothermal fluids into downdip carbonates: a diagenetic and stratigraphic mechanism for localization of reservoir porosity, Indian Basin Field, New Mexico, USA. Geological Society Special Publication, 2015, 406, 141-177.	1.3	11
6	What controls porosity in cherty fine-grained carbonate reservoir rocks? Impact of stratigraphy, unconformities, structural setting and hydrothermal fluid flow: Mississippian, SE Kansas. Geological Society Special Publication, 2015, 406, 179-208.	1.3	8
7	Geochemical record of fluid flow and dolomitization of carbonate platforms: ascending freshwater–mesohaline mixing, Miocene of Spain. Geological Society Special Publication, 2015, 406, 115-140.	1.3	6
8	Climate, duration, and mineralogy controls on meteoric diagenesis, La Molata, southeast Spain. Interpretation, 2014, 2, SF111-SF123.	1.1	6
9	Workflows for incorporating stratigraphic and diagenetic relationships into a reservoir-analogue model from outcrops of Miocene carbonates in SE Spain. Petroleum Geoscience, 2014, 20, 55-78.	1.5	9
10	The effects of sea level and palaeotopography on lithofacies distribution and geometries in heterozoan carbonates, south-eastern Spain. Sedimentology, 2005, 52, 513-536.	3.1	21
11	New approach for quantifying water depth applied to the enigma of drowning of carbonate platforms. Geology, 2002, 30, 783.	4.4	28
12	Recognizing acid lakes and groundwaters in the rock record. Sedimentary Geology, 2002, 151, 177-185.	2.1	30
13	Constraining controls on carbonate sequences with high-resolution chronostratigraphy: Upper Miocene, Cabo de Gata region, SE Spain. Palaeogeography, Palaeoclimatology, Palaeoecology, 2001, 176, 11-45.	2.3	26
14	Evaporites and siliciclastics of the Permian Nippewalla Group of Kansas, USA: a case for non-marine deposition in saline lakes and saline pans. Sedimentology, 2001, 48, 165-188.	3.1	64
15	Fluid inclusions in sedimentary and diagenetic systems. Lithos, 2001, 55, 159-193.	1.4	376
16	A new technique for surface and shallow subsurface paleobarometry using fluid inclusions: an example from the Upper Ordovician Viola Formation, Kansas, USA. Chemical Geology, 1999, 154, 97-111.	3.3	8
17	Permian paleoclimate data from fluid inclusions in halite. Chemical Geology, 1999, 154, 113-132.	3.3	91
18	Extremely acid Permian lakes and ground waters in North America. Nature, 1998, 392, 911-914.	27.8	75

Robert H Goldstein

#	Article	IF	CITATIONS
19	Sediment network meeting 1997. Gff, 1997, 119, 317-318.	1.2	1
20	Pinning points: a method providing quantitative constraints on relative sea-level history. Sedimentary Geology, 1995, 95, 1-10.	2.1	60
21	History of diagenetic fluids in a distant foreland area, Middle and Upper Pennsylvanian, Cherokee basin, Kansas, USA: Fluid inclusion evidence. Geochimica Et Cosmochimica Acta, 1994, 58, 1175-1191.	3.9	32
22	Fluid Inclusions as Carbonate Microfabrics: A Petrographic Method to Determine Diagenetic History. Frontiers in Sedimentary Geology, 1993, , 279-290.	0.2	14
23	Stable isotope signatures associated with palaeosols, Pennsylvanian Holder Formation, New Mexico. Sedimentology, 1991, 38, 67-77.	3.1	51
24	Fluid-inclusion technique for determining maximum temperature in calcite and its comparison to the vitrinite reflectance geothermometer. Geology, 1990, 18, 1003.	4.4	163
25	Diagenesis associated with subaerial exposure of Miocene strata, southeastern Spain: Implications for sea-level change and preservation of low-temperature fluid inclusions in calcite cement. Geochimica Et Cosmochimica Acta, 1990, 54, 699-704.	3.9	18
26	Reequilibration of fluid inclusions in low-temperature calcium-carbonate cement. Geology, 1986, 14, 792.	4.4	111