

Gergely Berta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11863854/publications.pdf>

Version: 2024-02-01

26
papers

449
citations

933447

10
h-index

752698

20
g-index

27
all docs

27
docs citations

27
times ranked

673
citing authors

#	ARTICLE	IF	CITATIONS
1	The regulation of the mitochondrial apoptotic pathway by glucocorticoid receptor in collaboration with Bcl-2 family proteins in developing T cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2017, 22, 239-253.	4.9	73
2	Progesterone-induced blocking factor differentially regulates trophoblast and tumor invasion by altering matrix metalloproteinase activity. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 4617-4630.	5.4	49
3	Mitochondrial translocation of the glucocorticoid receptor in double-positive thymocytes correlates with their sensitivity to glucocorticoid-induced apoptosis. <i>International Immunology</i> , 2009, 21, 1269-1276.	4.0	48
4	Glucocorticoid hormone treatment enhances the cytokine production of regulatory T cells by upregulation of Foxp3 expression. <i>Immunobiology</i> , 2018, 223, 422-431.	1.9	42
5	Traumatic Brain Injury Impairs Myogenic Constriction of Cerebral Arteries: Role of Mitochondria-Derived H ₂ O ₂ and TRPV4-Dependent Activation of BK _{Ca} Channels. <i>Journal of Neurotrauma</i> , 2018, 35, 930-939.	3.4	42
6	The effect of light exposure on the cleavage rate and implantation capacity of preimplantation murine embryos. <i>Journal of Reproductive Immunology</i> , 2019, 132, 21-28.	1.9	27
7	The Neuroprotective Peptide PACAP1-38 Contributes to Horizontal Cell Development in Postnatal Rat Retina. , 2019, 60, 770.		25
8	PIBF positive uterine NK cells in the mouse decidua. <i>Journal of Reproductive Immunology</i> , 2017, 119, 38-43.	1.9	23
9	The effect of the Progesterone-Induced Blocking Factor (PIBF) on E-cadherin expression, cell motility and invasion of primary tumour cell lines. <i>Journal of Reproductive Immunology</i> , 2018, 125, 8-15.	1.9	23
10	Hypertension Exacerbates Cerebrovascular Oxidative Stress Induced by Mild Traumatic Brain Injury: Protective Effects of the Mitochondria-Targeted Antioxidative Peptide SS-31. <i>Journal of Neurotrauma</i> , 2019, 36, 3309-3315.	3.4	15
11	Absence of Nkx2-3 Homeodomain Transcription Factor Reprograms the Endothelial Addressin Preference for Lymphocyte Homing in Peyer's Patches. <i>Journal of Immunology</i> , 2014, 193, 5284-5293.	0.8	14
12	Neurodegeneration in the centrally-projecting Edinger-Westphal nucleus contributes to the non-motor symptoms of Parkinson's disease in the rat. <i>Journal of Neuroinflammation</i> , 2022, 19, 31.	7.2	13
13	Melanocortin 4 receptor ligands modulate energy homeostasis through urocortin 1 neurons of the centrally projecting Edinger-Westphal nucleus. <i>Neuropharmacology</i> , 2017, 118, 26-37.	4.1	9
14	Prolonged treatment with the proteasome inhibitor MG-132 induces apoptosis in PC12 rat pheochromocytoma cells. <i>Scientific Reports</i> , 2022, 12, 5808.	3.3	8
15	Marginal Zone Macrophage Receptor MARCO Is Trapped in Conduits Formed by Follicular Dendritic Cells in the Spleen. <i>Journal of Histochemistry and Cytochemistry</i> , 2014, 62, 436-449.	2.5	7
16	IL-22-Independent Protection from Colitis in the Absence of Nkx2.3 Transcription Factor in Mice. <i>Journal of Immunology</i> , 2019, 202, 1833-1844.	0.8	7
17	Foliate Lymphoid Aggregates as Novel Forms of Serous Lymphocyte Entry Sites of Peritoneal B Cells and High-Grade B Cell Lymphomas. <i>Journal of Immunology</i> , 2020, 204, 23-36.	0.8	7
18	Differential Effects of the Absence of Nkx2-3 and MAdCAM-1 on the Distribution of Intestinal Type 3 Innate Lymphoid Cells and Postnatal SILT Formation in Mice. <i>Frontiers in Immunology</i> , 2019, 10, 366.	4.8	5

#	ARTICLE	IF	CITATIONS
19	Pituitary Adenylate Cyclase Activating Polypeptide (PACAP1â€“38) Exerts Both Pro and Anti-Apoptotic Effects on Postnatal Retinal Development in Rat. <i>Neuroscience</i> , 2018, 385, 59-66.	2.3	4
20	Urocortin stimulates ERK1/2 phosphorylation and proliferation but reduces ATP production of MCF7 breast cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2022, 547, 111610.	3.2	4
21	Partial rescue of geldanamycin-induced TrkA depletion by a proteasome inhibitor in PC12 cells. <i>Brain Research</i> , 2013, 1520, 70-79.	2.2	2
22	ABSTRACTS: 8â€“Identifying the receptor-binding part of PIBF. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 88-88.	1.2	1
23	Secreted key regulators (Fgf1, Bmp4, Gdf3) are expressed by PAC1-immunopositive retinal ganglion cells in the postnatal rat retina. <i>European Journal of Histochemistry</i> , 2022, 66, .	1.5	1
24	Role of adipose-associated lymphoid tissues in the immunological homeostasis of the serosal surface. <i>Immunology Letters</i> , 2020, 228, 135-141.	2.5	0
25	In isolated vessels H2S is a less effective scavenger of exogenous superoxide than SOD. <i>FASEB Journal</i> , 2013, 27, 900.2.	0.5	0
26	Age-Associated B Cell Features of the Murine High-Grade B Cell Lymphoma Bc.DLFL1 and Its Extranodal Expansion in Abdominal Adipose Tissues. <i>Journal of Immunology</i> , 2022, 208, 2866-2876.	0.8	0