Erik H Van Beers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11867303/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Analysis of PALB2/FANCN-associated breast cancer families. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 6788-6793.	7.1	192
2	Intestinal Brush Border Glycohydrolases: Structure, Function, and Development. Critical Reviews in Biochemistry and Molecular Biology, 1995, 30, 197-262.	5.2	143
3	Prediction of BRCA1-association in hereditary non-BRCA1/2 breast carcinomas with array-CGH. Breast Cancer Research and Treatment, 2009, 116, 479-489.	2.5	124
4	Prediction of high- and low-risk multiple myeloma based on gene expression and the International Staging System. Blood, 2015, 126, 1996-2004.	1.4	106
5	Comparative genomic hybridization profiles in human BRCA1 and BRCA2 breast tumors highlight differential sets of genomic aberrations. Cancer Research, 2005, 65, 822-7.	0.9	97
6	Array-CGH and breast cancer. Breast Cancer Research, 2006, 8, 210.	5.0	66
7	Lactase gene expression during early development of rat small intestine. Gastroenterology, 1992, 103, 1154-1161.	1.3	60
8	Restriction of lactase gene expression along the proximal-to-distal axis of rat small intestine occurs during postnatal development. Gastroenterology, 1994, 106, 1223-1232.	1.3	50
9	Pathogenicity of the BRCA1 missense variant M1775K is determined by the disruption of the BRCT phosphopeptide-binding pocket: a multi-modal approach. European Journal of Human Genetics, 2008, 16, 820-832.	2.8	42
10	Automated array-CGH optimized for archival formalin-fixed, paraffin-embedded tumor material. BMC Cancer, 2007, 7, 43.	2.6	33
11	Prognostic Validation of SKY92 and Its Combination With ISS in an Independent Cohort of Patients With Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2017, 17, 555-562.	0.4	28
12	Lactase; Origin, gene expression, localization, and function. Nutrition Research, 1994, 14, 775-797.	2.9	25
13	Prognostic and predictive performance of R-ISS with SKY92 in older patients with multiple myeloma: the HOVON-87/NMSG-18 trial. Blood Advances, 2020, 4, 6298-6309.	5.2	22
14	Intestinal Carbamoyl Phosphate Synthase I in Human and Rat: Expression During Development Shows Species Differences and Mosaic Expression in Duodenum of Both Species. Journal of Histochemistry and Cytochemistry, 1998, 46, 231-240.	2.5	16
15	Genomeâ€wide linkage scan in Dutch hereditary nonâ€BRCA1/2 breast cancer families identifies 9q21â€22 as a putative breast cancer susceptibility locus. Genes Chromosomes and Cancer, 2008, 47, 947-956.	2.8	16
16	Analytical Validation of SKY92 for the Identification of High-Risk Multiple Myeloma. Journal of Molecular Diagnostics, 2021, 23, 120-129.	2.8	9
17	Regulation of Lactase and Sucrase-Isomaltase Gene Expression in the Duodenum During Childhood. Journal of Pediatric Gastroenterology and Nutrition, 1998, 27, 37-46.	1.8	7
18	Prognostic and Predictive Gene Expression Profiling (GEP) Markers Confirmed in Carfilzomib, Lenalidomide, and Dexamethasone (KRd) Treated Newly Diagnosed Multiple Myeloma (NDMM) Patients (Pts). Blood, 2014, 124, 2141-2141.	1.4	6

Erik H Van Beers

#	Article	IF	CITATIONS
19	Prognostic gene expression analysis in a retrospective, multinational cohort of 155 multiple myeloma patients treated outside clinical trials. International Journal of Laboratory Hematology, 2022, 44, 127-134.	1.3	4
20	Potential therapeutic and economic value of risk-stratified treatment as initial treatment of multiple myeloma in Europe. Pharmacogenomics, 2018, 19, 213-226.	1.3	3
21	O20: Discovering genetic profiles byÂarray-CGH inÂfamilial breast tumors. European Journal of Medical Genetics, 2005, 48, 487-488.	1.3	0