## Erik H Van Beers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11867303/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic gene expression analysis in a retrospective, multinational cohort of 155 multiple myeloma patients treated outside clinical trials. International Journal of Laboratory Hematology, 2022, 44, 127-134.	1.3	4
2	Analytical Validation of SKY92 for the Identification of High-Risk Multiple Myeloma. Journal of Molecular Diagnostics, 2021, 23, 120-129.	2.8	9
3	Prognostic and predictive performance of R-ISS with SKY92 in older patients with multiple myeloma: the HOVON-87/NMSG-18 trial. Blood Advances, 2020, 4, 6298-6309.	5.2	22
4	Potential therapeutic and economic value of risk-stratified treatment as initial treatment of multiple myeloma in Europe. Pharmacogenomics, 2018, 19, 213-226.	1.3	3
5	Prognostic Validation of SKY92 and Its Combination With ISS in an Independent Cohort of Patients With Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2017, 17, 555-562.	0.4	28
6	Prediction of high- and low-risk multiple myeloma based on gene expression and the International Staging System. Blood, 2015, 126, 1996-2004.	1.4	106
7	Prognostic and Predictive Gene Expression Profiling (GEP) Markers Confirmed in Carfilzomib, Lenalidomide, and Dexamethasone (KRd) Treated Newly Diagnosed Multiple Myeloma (NDMM) Patients (Pts). Blood, 2014, 124, 2141-2141.	1.4	6
8	Prediction of BRCA1-association in hereditary non-BRCA1/2 breast carcinomas with array-CGH. Breast Cancer Research and Treatment, 2009, 116, 479-489.	2.5	124
9	Genomeâ€wide linkage scan in Dutch hereditary nonâ€BRCA1/2 breast cancer families identifies 9q21â€22 as a putative breast cancer susceptibility locus. Genes Chromosomes and Cancer, 2008, 47, 947-956.	2.8	16
10	Pathogenicity of the BRCA1 missense variant M1775K is determined by the disruption of the BRCT phosphopeptide-binding pocket: a multi-modal approach. European Journal of Human Genetics, 2008, 16, 820-832.	2.8	42
11	Analysis of PALB2/FANCN-associated breast cancer families. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 6788-6793.	7.1	192
12	Automated array-CGH optimized for archival formalin-fixed, paraffin-embedded tumor material. BMC Cancer, 2007, 7, 43.	2.6	33
13	Array-CCH and breast cancer. Breast Cancer Research, 2006, 8, 210.	5.0	66
14	O20: Discovering genetic profiles byÂarray-CGH inÂfamilial breast tumors. European Journal of Medical Genetics, 2005, 48, 487-488.	1.3	0
15	Comparative genomic hybridization profiles in human BRCA1 and BRCA2 breast tumors highlight differential sets of genomic aberrations. Cancer Research, 2005, 65, 822-7.	0.9	97
16	Intestinal Carbamoyl Phosphate Synthase I in Human and Rat: Expression During Development Shows Species Differences and Mosaic Expression in Duodenum of Both Species. Journal of Histochemistry and Cytochemistry, 1998, 46, 231-240.	2.5	16
17	Regulation of Lactase and Sucrase-Isomaltase Gene Expression in the Duodenum During Childhood. Journal of Pediatric Gastroenterology and Nutrition, 1998, 27, 37-46.	1.8	7
18	Intestinal Brush Border Glycohydrolases: Structure, Function, and Development. Critical Reviews in Biochemistry and Molecular Biology, 1995, 30, 197-262.	5.2	143

Erik H Van Beers

#	Article	IF	CITATIONS
19	Lactase; Origin, gene expression, localization, and function. Nutrition Research, 1994, 14, 775-797.	2.9	25
20	Restriction of lactase gene expression along the proximal-to-distal axis of rat small intestine occurs during postnatal development. Gastroenterology, 1994, 106, 1223-1232.	1.3	50
21	Lactase gene expression during early development of rat small intestine. Gastroenterology, 1992, 103, 1154-1161.	1.3	60