Bernard Lakaye

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11873903/publications.pdf

Version: 2024-02-01

51 papers	1,614 citations	257450 24 h-index	315739 38 g-index
• •			J
51 all docs	51 docs citations	51 times ranked	1605 citing authors

#	Article	IF	CITATIONS
1	Functional analysis of the F337C mutation in the <i>CLCN1</i> gene associated with dominant <i>myotonia congenita</i> reveals an alteration of the macroscopic conductance and voltage dependence. Molecular Genetics & mp; Genomic Medicine, 2021, 9, e1588.	1.2	2
2	Dibenzoylthiamine Has Powerful Antioxidant and Anti-Inflammatory Properties in Cultured Cells and in Mouse Models of Stress and Neurodegeneration. Biomedicines, 2020, 8, 361.	3.2	20
3	Subtle Brain Developmental Abnormalities in the Pathogenesis of Juvenile Myoclonic Epilepsy. Frontiers in Cellular Neuroscience, 2019, 13, 433.	3.7	20
4	Variant Intestinal-Cell Kinase in Juvenile Myoclonic Epilepsy. New England Journal of Medicine, 2018, 378, 1018-1028.	27.0	36
5	Importin-8 Modulates Division of Apical Progenitors, Dendritogenesis and Tangential Migration During Development of Mouse Cortex. Frontiers in Molecular Neuroscience, 2018, 11, 234.	2.9	1
6	Thiamine and benfotiamine prevent stress-induced suppression of hippocampal neurogenesis in mice exposed to predation without affecting brain thiamine diphosphate levels. Molecular and Cellular Neurosciences, 2017, 82, 126-136.	2.2	43
7	EFHC1 variants in juvenile myoclonic epilepsy: reanalysis according to NHGRI and ACMG guidelines for assigning disease causality. Genetics in Medicine, 2017, 19, 144-156.	2.4	34
8	Amphetamine reward in food restricted mice lacking the melanin-concentrating hormone receptor-1. Behavioural Brain Research, 2014, 262, 14-20.	2.2	12
9	Thiamine triphosphate: a ubiquitous molecule in search of a physiological role. Metabolic Brain Disease, 2014, 29, 1069-1082.	2.9	46
10	Structural determinants of specificity and catalytic mechanism in mammalian 25-kDa thiamine triphosphatase. Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 4513-4523.	2.4	16
11	An alternative role of FoF1-ATP synthase in Escherichia coli: synthesis of thiamine triphosphate. Scientific Reports, 2013, 3, 1071.	3.3	19
12	Juvenile myoclonic epilepsy as a possible neurodevelopmental disease: Role of EFHC1 or Myoclonin1. Epilepsy and Behavior, 2013, 28, S58-S60.	1.7	16
13	Mutations of EFHC1, linked to juvenile myoclonic epilepsy, disrupt radial and tangential migrations during brain development. Human Molecular Genetics, 2012, 21, 5106-5117.	2.9	34
14	High Inorganic Triphosphatase Activities in Bacteria and Mammalian Cells: Identification of the Enzymes Involved. PLoS ONE, 2012, 7, e43879.	2.5	18
15	The role of melaninâ€concentrating hormone in conditioned reward learning. European Journal of Neuroscience, 2012, 36, 3126-3133.	2.6	31
16	A Specific Inorganic Triphosphatase from Nitrosomonas europaea. Journal of Biological Chemistry, 2011, 286, 34023-34035.	3.4	16
17	Adenosine thiamine triphosphate accumulates in Escherichia coli cells in response to specific conditions of metabolic stress. BMC Microbiology, 2010, 10, 148.	3.3	34
18	Distribution of EFHC1 or Myoclonin 1 in mouse neural structures. Epilepsy Research, 2010, 88, 196-207.	1.6	14

#	Article	IF	CITATIONS
19	Major Impairments of Glutamatergic Transmission and Long-Term Synaptic Plasticity in the Hippocampus of Mice Lacking the Melanin-Concentrating Hormone Receptor-1. Journal of Neurophysiology, 2010, 104, 1417-1425.	1.8	35
20	Thiamine Status in Humans and Content of Phosphorylated Thiamine Derivatives in Biopsies and Cultured Cells. PLoS ONE, 2010, 5, e13616.	2.5	170
21	EFHC1 interacts with microtubules to regulate cell division and cortical development. Nature Neuroscience, 2009, 12, 1266-1274.	14.8	68
22	Melanin-concentrating hormone and immune function. Peptides, 2009, 30, 2076-2080.	2.4	24
23	Sleep architecture of the melaninâ \in concentrating hormone receptorâ \in f1â \in knockout mice. European Journal of Neuroscience, 2008, 27, 1793-1800.	2.6	78
24	Adenylate kinase-independent thiamine triphosphate accumulation under severe energy stress in Escherichia coli. BMC Microbiology, 2008, 8, 16.	3.3	19
25	Amphetamine- and cocaine-induced conditioned place preference and concomitant psychomotor sensitization in mice with genetically inactivated melanin-concentrating hormone MCH1 receptor. European Journal of Pharmacology, 2008, 599, 72-80.	3.5	17
26	Deletion of Melanin-Concentrating Hormone Receptor-1 gene accentuates d-amphetamine-induced psychomotor activation but neither the subsequent development of sensitization nor the expression of conditioned activity in mice. Pharmacology Biochemistry and Behavior, 2008, 88, 446-455.	2.9	11
27	Effect of ppMCH derived peptides on PBMC proliferation and cytokine expression. Regulatory Peptides, 2007, 143, 104-108.	1.9	11
28	Alcohol Drinking in MCH Receptor-1-Deficient Mice. Alcoholism: Clinical and Experimental Research, 2007, 31, 1325-1337.	2.4	16
29	EFHC1, a protein mutated in juvenile myoclonic epilepsy, associates with the mitotic spindle through its N-terminus. Experimental Cell Research, 2006, 312, 2872-2879.	2.6	34
30	Mice lacking the melanin-concentrating hormone receptor-1 exhibit an atypical psychomotor susceptibility to cocaine and no conditioned cocaine response. Behavioural Brain Research, 2006, 173, 94-103.	2.2	28
31	Disrupting the melanin-concentrating hormone receptor $\hat{a} \in f1$ in mice leads to cognitive deficits and alterations of NMDA receptor function. European Journal of Neuroscience, 2005, 21, 2837-2844.	2.6	87
32	Pig tissues express a catalytically inefficient 25-kDa thiamine triphosphatase: Insight in the catalytic mechanisms of this enzyme. Biochimica Et Biophysica Acta - General Subjects, 2005, 1725, 93-102.	2.4	11
33	Thiamine Triphosphate, a New Signal Required for Optimal Growth of Escherichia coli during Amino Acid Starvation. Journal of Biological Chemistry, 2004, 279, 17142-17147.	3.4	53
34	Promoter characterization of the mouse melanin-concentrating hormone receptor 1. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2004, 1678, 1-6.	2.4	4
35	Human recombinant thiamine triphosphatase: purification, secondary structure and catalytic properties. International Journal of Biochemistry and Cell Biology, 2004, 36, 1348-1364.	2.8	20
36	Expression of 25 kDa thiamine triphosphatase in rodent tissues using quantitative PCR and characterization of its mRNA. International Journal of Biochemistry and Cell Biology, 2004, 36, 2032-2041.	2.8	7

#	Article	IF	CITATIONS
37	A general method for the chemical synthesis of γ-32P-labeled or unlabeled nucleoside 5′-triphosphates and thiamine triphosphate. Analytical Biochemistry, 2003, 322, 190-197.	2.4	26
38	Method for Estimation of Low Outer Membrane Permeability to \hat{l}^2 -Lactam Antibiotics. Antimicrobial Agents and Chemotherapy, 2002, 46, 2901-2907.	3.2	25
39	Molecular Characterization of a Specific Thiamine Triphosphatase Widely Expressed in Mammalian Tissues. Journal of Biological Chemistry, 2002, 277, 13771-13777.	3.4	42
40	Steroid Receptor Coactivator SRC-1 Exhibits High Expression in Steroid-Sensitive Brain Areas Regulating Reproductive Behaviors in the Quail Brain. Neuroendocrinology, 2002, 76, 297-315.	2.5	41
41	Human immune cells express ppMCH mRNA and functional MCHR1 receptor. FEBS Letters, 2002, 527, 205-210.	2.8	41
42	The Genetic Absence Epilepsy Rat from Strasbourg (GAERS), a Rat Model of Absence Epilepsy: Computer Modeling and Differential Gene Expression. Epilepsia, 2002, 43, 123-129.	5.1	22
43	Increased Expression of mRNA Encoding Ferritin Heavy Chain in Brain Structures of a Rat Model of Absence Epilepsy. Experimental Neurology, 2000, 162, 112-120.	4.1	12
44	Steroid Sensitive Sites in the Avian Brain: Does the Distribution of the Estrogen Receptor \hat{l}_{\pm} and \hat{l}_{2} Types Provide Insight into Their Function?. Brain, Behavior and Evolution, 1999, 54, 28-40.	1.7	35
45	When drug inactivation renders the target irrelevant to antibiotic resistance: a case story with beta-lactams. Molecular Microbiology, 1999, 31, 89-101.	2.5	42
46	Estrogen receptor-? in quail: Cloning, tissue expression and neuroanatomical distribution. Journal of Neurobiology, 1999, 40, 327-342.	3.6	93
47	Expression of mRNA encoding $\hat{l}\pm 1E$ and $\hat{l}\pm 1G$ subunit in the brain of a rat model of absence epilepsy. NeuroReport, 1999, 10, 569-574.	1.2	17
48	Estrogen receptor $\hat{a} \in \hat{I}^2$ in quail: Cloning, tissue expression and neuroanatomical distribution. Journal of Neurobiology, 1999, 40, 327-342.	3.6	5
49	Cloning of the rat brain cDNA encoding for the SLC-1 G protein-coupled receptor reveals the presence of an intron in the gene1The cDNA sequence reported in this paper has been submitted to the Genbank data base with accession number AF008650.1. Biochimica Et Biophysica Acta - Molecular Cell Research, 1998. 1401. 216-220.	4.1	66
50	Partial cloning and distribution of estrogen receptor beta in the avian brain. NeuroReport, 1998, 9, 2743-2748.	1.2	39
51	Saturation of penicillin-binding protein 1 by ?-lactam antibiotics in growing cells of Bacillus licheniformis. Molecular Microbiology, 1995, 16, 365-372.	2.5	3