

Arne Moksnes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11874067/publications.pdf>

Version: 2024-02-01

84
papers

4,113
citations

94433

37
h-index

118850

62
g-index

84
all docs

84
docs citations

84
times ranked

940
citing authors

#	ARTICLE	IF	CITATIONS
1	From Svalbard to Siberia: Passerines breeding in the High Arctic also endure the extreme cold of the Western Steppe. PLoS ONE, 2018, 13, e0202114.	2.5	13
2	Characteristics determining host suitability for a generalist parasite. Scientific Reports, 2018, 8, 6285.	3.3	24
3	Adaptations of Brood Parasitic Eggs. Fascinating Life Sciences, 2017, , 363-384.	0.9	7
4	Disappearance of eggs from nonparasitized nests of brood parasite hosts: the evolutionary equilibrium hypothesis revisited. Biological Journal of the Linnean Society, 2016, 118, 215-225.	1.6	19
5	Geographic variation in egg ejection rate by great tits across 2 continents. Behavioral Ecology, 2016, 27, 1405-1412.	2.2	44
6	Ancient origin and maternal inheritance of blue cuckoo eggs. Nature Communications, 2016, 7, 10272.	12.8	66
7	Reproductive success is strongly related to local and regional climate in the Arctic snow bunting (<i>Plectrophenax nivalis</i>). Polar Biology, 2015, 38, 393-400.	1.2	10
8	Reject the odd egg: egg recognition mechanisms in parrotbills. Behavioral Ecology, 2014, 25, 1320-1324.	2.2	28
9	Extra-pair paternity in relation to regional and local climate in an Arctic-breeding passerine. Polar Biology, 2014, 37, 89-97.	1.2	11
10	Host selection in parasitic birds: are open-cup nesting insectivorous passerines always suitable cuckoo hosts?. Journal of Avian Biology, 2013, 44, 216-220.	1.2	37
11	UV reflectance as a cue in egg discrimination in two <i>Prinia</i> species exploited differently by brood parasites in Taiwan. Ibis, 2013, 155, 571-575.	1.9	14
12	Egg arrangement in avian clutches covaries with the rejection of foreign eggs. Animal Cognition, 2013, 16, 819-828.	1.8	19
13	Increase of clutch size triggers clutch destruction behaviour in common moorhens (<i>Gallinula</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.8 7	0.8	7
14	Sex roles in egg recognition and egg polymorphism in avian brood parasitism. Behavioral Ecology, 2012, 23, 397-402.	2.2	9
15	Responses of potential hosts of Asian cuckoos to experimental parasitism. Ibis, 2012, 154, 363-371.	1.9	16
16	Egg phenotype matching by cuckoos in relation to discrimination by hosts and climatic conditions. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 1967-1976.	2.6	13
17	Large Hawk-cuckoo <i>Hierococcyx sparverioides</i> parasitism on the Chinese Babax <i>Babax lanceolatus</i> may be an evolutionarily recent host-parasite system. Ibis, 2012, 154, 200-204.	1.9	14
18	Are Cuckoos Maximizing Egg Mimicry by Selecting Host Individuals with Better Matching Egg Phenotypes?. PLoS ONE, 2012, 7, e31704.	2.5	28

#	ARTICLE	IF	CITATIONS
19	Sex Allocation in Relation to Host Races in the Brood-Parasitic Common Cuckoo (<i>Cuculus canorus</i>). PLoS ONE, 2012, 7, e36884.	2.5	8
20	Diversity of parasitic cuckoos and their hosts in China. Chinese Birds: the International Journal of Ornithology, 2012, 3, 9-32.	0.6	79
21	Outcomes of Brood Parasite-Host Interactions Mediated by Egg Matching: Common Cuckoos <i>Cuculus canorus</i> versus Fringilla Finches. PLoS ONE, 2011, 6, e19288.	2.5	18
22	Egg Discrimination in an Open Nesting Passerine Under Dim Light Conditions. Ethology, 2011, 117, 1128-1137.	1.1	28
23	Constraints on host choice: why do parasitic birds rarely exploit some common potential hosts?. Journal of Animal Ecology, 2011, 80, 508-518.	2.8	139
24	Interactions between the Asian koel (<i>Eudynamys scolopacea</i>) and its hosts. Behaviour, 2011, 148, 325-340.	0.8	17
25	Factors influencing host nest use by the brood parasitic Asian Koel (<i>Eudynamys scolopacea</i>). Journal of Ornithology, 2011, 152, 793-800.	1.1	21
26	Genetic differentiation among sympatric cuckoo host races: males matter. Proceedings of the Royal Society B: Biological Sciences, 2011, 278, 1639-1645.	2.6	56
27	Evolution of defences against cuckoo (<i>Cuculus canorus</i>) parasitism in bramblings (<i>Fringilla</i>). Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 1141-1157.	1.2	27
28	Absence of egg discrimination in a suitable cuckoo <i>Cuculus canorus</i> host breeding away from trees. Journal of Avian Biology, 2010, 41, 501-504.	1.2	12
29	The role of blunt egg pole characteristics for recognition of eggs in the song thrush (<i>Turdus</i>). Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 1141-1157.	0.8	23
30	Responses of Reed Warblers <i>Acrocephalus scirpaceus</i> to Non-Mimetic Eggs of Different Sizes in a Nest Parasitism Experiment. Acta Ornithologica, 2010, 45, 98-104.	0.5	22
31	Coevolution in Action: Disruptive Selection on Egg Colour in an Avian Brood Parasite and Its Host. PLoS ONE, 2010, 5, e10816.	2.5	111
32	The effects of male mating behaviour and food provisioning on breeding success in snow buntings <i>Plectrophenax nivalis</i> in the high Arctic. Polar Biology, 2009, 32, 1649-1656.	1.2	6
33	Fixed Rejection Responses to Single and Multiple Experimental Parasitism in Two <i>Fringilla</i> Hosts of the Common Cuckoo. Ethology, 2009, 115, 840-850.	1.1	25
34	Evidence for egg discrimination preceding failed rejection attempts in a small cuckoo host. Biology Letters, 2009, 5, 169-171.	2.3	81
35	Does the cuckoo benefit from laying unusually strong eggs?. Animal Behaviour, 2008, 76, 1893-1900.	1.9	14
36	Individual female common cuckoos <i>Cuculus canorus</i> lay constant egg types but egg appearance cannot be used to assign eggs to females. Journal of Avian Biology, 2008, 39, 238-241.	1.2	33

#	ARTICLE	IF	CITATIONS
37	Predictors of resistance to brood parasitism within and among reed warbler populations. Behavioral Ecology, 2008, 19, 612-620.	2.2	85
38	Host density predicts presence of cuckoo parasitism in reed warblers. Oikos, 2007, 116, 913-922.	2.7	20
39	Factors influencing the risk of common cuckoo <i>Cuculus canorus</i> parasitism on marsh warblers <i>Acrocephalus palustris</i> . Journal of Avian Biology, 2007, 38, 390-393.	1.2	33
40	Getting rid of the cuckoo <i>Cuculus canorus</i> egg: why do hosts delay rejection?. Behavioral Ecology, 2007, 19, 100-107.	2.2	39
41	Host density predicts presence of cuckoo parasitism in reed warblers. Oikos, 2007, 116, 913-922.	2.7	52
42	THE IMPORTANCE OF CLUTCH CHARACTERISTICS AND LEARNING FOR ANTIPARASITE ADAPTATIONS IN HOSTS OF AVIAN BROOD PARASITES. Evolution; International Journal of Organic Evolution, 2007, 61, 2212-2228.	2.3	67
43	First evidence of regular common cuckoo, <i>Cuculus canorus</i> , parasitism on eastern olivaceous warblers, <i>Hippolais pallida elaeica</i> . Die Naturwissenschaften, 2007, 94, 307-312.	1.6	28
44	The role of moose <i>Alces alces</i> L. in boreal forest – the effect on ground beetles (Coleoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	2.6	25
45	Low frequency of extrapair paternity in the common redstart (<i>Phoenicurus phoenicurus</i>). Journal of Ornithology, 2007, 148, 373-378.	1.1	7
46	Aspects of breeding ecology of the eastern olivaceous warbler (<i>Hippolais pallida</i>). Journal of Ornithology, 2007, 148, 443-451.	1.1	10
47	Egg Rejection in Marsh Warblers (<i>Acrocephalus Palustris</i>) Heavily Parasitized by Common Cuckoos (<i>Cuculus Canorus</i>). Auk, 2006, 123, 419-430.	1.4	52
48	Coevolutionary Interactions Between Common Cuckoos and Corn Buntings. Condor, 2006, 108, 414-422.	1.6	17
49	Impact of Red Deer <i>Cervus elaphus</i> Grazing on Bilberry <i>Vaccinium myrtillus</i> and Composition of Ground Beetle (Coleoptera, Carabidae) Assemblage. Biodiversity and Conservation, 2006, 15, 2049-2059.	2.6	45
50	Eggshell strength of an obligate brood parasite: a test of the puncture resistance hypothesis. Behavioral Ecology and Sociobiology, 2006, 60, 11-18.	1.4	47
51	Environmental conditions influence egg color of reed warblers <i>Acrocephalus scirpaceus</i> and their parasite, the common cuckoo <i>Cuculus canorus</i> . Behavioral Ecology and Sociobiology, 2006, 61, 475-485.	1.4	70
52	COEVOLUTIONARY INTERACTIONS BETWEEN COMMON CUCKOOS AND CORN BUNTINGS. Condor, 2006, 108, 414.	1.6	25
53	EGG REJECTION IN MARSH WARBLERS (<i>ACROCEPHALUS PALUSTRIS</i>) HEAVILY PARASITIZED BY COMMON CUCKOOS (<i>CUCULUS CANORUS</i>). Auk, 2006, 123, 419.	1.4	50
54	Importance of spatial habitat structure on establishment of host defenses against brood parasitism. Behavioral Ecology, 2006, 17, 700-708.	2.2	29

#	ARTICLE	IF	CITATIONS
55	The enigma of imperfect adaptations in hosts of avian brood parasites. <i>Ornithological Science</i> , 2005, 4, 17-29.	0.5	68
56	Rejection of Conspecific Eggs in Chaffinches: The Effect of Age and Clutch Characteristics. <i>Ethology</i> , 2004, 110, 459-470.	1.1	62
57	Parentage and host preference in the common cuckoo <i>Cuculus canorus</i> . <i>Journal of Avian Biology</i> , 2004, 35, 21-24.	1.2	33
58	Breeding success of common cuckoos <i>Cuculus canorus</i> parasitising four sympatric species of <i>Acrocephalus</i> warblers. <i>Journal of Avian Biology</i> , 2004, 35, 394-398.	1.2	58
59	Are blackcaps current winners in the evolutionary struggle against the common cuckoo?. <i>Journal of Ethology</i> , 2004, 22, 175-180.	0.8	77
60	Nest defence, enemy recognition and nest inspection behaviour of experimentally parasitized Reed Warblers <i>Acrocephalus scirpaceus</i> . <i>Bird Study</i> , 2004, 51, 256-263.	1.0	36
61	Aggression to dummy cuckoos by potential European cuckoo hosts. <i>Behaviour</i> , 2002, 139, 613-628.	0.8	110
62	OBLIGATE BROOD PARASITES AS SELECTIVE AGENTS FOR EVOLUTION OF EGG APPEARANCE IN PASSERINE BIRDS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 199.	2.3	10
63	The spatial habitat structure of host populations explains the pattern of rejection behavior in hosts and parasitic adaptations in cuckoos. <i>Behavioral Ecology</i> , 2002, 13, 163-168.	2.2	84
64	Rejection of common cuckoo <i>Cuculus canorus</i> eggs in relation to female age in the bluethroat <i>Luscinia svecica</i> . <i>Journal of Avian Biology</i> , 2002, 33, 366-370.	1.2	38
65	No evidence for recognition errors in <i>Acrocephalus</i> warblers. <i>Journal of Avian Biology</i> , 2002, 33, 31-38.	1.2	43
66	OBLIGATE BROOD PARASITES AS SELECTIVE AGENTS FOR EVOLUTION OF EGG APPEARANCE IN PASSERINE BIRDS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 199-205.	2.3	115
67	Behaviour of female common cuckoos, <i>Cuculus canorus</i> , in the vicinity of host nests before and during egg laying: a radiotelemetry study. <i>Animal Behaviour</i> , 2002, 64, 861-868.	1.9	96
68	Factors Affecting Reed Warbler Risk of Brood Parasitism by the Common Cuckoo. <i>Auk</i> , 2001, 118, 534-538.	1.4	29
69	Egg Mimicry in Cuckoos Parasitizing Four Sympatric Species of <i>Acrocephalus</i> Warblers. <i>Condor</i> , 2001, 103, 829-837.	1.6	40
70	Egg Mimicry in Cuckoos Parasitizing Four Sympatric Species of <i>Acrocephalus</i> Warblers. <i>Condor</i> , 2001, 103, 829.	1.6	39
71	Common Cuckoo <i>Cuculus canorus</i> and host behaviour at Reed Warbler <i>Acrocephalus scirpaceus</i> nests. <i>Ibis</i> , 2000, 142, 247-258.	1.9	113
72	Effect of Great Reed Warbler <i>Acrocephalus arundinaceus</i> on the reproductive tactics of the Reed Warbler <i>A. scirpaceus</i> . <i>Ibis</i> , 1999, 141, 489-493.	1.9	12

#	ARTICLE	IF	CITATIONS
73	Costs of Cuckoo <i>Cuculus canorus</i> Parasitism to Reed Warblers <i>Acrocephalus scirpaceus</i> . <i>Journal of Avian Biology</i> , 1998, 29, 209.	1.2	79
74	Evolution of variation in egg color and marking pattern in European passerines: adaptations in a coevolutionary arms race with the cuckoo, <i>Cuculus canorus</i> . <i>Behavioral Ecology</i> , 1995, 6, 166-174.	2.2	145
75	Egg morphs and host preference in the common cuckoo (<i>Cuculus canorus</i>): an analysis of cuckoo and host eggs from European museum collections. <i>Journal of Zoology</i> , 1995, 236, 625-648.	1.7	296
76	Cuckoo <i>Cuculus canorus</i> parasitism on <i>Acrocephalus</i> Warblers in Southern Moravia in The Czech Republic. <i>Journal Fur Ornithologie</i> , 1993, 134, 425-434.	1.2	48
77	An Experimental Test of Optimal Clutch Size of the Fieldfare; With a Discussion on Why Brood Parasites Remove Eggs When They Parasitize a Host Species. <i>Ornis Scandinavica</i> , 1993, 24, 95.	1.0	21
78	Rejection of cuckoo (<i>Cuculus canorus</i>) eggs by meadow pipits (<i>Anthus pratensis</i>). <i>Behavioral Ecology</i> , 1993, 4, 120-127.	2.2	140
79	Responses of Some Rare Cuckoo Hosts to Mimetic Model Cuckoo Eggs and to Foreign Conspecific Eggs. <i>Ornis Scandinavica</i> , 1992, 23, 17.	1.0	76
80	Adaptations of bramblings and chaffinches towards parasitism by the common cuckoo. <i>Animal Behaviour</i> , 1992, 43, 67-78.	1.9	62
81	Egg recognition in chaffinches and bramblings. <i>Animal Behaviour</i> , 1992, 44, 993-995.	1.9	56
82	Behavioural Responses of Potential Hosts Towards Artificial Cuckoo Eggs and Dummies. <i>Behaviour</i> , 1991, 116, 64-89.	0.8	255
83	Responses of Fieldfares <i>Turdus pilaris</i> and Bramblings <i>Fringilla montifringilla</i> to experimental parasitism by the Cuckoo <i>Cuculus canorus</i> . <i>Ibis</i> , 1988, 130, 535-539.	1.9	14
84	Cuckoo Host Interactions in Norwegian Mountain Areas. <i>Ornis Scandinavica</i> , 1987, 18, 168.	1.0	58