

Paulo C Rodriguez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1187619/paulo-c-rodriguez-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

11,944
citations

45
h-index

109
g-index

145
ext. papers

14,483
ext. citations

10.1
avg, IF

6.22
L-index

#	Paper	IF	Citations
122	TGF- β -mediated silencing of genomic organizer SATB1 promotes Tfh cell differentiation and formation of intra-tumoral tertiary lymphoid structures.. <i>Immunity</i> , 2022 , 55, 115-128.e9	32.3	2
121	Increased inflammatory low-density neutrophils in severe obesity and effect of bariatric surgery: Results from case-control and prospective cohort studies.. <i>EBioMedicine</i> , 2022 , 77, 103910	8.8	1
120	Genomic and single-cell landscape reveals novel drivers and therapeutic vulnerabilities of transformed cutaneous T-cell lymphoma.. <i>Cancer Discovery</i> , 2022 ,	24.4	3
119	Ovarian cancer immunogenicity is governed by a narrow subset of progenitor tissue-resident memory T α cells.. <i>Cancer Cell</i> , 2022 ,	24.3	2
118	Inhibition of the BTK-IDO-mTOR axis promotes differentiation of monocyte-lineage dendritic cells and enhances anti-tumor T α cell immunity. <i>Immunity</i> , 2021 , 54, 2354-2371.e8	32.3	4
117	Targeted Therapy Given after Anti-PD-1 Leads to Prolonged Responses in Mouse Melanoma Models through Sustained Antitumor Immunity. <i>Cancer Immunology Research</i> , 2021 , 9, 554-567	12.5	3
116	Single-Cell Characterization of the Immune Microenvironment of Melanoma Brain and Leptomeningeal Metastases. <i>Clinical Cancer Research</i> , 2021 , 27, 4109-4125	12.9	14
115	Tumor-related stress regulates functional plasticity of MDSCs. <i>Cellular Immunology</i> , 2021 , 363, 104312	4.4	1
114	Tumor interferon signaling and suppressive myeloid cells are associated with CAR T-cell failure in large B-cell lymphoma. <i>Blood</i> , 2021 , 137, 2621-2633	2.2	23
113	The inhibitory receptor TIM-3 limits activation of the cGAS-STING pathway in intra-tumoral dendritic cells by suppressing extracellular DNA uptake. <i>Immunity</i> , 2021 , 54, 1154-1167.e7	32.3	18
112	Innate immune cells in the tumor microenvironment. <i>Cancer Cell</i> , 2021 , 39, 725-729	24.3	5
111	Cavity macrophages stop anti-tumor T α cells. <i>Cancer Cell</i> , 2021 , 39, 900-902	24.3	0
110	MEK inhibition reprograms CD8 T lymphocytes into memory stem cells with potent antitumor effects. <i>Nature Immunology</i> , 2021 , 22, 53-66	19.1	31
109	IgA transcytosis and antigen recognition govern ovarian cancer immunity. <i>Nature</i> , 2021 , 591, 464-470	50.4	28
108	Methyltransferase inhibitors restore SATB1 protective activity against cutaneous T cell lymphoma in mice. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	1
107	OTME-17. Single cell characterization of the immune microenvironment of melanoma brain and leptomeningeal metastases. <i>Neuro-Oncology Advances</i> , 2021 , 3, ii17-ii17	0.9	78
106	LMD-03. Single cell analysis reveals how therapy remodels the tumor microenvironment in melanoma CNS metastases and uncovers a novel predictor of improved survival. <i>Neuro-Oncology Advances</i> , 2021 , 3, iii7-iii8	0.9	78

105	IgA-dominated humoral immune responses govern patients' outcome in endometrial cancer. <i>Cancer Research</i> , 2021 ,	10.1	1
104	CD73 on cancer-associated fibroblasts enhanced by the A-mediated feedforward circuit enforces an immune checkpoint. <i>Nature Communications</i> , 2020 , 11, 515	17.4	56
103	c-Maf: a bad influence in the education of macrophages. <i>Journal of Clinical Investigation</i> , 2020 , 130, 1629-1631	16.3	3
102	BTN3A1 governs antitumor responses by coordinating CD4 and CD8 T cells. <i>Science</i> , 2020 , 369, 942-949	33.3	33
101	The Unfolded Protein Response Mediator PERK Governs Myeloid Cell-Driven Immunosuppression in Tumors through Inhibition of STING Signaling. <i>Immunity</i> , 2020 , 52, 668-682.e7	32.3	38
100	Polyphenol-rich extract induces apoptosis with immunogenic markers in melanoma cells through the ER stress-associated kinase PERK. <i>Cell Death Discovery</i> , 2019 , 5, 134	6.9	12
99	ER stress-induced mediator C/EBP homologous protein thwarts effector T cell activity in tumors through T-bet repression. <i>Nature Communications</i> , 2019 , 10, 1280	17.4	42
98	Adenosine A2A Receptor Stimulation Inhibits TCR-Induced Notch1 Activation in CD8+ T-Cells. <i>Frontiers in Immunology</i> , 2019 , 10, 162	8.4	26
97	AMPK Alpha-1 Intrinsically Regulates the Function and Differentiation of Tumor Myeloid-Derived Suppressor Cells. <i>Cancer Research</i> , 2019 , 79, 5034-5047	10.1	20
96	Activation of p53 in Immature Myeloid Precursor Cells Controls Differentiation into Ly6c ⁺ CD103 ⁺ Monocytic Antigen-Presenting Cells in Tumors. <i>Immunity</i> , 2018 , 48, 91-106.e6	32.3	63
95	The cellular metabolic landscape in the tumor milieu regulates the activity of myeloid infiltrates. <i>Cellular and Molecular Immunology</i> , 2018 , 15, 421-427	15.4	14
94	Arginase: A Multifaceted Enzyme Important in Health and Disease. <i>Physiological Reviews</i> , 2018 , 98, 641-665	65.9	143
93	Notch Signaling in Myeloid Cells as a Regulator of Tumor Immune Responses. <i>Frontiers in Immunology</i> , 2018 , 9, 1288	8.4	31
92	Inhibition of Human Dendritic Cell ER Stress Response Reduces T Cell Alloreactivity Yet Spares Donor Anti-tumor Immunity. <i>Frontiers in Immunology</i> , 2018 , 9, 2887	8.4	13
91	Notch Signaling: A Pivot Regulator of Adaptive and Innate Immunity 2018 , 127-151		
90	Arginase 1 promotes retinal neurovascular protection from ischemia through suppression of macrophage inflammatory responses. <i>Cell Death and Disease</i> , 2018 , 9, 1001	9.8	26
89	IRE1/XBP1 controls T cell function in ovarian cancer by regulating mitochondrial activity. <i>Nature</i> , 2018 , 562, 423-428	50.4	139
88	Differential PI3K Signaling in CD4 T-cell Subsets Enables Selective Targeting of T Regulatory Cells to Enhance Cancer Immunotherapy. <i>Cancer Research</i> , 2017 , 77, 1892-1904	10.1	60

87	Unfolding anti-tumor immunity: ER stress responses sculpt tolerogenic myeloid cells in cancer 2017 , 5, 5		49
86	IDO, PTEN-expressing Tregs and control of antigen-presentation in the murine tumor microenvironment. <i>Cancer Immunology, Immunotherapy</i> , 2017 , 66, 1049-1058	7.4	27
85	Sildenafil Suppresses Inflammation-Driven Colorectal Cancer in Mice. <i>Cancer Prevention Research</i> , 2017 , 10, 377-388	3.2	43
84	Fuelling the mechanisms of asthma: Increased fatty acid oxidation in inflammatory immune cells may represent a novel therapeutic target. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 1170-1184	4.1	18
83	Enhanced Therapeutic Efficacy and Memory of Tumor-Specific CD8 T Cells by PI3K- α Inhibition. <i>Cancer Research</i> , 2017 , 77, 4135-4145	10.1	36
82	Energy metabolic pathways control the fate and function of myeloid immune cells. <i>Journal of Leukocyte Biology</i> , 2017 , 102, 369-380	6.5	34
81	Endoplasmic reticulum stress regulates tumor growth and anti-tumor immunity: a promising opportunity for cancer immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2017 , 66, 1069-1078	7.4	46
80	Canonical NFB signaling in myeloid cells is required for the glioblastoma growth. <i>Scientific Reports</i> , 2017 , 7, 13754	4.9	24
79	ABC294640, A Novel Sphingosine Kinase 2 Inhibitor, Induces Oncogenic Virus-Infected Cell Autophagic Death and Represses Tumor Growth. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 2724-2734	6.1	16
78	Anti-Jagged Immunotherapy Inhibits MDSCs and Overcomes Tumor-Induced Tolerance. <i>Cancer Research</i> , 2017 , 77, 5628-5638	10.1	43
77	Exogenous lipid uptake induces metabolic and functional reprogramming of tumor-associated myeloid-derived suppressor cells. <i>Oncotarget</i> , 2017 , 6, e1344804	7.2	130
76	Arginine Metabolism in Myeloid Cells Shapes Innate and Adaptive Immunity. <i>Frontiers in Immunology</i> , 2017 , 8, 93	8.4	145
75	Effective antitumor peptide vaccines can induce severe autoimmune pathology. <i>Oncotarget</i> , 2017 , 8, 70317-70331	3.3	9
74	Recommendations for myeloid-derived suppressor cell nomenclature and characterization standards. <i>Nature Communications</i> , 2016 , 7, 12150	17.4	1388
73	T cells conditioned with MDSC show an increased anti-tumor activity after adoptive T cell based immunotherapy. <i>Oncotarget</i> , 2016 , 7, 17565-78	3.3	13
72	Soluble Mediators of Immune Suppression in the Tumor Microenvironment 2016 , 526-533		
71	Metabolic reprogramming of myeloid-derived suppressor cells (MDSC) in cancer. <i>Oncotarget</i> , 2016 , 5, e1200771	7.2	26
70	Inhibition of Fatty Acid Oxidation Modulates Immunosuppressive Functions of Myeloid-Derived Suppressor Cells and Enhances Cancer Therapies. <i>Cancer Immunology Research</i> , 2015 , 3, 1236-47	12.5	260

69	l-Arginine depletion blunts antitumor T-cell responses by inducing myeloid-derived suppressor cells. <i>Cancer Research</i> , 2015 , 75, 275-83	10.1	150
68	PARP is activated in human asthma and its inhibition by olaparib blocks house dust mite-induced disease in mice. <i>Clinical Science</i> , 2015 , 129, 951-62	6.5	25
67	Inhibition of fatty acid oxidation modulates immunosuppressive functions of myeloid-derived suppressor cells and enhances cancer therapies 2015 , 3,		3
66	PARP inhibition by olaparib or gene knockout blocks asthma-like manifestation in mice by modulating CD4(+) T cell function. <i>Journal of Translational Medicine</i> , 2015 , 13, 225	8.5	28
65	Antigen-specific T cells conditioned with MDSC display a surprising increased anti-tumor activity after adoptive T cell-based immunotherapy 2015 , 3, P413		78
64	DNA-dependent protein kinase inhibition blocks asthma in mice and modulates human endothelial and CD4+ T-cell function without causing severe combined immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 425-40	11.5	21
63	DNA-Dependent Protein Kinase Inhibition Blocks Asthma in Mice and Modulates Human Endothelial and CD4+T Cell Function Without Causing SCID. <i>FASEB Journal</i> , 2015 , 29, 626.6	0.9	
62	PARP Inhibition Blocks Asthma Manifestation in a Chronic House Dust Mite (HDM) Asthma Model and Differentially Modulates Human CD4+T cell Function. <i>FASEB Journal</i> , 2015 , 29, 1027.5	0.9	
61	PARADOXICAL ROLES OF PARP-1 IN COLON INFLAMMATION AND TUMORIGENESIS. <i>FASEB Journal</i> , 2015 , 29, 629.11	0.9	1
60	Subpopulations of myeloid-derived suppressor cells impair T cell responses through independent nitric oxide-related pathways. <i>International Journal of Cancer</i> , 2014 , 134, 2853-64	7.5	160
59	Arginine Metabolism, a Major Pathway for the Suppressive Function of Myeloid-Derived Suppressor Cells 2014 , 369-386		1
58	Arginase I levels are decreased in the plasma of pediatric patients with atopic dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2014 , 113, 271-5	3.2	8
57	The stress-response sensor chop regulates the function and accumulation of myeloid-derived suppressor cells in tumors. <i>Immunity</i> , 2014 , 41, 389-401	32.3	155
56	Rescue of notch-1 signaling in antigen-specific CD8+ T cells overcomes tumor-induced T-cell suppression and enhances immunotherapy in cancer. <i>Cancer Immunology Research</i> , 2014 , 2, 800-11	12.5	53
55	Tumor derived stress triggers C/EBP β homologous protein (Chop) expression in myeloid derived suppressor cells (MDSC) and mediates immunosuppressive activity 2014 , 2,		78
54	The central role of arginine catabolism in T-cell dysfunction and increased susceptibility to infection after physical injury. <i>Annals of Surgery</i> , 2014 , 259, 171-8	7.8	68
53	Macrophage arginase-1 controls bacterial growth and pathology in hypoxic tuberculosis granulomas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4024-32	11.5	87
52	Expression of arginase I in myeloid cells limits control of residual disease after radiation therapy of tumors in mice. <i>Radiation Research</i> , 2014 , 182, 182-90	3.1	31

51	Targeting sphingosine kinase induces apoptosis and tumor regression for KSHV-associated primary effusion lymphoma. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 154-64	6.1	43
50	Effects of cigarette smoke extract on primary activated T cells. <i>Cellular Immunology</i> , 2013 , 282, 38-43	4.4	29
49	Corneal neovascularization: a review of the molecular biology and current therapies. <i>Expert Review of Ophthalmology</i> , 2013 , 8, 167-189	1.5	9
48	The antimicrobial agent C31G is effective for therapy for HSV-1 ocular keratitis in the rabbit eye model. <i>Antiviral Research</i> , 2013 , 100, 14-9	10.8	2
47	Anti-leukemic mechanisms of pegylated arginase I in acute lymphoblastic T-cell leukemia. <i>Leukemia</i> , 2013 , 27, 569-77	10.7	42
46	Modulation of T cell function through L-arginine metabolism: a new therapy from an old enemy 2013 , 1, O10		1
45	Independent mechanisms of T cell-suppression by subpopulations of myeloid-derived suppressor cells (MDSC) in tumor-bearing hosts 2013 , 1, P193		78
44	Trp53 inactivation in the tumor microenvironment promotes tumor progression by expanding the immunosuppressive lymphoid-like stromal network. <i>Cancer Research</i> , 2013 , 73, 1668-75	10.1	45
43	Minocycline blocks asthma-associated inflammation in part by interfering with the T cell receptor-nuclear factor κ B-GATA-3-IL-4 axis without a prominent effect on poly(ADP-ribose) polymerase. <i>Journal of Biological Chemistry</i> , 2013 , 288, 1458-68	5.4	18
42	Polycyclic aromatic hydrocarbons-induced ROS accumulation enhances mutagenic potential of T-antigen from human polyomavirus JC. <i>Journal of Cellular Physiology</i> , 2013 , 228, 2127-38	7	24
41	P-189 Pegylated Arginase-1 Mediates Suppression of Mouse and Human CD4 T CellsL-arginine Catabolism as a Potential Therapy for IBD. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, S101	4.5	1
40	Myeloid-Derived Suppressor Cells in Cancer: Mechanisms and Therapeutic Perspectives 2013 , 315-333		1
39	MINOCYCLINE BLOCKS ALLERGEN-INDUCED EOSINOPHILIA AND PRODUCTION OF TH2 CYTOKINES AND IGE BY INTERFERING WITH THE T CELL RECEPTOR-NF- κ B-GATA-3-INTERLEUKIN (IL)-4 AXIS IN A MURINE ASTHMA MODEL WITHOUT AN EFFECT ON PARP. <i>FASEB Journal</i> , 2013 , 27, 254.2	0.9	
38	Olaparib, a PARP inhibitor approved for human testing, prevents allergen-induced airway inflammation and hyperresponsiveness in a mouse model of asthma and reduces proliferation of human CD3/C28-stimulated CD4+ T cells. <i>FASEB Journal</i> , 2013 , 27, 1107.1	0.9	1
37	Modulation Of T Cell Function Through L-Arginine Metabolism: A New Therapy From An Old Enemy. <i>Blood</i> , 2013 , 122, 1039-1039	2.2	
36	Metabolism of L-arginine by myeloid-derived suppressor cells in cancer: mechanisms of T cell suppression and therapeutic perspectives. <i>Immunological Investigations</i> , 2012 , 41, 614-34	2.9	183
35	IL-7R α deficiency in p53null mice exacerbates thymocyte telomere erosion and lymphomagenesis. <i>Cell Death and Differentiation</i> , 2012 , 19, 1139-51	12.7	17
34	Role of c-Myb in the survival of pre B-cell acute lymphoblastic leukemia and leukemogenesis. <i>American Journal of Hematology</i> , 2012 , 87, 969-76	7.1	16

33	Myeloid-Derived Suppressor Cells in Cancer: Mechanisms and Therapeutic Perspectives 2012 , 319-334		
32	L-arginine depletion by PEG-arginase I, a new potential therapy for acute lymphoblastic leukemia.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 6580-6580	2.2	
31	Requirement for inducible nitric oxide synthase in chronic allergen exposure-induced pulmonary fibrosis but not inflammation. <i>Journal of Immunology</i> , 2010 , 185, 3076-85	5.3	46
30	L-arginine deprivation regulates cyclin D3 mRNA stability in human T cells by controlling HuR expression. <i>Journal of Immunology</i> , 2010 , 185, 5198-204	5.3	63
29	Pegylated arginase I: a potential therapeutic approach in T-ALL. <i>Blood</i> , 2010 , 115, 5214-21	2.2	75
28	Bone marrow myeloid-derived suppressor cells (MDSCs) inhibit graft-versus-host disease (GVHD) via an arginase-1-dependent mechanism that is up-regulated by interleukin-13. <i>Blood</i> , 2010 , 116, 5738-47 ²	2.2	339
27	Myeloid-derived suppressor cells inhibit T-cell activation by depleting cystine and cysteine. <i>Cancer Research</i> , 2010 , 70, 68-77	10.1	588
26	Requirement for iNOS in chronic allergen exposure-induced pulmonary fibrosis but not inflammation or mucus production: Specific implications of TGF- β , TIMP-2, and arginase-2 expression. <i>FASEB Journal</i> , 2010 , 24, 31.7	0.9	
25	Bone Marrow Myeloid-Derived Suppressor Cells (MDSC) Inhibit Graft Versus Host Disease (GVHD) Via An Arginase-1 Dependant Mechanism That Is Upregulated by IL-13. <i>Blood</i> , 2010 , 116, 241-241	2.2	
24	Tumor-infiltrating regulatory dendritic cells inhibit CD8+ T cell function via L-arginine metabolism. <i>Cancer Research</i> , 2009 , 69, 3086-94	10.1	202
23	Arginase I-producing myeloid-derived suppressor cells in renal cell carcinoma are a subpopulation of activated granulocytes. <i>Cancer Research</i> , 2009 , 69, 1553-60	10.1	602
22	TLR9 engagement on CD4 T lymphocytes represses gamma-radiation-induced apoptosis through activation of checkpoint kinase response elements. <i>Blood</i> , 2008 , 111, 2704-13	2.2	38
21	Arginine regulation by myeloid derived suppressor cells and tolerance in cancer: mechanisms and therapeutic perspectives. <i>Immunological Reviews</i> , 2008 , 222, 180-91	11.3	481
20	Arginine Availability Regulates T-Cell Function in Cancer 2008 , 219-233		
19	Tumors induce regulatory dendritic cells that suppress CD8+ T cell antitumor immunity. <i>FASEB Journal</i> , 2008 , 22, 1078.4	0.9	
18	Arginase, prostaglandins, and myeloid-derived suppressor cells in renal cell carcinoma. <i>Clinical Cancer Research</i> , 2007 , 13, 721s-726s	12.9	372
17	L-arginine availability regulates T-lymphocyte cell-cycle progression. <i>Blood</i> , 2007 , 109, 1568-73	2.2	583
16	T cell dysfunction in cancer: role of myeloid cells and tumor cells regulating amino acid availability and oxidative stress. <i>Seminars in Cancer Biology</i> , 2006 , 16, 66-72	12.7	53

15	B7-H4 expression identifies a novel suppressive macrophage population in human ovarian carcinoma. <i>Journal of Experimental Medicine</i> , 2006 , 203, 871-81	16.6	548
14	Arginase-producing myeloid suppressor cells in renal cell carcinoma patients: a mechanism of tumor evasion. <i>Cancer Research</i> , 2005 , 65, 3044-8	10.1	668
13	Arginase I in myeloid suppressor cells is induced by COX-2 in lung carcinoma. <i>Journal of Experimental Medicine</i> , 2005 , 202, 931-9	16.6	464
12	Mechanisms of tumor evasion. <i>Cancer Treatment and Research</i> , 2005 , 123, 61-88	3.5	45
11	Crystal structure of human arginase I at 1.29-A resolution and exploration of inhibition in the immune response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 13058-63	11.5	137
10	Citrulline can preserve proliferation and prevent the loss of CD3 zeta chain under conditions of low arginine. <i>Journal of Parenteral and Enteral Nutrition</i> , 2004 , 28, 423-30	4.2	43
9	Arginase I production in the tumor microenvironment by mature myeloid cells inhibits T-cell receptor expression and antigen-specific T-cell responses. <i>Cancer Research</i> , 2004 , 64, 5839-49	10.1	829
8	<i>Helicobacter pylori</i> arginase inhibits T cell proliferation and reduces the expression of the TCR zeta-chain (CD3zeta). <i>Journal of Immunology</i> , 2004 , 173, 586-93	5.3	99
7	L-Arginine modulates CD3zeta expression and T cell function in activated human T lymphocytes. <i>Cellular Immunology</i> , 2004 , 232, 21-31	4.4	147
6	Immune Defects in T Cells From Cancer Patients 2004 , 35-48		
5	L-arginine consumption by macrophages modulates the expression of CD3 zeta chain in T lymphocytes. <i>Journal of Immunology</i> , 2003 , 171, 1232-9	5.3	354
4	Mechanisms of tumor evasion from the immune response. <i>Cancer Chemotherapy and Biological Response Modifiers</i> , 2003 , 21, 351-64		26
3	Regulation of T cell receptor CD3zeta chain expression by L-arginine. <i>Journal of Biological Chemistry</i> , 2002 , 277, 21123-9	5.4	337
2	Detection of alloantibodies against non-HLA antigens in kidney transplantation by flow cytometry. <i>Clinical Transplantation</i> , 2000 , 14, 472-8	3.8	13
1	Detection of allo- and autoantibodies in kidney transplantation by flow cytometry. <i>Transplantation Proceedings</i> , 1999 , 31, 282-4	1.1	4