

Suneet P Chauhan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11876271/suneet-p-chauhan-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

315
papers

7,569
citations

46
h-index

77
g-index

334
ext. papers

9,114
ext. citations

2.8
avg, IF

6.08
L-index

#	Paper	IF	Citations
3 ¹⁵	Labor Induction versus Expectant Management in Low-Risk Nulliparous Women. <i>New England Journal of Medicine</i> , 2018 , 379, 513-523	59.2	411
3 ¹⁴	Doppler assessment of the fetus with intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 300-8	6.4	229
3 ¹³	Twins: prevalence, problems, and preterm births. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 305-15	6.4	214
3 ¹²	Suspicion and treatment of the macrosomic fetus: a review. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 332-46	6.4	186
3 ¹¹	Perinatal outcome and amniotic fluid index in the antepartum and intrapartum periods: A meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 1473-8	6.4	178
3 ¹⁰	Evidence-based surgery for cesarean delivery: an updated systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 294-306	6.4	174
3 ⁰⁹	Evidence-based surgery for cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 1607-17	6.4	174
3 ⁰⁸	Antepartum corticosteroids: disease stabilization in patients with the syndrome of hemolysis, elevated liver enzymes, and low platelets (HELLP). <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 1148-53	6.4	174
3 ⁰⁷	Maternal and perinatal complications with uterine rupture in 142,075 patients who attempted vaginal birth after cesarean delivery: A review of the literature. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 408-17	6.4	149
3 ⁰⁶	Rates of Maternal and Perinatal Mortality and Vertical Transmission in Pregnancies Complicated by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-Co-V-2) Infection: A Systematic Review. <i>Obstetrics and Gynecology</i> , 2020 , 136, 303-312	4.9	149
3 ⁰⁵	Prevention and management of postpartum hemorrhage: a comparison of 4 national guidelines. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 76.e1-76.e10	6.4	147
3 ⁰⁴	Society for maternal-fetal medicine (SMFM) clinical guideline #7: nonimmune hydrops fetalis. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 127-39	6.4	142
3 ⁰³	Evidence-based labor and delivery management. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 445-54	6.4	138
3 ⁰²	Postpartum corticosteroids: accelerated recovery from the syndrome of hemolysis, elevated liver enzymes, and low platelets (HELLP). <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 1154-8	6.4	121
3 ⁰¹	Mode of delivery for the morbidly obese with prior cesarean delivery: vaginal versus repeat cesarean section. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 349-54	6.4	105
3 ⁰⁰	Brachial plexus injury: a 23-year experience from a tertiary center. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1795-800; discussion 1800-2	6.4	98
299	Epidemiology of twinning in developed countries. <i>Seminars in Perinatology</i> , 2012 , 36, 156-61	3.3	93

298	A review of idiopathic hydramnios and pregnancy outcomes. <i>Obstetrical and Gynecological Survey</i> , 2007 , 62, 795-802	2.4	93
297	Neonatal brachial plexus palsy: incidence, prevalence, and temporal trends. <i>Seminars in Perinatology</i> , 2014 , 38, 210-8	3.3	90
296	Discordant twins: diagnosis, evaluation and management. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 10-20	6.4	88
295	Intrapartum nonreassuring fetal heart rate tracing and prediction of adverse outcomes: interobserver variability. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 623.e1-5	6.4	86
294	Suspicion of intrauterine growth restriction: Use of abdominal circumference alone or estimated fetal weight below 10%. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 557-62	2	86
293	Peripartum complications with cesarean delivery: a review of Maternal-Fetal Medicine Units Network publications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 463-74	2	83
292	The length of the third stage of labor and the risk of postpartum hemorrhage. <i>Obstetrics and Gynecology</i> , 2005 , 105, 290-3	4.9	78
291	Shoulder dystocia: definitions and incidence. <i>Seminars in Perinatology</i> , 2014 , 38, 184-8	3.3	77
290	Intrahepatic cholestasis of pregnancy: Review of six national and regional guidelines. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 231, 180-187	2.4	72
289	Subcutaneous stitch closure versus subcutaneous drain to prevent wound disruption after cesarean delivery: a randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 1119-23	6.4	70
288	Electronic fetal heart rate monitoring and its relationship to neonatal and infant mortality in the United States. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 491.e1-10	6.4	68
287	Antepartum detection of macrosomic fetus: clinical versus sonographic, including soft-tissue measurements. <i>Obstetrics and Gynecology</i> , 2000 , 95, 639-42	4.9	66
286	Small-for-gestational-age infants among uncomplicated pregnancies at term: a secondary analysis of 9 Maternal-Fetal Medicine Units Network studies. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 628.e1-628.e7	6.4	66
285	Intrauterine growth restriction: comparison of American College of Obstetricians and Gynecologists practice bulletin with other national guidelines. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 409.e1-6	6.4	63
284	Vaginal birth after cesarean section versus elective repeat cesarean delivery: Weight-based outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 1516-20; discussion 1520-2	6.4	63
283	Antenatal testing among 1001 patients at high risk: the role of ultrasonographic estimate of amniotic fluid volume. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 180, 1330-6	6.4	62
282	Neonatal Morbidity of Small- and Large-for-Gestational-Age Neonates Born at Term in Uncomplicated Pregnancies. <i>Obstetrics and Gynecology</i> , 2017 , 130, 511-519	4.9	61
281	Prenatal detection of fetal growth restriction in newborns classified as small for gestational age: correlates and risk of neonatal morbidity. <i>American Journal of Perinatology</i> , 2014 , 31, 187-94	3.3	56

280	Sonographic examination does not predict twin growth discordance accurately. <i>Obstetrics and Gynecology</i> , 1997 , 89, 529-33	4.9	55
279	Amniotic fluid index vs single deepest pocket technique during modified biophysical profile: a randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 661-7; discussion 667-8	6.4	55
278	Trial of labor after cesarean delivery with a lower-segment, vertical uterine incision: is it safe?. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 172, 1666-73; discussion 1673-4	6.4	55
277	A review of sonographic estimate of fetal weight: vagaries of accuracy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 18, 211-20	2	54
276	Delivery of the nonvertex second twin: breech extraction versus external cephalic version. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1015-20	6.4	54
275	The effects of an increasing gradient of maternal obesity on pregnancy outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 250-7	1.7	53
274	How well do the amniotic fluid index and single deepest pocket indices (below the 3rd and 5th and above the 95th and 97th percentiles) predict oligohydramnios and hydramnios?. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 164-9	6.4	52
273	Amniotic fluid index and single deepest pocket: weak indicators of abnormal amniotic volumes. <i>Obstetrics and Gynecology</i> , 2000 , 96, 737-40	4.9	51
272	Screening for fetal growth restriction. <i>Clinical Obstetrics and Gynecology</i> , 2006 , 49, 284-94	1.7	50
271	Estimators of birth weight in pregnant women requiring insulin: a comparison of seven sonographic models. <i>Obstetrics and Gynecology</i> , 1995 , 85, 565-9	4.9	50
270	Does an amniotic fluid index of . <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 180, 1354-9	6.4	49
269	Ultrasonographic assessment of amniotic fluid does not reflect actual amniotic fluid volume. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 291-6; discussion 296-7	6.4	46
268	Intrapartum detection of a macrosomic fetus: clinical versus 8 sonographic models. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995 , 35, 266-70	1.7	46
267	The accuracy of ultrasound evaluation of amniotic fluid volume in singleton pregnancies: the effect of operator experience and ultrasound interpretative technique. <i>Journal of Clinical Ultrasound</i> , 1997 , 25, 249-53	1	45
266	Prediction of hemorrhage at cesarean delivery. <i>Obstetrics and Gynecology</i> , 1994 , 83, 923-6	4.9	45
265	Progesterone does not prevent preterm births in women with twins. <i>Southern Medical Journal</i> , 2009 , 102, 900-4	0.6	43
264	Amniotic fluid volume in normal singleton pregnancies. <i>Obstetrics and Gynecology</i> , 1997 , 90, 524-8	4.9	43
263	A randomized, double-blind, hemodynamic evaluation of nifedipine and labetalol in preeclamptic hypertensive emergencies. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 862-6	6.4	42

262	Use of fetal pulse oximetry among high-risk women in labor: a randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1810-7; discussion 1817-9	6.4	41
261	Risk factors for cesarean delivery in preterm, term and post-term patients undergoing induction of labor with an unfavorable cervix. <i>Gynecologic and Obstetric Investigation</i> , 2009 , 67, 113-7	2.5	40
260	Intra-operative haemorrhage by blunt versus sharp expansion of the uterine incision at caesarean delivery: a randomised clinical trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 448-52	3.7	40
259	Pregnancy after classic cesarean delivery. <i>Obstetrics and Gynecology</i> , 2002 , 100, 946-50	4.9	39
258	Induction of labor in the United States: a critical appraisal of appropriateness and reducibility. <i>Seminars in Perinatology</i> , 2012 , 36, 336-43	3.3	38
257	Intrapartum oligohydramnios does not predict adverse peripartum outcome among high-risk parturients. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 176, 1130-6; discussion 1136-8	6.4	38
256	Management of pregnancies beyond forty-one weeks of gestation with an unfavorable cervix. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 178, 1279-87	6.4	37
255	Pregnancy, obesity, gestational weight gain, and parity as predictors of peripartum complications. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 284, 827-36	2.5	36
254	The evidence for abandoning the amniotic fluid index in favor of the single deepest pocket. <i>American Journal of Perinatology</i> , 2007 , 24, 549-55	3.3	36
253	A randomized clinical trial of the intrapartum assessment of amniotic fluid volume: amniotic fluid index versus the single deepest pocket technique. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 1564-9; discussion 1569-70	6.4	36
252	Electronic fetal monitoring in the United States: temporal trends and adverse perinatal outcomes. <i>Obstetrics and Gynecology</i> , 2013 , 121, 927-933	4.9	35
251	Bakri balloon in the management of postpartum hemorrhage: a review. <i>American Journal of Perinatology</i> , 2014 , 31, 957-64	3.3	34
250	Yoga during pregnancy: a review. <i>American Journal of Perinatology</i> , 2012 , 29, 459-64	3.3	34
249	Shoulder dystocia: comparison of the ACOG practice bulletin with another national guideline. <i>American Journal of Perinatology</i> , 2010 , 27, 129-36	3.3	33
248	Biophysical profile with amniotic fluid volume assessments. <i>Obstetrics and Gynecology</i> , 2004 , 104, 5-10	4.9	32
247	The effects of standing, lifting and noise exposure on preterm birth, growth restriction, and perinatal death in healthy low-risk working military women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 18, 155-62	2	32
246	A randomized study to assess the efficacy of the amniotic fluid index as a fetal admission test. <i>Obstetrics and Gynecology</i> , 1995 , 86, 9-13	4.9	32
245	Women with preterm premature rupture of the membranes do not benefit from weekly progesterone. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 54.e1-5	6.4	31

244	Clinical relevance of sonographically estimated amniotic fluid volume: polyhydramnios. <i>Journal of Ultrasound in Medicine</i> , 2013 , 32, 851-63	2.9	30
243	Thromboembolism incidence and prophylaxis during vaginal delivery hospitalizations. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 221.e1-12	6.4	29
242	Cervical ripening before medical induction of labor: a comparison of prostaglandin E2, estradiol, and oxytocin. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 172, 1702-6; discussion 1704-8	6.4	29
241	Morbidity and Mortality in Small-for-Gestational-Age Infants: A Secondary Analysis of Nine MFMU Network Studies. <i>American Journal of Perinatology</i> , 2017 , 34, 323-332	3.3	28
240	Peripartum outcomes of high-risk pregnancies complicated by oligo- and polyhydramnios: a prospective longitudinal study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 268-77	1.9	28
239	Ultrasonographic estimate of birth weight at 24 to 34 weeks: a multicenter study. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 909-16	6.4	27
238	Obstetric characteristics for a prolonged third stage of labor and risk for postpartum hemorrhage. <i>Gynecologic and Obstetric Investigation</i> , 2008 , 65, 201-5	2.5	27
237	Intrauterine growth restriction and oligohydramnios among high-risk patients. <i>American Journal of Perinatology</i> , 2007 , 24, 215-21	3.3	27
236	Adnexal mass during pregnancy: a review. <i>American Journal of Perinatology</i> , 2015 , 32, 1010-6	3.3	26
235	American College of Obstetricians and Gynecologists practice bulletins: an overview. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1564-72; discussion 1072-5	6.4	26
234	Aberrant fetal growth and early, late, and postneonatal mortality: an analysis of Milwaukee births, 1996-2007. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 261.e1-261.e10	6.4	25
233	Factors affecting caesarean operative time and the effect of operative time on pregnancy outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 286-91	1.7	25
232	Emergency cesarean delivery for nonreassuring fetal heart rate tracings. Compliance with ACOG guidelines. <i>Journal of reproductive medicine, The</i> , 2003 , 48, 975-81		25
231	Fetal anomalies and long-term effects associated with substance abuse in pregnancy: a literature review. <i>American Journal of Perinatology</i> , 2015 , 32, 405-16	3.3	24
230	Cesarean delivery for fetal distress: rate and risk factors. <i>Obstetrical and Gynecological Survey</i> , 2003 , 58, 337-50	2.4	23
229	Adverse Pregnancy Outcomes Among Individuals With and Without Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2): A Systematic Review and Meta-analysis. <i>Obstetrics and Gynecology</i> , 2021 , 137, 585-596	4.9	23
228	Amniotic fluid volume estimation and the biophysical profile: a confusion of criteria. <i>Obstetrics and Gynecology</i> , 2000 , 96, 640-2	4.9	22
227	Acute tocolysis for fetal distress: terbutaline versus magnesium sulphate. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1993 , 33, 362-4	1.7	22

226	Comparability of the amniotic fluid index and single deepest pocket measurements in clinical practice. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2003 , 43, 75-7	1.7	21
225	Professional liability claims and Central Association of Obstetricians and Gynecologists members: myth versus reality. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1820-6; discussion 1826-8	6.4	21
224	Detecting fetal growth restriction or discordant growth in twin gestations stratified by placental chorionicity. <i>Journal of reproductive medicine, The</i> , 2004 , 49, 279-84		21
223	The clinical significance of an estimated fetal weight below the 10th percentile: a comparison of outcomes of . <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 198.e1-198.e11	6.4	20
222	Large for Gestational Age Infants and Adverse Outcomes among Uncomplicated Pregnancies at Term. <i>American Journal of Perinatology</i> , 2017 , 34, 655-662	3.3	20
221	Shoulder dystocia with and without brachial plexus injury: experience from three centers. <i>American Journal of Perinatology</i> , 2007 , 24, 365-71	3.3	20
220	Obesity Before, During, and After Pregnancy: A Review and Comparison of Five National Guidelines. <i>American Journal of Perinatology</i> , 2016 , 33, 433-41	3.3	20
219	A multicenter assessment of 1,177 cases of shoulder dystocia: lessons learned. <i>American Journal of Perinatology</i> , 2014 , 31, 401-6	3.3	19
218	Can we decrease postdatism in women with an unfavorable cervix and a negative fetal fibronectin test result at term by serial membrane sweeping?. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 890-4	6.4	19
217	Membrane sweeping versus dinoprostone vaginal insert in the management of pregnancies beyond 41 weeks with an unfavorable cervix. <i>Journal of Perinatology</i> , 1999 , 19, 88-91	3.1	19
216	Clinical Relevance of Sonographically Estimated Amniotic Fluid Volume. <i>Journal of Ultrasound in Medicine</i> , 2013 , 32, 851-863	2.9	18
215	Borderline or marginal amniotic fluid index and peripartum outcomes: a review of the literature. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 523-8	2.9	18
214	Inadequate identification of small-for-gestational-age fetuses at an urban teaching hospital. <i>International Journal of Gynecology and Obstetrics</i> , 2010 , 109, 140-3	4	18
213	Amniotic fluid volume of third-trimester diamniotic twin pregnancies. <i>Obstetrics and Gynecology</i> , 1995 , 85, 957-60	4.9	18
212	Vaginal birth after cesarean delivery: comparison of ACOG practice bulletin with other national guidelines. <i>Clinical Obstetrics and Gynecology</i> , 2012 , 55, 969-77	1.7	17
211	The ultrasound estimation of amniotic fluid volume in diamniotic twin pregnancies and prediction of peripartum outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 570.e1-6; discussion 570.e6-8	6.4	17
210	A scoring system for detection of macrosomia and prediction of shoulder dystocia: a disappointment. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 699-705	2	17
209	Standard parameters of preeclampsia: can the clinician depend upon them to reliably identify the patient with the HELLP syndrome?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1993 , 33, 122-6	1.7	17

208	Determination of fetal acidemia at birth from a remote umbilical arterial blood gas analysis. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 170, 1705-1712	6.4	17
207	Air travel and pregnancy outcomes: a review of pregnancy regulations and outcomes for passengers, flight attendants, and aviators. <i>Obstetrical and Gynecological Survey</i> , 2010 , 65, 396-402	2.4	16
206	Sonographic estimate of birth weight among high-risk patients: feasibility and factors influencing accuracy. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 601-6	6.4	16
205	Peripartum and neonatal factors associated with the persistence of neonatal brachial plexus palsy at 1 year: a review of 382 cases. <i>Journal of Neurosurgery: Pediatrics</i> , 2016 , 17, 618-24	2.1	15
204	Acute fetal behavioral Response to prenatal Yoga: a single, blinded, randomized controlled trial (TRY yoga). <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 399.e1-8	6.4	15
203	Health resource utilization of labor induction versus expectant management. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 369.e1-369.e11	6.4	15
202	Prediction of vaginal birth after cesarean delivery in term gestations: a calculator without race and ethnicity. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 664.e1-664.e7	6.4	15
201	Prevention of RhD Alloimmunization: A Comparison of Four National Guidelines. <i>American Journal of Perinatology</i> , 2018 , 35, 110-119	3.3	14
200	The use of 17-hydroxy progesterone in women with arrested preterm labor: a randomized clinical trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 1892-6	2	14
199	Periviable births: epidemiology and obstetrical antecedents. <i>Seminars in Perinatology</i> , 2013 , 37, 382-8	3.3	14
198	The detection of macrosomia at a teaching hospital. <i>American Journal of Perinatology</i> , 2009 , 26, 165-8	3.3	14
197	The accuracy of the summated amniotic fluid index in evaluating amniotic fluid volume in twin pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 1041-5	6.4	14
196	Validation of bioimpedance estimates of cardiac output in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 911-3	6.4	14
195	Corticosteroid-induced arrest of HELLP syndrome progression in a marginally-viable pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1995 , 59, 217-9	2.4	14
194	Serial Third-Trimester Ultrasonography Compared With Routine Care in Uncomplicated Pregnancies: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2018 , 132, 1358-1367	4.9	14
193	Perinatal outcomes with normal compared with elevated umbilical artery systolic-to-diastolic ratios in fetal growth restriction. <i>Obstetrics and Gynecology</i> , 2015 , 125, 863-869	4.9	13
192	Maternal Obesity and the Risk of Early-Onset and Late-Onset Hypertensive Disorders of Pregnancy. <i>Obstetrics and Gynecology</i> , 2020 , 136, 118-127	4.9	13
191	Oligohydramnios, small for gestational age and pregnancy outcomes: an analysis using precise measures. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 72, 239-44	2.5	13

190	Predictability of intrapartum and neonatal outcomes with the amniotic fluid volume distribution: a reassessment using the amniotic fluid index, single deepest pocket, and a dye-determined amniotic fluid volume. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 1523-7; discussion 1527-8	6.4	13
189	Continuous subcutaneous terbutaline administration prolongs pregnancy after recurrent preterm labor. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 1460-5; discussion 1465-7	6.4	13
188	Ultrasound estimate of amniotic fluid volume: color Doppler overdiagnosis of oligohydramnios. <i>Obstetrics and Gynecology</i> , 2001 , 98, 71-4	4.9	13
187	A Trial of Hyperimmune Globulin to Prevent Congenital Cytomegalovirus Infection. <i>New England Journal of Medicine</i> , 2021 , 385, 436-444	59.2	13
186	Neonatal and Maternal Morbidity Among Low-Risk Nulliparous Women at 39-41 Weeks of Gestation. <i>Obstetrics and Gynecology</i> , 2019 , 133, 729-737	4.9	13
185	Severe Maternal Morbidity and Hospital Cost among Hospitalized Deliveries in the United States. <i>American Journal of Perinatology</i> , 2018 , 35, 1287-1296	3.3	12
184	Screening for intrauterine growth restriction in uncomplicated pregnancies: time for action. <i>American Journal of Perinatology</i> , 2013 , 30, 33-9	3.3	12
183	Effect of maternal hydration on amniotic fluid volume. <i>Obstetrics and Gynecology</i> , 2003 , 101, 1261-5	4.9	12
182	Intrapartum management of twins. <i>Clinical Obstetrics and Gynecology</i> , 2004 , 47, 248-62	1.7	12
181	Determination of amniotic fluid volume in twin pregnancies: ultrasonographic evaluation versus operator estimation. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 182, 1606-9	6.4	12
180	Persistence of Neonatal Brachial Plexus Palsy Associated with Maternally Reported Route of Delivery: Review of 387 Cases. <i>American Journal of Perinatology</i> , 2016 , 33, 765-9	3.3	12
179	Growth among Twins: Use of Singleton versus Twin-Specific Growth Nomograms. <i>American Journal of Perinatology</i> , 2018 , 35, 184-191	3.3	11
178	A suggested approach for implementing CONSORT guidelines specific to obstetric research. <i>Obstetrics and Gynecology</i> , 2013 , 122, 952-956	4.9	11
177	Fetal biometry: relevance in obstetrical practice. <i>Clinical Obstetrics and Gynecology</i> , 2012 , 55, 281-7	1.7	11
176	Shoulder dystocia without versus with brachial plexus injury: a case-control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007 , 20, 313-7	2	11
175	Cesarean delivery for nonreassuring fetal heart rate tracing. <i>Obstetrics and Gynecology Clinics of North America</i> , 2005 , 32, 273-86, ix	3.3	11
174	Effect of Maternal Hydration on Amniotic Fluid Volume. <i>Obstetrics and Gynecology</i> , 2003 , 101, 1261-1265	4.9	11
173	Estimate of Birthweight Among Post-Term Pregnancy: Clinical Versus Sonographic. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 1994 , 3, 208-211	2	11

172	Maternal and Neonatal Morbidity Associated With Early Term Delivery of Large-for-Gestational-Age But Nonmacrosomic Neonates. <i>Obstetrics and Gynecology</i> , 2019 , 133, 1160-1166	4.9	11
171	Morbidity Associated with Fetal Macrosomia among Women with Diabetes Mellitus. <i>American Journal of Perinatology</i> , 2018 , 35, 515-520	3.3	11
170	Randomized clinical trials behind level A recommendations in obstetric practice bulletins: compliance with CONSORT statement. <i>American Journal of Perinatology</i> , 2009 , 26, 69-80	3.3	10
169	A comparison of 3 criteria of oligohydramnios in identifying peripartum complications: a secondary analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 207.e1-7; discussion 207.e7-8	6.4	10
168	Low amniotic fluid volume is poorly identified in singleton and twin pregnancies using the 2 x 2 cm pocket technique of the biophysical profile. <i>Southern Medical Journal</i> , 1999 , 92, 802-5	0.6	10
167	Detection of growth-restricted fetuses in preeclampsia: a case-control study. <i>Obstetrics and Gynecology</i> , 1999 , 93, 687-91	4.9	10
166	Obstetric Emergencies: Shoulder Dystocia and Postpartum Hemorrhage. <i>Obstetrics and Gynecology Clinics of North America</i> , 2017 , 44, 231-243	3.3	9
165	Exercise and yoga during pregnancy: a survey. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 431-5	2	9
164	Correlation of ultrasound estimated with dye-determined or directly measured amniotic fluid volume revisited. <i>Gynecologic and Obstetric Investigation</i> , 2015 , 79, 46-9	2.5	9
163	A survey of central association members about the definition, management, and complications of shoulder dystocia. <i>Obstetrics and Gynecology</i> , 2012 , 119, 830-7	4.9	9
162	Neonatal organ dysfunction among newborns at gestational age 34 weeks and umbilical arterial pH. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 17, 261-8	2	9
161	Ultrasound Estimate of Amniotic Fluid Volume. <i>Obstetrics and Gynecology</i> , 2001 , 98, 71-74	4.9	9
160	Neonatal brachial plexus palsy with vaginal birth after cesarean delivery: a case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 229.e1-5	6.4	8
159	Racial and ethnic disparities in infant mortality in the United States: the role of gestational age. <i>American Journal of Perinatology</i> , 2013 , 30, 469-75	3.3	8
158	Sonographic examination of twins. From first trimester to delivery of second fetus. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998 , 25, 609-21	3.3	8
157	Prediction of small for gestational age newborns using ultrasound estimated and actual amniotic fluid volume: published data revisited. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 160-4	1.7	8
156	Factors influencing the evolving practice of obstetricians in eastern Wisconsin: a survey. <i>American Journal of Perinatology</i> , 2008 , 25, 321-4	3.3	8
155	Uncomplicated Pregnancies and Ultrasounds for Fetal Growth Restriction: A Pilot Randomized Clinical Trial. <i>AJP Reports</i> , 2016 , 6, e83-90	1.2	8

154	Infant Outcomes after Periviable Birth: External Validation of the Neonatal Research Network Estimator with the BEAM Trial. <i>American Journal of Perinatology</i> , 2016 , 33, 569-76	3.3	8
153	Association between Gestational Weight Gain Adequacy and Adverse Maternal and Neonatal Outcomes. <i>American Journal of Perinatology</i> , 2019 , 36, 615-623	3.3	8
152	Shoulder dystocia and neonatal brachial plexus palsy: eliminating the nightmare. <i>Seminars in Perinatology</i> , 2014 , 38, 183	3.3	7
151	Association of Fetal Abdominal-Head Circumference Size Difference With Shoulder Dystocia: A Multicenter Study. <i>AJP Reports</i> , 2015 , 5, e099-104	1.2	7
150	Amniotic fluid volume in normal pregnancy: comparison of two different normative datasets. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 364-70	1.9	7
149	Isolated intrauterine growth restriction: a survey of Central Association of Obstetricians Gynecologists (CAOG) members. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 497-502	2	7
148	Does the International Classification of Disease (ICD-9) code accurately identify neonates who clinically have hypoxic-ischemic encephalopathy?. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 71, 202-6 ^{2.5}	2.5	7
147	Intrapartum fetal surveillance: review of three national guidelines. <i>American Journal of Perinatology</i> , 2012 , 29, 539-50	3.3	7
146	Is there a relationship to dye determined or ultrasound estimated amniotic fluid volume adjusted percentiles and fetal weight adjusted percentiles?. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 1610-4; discussion 1614-5	6.4	7
145	Is amniotic fluid volume status predictive of fetal acidosis at delivery?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2003 , 43, 129-33	1.7	7
144	Intrapartum Assessment by House Staff of Birth Weight Among Twins. <i>Obstetrics and Gynecology</i> , 1993 , 82, 523-526	4.9	7
143	Neonatal and Maternal Adverse Outcomes Among Low-Risk Parous Women at 39-41 Weeks of Gestation. <i>Obstetrics and Gynecology</i> , 2019 , 134, 288-294	4.9	7
142	Intrapartum Fetal Heart Rate Tracing Among Small-for-Gestational Age Compared With Appropriate-for-Gestational-Age Neonates. <i>Obstetrics and Gynecology</i> , 2018 , 132, 1019-1025	4.9	7
141	Tocolysis in women with advanced preterm labor: a secondary analysis of a randomized clinical trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 696-700	2	6
140	Early term versus term delivery in the management of fetal growth restriction: a comparison of two protocols. <i>American Journal of Perinatology</i> , 2015 , 32, 523-30	3.3	6
139	Adverse Infant and Maternal Outcomes Among Low-Risk Term Pregnancies Stratified by Race and Ethnicity. <i>Obstetrics and Gynecology</i> , 2020 , 135, 925-934	4.9	6
138	Preterm Preeclampsia with Severe Features: Composite Maternal and Neonatal Morbidities Associated with Fetal Growth Restriction. <i>American Journal of Perinatology</i> , 2018 , 35, 785-790	3.3	6
137	Neonatal morbidity in late preterm small for gestational age neonates. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 3208-3213	2	6

136	Large for gestational age and long-term cognitive function. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 343.e1-343.e4	6.4	6
135	Neonatal brachial plexus palsy: obstetric factors associated with litigation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 2428-2432	2	6
134	Small for Gestational Age: The Differential Mortality When Detected versus Undetected Antenatally. <i>American Journal of Perinatology</i> , 2017 , 34, 409-414	3.3	6
133	Randomized clinical trial evaluating the frequency of membrane sweeping with an unfavorable cervix at 39 weeks. <i>International Journal of Womens Health</i> , 2011 , 3, 287-94	2.8	6
132	Reducing hemodynamic compromise with placental removal at 10 versus 15 minutes: a randomized clinical trial. <i>American Journal of Perinatology</i> , 2012 , 29, 609-14	3.3	6
131	Dye-determined amniotic fluid volume and intrapartum/neonatal outcome. <i>Journal of Perinatology</i> , 2004 , 24, 423-8	3.1	6
130	Effect of amniotic fluid volume on neonatal outcome in diamniotic twin pregnancies. <i>Southern Medical Journal</i> , 1998 , 91, 942-5	0.6	6
129	Neonatal and Maternal Composite Adverse Outcomes Among Low-Risk Nulliparous Women Compared With Multiparous Women at 39-41 Weeks of Gestation. <i>Obstetrics and Gynecology</i> , 2020 , 136, 450-457	4.9	6
128	Severity of fetal growth restriction stratified according to maternal obesity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-5	2	5
127	Randomized clinical trials in obstetrics-gynecology registered at ClinicalTrials.gov: Characteristics and factors associated with publication. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 251, 223-228	2.4	5
126	Compliance with regulations on weight gain 6 months after delivery in active duty military women. <i>Military Medicine</i> , 2013 , 178, 406-11	1.3	5
125	Primary cesarean delivery among uncomplicated term nulliparous parturients: the influence of group practice within a community hospital. <i>American Journal of Perinatology</i> , 2008 , 25, 119-23	3.3	5
124	Current status of home uterine activity monitoring. <i>Clinics in Perinatology</i> , 2003 , 30, 757-801	2.8	5
123	Invalid equation to describe the amniotic fluid index in normal pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 170, 1209-10	6.4	5
122	Nonopioid versus opioid analgesia after hospital discharge following cesarean delivery: a randomized equivalence trial. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 488.e1-488.e8	6.4	5
121	Interventions to decrease complications after shoulder dystocia: a systematic review and Bayesian meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 484.e1-484.e33	6.4	5
120	Intravenous Acetaminophen versus Morphine for Analgesia in Labor: A Randomized Trial. <i>American Journal of Perinatology</i> , 2017 , 34, 38-43	3.3	5
119	Population versus Customized Growth Curves: Prediction of Composite Neonatal Morbidity. <i>American Journal of Perinatology</i> , 2019 , 36, 818-827	3.3	5

118	Pyelonephritis in Pregnancy: Prediction of Prolonged Hospitalization and Maternal Morbidity using Prognostic Scoring Systems. <i>American Journal of Perinatology</i> , 2017 , 34, 1212-1218	3.3	4
117	Hypertension among women of reproductive age: Impact of 2017 American College of Cardiology/American Heart Association high blood pressure guideline. <i>International Journal of Cardiology: Hypertension</i> , 2019 , 1, 100007	1.6	4
116	Preferences in cesarean delivery surgical technique: a survey of maternal-fetal medicine fellows. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 77-81	2	4
115	Sonographic Examination of The Fetus Vis-à-Vis Shoulder Dystocia: A Vexing Promise. <i>Clinical Obstetrics and Gynecology</i> , 2016 , 59, 795-802	1.7	4
114	Severe small size for gestational age and cognitive function: catch-up phenomenon possible. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 119.e1-5	6.4	4
113	Comparison of two national guidelines in obstetrics: American versus royal college of obstetricians and gynecologists. <i>American Journal of Perinatology</i> , 2010 , 27, 763-70	3.3	4
112	Detection of Growth-Restricted Fetuses in Preeclampsia. <i>Obstetrics and Gynecology</i> , 1999 , 93, 687-691	4.9	4
111	Racial and Ethnic Disparities in Maternal and Neonatal Adverse Outcomes in College-Educated Women. <i>Obstetrics and Gynecology</i> , 2020 , 136, 146-153	4.9	4
110	Customized Probability of Vaginal Delivery With Induction of Labor and Expectant Management in Nulliparous Women at 39 Weeks of Gestation. <i>Obstetrics and Gynecology</i> , 2020 , 136, 698-705	4.9	4
109	Relationship between Self-Reported Maternal Substance Abuse and Adverse Outcomes in the Premature Newborn. <i>American Journal of Perinatology</i> , 2016 , 33, 165-71	3.3	4
108	Twin transvaginal cervical length at 16-20 weeks and prediction of preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 550-554	2	4
107	Maternal and Perinatal Outcomes of Expectant Management of Full-Term, Low-Risk, Nulliparous Patients. <i>Obstetrics and Gynecology</i> , 2021 , 137, 250-257	4.9	4
106	Epidemiology of Periviable Births: The Impact and Neonatal Outcomes of Twin Pregnancy. <i>Clinics in Perinatology</i> , 2017 , 44, 333-345	2.8	3
105	Persistence of Neonatal Brachial Plexus Palsy among Nulliparous Versus Parous Women. <i>AJP Reports</i> , 2019 , 9, 1-5	1.2	3
104	Stercoral Perforation of the Colon during Pregnancy: A Case Report and Review of the Literature. <i>AJP Reports</i> , 2015 , 5, e25-9	1.2	3
103	Persistence and Extent of Neonatal Brachial Plexus Palsy: Association with Number of Maneuvers and Duration of Shoulder Dystocia. <i>AJP Reports</i> , 2020 , 10, e42-e48	1.2	3
102	Association of Time of Delivery With Composite Adverse Outcomes in Low-Risk Pregnancies. <i>Obstetrics and Gynecology</i> , 2020 , 135, 527-534	4.9	3
101	Association of labor induction or stimulation with infant mortality in women with failed versus successful trial of labor after prior cesarean. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1162-5	2	3

100	Maternal body mass index: a poor diagnostic test for detection of abnormal fetal growths. <i>American Journal of Perinatology</i> , 2011 , 28, 773-80	3-3	3
99	Knowledge gap of recommendations in ACOG practice bulletins: a survey of members of the Central Association of Obstetricians and Gynecologists. <i>Journal of Perinatal Medicine</i> , 2012 , 40, 403-12	2-7	3
98	Intrapartum amniotic fluid index: a poor predictor of abnormal fetal size. <i>Obstetrics and Gynecology</i> , 1998 , 92, 823-7	4-9	3
97	Oligohydramnios at term and pregnancy outcome. <i>Fetal and Maternal Medicine Review</i> , 2001 , 12, 209-227		3
96	Amniotic Fluid Index and Single Deepest Pocket. <i>Obstetrics and Gynecology</i> , 2000 , 96, 737-740	4-9	3
95	Accuracy of Blood Loss Estimation and Measurement at Cesarean Birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 1994 , 3, 171-174	2	3
94	Planned versus Unplanned Delivery for Placenta Accreta Spectrum. <i>American Journal of Perinatology</i> , 2020 ,	3-3	3
93	The Case for Standardizing Cesarean Delivery Technique: Seeing the Forest for the Trees. <i>Obstetrics and Gynecology</i> , 2020 , 136, 972-980	4-9	3
92	Risk of Neonatal and Infant Mortality in Twins and Singletons by Gestational Age. <i>American Journal of Perinatology</i> , 2019 , 36, 798-805	3-3	3
91	Association between apgar score at 5 minutes and adverse outcomes among Low-Risk pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-8	2	3
90	Torsemide for Prevention of Persistent Postpartum Hypertension in Women With Preeclampsia: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2018 , 132, 1185-1191	4-9	3
89	Preterm cesarean delivery for nonreassuring fetal heart rate: neonatal and neurologic morbidity. <i>Obstetrics and Gynecology</i> , 2015 , 125, 636-642	4-9	2
88	Differential Morbidity in Preterm Small versus Appropriate for Gestational Age: Perhaps Unverifiable. <i>American Journal of Perinatology</i> , 2015 , 32, 1251-6	3-3	2
87	Obstetric History and Likelihood of Preterm Birth of Twins. <i>American Journal of Perinatology</i> , 2018 , 35, 1023-1030	3-3	2
86	Caesarean section is the safest mode of delivery for extremely preterm breech singleton infants: FOR: Caesarean delivery of extremely preterm breech singletons. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 665	3-7	2
85	Do multiple measurements employing different ultrasonic techniques improve the accuracy of amniotic fluid volume assessment?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998 , 38, 172-5	1-7	2
84	Umbilical arterial pH <i>American Journal of Perinatology</i> , 2004 , 21, 281-7	3-3	2
83	Antepartum Detection of Macrosomic Fetus. <i>Obstetrics and Gynecology</i> , 2000 , 95, 639-642	4-9	2

82	Equation for predicting changes in amniotic fluid index is not consistent with data provided. <i>American Journal of Obstetrics and Gynecology</i> , 1993 , 169, 750-1	6.4	2
81	Inpatient Biophysical Profiles and the Effect on Clinical Decision Making. <i>AJP Reports</i> , 2020 , 10, e357-e361		2
80	In Reply. <i>Obstetrics and Gynecology</i> , 2020 , 136, 849-850	4.9	2
79	Routine third-trimester ultrasound in low-risk pregnancies and perinatal death: a systematic review and meta-analysis. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020 , 2, 100242	7.4	2
78	Evidence-Based Cesarean Delivery for the Nonobstetrician. <i>The Surgery Journal</i> , 2016 , 2, e1-e6	0.9	2
77	Demographic differences in patient populations of obstetrical randomized controlled trials. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 3, 100381	7.4	2
76	Racial and Ethnic Inequities in Cesarean Birth and Maternal Morbidity in a Low-Risk, Nulliparous Cohort. <i>Obstetrics and Gynecology</i> , 2021 , 139,	4.9	2
75	Obstetric Recommendations in American Congress of Obstetricians and Gynecologists Practice Bulletins versus UpToDate: a comparison. <i>American Journal of Perinatology</i> , 2015 , 32, 427-44	3.3	1
74	Disparities in Adverse Maternal Outcomes Among Asian Women in the US Delivering at Term. <i>JAMA Network Open</i> , 2020 , 3, e2020180	10.4	1
73	Transcervical Foley Balloon Plus Vaginal Misoprostol versus Vaginal Misoprostol Alone for Cervical Ripening in Nulliparous Obese Women: A Multicenter, Randomized, Comparative-Effectiveness Trial. <i>American Journal of Perinatology</i> , 2021 , 38, e123-e128	3.3	1
72	Maternal Sense of Control During Childbirth and Infant Feeding Method. <i>Obstetrics and Gynecology</i> , 2020 , 135, 583-590	4.9	1
71	Angles, Traction, and Time after Delivery of Fetal Head: Interobserver Variation of Novel Visual Analogs. <i>American Journal of Perinatology</i> , 2017 , 34, 1424-1429	3.3	1
70	Neonatal acidemia with trial of labor among parturients with prior cesarean delivery: a case-control study. <i>The Journal of Maternal-fetal Medicine</i> , 2000 , 9, 278-81		1
69	Fetal acoustic stimulation in early labor and pathological fetal acidemia: a preliminary report. <i>The Journal of Maternal-fetal Medicine</i> , 1999 , 8, 208-12		1
68	Clinical estimate of birth-weight in labour: factors influencing its accuracy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1993 , 33, 371-3	1.7	1
67	Noninvasive Prediction of Congenital Cytomegalovirus Infection After Maternal Primary Infection.. <i>Obstetrics and Gynecology</i> , 2022 , 139, 400-406	4.9	1
66	Elective Labor Induction at 39 Weeks of Gestation Compared With Expectant Management: Factors Associated With Adverse Outcomes in Low-Risk Nulliparous Women. <i>Obstetrics and Gynecology</i> , 2020 , 136, 692-697	4.9	1
65	Intrapartum fetal monitoring. <i>Series in Maternal-fetal Medicine</i> , 2007 , 67-74		1

64	Neonatal and maternal outcomes with trial of labor after two prior cesarean births: stratified by history of vaginal birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-8	2	1
63	Apgar score at 10 minutes and adverse outcomes among low-risk pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-10	2	1
62	Factors associated with the successful completion of randomized controlled trials in gynecological oncology. <i>Gynecologic Oncology</i> , 2019 , 155, 283-286	4.9	1
61	Basal Insulin Analogs versus Neutral Protamine Hagedorn for Type 2 Diabetics. <i>American Journal of Perinatology</i> , 2020 , 37, 30-36	3.3	1
60	Labor induction with prostaglandin E versus E: a comparison of outcomes. <i>Journal of Perinatology</i> , 2021 , 41, 726-735	3.1	1
59	Uterine tachysystole: a survey of CAOG members suggests persistent ambiguity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 2369-2374	2	1
58	Detemir vs neutral protamine Hagedorn insulin for diabetes mellitus in pregnancy: a comparative effectiveness, randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 87.e1-87.e10	6.4	1
57	Maternal and Neonatal Outcomes in Nulliparous Participants Undergoing Labor Induction by Cervical Ripening Method. <i>American Journal of Perinatology</i> , 2021 ,	3.3	1
56	Stress, anxiety and depression levels in pregnancy: outpatient versus inpatient.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-6	2	1
55	Amniocentesis to diagnose congenital cytomegalovirus infection following maternal primary infection.. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022 , 100641	7.4	1
54	Maternal and Neonatal Outcomes Associated with Amniotomy among Nulliparous Women Undergoing Labor Induction at Term. <i>American Journal of Perinatology</i> , 2021 , 38, e239-e248	3.3	0
53	Identification of newborns with birthweight $\geq 4,500$ g: Ultrasound within one- vs. two weeks of delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 249, 47-53	2.4	0
52	Intrapartum fetal surveillance: Summary of four national evidence-based guidelines and need to develop Indian guidelines. <i>Journal of Obstetrics and Gynecology of India</i> , 2011 , 61, 267-274	1	0
51	Value of the Amniotic Fluid Index Compared With the Single Deepest Pocket. <i>Obstetrics and Gynecology</i> , 2005 , 105, 440-441	4.9	0
50	Obstetrical Randomized Controlled Trials: Individuals Screened, Approached and Enrolled.. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022 , 100564	7.4	0
49	Daily Meditation Program for Anxiety in Individuals Admitted to the Antepartum Unit: A Multi-Center Randomized Controlled Trial (MEDITATE).. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022 , 100562	7.4	0
48	Racial/Ethnic Representation in Randomized Clinical Trials Referenced in ACOG Practice Bulletins in Obstetrics 2007-2021.. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022 , 100590	7.4	0
47	Maternal and neonatal adverse outcomes in individuals with a prior cesarean birth who undergo induction at 39 weeks. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 268, 12-17	2.4	0

46	Prostaglandins for Induction in Pregnancies with Fetal Growth Restriction. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 100538	7.4	○
45	Number and quality of randomized controlled trials in obstetrics published in the top general medical and obstetrics and gynecology journals. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 4, 100509	7.4	○
44	Adverse maternal and neonatal outcomes among low-risk women with obesity at 37-41 weeks gestation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 254, 141-146	2.4	○
43	Association of Cerclage with Composite Adverse Outcomes among Women Delivered at 36 Weeks or Later. <i>American Journal of Perinatology</i> , 2020 , 37, 1400-1410	3.3	○
42	Factors Associated with Formula Feeding among Late Preterm Neonates. <i>American Journal of Perinatology</i> , 2020 , 37, 1393-1399	3.3	○
41	Cesarean delivery at term for non-reassuring fetal heart rate tracing: risk factors and predictability. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7	2	○
40	Pregnancy Outcomes among Hispanics Stratified by Country of Origin. <i>American Journal of Perinatology</i> , 2021 , 38, 497-506	3.3	○
39	Neonatal brachial plexus palsy: associated birth injury outcomes, hospital length of stay and costs. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-9	2	○
38	Pregnancy Outcomes Among Individuals Who Enrolled Compared With Declined Enrollment in A Randomized Trial of Induction Versus Expectant Management (ARRIVE). <i>Obstetrics and Gynecology</i> , 2021 , 137, 493-496	4.9	○
37	Chorioamnionitis and adverse outcomes in low-risk pregnancies: a population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-9	2	○
36	Predictors of neonatal brachial plexus palsy subsequent to resolution of shoulder dystocia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7	2	○
35	Shoulder dystocia and composite adverse outcomes for the maternal-neonatal dyad. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021 , 3, 100359	7.4	○
34	Amniotic Fluid Volume Assessment: Eight Lessons Learned. <i>International Journal of Womens Health</i> , 2021 , 13, 773-779	2.8	○
33	Association between time of delivery and composite adverse outcomes in pregnancies complicated by hypertensive disorders. <i>Hypertension in Pregnancy</i> , 2021 , 40, 246-253	2	○
32	The accuracy of ultrasound evaluation of amniotic fluid volume in singleton pregnancies: The effect of operator experience and ultrasound interpretative technique 1997 , 25, 249		○
31	Educational Multimedia Tool Compared With Routine Care for the Uptake of Postpartum Long-Acting Reversible Contraception in Individuals With High-Risk Pregnancies: A Randomized Controlled Trial.. <i>Obstetrics and Gynecology</i> , 2022 , 139, 571-578	4.9	○
30	Enhanced recovery after scheduled cesarean delivery: a prospective pre-post intervention study.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-8	2	○
29	Sonographic Estimated Fetal Weight among Diabetics at B4 Weeks and Composite Neonatal Morbidity. <i>AJP Reports</i> , 2018 , 8, e121-e127	1.2	

- 28 American college of obstetricians and gynecologists practice bulletins: ascertaining their citation, influence, and utilization. *American Journal of Perinatology*, **2014**, 31, 373-82 3.3
- 27 Abdominal hysterectomy for benign indications: evidence-based guidance for surgical decisions. *Gynecological Surgery*, **2012**, 9, 375-382 1.7
- 26 Deliver for oligohydramnios at 340/7 to 366/7 weeks. *American Journal of Obstetrics and Gynecology*, **2011**, 205, 163-164 6.4
- 25 Evidence-based medicine in obstetrics: can levels B and C recommendations be elevated to level A recommendations?. *Obstetric Medicine*, **2009**, 2, 63-6 1.5
- 24 Intrapartum fetal monitoring. *Series in Maternal-fetal Medicine*, **2012**, 92-104
- 23 A Survey of Central Association Members About the Definition, Management, and Complications of Shoulder Dystocia. *Obstetrics and Gynecology*, **2012**, 120, 181 4.9
- 22 AMNIOTIC FLUID VOLUME ESTIMATION AND THE BIOPHYSICAL PROFILE. *Obstetrics and Gynecology*, **2000**, 96, 640-642 4.9
- 21 Neonatal Acidemia with Trial of Labor Among Parturients with Prior Cesarean Delivery: A Case-Control Study. *Journal of Maternal-Fetal and Neonatal Medicine*, **2000**, 9, 278-281 2
- 20 Lack of utility of amniotic fluid index in predicting perinatal morbidity and mortality. *American Journal of Obstetrics and Gynecology*, **2001**, 184, 778-9 6.4
- 19 Fetal Acoustic Stimulation in Early Labor and Pathologic Fetal Acidemia: A Preliminary Report. *Journal of Maternal-Fetal and Neonatal Medicine*, **1999**, 8, 208-212 2
- 18 Pregnancy Implications of Full-Time Employment in Military Wives. *Journal of Maternal-Fetal and Neonatal Medicine*, **1995**, 4, 39-42 2
- 17 Clinical findings predictive of maternal adverse outcomes with pyelonephritis.. *American Journal of Obstetrics & Gynecology MFM*, **2021**, 4, 100558 7.4
- 16 Incorporation of randomized controlled trials into organizational guidelines for obstetricians and gynecologists.. *European Journal of Obstetrics and Gynecology and Reproductive Biology: X*, **2022**, 14, 100142 2.3
- 15 57. Sonographic assessment of amniotic fluid **2016**, 513-520
- 14 Fetal macrosomia. *Series in Maternal-fetal Medicine*, **2011**, 345-347
- 13 Sonographic assessment of amniotic fluid: oligohydramnios and polyhydramnios. *Series in Maternal-fetal Medicine*, **2011**, 414-420
- 12 Adverse Outcomes among Low-Risk Pregnancies at 39 to 41 Weeks: Stratified by Birth Weight Percentile. *American Journal of Perinatology*, **2021**, 38, e269-e283 3.3
- 11 A comparison of placental pathology between small for gestational age infants at European Journal of Obstetrics, Gynecology and Reproductive Biology, **2020**, 252, 483-489 2.4

10	In Reply. <i>Obstetrics and Gynecology</i> , 2020 , 136, 1063	4.9
9	Body mass index and adverse outcomes among singletons with cerclage. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 262, 129-133	2.4
8	False Alarms, Pseudoepidemics, and Reality: A Case Study with American College of Obstetricians and Gynecologists Practice Bulletins. <i>American Journal of Perinatology</i> , 2016 , 33, 442-8	3.3
7	Assessment of evidence underlying guidelines by the Society for Maternal-Fetal Medicine. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 223.e1-223.e10	6.4
6	Macrosomic Newborns Delivered at Term after Labor among Nondiabetic Women: Maternal and Neonatal Morbidities. <i>American Journal of Perinatology</i> , 2021 , 38, 150-157	3.3
5	Type 2 diabetes and neonatal hypoglycemia: role of route of delivery and insulin infusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-7	2
4	Association between route of delivery and maternal adverse outcomes in pregnancies complicated by preterm birth.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-8	2
3	Top-Cited Journal Articles in Obstetrics: Influence on ACOG National Guidelines.. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2022 , 100600	7.4
2	Insulin Detemir vs NPH in Pregnancy, a response.. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4
1	Association of Body Mass Index With the Use of Health Care Resources in Low-Risk Nulliparous Pregnancies After 39 Weeks of Gestation.. <i>Obstetrics and Gynecology</i> , 2022 , 139, 866-876	4.9