

Tobias Hartmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1188114/publications.pdf>

Version: 2024-02-01

118
papers

8,765
citations

38660

50
h-index

43802

91
g-index

123
all docs

123
docs citations

123
times ranked

10548
citing authors

#	ARTICLE	IF	CITATIONS
1	Methylxanthines Induce a Change in the AD/Neurodegeneration-Linked Lipid Profile in Neuroblastoma Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2295.	1.8	3
2	PEX19 Coordinates Neutral Lipid Storage in Cells in a Peroxisome-Independent Fashion. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 859052.	1.8	2
3	Modeling the underlying biological processes in Alzheimer's disease using a multivariate competing risk joint model. <i>Statistics in Medicine</i> , 2022, 41, 3421-3433.	0.8	6
4	36-month LipiDiDiet multinutrient clinical trial in prodromal Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, 29-40.	0.4	77
5	Methylxanthines and Neurodegenerative Diseases: An Update. <i>Nutrients</i> , 2021, 13, 803.	1.7	24
6	A competing risk joint model for dealing with different types of missing data in an intervention trial in prodromal Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 63.	3.0	3
7	Research diagnostic criteria for Alzheimer's disease: findings from the LipiDiDiet randomized controlled trial. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 64.	3.0	6
8	Shotgun lipidomics of liver and brain tissue of Alzheimer's disease model mice treated with acitretin. <i>Scientific Reports</i> , 2021, 11, 15301.	1.6	12
9	Targeted Lipidomics of Mitochondria in a Cellular Alzheimer's Disease Model. <i>Biomedicines</i> , 2021, 9, 1062.	1.4	9
10	Medium-Chain Length Fatty Acids Enhance A β Degradation by Affecting Insulin-Degrading Enzyme. <i>Cells</i> , 2021, 10, 2941.	1.8	14
11	Impact of Vitamin D3 Deficiency on Phosphatidylcholine-/Ethanolamine, Plasmalogen-, Lyso-Phosphatidylcholine-/Ethanolamine, Carnitine- and Triacyl Glyceride-Homeostasis in Neuroblastoma Cells and Murine Brain. <i>Biomolecules</i> , 2021, 11, 1699.	1.8	2
12	Regulatory feedback cycle of the insulin-degrading enzyme and the amyloid precursor protein intracellular domain: Implications for Alzheimer's disease. <i>Aging Cell</i> , 2020, 19, e13264.	3.0	7
13	Unique Role of Caffeine Compared to Other Methylxanthines (Theobromine, Theophylline,) in Neuroblastoma Type Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9015.	1.8	13
14	The impact of capsaicinoids on APP processing in Alzheimer's disease in SH-SY5Y cells. <i>Scientific Reports</i> , 2020, 10, 9164.	1.6	7
15	The Effects of Vitamin D Deficiency on Neurodegenerative Diseases. , 2020, , .		2
16	Worldwide FINGERS Network: A global approach to risk reduction and prevention of dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, 1078-1094.	0.4	257
17	Nutrition and the ageing brain: Moving towards clinical applications. <i>Ageing Research Reviews</i> , 2020, 62, 101079.	5.0	56
18	Elevated Testosterone Level and Urine Scent Marking in Male 5xFAD Alzheimer Model Mice. <i>Current Alzheimer Research</i> , 2020, 17, 80-92.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Using joint models to disentangle intervention effect types and baseline confounding: an application within an intervention study in prodromal Alzheimer's disease with Fortasyn Connect. BMC Medical Research Methodology, 2019, 19, 163.	1.4	5
20	Effect of Caffeine and Other Methylxanthines on A β -Homeostasis in SH-SY5Y Cells. Biomolecules, 2019, 9, 689.	1.8	20
21	Profiling of Alzheimer's disease related genes in mild to moderate vitamin D hypovitaminosis. Journal of Nutritional Biochemistry, 2019, 67, 123-137.	1.9	17
22	Transcriptional repression of the ectodomain sheddase ADAM10 by TBX2 and potential implication for Alzheimer's disease. Cellular and Molecular Life Sciences, 2019, 76, 1005-1025.	2.4	8
23	World Wide Fingers will advance dementia prevention. Lancet Neurology, The, 2018, 17, 27.	4.9	46
24	Paradoxical effects of mutant ubiquitin on A β plaque formation in an Alzheimer mouse model. Neurobiology of Aging, 2018, 72, 62-71.	1.5	9
25	Cholesterol impairs autophagy-mediated clearance of amyloid beta while promoting its secretion. Autophagy, 2018, 14, 1129-1154.	4.3	97
26	Omega-3 fatty acids, lipids, and apoE lipidation in Alzheimer's disease: a rationale for multi-nutrient dementia prevention. Journal of Lipid Research, 2017, 58, 2083-2101.	2.0	65
27	Altered Gut Microbiome Composition and Tryptic Activity of the 5xFAD Alzheimer's Mouse Model. Journal of Alzheimer's Disease, 2017, 56, 775-788.	1.2	230
28	24-month intervention with a specific multinutrient in people with prodromal Alzheimer's disease (LipiDiDiet): a randomised, double-blind, controlled trial. Lancet Neurology, The, 2017, 16, 965-975.	4.9	175
29	Vitamin D and Its Analogues Decrease Amyloid- β (A β) Formation and Increase A β -Degradation. International Journal of Molecular Sciences, 2017, 18, 2764.	1.8	68
30	APP Function and Lipids: A Bidirectional Link. Frontiers in Molecular Neuroscience, 2017, 10, 63.	1.4	76
31	Tocotrienol Affects Oxidative Stress, Cholesterol Homeostasis and the Amyloidogenic Pathway in Neuroblastoma Cells: Consequences for Alzheimer's Disease. International Journal of Molecular Sciences, 2016, 17, 1809.	1.8	35
32	The Impact of Vitamin E and Other Fat-Soluble Vitamins on Alzheimer's Disease. International Journal of Molecular Sciences, 2016, 17, 1785.	1.8	75
33	The Effects of Glycerophospholipids and Fatty Acids on APP Processing. , 2016, , 377-421.		2
34	DTA0104: Effects of Fortasyn Connect (Souvenaid) on Longitudinal Brain Atrophy Measures in Prodromal Alzheimer's Disease: Results of the Double-Blind Randomised Controlled Lipididiet Trial. Alzheimer's and Dementia, 2016, 12, P1135.	0.4	2
35	Eicosapentaenoic acid and docosahexaenoic acid increase the degradation of amyloid- β by affecting insulin-degrading enzyme. Biochemistry and Cell Biology, 2016, 94, 534-542.	0.9	47
36	Transnasal delivery of human A-beta peptides elicits impaired learning and memory performance in wild type mice. BMC Neuroscience, 2016, 17, 44.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Oxidized Docosahexaenoic Acid Species and Lipid Peroxidation Products Increase Amyloidogenic Amyloid Precursor Protein Processing. <i>Neurodegenerative Diseases</i> , 2016, 16, 44-54.	0.8	47
38	Sphingomyelin Synthase 1 Is Essential for Male Fertility in Mice. <i>PLoS ONE</i> , 2016, 11, e0164298.	1.1	19
39	Rescue of Hypovitaminosis A Induces Non-Amyloidogenic Amyloid Precursor Protein (APP) Processing. <i>Current Alzheimer Research</i> , 2016, 13, 1277-1289.	0.7	20
40	APP intracellular domain derived from amyloidogenic β - and γ -secretase cleavage regulates neprilysin expression. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 77.	1.7	53
41	Alzheimer's disease pathology is attenuated in a β -secretase deficient mouse model. <i>Annals of Neurology</i> , 2015, 78, 88-103.	2.8	81
42	Vitamin E: Curse or benefit in Alzheimer's disease? A systematic investigation of the impact of α - and γ -tocopherol on $A\beta$ generation and degradation in neuroblastoma cells. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 646-654.	1.5	29
43	Shedding of APP limits its synaptogenic activity and cell adhesion properties. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 410.	1.8	43
44	Impact of Vitamin D on Amyloid Precursor Protein Processing and Amyloid- β Peptide Degradation in Alzheimer's Disease. <i>Neurodegenerative Diseases</i> , 2014, 13, 75-81.	0.8	49
45	Unfolded protein response signaling by transcription factor XBP1 regulates ADAM10 and is affected in Alzheimer's disease. <i>FASEB Journal</i> , 2014, 28, 978-997.	0.2	86
46	PS Dependent APP Cleavage Regulates Glucosylceramide Synthase and is Affected in Alzheimer's Disease. <i>Cellular Physiology and Biochemistry</i> , 2014, 34, 92-110.	1.1	28
47	Special lipid-based diets alleviate cognitive deficits in the APP ^{swe} /PS1 ^{dE9} transgenic mouse model of Alzheimer's disease independent of brain amyloid deposition. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 157-169.	1.9	49
48	Clinical characterization of a presenilin 1 mutation (F177S) in a family with very early-onset Alzheimer's disease in the third decade of life. , 2014, 10, e27-e39.		9
49	Deficiency of Sphingosine-1-phosphate Lyase Impairs Lysosomal Metabolism of the Amyloid Precursor Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 16761-16772.	1.6	50
50	Upregulation of β -secretase expression by Alzheimer's disease-associated pathway: presenilin 1/amyloid precursor protein (APP)/intracellular domain of APP. <i>Aging Cell</i> , 2014, 13, 263-272.	3.0	45
51	A Nutritional Approach to Ameliorate Altered Phospholipid Metabolism in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 715-717.	1.2	30
52	P4-351: A PLASMA PHOSPHOLIPID BIOMARKER PROFILE FOR DETECTING PRECLINICAL ALZHEIMER'S DISEASE CAN BE MODIFIED BY ORAL INTAKE OF NUTRIENTS THAT INCREASE PHOSPHOLIPID SYNTHESIS. , 2014, 10, P916-P917.		0
53	Tenascin-C deficiency ameliorates Alzheimer's disease-related pathology in mice. <i>Neurobiology of Aging</i> , 2013, 34, 2389-2398.	1.5	58
54	Plant Sterols the Better Cholesterol in Alzheimer's Disease? A Mechanistical Study. <i>Journal of Neuroscience</i> , 2013, 33, 16072-16087.	1.7	111

#	ARTICLE	IF	CITATIONS
55	The Impact of Cholesterol, DHA, and Sphingolipids on Alzheimer's Disease. <i>BioMed Research International</i> , 2013, 2013, 1-16.	0.9	64
56	Effect of Different Phospholipids on β -Secretase Activity in the Non-Amyloidogenic Pathway of Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2013, 14, 5879-5898.	1.8	34
57	Neprilysin and β Clearance: Impact of the APP Intracellular Domain in NEP Regulation and Implications in Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2013, 5, 98.	1.7	129
58	Dietary intake of plant sterols stably increases plant sterol levels in the murine brain. <i>Journal of Lipid Research</i> , 2012, 53, 726-735.	2.0	95
59	TLR2 Is a Primary Receptor for Alzheimer's Amyloid β Peptide To Trigger Neuroinflammatory Activation. <i>Journal of Immunology</i> , 2012, 188, 1098-1107.	0.4	346
60	The Isoform-Specific Pathological Effects of ApoE4 in vivo are Prevented by a Fish Oil (DHA) Diet and are Modified by Cholesterol. <i>Journal of Alzheimer's Disease</i> , 2012, 28, 667-683.	1.2	59
61	Response of Toll-like receptors in experimental Guillain-Barré syndrome: A kinetic analysis. <i>Neuroscience Letters</i> , 2012, 518, 154-160.	1.0	13
62	Trans fatty acids enhance amyloidogenic processing of the Alzheimer amyloid precursor protein (APP). <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1214-1223.	1.9	69
63	Amyloid Precursor Protein (APP) Mediated Regulation of Ganglioside Homeostasis Linking Alzheimer's Disease Pathology with Ganglioside Metabolism. <i>PLoS ONE</i> , 2012, 7, e34095.	1.1	61
64	Plasmalogens Inhibit APP Processing by Directly Affecting β -Secretase Activity in Alzheimer's Disease. <i>Scientific World Journal</i> , The, 2012, 2012, 1-15.	0.8	61
65	The role of APP proteolytic processing in lipid metabolism. <i>Experimental Brain Research</i> , 2012, 217, 365-375.	0.7	59
66	Intracellular APP Domain Regulates Serine-Palmitoyl-CoA Transferase Expression and Is Affected in Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-8.	1.1	43
67	Plasmalogen synthesis is regulated via alkyl-dihydroxyacetonephosphate synthase by amyloid precursor protein processing and is affected in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2011, 116, 916-925.	2.1	93
68	Going the wrong road: Fyn and targeting of amyloid precursor protein to lipid rafts. <i>Journal of Neurochemistry</i> , 2011, 118, 677-679.	2.1	4
69	From brain to food: Analysis of phosphatidylcholins, lyso-phosphatidylcholins and phosphatidylcholin-plasmalogens derivatives in Alzheimer's disease human post mortem brains and mice model via mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 7713-7722.	1.8	100
70	Antipsychotic medication is associated with selective alterations in ventricular cerebrospinal fluid β 40 and tau in patients with intractable unipolar depression. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1283-1291.	1.3	7
71	Docosahexaenoic Acid Reduces Amyloid β Production via Multiple Pleiotropic Mechanisms. <i>Journal of Biological Chemistry</i> , 2011, 286, 14028-14039.	1.6	201
72	Myeloid differentiation factor 88-deficient bone marrow cells improve Alzheimer's disease-related symptoms and pathology. <i>Brain</i> , 2011, 134, 278-292.	3.7	49

#	ARTICLE	IF	CITATIONS
73	Alzheimer-Demenz. , 2011, , 47-72.		2
74	Role of amyloid beta in lipid homeostasis. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2010, 1801, 966-974.	1.2	65
75	New Alzheimer Amyloid β Responsive Genes Identified in Human Neuroblastoma Cells by Hierarchical Clustering. PLoS ONE, 2009, 4, e6779.	1.1	15
76	Increased expression of the β -secretase components presenilin-1 and nicastrin in activated astrocytes and microglia following traumatic brain injury. Glia, 2008, 56, 552-567.	2.5	84
77	Upregulation of CRABP1 in human neuroblastoma cells overproducing the Alzheimer-typical $A\beta_{42}$ reduces their differentiation potential. BMC Medicine, 2008, 6, 38.	2.3	13
78	Independent Inhibition of Alzheimer Disease β - and γ -Secretase Cleavage by Lowered Cholesterol Levels. Journal of Biological Chemistry, 2008, 283, 11302-11311.	1.6	110
79	Cholesterol and $A\beta$ Production: Methods for Analysis of Altered Cholesterol De Novo Synthesis. , 2008, , 221-230.		0
80	Amyloid beta-protein and lipid metabolism. Biochimica Et Biophysica Acta - Biomembranes, 2007, 1768, 1991-2001.	1.4	38
81	Amyloid beta as a regulator of lipid homeostasis. Trends in Molecular Medicine, 2007, 13, 337-344.	3.5	72
82	Alzheimer's disease prevention – The emerging role of lipids and diet. Oleagineux Corps Gras Lipides, 2007, 14, 182-185.	0.2	1
83	Alzheimer's disease: the lipid connection. Journal of Neurochemistry, 2007, 103, 159-170.	2.1	178
84	GM1 up-regulates Ubiquilin 1 expression in human neuroblastoma cells and rat cortical neurons. Neuroscience Letters, 2006, 407, 59-63.	1.0	9
85	Cholesterol depletion reduces aggregation of amyloid-beta peptide in hippocampal neurons. Neurobiology of Disease, 2006, 23, 573-577.	2.1	80
86	Role of Amyloid Precursor Protein, Amyloid- β and γ -Secretase in Cholesterol Maintenance. Neurodegenerative Diseases, 2006, 3, 305-311.	0.8	20
87	Therapeutic Perspectives in Alzheimers Disease. Recent Patents on CNS Drug Discovery, 2006, 1, 119-127.	0.9	25
88	Regulation of hippocampal cholesterol metabolism by apoE and environmental stimulation. Journal of Neurochemistry, 2005, 95, 987-997.	2.1	34
89	Regulation of cholesterol and sphingomyelin metabolism by amyloid- β and presenilin. Nature Cell Biology, 2005, 7, 1118-1123.	4.6	404
90	Locomotor activity and evoked dopamine release are reduced in mice overexpressing A30P-mutated human α -synuclein. Neurobiology of Disease, 2005, 20, 303-313.	2.1	93

#	ARTICLE	IF	CITATIONS
91	Aggregation promoting C-terminal truncation of A β -synuclein is a normal cellular process and is enhanced by the familial Parkinson's disease-linked mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2162-2167.	3.3	405
92	Mean age of onset in familial Alzheimer's disease is determined by amyloid beta 42. <i>Neurobiology of Aging</i> , 2005, 26, 785-788.	1.5	99
93	Linking Alzheimer's Disease, B-Amyloid, and Lipids. , 2004, , .		0
94	Cerebrospinal fluid tau levels in Alzheimer's disease are elevated when compared with vascular dementia but do not correlate with measures of cerebral atrophy. <i>Psychiatry Research</i> , 2003, 120, 231-238.	1.7	46
95	The Transmembrane Domain of the Amyloid Precursor Protein in Microsomal Membranes Is on Both Sides Shorter than Predicted. <i>Journal of Biological Chemistry</i> , 2003, 278, 6803-6808.	1.6	45
96	A β -Secretase Cleavage Site Specificity Differs for Intracellular and Secretory Amyloid A β . <i>Journal of Biological Chemistry</i> , 2003, 278, 13077-13085.	1.6	35
97	Increased Expression of Presenilin 2 Inhibits Protein Synthesis. <i>Molecular and Cellular Neurosciences</i> , 2002, 19, 111-124.	1.0	8
98	Cerebrospinal fluid 24S-hydroxycholesterol is increased in patients with Alzheimer's disease compared to healthy controls. <i>Neuroscience Letters</i> , 2002, 324, 83-85.	1.0	153
99	Inhibition of Intracellular Cholesterol Transport Alters Presenilin Localization and Amyloid Precursor Protein Processing in Neuronal Cells. <i>Journal of Neuroscience</i> , 2002, 22, 1679-1689.	1.7	232
100	Treatment with simvastatin in normocholesterolemic patients with Alzheimer's disease: A 26-week randomized, placebo-controlled, double-blind trial. <i>Annals of Neurology</i> , 2002, 52, 346-350.	2.8	372
101	Potential external source of A β in biological samples. <i>Nature Cell Biology</i> , 2002, 4, E164-E165.	4.6	17
102	Ibuprofen Decreases Cytokine-Induced Amyloid Beta Production in Neuronal Cells. <i>Neurobiology of Disease</i> , 2001, 8, 1094-1101.	2.1	86
103	Reduced cerebrospinal fluid estradiol levels are associated with increased A β -amyloid levels in female patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 2001, 307, 122-124.	1.0	68
104	Cholesterol, A β and Alzheimer's disease. <i>Trends in Neurosciences</i> , 2001, 24, S45-S48.	4.2	88
105	Key Factors in Alzheimer's Disease: A β -Amyloid Precursor Protein Processing, Metabolism and Intra-neuronal Transport. <i>Brain Pathology</i> , 2001, 11, 1-11.	2.1	159
106	Quantification of Alzheimer Amyloid A β Peptides Ending at Residues 40 and 42 by Novel ELISA Systems. <i>Molecular Medicine</i> , 2000, 6, 291-302.	1.9	66
107	The Role of NAC in Amyloidogenesis in Alzheimer's Disease. <i>American Journal of Pathology</i> , 2000, 156, 734-735.	1.9	40
108	Cerebrospinal fluid A β 42 is increased early in sporadic Alzheimer's disease and declines with disease progression. <i>Annals of Neurology</i> , 1999, 45, 504-511.	2.8	224

#	ARTICLE	IF	CITATIONS
109	β -Synuclein accumulates in Lewy bodies in Parkinson's disease and dementia with Lewy bodies but not in Alzheimer's disease β -amyloid plaque cores. <i>Neuroscience Letters</i> , 1999, 266, 213-216.	1.0	88
110	Non- β Component of Alzheimer's Disease Amyloid (NAC) Revisited. <i>American Journal of Pathology</i> , 1999, 155, 1173-1181.	1.9	173
111	Neural expression profile of β -synuclein in developing human cortex. <i>NeuroReport</i> , 1999, 10, 2799-2803.	0.6	60
112	Subcellular localization of the Alzheimer's disease amyloid precursor protein and derived polypeptides expressed in a recombinant yeast system. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1998, 5, 79-89.	1.4	13
113	Distinct sites of intracellular production for Alzheimer's disease $A\beta_{40/42}$ amyloid peptides. <i>Nature Medicine</i> , 1997, 3, 1016-1020.	15.2	716
114	Alzheimer's Disease β A4 Protein Release and Amyloid Precursor Protein Sorting Are Regulated by Alternative Splicing. <i>Journal of Biological Chemistry</i> , 1996, 271, 13208-13214.	1.6	32
115	Analysis of Heterogeneous β A4 Peptides in Human Cerebrospinal Fluid and Blood by a Newly Developed Sensitive Western Blot Assay. <i>Journal of Biological Chemistry</i> , 1996, 271, 22908-22914.	1.6	461
116	Apolipoprotein E- ϵ 4 allele and Alzheimer's disease. <i>Lancet, The</i> , 1993, 342, 1308-1309.	6.3	51
117	Intracellular and Secreted $A\beta_{42/40}$ Ratios Are Differently Influenced by APP Mutations. , 0, , 479-486.		0
118	Recent Understanding of the Molecular Mechanisms of Alzheimer's Disease. <i>Journal of Addiction Research & Therapy</i> , 0, s5, .	0.2	4