Rakesh Jaiswal

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11881291/rakesh-jaiswal-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45 papers 1,731 26 h-index g-index

45 papers 1,945 4.6 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
45	Profiling and Quantification of Regioisomeric Caffeoyl Glucoses in Berry Fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 1096-1104	5.7	7
44	Energy resolved mass spectrometry of chlorogenic acids and its application to isomer quantification by direct infusion tandem mass spectrometry. <i>Phytochemical Analysis</i> , 2018 , 29, 406-412	3.4	3
43	Profiling and quantification of regioisomeric caffeoyl glucoses in Solanaceae vegetables. <i>Food Chemistry</i> , 2017 , 237, 659-666	8.5	3
42	LC-MS study of the chemical transformations of hydroxycinnamates during yerba mat[[llex paraguariensis]) tea brewing. <i>Food Research International</i> , 2016 , 90, 307-312	7	5
41	Neuraminidase inhibition of Dietary chlorogenic acids and derivatives - potential antivirals from dietary sources. <i>Food and Function</i> , 2016 , 7, 2052-9	6.1	32
40	Synthesis, Structure, and Tandem Mass Spectrometric Characterization of the Diastereomers of Quinic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 7298-306	5.7	11
39	Differentiation of prototropic ions in regioisomeric caffeoyl quinic acids by electrospray ion mobility mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 675-80	2.2	19
38	Investigation of the photochemical changes of chlorogenic acids induced by ultraviolet light in model systems and in agricultural practice with Stevia rebaudiana cultivation as an example. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 3338-47	5.7	21
37	The Inhibition of the Mammalian DNA Methyltransferase 3a (Dnmt3a) by Dietary Black Tea and Coffee Polyphenols 2015 , 213-231		
36	LC-MSn identification and characterization of the phenolic compounds from the fruits of Flacourtia indica (Burm. F.) Merr. and Flacourtia inermis Roxb <i>Food Research International</i> , 2014 , 62, 388-396	7	30
35	Identification and characterization of chlorogenic acids, chlorogenic acid glycosides and flavonoids from Lonicera henryi L. (Caprifoliaceae) leaves by LC-MSn. <i>Phytochemistry</i> , 2014 , 108, 252-63	4	78
34	Which spectroscopic technique allows the best differentiation of coffee varieties: comparing principal component analysis using data derived from CD-, NMR- and IR-spectroscopies and LC-MS in the analysis of the chlorogenic acid fraction in green coffee beans. <i>Analytical Methods</i> , 2014 , 6, 3268	3.2	13
33	Hierarchical key for the LC-MSn identification of all ten regio- and stereoisomers of caffeoylglucose. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9252-65	5.7	30
32	Identification and characterisation of the phenolics of Ilex glabra L. Gray (Aquifoliaceae) leaves by liquid chromatography tandem mass spectrometry. <i>Phytochemistry</i> , 2014 , 106, 141-155	4	27
31	Investigation of acyl migration in mono- and dicaffeoylquinic acids under aqueous basic, aqueous acidic, and dry roasting conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9160-70	5.7	41
30	Does roasted coffee contain chlorogenic acid lactones or/and cinnamoylshikimate esters?. <i>Food Research International</i> , 2014 , 61, 214-227	7	30
29	Identification and characterization of the phenolic glycosides of Lagenaria siceraria Stand. (bottle gourd) fruit by liquid chromatography-tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1261-71	5.7	25

28	Identification, characterization, isolation and activity against Escherichia coli of quince (Cydonia oblonga) fruit polyphenols. <i>Food Research International</i> , 2014 , 65, 121-129	7	20
27	Identification and Characterization of Hydroxycinnamates of Six Galium Species from the Rubiaceae Family 2014 , 1-20		
26	Identification and Characterization of Trimeric Proanthocyanidins of Two Members of the Rhododendron Genus (Ericaceae) by Liquid Chromatography Multi-Stage Mass Spectrometry 2014 , 1-18	3	
25	Assignment of Regio- and Stereochemistry of Natural Products Using Mass Spectrometry Chlorogenic Acids and Derivatives as a Case Study. <i>Studies in Natural Products Chemistry</i> , 2014 , 42, 305-3	339	5
24	Identification and characterisation of phenolics from Ixora coccinea L. (Rubiaceae) by liquid chromatography multi-stage mass spectrometry. <i>Phytochemical Analysis</i> , 2014 , 25, 567-76	3.4	15
23	Identification of phenolic compounds in plum fruits (Prunus salicina L. and Prunus domestica L.) by high-performance liquid chromatography/tandem mass spectrometry and characterization of varieties by quantitative phenolic fingerprints. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 120	<i>5.7</i> 20-31	79
22	Phenolic promiscuity in the cell nucleusepigallocatechingallate (EGCG) and theaflavin-3,3 Udigallate from green and black tea bind to model cell nuclear structures including histone proteins, double stranded DNA and telomeric quadruplex DNA. Food and Function, 2013, 4, 328	6.1 - 37	16
21	What is under the hump? Mass spectrometry based analysis of complex mixtures in processed foodlessons from the characterisation of black tea thearubigins, coffee melanoidines and caramel. <i>Food and Function</i> , 2013 , 4, 1130-47	6.1	40
20	Investigating the chemical changes of chlorogenic acids during coffee brewing: conjugate addition of water to the olefinic moiety of chlorogenic acids and their quinides. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 12105-15	5.7	47
19	Understanding the fate of chlorogenic acids in coffee roasting using mass spectrometry based targeted and non-targeted analytical strategies. <i>Food and Function</i> , 2012 , 3, 976-84	6.1	81
18	First diastereoselective synthesis of methyl caffeoyl- and feruloyl-muco-quinates. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 5266-77	3.9	15
17	Identification and characterization of proanthocyanidins of 16 members of the Rhododendron genus (Ericaceae) by tandem LC-MS. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 502-15	2.2	101
16	Analysis of Chlorogenic Acids and Other Hydroxycinnamates in Food, Plants, and Pharmacokinetic Studies 2012 , 461-510		7
15	Identification and characterization of two new derivatives of chlorogenic acids in Arnica (Arnica montana L.) flowers by high-performance liquid chromatography/tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4033-9	5.7	31
14	Characterization and quantification of hydroxycinnamate derivatives in Stevia rebaudiana leaves by LC-MSn. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10143-50	5.7	65
13	Hill coefficients of dietary polyphenolic enzyme inhibitiors: can beneficial health effects of dietary polyphenols be explained by allosteric enzyme denaturing?. <i>Journal of Chemical Biology</i> , 2011 , 4, 109-16	5	6
12	The inhibition of the mammalian DNA methyltransferase 3a (Dnmt3a) by dietary black tea and coffee polyphenols. <i>BMC Biochemistry</i> , 2011 , 12, 16	4.8	49
11	Profiling the chlorogenic acids of Rudbeckia hirta, Helianthus tuberosus, Carlina acaulis and Symphyotrichum novae-angliae leaves by LC-MS(n). <i>Phytochemical Analysis</i> , 2011 , 22, 432-41	3.4	50

10	How to identify and discriminate between the methyl quinates of chlorogenic acids by liquid chromatography-tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 269-81	2.2	55
9	How to distinguish between cinnamoylshikimate esters and chlorogenic acid lactones by liquid chromatography-tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 933-42	2.2	31
8	Scope and limitations of principal component analysis of high resolution LC-TOF-MS data: the analysis of the fraction in green coffee beans as a case study. <i>Analytical Methods</i> , 2011 , 3, 144-155	3.2	37
7	Identification and characterization of five new classes of chlorogenic acids in burdock (Arctium lappa L.) roots by liquid chromatography/tandem mass spectrometry. <i>Food and Function</i> , 2011 , 2, 63-71	6.1	53
6	Determination of the hydroxycinnamate profile of 12 members of the Asteraceae family. <i>Phytochemistry</i> , 2011 , 72, 781-90	4	110
5	Profile and characterization of the chlorogenic acids in green Robusta coffee beans by LC-MS(n): identification of seven new classes of compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 8722-37	5.7	126
4	Profiling and characterization by LC-MSn of the chlorogenic acids and hydroxycinnamoylshikimate esters in mat[Ilex paraguariensis). <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 5471-84	5.7	168
3	How to distinguish between feruloyl quinic acids and isoferuloyl quinic acids by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 1575-82	2.2	51
2	Hierarchical scheme for liquid chromatography/multi-stage spectrometric identification of 3,4,5-triacyl chlorogenic acids in green Robusta coffee beans. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 2283-94	2.2	58
1	Profiling and characterisation by liquid chromatography/multi-stage mass spectrometry of the chlorogenic acids in Gardeniae Fructus. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 3109-20	2.2	40