

Kristian Reich

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/118868/kristian-reich-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240
papers

18,567
citations

68
h-index

133
g-index

261
ext. papers

22,344
ext. citations

6.1
avg, IF

6.71
L-index

#	Paper	IF	Citations
240	Long-term Safety of Secukinumab Over Five Years in Patients with Moderate-to-severe Plaque Psoriasis, Psoriatic Arthritis and Ankylosing Spondylitis: Update on Integrated Pooled Clinical Trial and Post-marketing Surveillance Data.. <i>Acta Dermato-Venereologica</i> , 2022 ,	2.2	4
239	Safety of Brodalumab in Plaque Psoriasis: Integrated Pooled Data from Five Clinical Trials.. <i>Acta Dermato-Venereologica</i> , 2022 ,	2.2	3
238	Secukinumab demonstrates high and sustained efficacy in nail psoriasis: Post hoc analysis from phase 3 trials in patients with psoriatic arthritis.. <i>British Journal of Dermatology</i> , 2022 ,	4	
237	Long-term efficacy and safety of brodalumab in moderate-to-severe plaque psoriasis: a post hoc pooled analysis of AMAGINE-2 and -3.. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 ,	4.6	3
236	Measuring patient-relevant benefits in psoriasis with the Patient Benefit Index: Development and preliminary validation of a 10-item short form.. <i>British Journal of Dermatology</i> , 2022 ,	4	
235	Maintenance of response in moderate-to-severe psoriasis after withdrawal of the IL-17A and IL-17F nanobody sonelokimab - Is there a role for IL-17F in disease reoccurrence?. <i>British Journal of Dermatology</i> , 2022 ,	4	
234	Long-term safety of risankizumab from 17 clinical trials in patients with moderate-to-severe plaque psoriasis. <i>British Journal of Dermatology</i> , 2021 ,	4	4
233	Expert Perspectives on Key Parameters that Impact Interpretation of Randomized Clinical Trials in Moderate-to-Severe Atopic Dermatitis. <i>American Journal of Clinical Dermatology</i> , 2021 , 1	7.1	3
232	Evolution of Patient Perceptions of Psoriatic Disease: Results from the Understanding Psoriatic Disease Leveraging Insights for Treatment (UPLIFT) Survey. <i>Dermatology and Therapy</i> , 2021 , 1	4	1
231	Network meta-analysis comparing the efficacy of biologic treatments for achieving complete resolution of nail psoriasis. <i>Journal of Dermatological Treatment</i> , 2021 , 1-9	2.8	4
230	Spesolimab, an Anti-Interleukin-36 Receptor Antibody, in Patients with Palmoplantar Pustulosis: Results of a Phase IIa, Multicenter, Double-Blind, Randomized, Placebo-Controlled Pilot Study. <i>Dermatology and Therapy</i> , 2021 , 11, 571-585	4	18
229	Association of sex and systemic therapy treatment outcomes in psoriasis: a two-country, multicentre, prospective, noninterventional registry study. <i>British Journal of Dermatology</i> , 2021 ,	4	2
228	IL17A/F nanobody sonelokimab in patients with plaque psoriasis: a multicentre, randomised, placebo-controlled, phase 2b study. <i>Lancet, The</i> , 2021 , 397, 1564-1575	40	28
227	Quality of psoriasis care in Germany - results from the nationwide health care studies PsoHealth 2004-2017. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1536-1542	4.6	3
226	POS1031 LOW INCIDENCE OF GASTROINTESTINAL-RELATED AND OVERALL SERIOUS ADVERSE EVENTS AMONG GUSELKUMAB-TREATED PATIENTS: POOLED ANALYSES OF VOYAGE 1 & 2 AND DISCOVER 1 & 2 THROUGH 1-YEAR. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 787-788	2.4	
225	Five-year efficacy and safety of tildrakizumab in patients with moderate-to-severe psoriasis who respond at week 28: pooled analyses of two randomized phase III clinical trials (reSURFACE 1 and reSURFACE 2). <i>British Journal of Dermatology</i> , 2021 , 185, 323-334	4	15
224	A multicentre open-label study of apremilast in palmoplantar pustulosis (APLANTUS). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2045-2050	4.6	2

223	Long-term Efficacy of Baricitinib in Adults With Moderate to Severe Atopic Dermatitis Who Were Treatment Responders or Partial Responders: An Extension Study of 2 Randomized Clinical Trials. <i>JAMA Dermatology</i> , 2021 , 157, 691-699	5.1	12
222	Safety and efficacy of upadacitinib in combination with topical corticosteroids in adolescents and adults with moderate-to-severe atopic dermatitis (AD Up): results from a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2021 , 397, 2169-2181	4.0	44
221	Differential Changes in Inflammatory Mononuclear Phagocyte and T-Cell Profiles within Psoriatic Skin during Treatment with Guselkumab vs. Secukinumab. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1707-1718.e9	4.3	16
220	German S3-Guideline on the treatment of Psoriasis vulgaris, adapted from EuroGuiDerm - Part 2: Treatment monitoring and specific clinical or comorbid situations. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 1092-1115	1.2	3
219	Bimekizumab versus Adalimumab in Plaque Psoriasis. <i>New England Journal of Medicine</i> , 2021 , 385, 130-141	4.2	28
218	Secukinumab shows high and sustained efficacy in nail psoriasis: 2.5-year results from the randomized placebo-controlled TRANSFIGURE study. <i>British Journal of Dermatology</i> , 2021 , 184, 425-436	4	16
217	Long-term safety of certolizumab pegol in plaque psoriasis: pooled analysis over 3 years from three phase III, randomized, placebo-controlled studies. <i>British Journal of Dermatology</i> , 2021 , 184, 640-651	4	9
216	Secukinumab 2-weekly vs. 4-weekly dosing in patients with plaque-type psoriasis: results from the randomized GAIN study. <i>British Journal of Dermatology</i> , 2021 , 184, 849-856	4	3
215	Long-term efficacy of certolizumab pegol for the treatment of plaque psoriasis: 3-year results from two randomized phase III trials (CIMPASI-1 and CIMPASI-2). <i>British Journal of Dermatology</i> , 2021 , 184, 652-662	4	7
214	Complete clearance and psoriasis area and severity index response for brodalumab and ustekinumab in AMAGINE-2 and -3. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 450-457	4.6	7
213	Immunogenicity of biologic therapies in psoriasis: Myths, facts and a suggested approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 329-337	4.6	3
212	Time to relapse after tildrakizumab withdrawal in patients with moderate-to-severe psoriasis who were responders at week 28: post hoc analysis through 64 weeks from reSURFACE 1 trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 919-927	4.6	9
211	The value of subcutaneous vs. oral methotrexate: real-world data from the German psoriasis registry PsoBest. <i>British Journal of Dermatology</i> , 2021 , 184, 765-767	4	3
210	Mouse models of atopic dermatitis: a critical reappraisal. <i>Experimental Dermatology</i> , 2021 , 30, 319-336	4	5
209	Efficacy and safety of ixekizumab after switching from fumaric acid esters or methotrexate in patients with moderate-to-severe plaque psoriasis naïve to systemic treatment. <i>British Journal of Dermatology</i> , 2021 , 184, 548-550	4	1
208	Pooled safety analysis of baricitinib in adult patients with atopic dermatitis from 8 randomized clinical trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 476-485	4.6	35
207	A phase 4, randomized, head-to-head trial comparing the efficacy of subcutaneous injections of brodalumab to oral administrations of fumaric acid esters in adults with moderate-to-severe plaque psoriasis (CHANGE). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 701-711	4.6	4
206	Bimekizumab versus ustekinumab for the treatment of moderate to severe plaque psoriasis (BE VIVID): efficacy and safety from a 52-week, multicentre, double-blind, active comparator and placebo controlled phase 3 trial. <i>Lancet, The</i> , 2021 , 397, 487-498	4.0	51

205	Network meta-analysis of biologic treatments for psoriasis using absolute Psoriasis Area and Severity Index values 1, 2, 3 or 5 derived from a statistical conversion method. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1161-1175	4.6	3
204	EuroGuiDerm Guideline on the systemic treatment of Psoriasis vulgaris - Part 2: specific clinical and comorbid situations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 281-317	4.6	19
203	Bimekizumab efficacy and safety in moderate to severe plaque psoriasis (BE READY): a multicentre, double-blind, placebo-controlled, randomised withdrawal phase 3 trial. <i>Lancet, The</i> , 2021 , 397, 475-486	4.0	44
202	Complete clearance and Psoriasis Area and Severity Index response for brodalumab and ustekinumab by previous treatment history in AMAGINE-2 and AMAGINE-3. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2034-2044	4.6	2
201	Bimekizumab versus Secukinumab in Plaque Psoriasis. <i>New England Journal of Medicine</i> , 2021 , 385, 142-152	5.2	38
200	Efficacy of secukinumab and adalimumab in patients with psoriatic arthritis and concomitant moderate-to-severe plaque psoriasis: results from EXCEED, a randomized, double-blind head-to-head monotherapy study. <i>British Journal of Dermatology</i> , 2021 ,	4	3
199	Effect of baseline disease severity on achievement of treatment target with apremilast: results from a pooled analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2409-2414	4.6	1
198	Upadacitinib plus topical corticosteroids in atopic dermatitis: Week 52 AD Up study results. <i>Journal of Allergy and Clinical Immunology</i> , 2021 ,	11.5	10
197	Efficacy of guselkumab versus secukinumab in subpopulations of patients with moderate-to-severe plaque psoriasis: results from the ECLIPSE study. <i>Journal of Dermatological Treatment</i> , 2021 , 1-8	2.8	2
196	Five-year maintenance of clinical response and health-related quality of life improvements in patients with moderate-to-severe psoriasis treated with guselkumab: results from VOYAGE 1 and VOYAGE 2. <i>British Journal of Dermatology</i> , 2021 ,	4	8
195	Short-Term Efficacy of Biologic Therapies in Moderate-to-Severe Plaque Psoriasis: A Systematic Literature Review and an Enhanced Multinomial Network Meta-Analysis. <i>Dermatology and Therapy</i> , 2021 , 11, 1965-1998	4	3
194	IL-23 blockade with guselkumab potentially modifies psoriasis pathogenesis: rationale and study protocol of a phase 3b, randomised, double-blind, multicentre study in participants with moderate-to-severe plaque-type psoriasis (GUIDE). <i>BMJ Open</i> , 2021 , 11, e049822	3	3
193	Quality-of-Life Outcomes, Effectiveness and Tolerability of Apremilast in Patients with Plaque Psoriasis and Routine German Dermatology Care: Results from LAPIS-PSO.. <i>Dermatology and Therapy</i> , 2021 , 12, 203	4	1
192	Nail Involvement as a Predictor of Differential Treatment Effects of Secukinumab Versus Ustekinumab in Patients with Moderate to Severe Psoriasis. <i>Dermatology and Therapy</i> , 2021 , 12, 233	4	0
191	Continued treatment with secukinumab is associated with high retention or regain of response. <i>British Journal of Dermatology</i> , 2020 , 182, 67-75	4	4
190	A multinational, prospective, observational study to estimate complete skin clearance in patients with moderate-to-severe plaque Psoriasis treated with BIOlogics in a REAL world setting (PSO-BIO-REAL). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2566-2573	4.6	7
189	Efficacy and Safety of Ixekizumab Through 5 Years in Moderate-to-Severe Psoriasis: Long-Term Results from the UNCOVER-1 and UNCOVER-2 Phase-3 Randomized Controlled Trials. <i>Dermatology and Therapy</i> , 2020 , 10, 431-447	4	21
188	Sex-related impairment and patient needs/benefits in anogenital psoriasis: Difficult-to-communicate topics and their impact on patient-centred care. <i>PLoS ONE</i> , 2020 , 15, e0235091	3.7	5

187	Baricitinib in patients with moderate-to-severe atopic dermatitis and inadequate response to topical corticosteroids: results from two randomized monotherapy phase III trials. <i>British Journal of Dermatology</i> , 2020 , 183, 242-255	4	137
186	The Validated Investigator Global Assessment for Atopic Dermatitis (vIGA-AD): The development and reliability testing of a novel clinical outcome measurement instrument for the severity of atopic dermatitis. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 839-846	4.5	30
185	Disease activity and treatment efficacy using patient-level Psoriasis Area and Severity Index scores from tildrakizumab phase 3 clinical trials. <i>Journal of Dermatological Treatment</i> , 2020 , 1-10	2.8	9
184	EuroGuiDerm Guideline on the systemic treatment of Psoriasis vulgaris - Part 1: treatment and monitoring recommendations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2461-2498	4.6	36
183	FRI0272 SECUKINUMAB DEMONSTRATES A CONSISTENT SAFETY PROFILE IN PATIENTS WITH PSORIASIS, PSORIATIC ARTHRITIS AND ANKYLOSING SPONDYLITIS OVER LONG TERM: UPDATED POOLED SAFETY ANALYSES. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 722.2-722	2.4	2
182	Early Treatment Targets for Predicting Long-term Dermatology Life Quality Index Response in Patients with Moderate-to-Severe Plaque Psoriasis: A Analysis from a Long-term Clinical Study. <i>Journal of Clinical and Aesthetic Dermatology</i> , 2020 , 13, 18-22	1.2	2
181	FRI0087 DURABILITY OF CERTOLIZUMAB PEGOL IN PATIENTS WITH RHEUMATOID ARTHRITIS OR PSORIASIS OVER THREE YEARS: AN ANALYSIS OF POOLED CLINICAL TRIAL DATA. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 621.1-621	2.4	0
180	Efficacy and safety of tildrakizumab for plaque psoriasis with continuous dosing, treatment interruption, dose adjustments and switching from etanercept: results from phase III studies. <i>British Journal of Dermatology</i> , 2020 , 182, 1359-1368	4	14
179	Ixekizumab treatment and the impact on SF-36: results from three pivotal phase III randomised controlled trials in patients with moderate-to-severe plaque psoriasis. <i>Quality of Life Research</i> , 2020 , 29, 369-380	3.7	0
178	A head-to-head comparison of ixekizumab vs. guselkumab in patients with moderate-to-severe plaque psoriasis: 12-week efficacy, safety and speed of response from a randomized, double-blinded trial. <i>British Journal of Dermatology</i> , 2020 , 182, 1348-1358	4	58
177	Maintenance of clinical response and consistent safety profile with up to 3 years of continuous treatment with guselkumab: Results from the VOYAGE 1 and VOYAGE 2 trials. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 936-945	4.5	38
176	Long-term efficacy and safety of secukinumab in the treatment of the multiple manifestations of psoriatic disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1161-1173	4.6	13
175	Safety of Ixekizumab Treatment for up to 5 Years in Adult Patients with Moderate-to-Severe Psoriasis: Results from Greater Than 17,000 Patient-Years of Exposure. <i>Dermatology and Therapy</i> , 2020 , 10, 133-150	4	29
174	Upadacitinib in adults with moderate to severe atopic dermatitis: 16-week results from a randomized, placebo-controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 877-884	11.5	129
173	A new treatment option for paediatric psoriasis. <i>British Journal of Dermatology</i> , 2020 , 183, 606-607	4	
172	Efficacy and Safety of Baricitinib Combined With Topical Corticosteroids for Treatment of Moderate to Severe Atopic Dermatitis: A Randomized Clinical Trial. <i>JAMA Dermatology</i> , 2020 , 156, 1333-1343	5.1	67
171	Baricitinib improves symptoms in patients with moderate-to-severe atopic dermatitis and inadequate response to topical corticosteroids: patient-reported outcomes from two randomized monotherapy phase III trials. <i>Journal of Dermatological Treatment</i> , 2020 , 1-10	2.8	8
170	15057 Safety of baricitinib in patients with atopic dermatitis: Results of pooled data from two phase 3 monotherapy randomized, double-blind, placebo-controlled 16-week trials (BREEZE-AD1 and BREEZE-AD2). <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, AB28	4.5	2

169	Disease burden and treatment needs of patients with psoriasis in sexually-sensitive and visible body areas: results from a large-scale survey in routine care. <i>European Journal of Dermatology</i> , 2020 , 30, 267-278	0.8	2
168	COVID-19 and implications for dermatological and allergological diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 815-824	1.2	9
167	Association Between Patient- and Physician-Reported Outcomes in Patients with Moderate-To-Severe Plaque Psoriasis Treated with Biologics in Real Life (PSO-BIO-REAL). <i>Dermatology and Therapy</i> , 2020 , 10, 1099-1109	4	4
166	Maintenance of Response Through up to 4 Years of Continuous Guselkumab Treatment of Psoriasis in the VOYAGE 2 Phase 3 Study. <i>American Journal of Clinical Dermatology</i> , 2020 , 21, 881-890	7.1	12
165	Secukinumab dosing optimization in patients with moderate-to-severe plaque psoriasis: results from the randomized, open-label OPTIMISE study. <i>British Journal of Dermatology</i> , 2020 , 182, 304-315	4	19
164	Long-term efficacy and safety of tildrakizumab for moderate-to-severe psoriasis: pooled analyses of two randomized phase III clinical trials (reSURFACE 1 and reSURFACE 2) through 148 weeks. <i>British Journal of Dermatology</i> , 2020 , 182, 605-617	4	59
163	Assessment of the effects of immunogenicity on the pharmacokinetics, efficacy and safety of tildrakizumab. <i>British Journal of Dermatology</i> , 2020 , 182, 180-189	4	14
162	Dupilumab shows long-term safety and efficacy in patients with moderate to severe atopic dermatitis enrolled in a phase 3 open-label extension study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 377-388	4.5	77
161	A 24-week multicentre, randomized, open-label, parallel-group study comparing the efficacy and safety of ixekizumab vs. fumaric acid esters and methotrexate in patients with moderate-to-severe plaque psoriasis naive to systemic treatment. <i>British Journal of Dermatology</i> , 2020 , 182, 869-879	4	15
160	Guselkumab improves work productivity in patients with moderate-to-severe psoriasis with or without depression and anxiety: results from the VOYAGE 2 comparator study versus adalimumab. <i>Journal of Dermatological Treatment</i> , 2020 , 31, 617-623	2.8	1
159	Immunoglobulin E-Selective Immunoabsorption Reduces Peripheral and Skin-Bound Immunoglobulin E and Modulates Cutaneous IL-13 Expression in Severe Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 720-723	4.3	5
158	Use of dose-exposure-response relationships in Phase 2 and Phase 3 guselkumab studies to optimize dose selection in psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 2082-2086	4.6	4
157	Secukinumab, a fully human anti-interleukin-17A monoclonal antibody, exhibits low immunogenicity in psoriasis patients treated up to 5 years. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1733-1741	4.6	12
156	Long-term safety of secukinumab in patients with moderate-to-severe plaque psoriasis, psoriatic arthritis, and ankylosing spondylitis: integrated pooled clinical trial and post-marketing surveillance data. <i>Arthritis Research and Therapy</i> , 2019 , 21, 111	5.7	144
155	Switching from a fumaric acid ester mixture to dimethylfumarate monotherapy in psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e352-e353	4.6	2
154	Efficacy of tildrakizumab for moderate-to-severe plaque psoriasis: pooled analysis of three randomized controlled trials at weeks 12 and 28. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 1098-1106	4.6	14
153	Incidence rates of inflammatory bowel disease in patients with psoriasis, psoriatic arthritis and ankylosing spondylitis treated with secukinumab: a retrospective analysis of pooled data from 21 clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 473-479	2.4	98
152	Clinical response of psoriasis to subcutaneous methotrexate correlates with inhibition of cutaneous T helper 1 and 17 inflammatory pathways. <i>British Journal of Dermatology</i> , 2019 , 181, 859-862 ⁴		4

151	Efficacy and safety of mirikizumab (LY3074828) in the treatment of moderate-to-severe plaque psoriasis: results from a randomized phase II study. <i>British Journal of Dermatology</i> , 2019 , 181, 88-95	4	42
150	Guselkumab versus secukinumab for the treatment of moderate-to-severe psoriasis (ECLIPSE): results from a phase 3, randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 831-839	40	141
149	Correlation of Physician-Assessed Psoriasis Area and Severity Index Scores With Patient-Reported Psoriasis Symptoms and Signs Diary Scores Among Patients With Moderate-to-Severe Psoriasis: Results From VOYAGE 1 and VOYAGE 2 Studies. <i>Journal of Psoriasis and Psoriatic Arthritis</i> , 2019 , 4, 147-152	1.1	1
148	Tildrakizumab efficacy and impact on quality of life up to 52 weeks in patients with moderate-to-severe psoriasis: a pooled analysis of two randomized controlled trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 2305-2312	4.6	15
147	Risankizumab compared with adalimumab in patients with moderate-to-severe plaque psoriasis (IMMvent): a randomised, double-blind, active-comparator-controlled phase 3 trial. <i>Lancet, The</i> , 2019 , 394, 576-586	40	121
146	Guselkumab Efficacy after Withdrawal Is Associated with Suppression of Serum IL-23-Regulated IL-17 and IL-22 in Psoriasis: VOYAGE 2 Study. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 2437-2446.e1	4.3	42
145	Consistent responses with guselkumab treatment in Asian and non-Asian patients with psoriasis: An analysis from VOYAGE 1 and VOYAGE 2. <i>Journal of Dermatology</i> , 2019 , 46, 1141-1152	1.6	4
144	Long-term safety profile of ixekizumab in patients with moderate-to-severe plaque psoriasis: an integrated analysis from 11 clinical trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 333-339	4.6	40
143	Topology of psoriasis in routine care: results from high-resolution analysis of 2009 patients. <i>British Journal of Dermatology</i> , 2019 , 181, 358-365	4	11
142	Improvement in Patient-Reported Outcomes (Dermatology Life Quality Index and the Psoriasis Symptoms and Signs Diary) with Guselkumab in Moderate-to-Severe Plaque Psoriasis: Results From the Phase III VOYAGE 1 and VOYAGE 2 Studies. <i>American Journal of Clinical Dermatology</i> , 2019 , 20, 155-164	7.1	16
141	Effect of secukinumab on the clinical activity and disease burden of nail psoriasis: 32-week results from the randomized placebo-controlled TRANSFIGURE trial. <i>British Journal of Dermatology</i> , 2019 , 181, 954-966	4	51
140	Gender and age significantly determine patient needs and treatment goals in psoriasis - a lesson for practice. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 700-708	4.6	37
139	Safety of guselkumab in patients with moderate-to-severe psoriasis treated through 100 weeks: a pooled analysis from the randomized VOYAGE 1 and VOYAGE 2 studies. <i>British Journal of Dermatology</i> , 2019 , 180, 1039-1049	4	41
138	Ixekizumab provides superior efficacy compared with ustekinumab over 52 weeks of treatment: Results from IXORA-S, a phase 3 study. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, 70-79.e3	4.5	58
137	Certolizumab pegol for the treatment of patients with moderate-to-severe chronic plaque psoriasis: pooled analysis of week 16 data from three randomized controlled trials. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 546-552	4.6	22
136	Certolizumab pegol for the treatment of chronic plaque psoriasis: Results through 48 weeks from 2 phase 3, multicenter, randomized, double-blinded, placebo-controlled studies (CIMPASI-1 and CIMPASI-2). <i>Journal of the American Academy of Dermatology</i> , 2018 , 79, 302-314.e6	4.5	94
135	Anxiety and depression in patients with moderate-to-severe psoriasis and comparison of change from baseline after treatment with guselkumab vs. adalimumab: results from the Phase 3 VOYAGE 2 study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1940-1949	4.6	39
134	Ixekizumab treatment for psoriasis: integrated efficacy analysis of three double-blinded, controlled studies (UNCOVER-1, UNCOVER-2, UNCOVER-3). <i>British Journal of Dermatology</i> , 2018 , 178, 674-681	4	57

133	Secukinumab in pregnancy: outcomes in psoriasis, psoriatic arthritis and ankylosing spondylitis from the global safety database. <i>British Journal of Dermatology</i> , 2018 , 179, 1205-1207	4	50
132	Safety of tildrakizumab for moderate-to-severe plaque psoriasis: pooled analysis of three randomized controlled trials. <i>British Journal of Dermatology</i> , 2018 , 179, 615-622	4	39
131	S3 Guideline for the treatment of psoriasis vulgaris, update - Short version part 1 - Systemic treatment. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 645-669	1.2	71
130	Exposure-Response Modeling to Characterize the Relationship Between Ixekizumab Serum Drug Concentrations and Efficacy Responses at Week 12 in Patients With Moderate to Severe Plaque Psoriasis. <i>Journal of Clinical Pharmacology</i> , 2018 , 58, 1489-1500	2.9	6
129	Dupilumab with concomitant topical corticosteroid treatment in adults with atopic dermatitis with an inadequate response or intolerance to ciclosporin A or when this treatment is medically inadvisable: a placebo-controlled, randomized phase III clinical trial (LIBERTY AD CAF) <i>British Journal of Dermatology</i> , 2018 , 178, 1083-1101	4	236
128	Safety and efficacy of apremilast through 104 weeks in patients with moderate to severe psoriasis who continued on apremilast or switched from etanercept treatment: findings from the LIBERATE study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 397-402	4.6	34
127	The genetic basis for most patients with pustular skin disease remains elusive. <i>British Journal of Dermatology</i> , 2018 , 178, 740-748	4	47
126	Clinical use of dimethyl fumarate in moderate-to-severe plaque-type psoriasis: a European expert consensus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32 Suppl 3, 3-14	4.6	41
125	Definition of psoriasis severity in routine clinical care: current guidelines fail to capture the complexity of long-term psoriasis management. <i>British Journal of Dermatology</i> , 2018 , 179, 1385-1391	4	15
124	Ixekizumab Pharmacokinetics, Anti-Drug Antibodies, and Efficacy through 60 Weeks of Treatment of Moderate to Severe Plaque Psoriasis. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2168-2173	4.3	22
123	Efficacy and safety of guselkumab, an anti-interleukin-23 monoclonal antibody, compared with adalimumab for the treatment of patients with moderate to severe psoriasis with randomized withdrawal and retreatment: Results from the phase III, double-blind, placebo- and active comparator-controlled VOYAGE 2 trial. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 418-431	4.5	405
122	Psoriasis and metabolic syndrome in children: current data. <i>Clinical and Experimental Dermatology</i> , 2017 , 42, 131-136	1.8	17
121	Evaluation of adherence predictors for the treatment of moderate to severe psoriasis with biologics: the importance of physician-patient interaction and communication. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1014-1020	4.6	15
120	Secukinumab re-initiation achieves regain of high response levels in patients who interrupt treatment for moderate to severe plaque psoriasis. <i>British Journal of Dermatology</i> , 2017 , 177, 879-881	4	19
119	Tildrakizumab versus placebo or etanercept for chronic plaque psoriasis (reSURFACE 1 and reSURFACE 2): results from two randomised controlled, phase 3 trials. <i>Lancet, The</i> , 2017 , 390, 276-288	4.0	302
118	Secukinumab is superior to fumaric acid esters in treating patients with moderate-to-severe plaque psoriasis who are naive to systemic treatments: results from the randomized controlled PRIME trial. <i>British Journal of Dermatology</i> , 2017 , 177, 1024-1032	4	39
117	Comparison of ixekizumab with ustekinumab in moderate-to-severe psoriasis: 24-week results from IXORA-S, a phase III study. <i>British Journal of Dermatology</i> , 2017 , 177, 1014-1023	4	116
116	Secukinumab demonstrates greater sustained improvements in daily activities and personal relationships than ustekinumab in patients with moderate-to-severe plaque psoriasis: 52-week results from the CLEAR study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1688-1698	4.6	11

115	The effect of bodyweight on the efficacy and safety of ixekizumab: results from an integrated database of three randomised, controlled Phase 3 studies of patients with moderate-to-severe plaque psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1196-1207	4.6	21
114	Efficacy of ixekizumab compared to etanercept and placebo in patients with moderate-to-severe plaque psoriasis and non-pustular palmoplantar involvement: results from three phase 3 trials (UNCOVER-1, UNCOVER-2 and UNCOVER-3). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1481-1490	4.6	42
113	Rapid improvements in health-related quality of life and itch with ixekizumab treatment in randomized phase 3 trials: results from UNCOVER-2 and UNCOVER-3. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1483-1490	4.6	27
112	Reaching complete or near-complete resolution of psoriasis: benefit and risk considerations. <i>British Journal of Dermatology</i> , 2017 , 177, 587-590	4	6
111	A Topical Treatment Optimization Programme (TTOP) improves clinical outcome for calcipotriol/betamethasone gel in psoriasis: results of a 64-week multinational randomized phase IV study in 1790 patients (PSO-TOP). <i>British Journal of Dermatology</i> , 2017 , 177, 197-205	4	29
110	Inflammatory bowel disease among patients with psoriasis treated with ixekizumab: A presentation of adjudicated data from an integrated database of 7 randomized controlled and uncontrolled trials. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 441-448.e2	4.5	72
109	An intensified dosing schedule of subcutaneous methotrexate in patients with moderate to severe plaque-type psoriasis (METOP): a 52 week, multicentre, randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2017 , 389, 528-537	4.0	62
108	Efficacy and safety of ixekizumab for the treatment of moderate-to-severe plaque psoriasis: Results through 108 weeks of a randomized, controlled phase 3 clinical trial (UNCOVER-3). <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 855-862	4.5	80
107	European S3-Guideline on the systemic treatment of psoriasis vulgaris - Update Apremilast and Secukinumab - EDF in cooperation with EADV and IPC. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1951-1963	4.6	86
106	Comment on "Quantitative Evaluation of Biologic Therapy Options for Psoriasis: A Systematic Review and Network Meta-Analysis". <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2642-2644	4.3	2
105	The efficacy and safety of apremilast, etanercept and placebo in patients with moderate-to-severe plaque psoriasis: 52-week results from a phase IIIb, randomized, placebo-controlled trial (LIBERATE). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 507-517	4.6	106
104	Sustained response with ixekizumab treatment of moderate-to-severe psoriasis with scalp involvement: results from three phase 3 trials (UNCOVER-1, UNCOVER-2, UNCOVER-3). <i>Journal of Dermatological Treatment</i> , 2017 , 28, 282-287	2.8	35
103	Secukinumab, a fully human anti-interleukin-17A monoclonal antibody, exhibits minimal immunogenicity in patients with moderate-to-severe plaque psoriasis. <i>British Journal of Dermatology</i> , 2017 , 176, 752-758	4	36
102	Quality of life and patient benefit following transition from methotrexate to ustekinumab in psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 294-303	4.6	7
101	Short- and long-term safety outcomes with ixekizumab from 7 clinical trials in psoriasis: Etanercept comparisons and integrated data. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 432-440.e175	4.5	88
100	Secukinumab is superior to ustekinumab in clearing skin of subjects with moderate-to-severe plaque psoriasis up to 1 year: Results from the CLEAR study. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 60-69.e9	4.5	210
99	Methods for Imputing Missing Efficacy Data in Clinical Trials of Biologic Psoriasis Therapies: Implications for Interpretations of Trial Results. <i>Journal of Drugs in Dermatology</i> , 2017 , 16, 734-741	2.2	11
98	Calcium spirulan derived from <i>Spirulina platensis</i> inhibits herpes simplex virus 1 attachment to human keratinocytes and protects against herpes labialis. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 197-203.e3	11.5	45

97	Phase 3 Trials of Ixekizumab in Moderate-to-Severe Plaque Psoriasis. <i>New England Journal of Medicine</i> , 2016 , 375, 345-56	59.2	505
96	Panimmunoglobulin and IgE-selective extracorporeal immunoadsorption in patients with severe atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 1882-1884.e6	11.5	21
95	Patient-relevant treatment goals in psoriasis. <i>Archives of Dermatological Research</i> , 2016 , 308, 69-78	3.3	67
94	FRI0460 Secukinumab Shows Significant Efficacy in Nail Psoriasis: Week 32 Results from The Transfigure Study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 603.2-604	2.4	7
93	Quality of psoriasis care in Germany: results of the national health care study "PsoHealth3". <i>Archives of Dermatological Research</i> , 2016 , 308, 401-8	3.3	24
92	Secukinumab long-term safety experience: A pooled analysis of 10 phase II and III clinical studies in patients with moderate to severe plaque psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 83-98.e4	4.5	212
91	Clinical meaningfulness of complete skin clearance in psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 77-82.e7	4.5	65
90	Treatment Satisfaction in Psoriasis: Development and Use of the PsoSat Patient Questionnaire in a Cross-Sectional Study. <i>Dermatology</i> , 2016 , 232, 334-43	4.4	8
89	The German National Program on Psoriasis Health Care 2005-2015: results and experiences. <i>Archives of Dermatological Research</i> , 2016 , 308, 389-400	3.3	27
88	A prospective phase III, randomized, double-blind, placebo-controlled study of brodalumab in patients with moderate-to-severe plaque psoriasis. <i>British Journal of Dermatology</i> , 2016 , 175, 273-86	4	297
87	Retrospective data collection of psoriasis treatment with fumaric acid esters in children and adolescents in Germany (KIDS FUTURE study). <i>JDDG - Journal of the German Society of Dermatology</i> , 2016 , 14, 50-8	1.2	14
86	Retrospektive Datenerhebung der Psoriasis-Behandlung mit Fumarsäureestern bei Kindern und Jugendlichen in Deutschland (KIDS FUTURE-Studie). <i>JDDG - Journal of the German Society of Dermatology</i> , 2016 , 14, 50-58	1.2	7
85	Efficacy of a fixed combination of calcipotriol/betamethasone dipropionate topical gel in adult patients with mild to moderate psoriasis: blinded interim analysis of a phase IV, multicenter, randomized, controlled, prospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1156-63	4.6	19
84	Apremilast, an oral phosphodiesterase 4 (PDE4) inhibitor, in patients with moderate to severe plaque psoriasis: Results of a phase III, randomized, controlled trial (Efficacy and Safety Trial Evaluating the Effects of Apremilast in Psoriasis [ESTEEM] 1). <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 87-93	4.5	360
83	Secukinumab is superior to ustekinumab in clearing skin of subjects with moderate to severe plaque psoriasis: CLEAR, a randomized controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 400-9	4.5	380
82	A Phase 2 Trial of Guselkumab versus Adalimumab for Plaque Psoriasis. <i>New England Journal of Medicine</i> , 2015 , 373, 136-44	59.2	212
81	Comparison of ixekizumab with etanercept or placebo in moderate-to-severe psoriasis (UNCOVER-2 and UNCOVER-3): results from two phase 3 randomised trials. <i>Lancet, The</i> , 2015 , 386, 541-51	40	576
80	Long-term efficacy and safety of ustekinumab, with and without dosing adjustment, in patients with moderate-to-severe psoriasis: results from the PHOENIX 2 study through 5 years of follow-up. <i>British Journal of Dermatology</i> , 2015 , 172, 1371-83	4	147

79	Tildrakizumab (MK-3222), an anti-interleukin-23p19 monoclonal antibody, improves psoriasis in a phase IIb randomized placebo-controlled trial. <i>British Journal of Dermatology</i> , 2015 , 173, 930-9	4	186
78	Evidence that a neutrophil-keratinocyte crosstalk is an early target of IL-17A inhibition in psoriasis. <i>Experimental Dermatology</i> , 2015 , 24, 529-35	4	123
77	Epidemiology and Comorbidity in Children with Psoriasis and Atopic Eczema. <i>Dermatology</i> , 2015 , 231, 35-40	4.4	84
76	European S3-Guidelines on the systemic treatment of psoriasis vulgaris--Update 2015--Short version--EDF in cooperation with EADV and IPC. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 2277-94	4.6	271
75	Drug safety of systemic treatments for psoriasis: results from The German Psoriasis Registry PsoBest. <i>Archives of Dermatological Research</i> , 2015 , 307, 875-83	3.3	95
74	Treatment goals in psoriasis routine care. <i>Archives of Dermatological Research</i> , 2015 , 307, 445-9	3.3	21
73	Assessing adherence factors in patients under topical treatment: development of the Topical Therapy Adherence Questionnaire (TTAQ). <i>Archives of Dermatological Research</i> , 2014 , 306, 287-97	3.3	28
72	Nail involvement as a predictor of concomitant psoriatic arthritis in patients with psoriasis. <i>British Journal of Dermatology</i> , 2014 , 171, 1123-8	4	89
71	One-year safety and efficacy of ustekinumab and results of dose adjustment after switching from inadequate methotrexate treatment: the TRANSIT randomized trial in moderate-to-severe plaque psoriasis. <i>British Journal of Dermatology</i> , 2014 , 170, 435-44	4	32
70	Transition to ustekinumab in patients with moderate-to-severe psoriasis and inadequate response to methotrexate: a randomized clinical trial (TRANSIT). <i>British Journal of Dermatology</i> , 2014 , 170, 425-34 ⁴		18
69	Secukinumab improves hand, foot and nail lesions in moderate-to-severe plaque psoriasis: subanalysis of a randomized, double-blind, placebo-controlled, regimen-finding phase 2 trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 1670-5	4.6	60
68	Development of an adherence-enhancing intervention in topical treatment termed the topical treatment optimization program (TTOP). <i>Archives of Dermatological Research</i> , 2014 , 306, 667-76	3.3	17
67	A consensus report on appropriate treatment optimization and transitioning in the management of moderate-to-severe plaque psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 438-53	4.6	100
66	Secukinumab in plaque psoriasis--results of two phase 3 trials. <i>New England Journal of Medicine</i> , 2014 , 371, 326-38	59.2	1319
65	Patient perspectives in the management of psoriasis: results from the population-based Multinational Assessment of Psoriasis and Psoriatic Arthritis Survey. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 871-81.e1-30	4.5	332
64	Deutsches Psoriasis-Register PsoBest: Zielsetzung, Methodik und Basisdaten. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014 , 12, 48-58	1.2	25
63	Non-adherence and measures to improve adherence in the topical treatment of psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28 Suppl 2, 4-9	4.6	54
62	Nail Assessment in Psoriasis and Psoriatic Arthritis (NAPPA): development and validation of a tool for assessment of nail psoriasis outcomes. <i>British Journal of Dermatology</i> , 2014 , 170, 591-8	4	39

61	Interleukin-17A: a unique pathway in immune-mediated diseases: psoriasis, psoriatic arthritis and rheumatoid arthritis. <i>Immunology</i> , 2014 , 141, 133-42	7.8	162
60	Efficacy and safety of infliximab as continuous or intermittent therapy in patients with moderate-to-severe plaque psoriasis: results of a randomized, long-term extension trial (RESTORE2). <i>British Journal of Dermatology</i> , 2013 , 168, 1325-34	4	78
59	An assessment of adalimumab efficacy in three Phase III clinical trials using the European Consensus Programme criteria for psoriasis treatment goals. <i>British Journal of Dermatology</i> , 2013 , 168, 374-80	4	12
58	Long-term safety of ustekinumab in patients with moderate-to-severe psoriasis: final results from 5 years of follow-up. <i>British Journal of Dermatology</i> , 2013 , 168, 844-54	4	284
57	Arzneimittelversorgung von Kindern mit Psoriasis in Deutschland. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 751-755	1.2	3
56	Drug supply for children with psoriasis in Germany. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 751-5	1.2	10
55	The interpretation of long-term trials of biologic treatments for psoriasis: trial designs and the choices of statistical analyses affect ability to compare outcomes across trials. <i>British Journal of Dermatology</i> , 2013 , 169, 1198-206	4	12
54	Genetic diagnostics in inflammatory dermatoses--from insights into pathophysiology to individualized patient management. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11 Suppl 4, 59-67	1.2	1
53	Genetische Diagnostik bei entzündlichen Dermatosen Vom Einblick in die Pathophysiologie zur Möglichkeit eines individualisierten Managements. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013 , 11, 60-68	1.2	18
52	S3 - Guidelines on the treatment of psoriasis vulgaris (English version). Update. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10 Suppl 2, S1-95	1.2	197
51	Methotrexate therapy in dermatology. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012 , 10, 363-70	1.2	1
50	Successful treatment of moderate to severe plaque psoriasis with the PEGylated FabPcertolizumab pegol: results of a phase II randomized, placebo-controlled trial with a re-treatment extension. <i>British Journal of Dermatology</i> , 2012 , 167, 180-90	4	109
49	German S3-guidelines on the treatment of psoriasis vulgaris (short version). <i>Archives of Dermatological Research</i> , 2012 , 304, 87-113	3.3	83
48	Long-term safety experience of ustekinumab in patients with moderate to severe psoriasis (Part II of II): results from analyses of infections and malignancy from pooled phase II and III clinical trials. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, 742-51	4.5	105
47	Recommendations for the treatment of nail psoriasis in patients with moderate to severe psoriasis: a dermatology expert group consensus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 373-81	4.6	39
46	The concept of psoriasis as a systemic inflammation: implications for disease management. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26 Suppl 2, 3-11	4.6	188
45	Efficacy of biologics in the treatment of moderate to severe psoriasis: a network meta-analysis of randomized controlled trials. <i>British Journal of Dermatology</i> , 2012 , 166, 179-88	4	147
44	Improvement of treatment-refractory atopic dermatitis by immunoabsorption: a pilot study. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 267-70, 270.e1-6	11.5	41

43	The long-term safety of adalimumab treatment in moderate to severe psoriasis: a comprehensive analysis of all adalimumab exposure in all clinical trials. <i>American Journal of Clinical Dermatology</i> , 2011 , 12, 321-37	7.1	49
42	Relationship between methotrexate dosing and clinical response in patients with moderate to severe psoriasis: subanalysis of the CHAMPION study. <i>British Journal of Dermatology</i> , 2011 , 165, 399-406 ⁴		35
41	Efficacy and safety of infliximab vs. methotrexate in patients with moderate-to-severe plaque psoriasis: results of an open-label, active-controlled, randomized trial (RESTORE1). <i>British Journal of Dermatology</i> , 2011 , 165, 1109-17	4	135
40	Strategies for improving the quality of care in psoriasis with the use of treatment goals--a report on an implementation meeting. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25 Suppl 3, 1-13	4.6	35
39	In touch with psoriasis: topical treatments and current guidelines. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25 Suppl 4, 3-8	4.6	47
38	What is new in topical therapy for psoriasis?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25 Suppl 4, 15-20	4.6	23
37	Therapie der Psoriasis im Kindes- und Jugendalter Ein deutscher Experten-Konsens. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011 , 9, 815-824	1.2	23
36	S3 Guidelines on the treatment of psoriasis vulgaris Update 2011. <i>JDDG - Journal of the German Society of Dermatology</i> , 2011 , 9, S1-S95	1.2	58
35	Immunologic effects and tolerability profile of in-season initiation of a standardized-quality grass allergy immunotherapy tablet: a phase III, multicenter, randomized, double-blind, placebo-controlled trial in adults with grass pollen-induced rhinoconjunctivitis. <i>Clinical Therapeutics</i> , 2011 , 33, 828-40	3.5	22
34	Cardiovascular safety of ustekinumab in patients with moderate to severe psoriasis: results of integrated analyses of data from phase II and III clinical studies. <i>British Journal of Dermatology</i> , 2011 , 164, 862-72	4	93
33	Definition of treatment goals for moderate to severe psoriasis: a European consensus. <i>Archives of Dermatological Research</i> , 2011 , 303, 1-10	3.3	527
32	Nail psoriasis as a severity indicator: results from the PsoReal study. <i>Patient Related Outcome Measures</i> , 2011 , 2, 1-6	2.9	31
31	Ustekinumab decreases work limitations, improves work productivity, and reduces work days missed in patients with moderate-to-severe psoriasis: results from PHOENIX 2. <i>Journal of Dermatological Treatment</i> , 2011 , 22, 337-47	2.8	31
30	A 52-week trial comparing briakinumab with methotrexate in patients with psoriasis. <i>New England Journal of Medicine</i> , 2011 , 365, 1586-96	59.2	158
29	Epidemiology and comorbidity of psoriasis in children. <i>British Journal of Dermatology</i> , 2010 , 162, 633-6	4	262
28	Nail psoriasis in Germany: epidemiology and burden of disease. <i>British Journal of Dermatology</i> , 2010 , 163, 580-5	4	121
27	Co-morbidity and age-related prevalence of psoriasis: Analysis of health insurance data in Germany. <i>Acta Dermato-Venereologica</i> , 2010 , 90, 147-51	2.2	207
26	Impact of weight on the efficacy and safety of ustekinumab in patients with moderate to severe psoriasis: rationale for dosing recommendations. <i>Journal of the American Academy of Dermatology</i> , 2010 , 63, 571-9	4.5	92

25	Psoriasis--new insights into pathogenesis and treatment. <i>Deutsches A&#x0308;rzteblatt International</i> , 2009 , 106, 11-8, quiz 19	2.5	36
24	Evaluation of quality of care and guideline-compliant treatment in psoriasis. Development of a new system of quality indicators. <i>Dermatology</i> , 2009 , 219, 54-8	4.4	32
23	A new scalp formulation of calcipotriol plus betamethasone dipropionate compared with each of its active ingredients in the same vehicle for the treatment of scalp psoriasis: a randomized, double-blind, controlled trial. <i>British Journal of Dermatology</i> , 2009 , 160, 170-6	4	67
22	Epidemiology and clinical pattern of psoriatic arthritis in Germany: a prospective interdisciplinary epidemiological study of 1511 patients with plaque-type psoriasis. <i>British Journal of Dermatology</i> , 2009 , 160, 1040-7	4	251
21	Wirksamkeit und Sicherheit von Fumarsäureestern in der Langzeittherapie der Psoriasis [Eine retrospektive Studie (FUTURE)]. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 603-611	1.2	87
20	Prevalence and clinical features of psoriatic arthritis and joint complaints in 2009 patients with psoriasis: results of a German national survey. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 683-91	4.6	129
19	Approach to managing patients with nail psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23 Suppl 1, 15-21	4.6	92
18	European S3-guidelines on the systemic treatment of psoriasis vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23 Suppl 2, 1-70	4.6	586
17	Once-weekly administration of etanercept 50 mg improves patient-reported outcomes in patients with moderate-to-severe plaque psoriasis. <i>Dermatology</i> , 2009 , 219, 239-49	4.4	36
16	Disease severity, quality of life and health care in plaque-type psoriasis: a multicenter cross-sectional study in Germany. <i>Dermatology</i> , 2008 , 216, 366-72	4.4	199
15	Baseline nail disease in patients with moderate to severe psoriasis and response to treatment with infliximab during 1 year. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 224-31	4.5	131
14	Efficacy and safety of ustekinumab, a human interleukin-12/23 monoclonal antibody, in patients with psoriasis: 52-week results from a randomised, double-blind, placebo-controlled trial (PHOENIX 2). <i>Lancet, The</i> , 2008 , 371, 1675-84	4.0	1150
13	The relationship between quality of life and skin clearance in moderate-to-severe psoriasis: lessons learnt from clinical trials with infliximab. <i>Archives of Dermatological Research</i> , 2008 , 300, 537-44	3.3	44
12	Quality of psoriasis care in Germany--results of the national study PsoHealth 2007. <i>JDDG - Journal of the German Society of Dermatology</i> , 2008 , 6, 640-5	1.2	48
11	Consistency of Infliximab Response across Subgroups of Patients with Psoriasis: Integrated Results from Randomized Clinical Trials. <i>Psoriasis Forum</i> , 2007 , 13a, 21-27		10
10	Costs and quality of life in patients with moderate to severe plaque-type psoriasis in Germany: a multi-center study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007 , 5, 209-18	1.2	75
9	Treatment goals in psoriasis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007 , 5, 566-74	1.2	78
8	German evidence-based guidelines for the treatment of Psoriasis vulgaris (short version). <i>Archives of Dermatological Research</i> , 2007 , 299, 111-38	3.3	100

7	Use of fumaric acid esters in psoriasis. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2007 , 73, 133-7	0.8	22
6	Infliximab treatment improves productivity among patients with moderate-to-severe psoriasis. <i>European Journal of Dermatology</i> , 2007 , 17, 381-6	0.8	22
5	Cost of moderate to severe plaque psoriasis in Germany: a multicenter cost-of-illness study. <i>Dermatology</i> , 2006 , 212, 137-44	4.4	90
4	Improvement in quality of life with infliximab induction and maintenance therapy in patients with moderate-to-severe psoriasis: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2006 , 154, 1161-8	4	92
3	Infliximab induction and maintenance therapy for moderate-to-severe psoriasis: a phase III, multicentre, double-blind trial. <i>Lancet, The</i> , 2005 , 366, 1367-74	40	850
2	Promoter polymorphisms of the genes encoding tumor necrosis factor-alpha and interleukin-1beta are associated with different subtypes of psoriasis characterized by early and late disease onset. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 155-63	4.3	89
1	Methods used for indirect comparisons of systemic treatments for psoriasis. A systematic review. <i>Skin Health and Disease</i> ,		0