

# Shuping Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1189381/publications.pdf>

Version: 2024-02-01

58  
papers

2,431  
citations

159585

30  
h-index

206112

48  
g-index

58  
all docs

58  
docs citations

58  
times ranked

1908  
citing authors

#	ARTICLE	IF	CITATIONS
1	Catalytic co-pyrolysis of food waste digestate and corn husk with CaO catalyst for upgrading bio-oil. <i>Renewable Energy</i> , 2022, 186, 105-114.	8.9	26
2	Catalytic activity evaluation and deactivation progress of red mud/carbonaceous catalyst for efficient biomass gasification tar cracking. <i>Fuel</i> , 2022, 323, 124278.	6.4	34
3	Inhibition mechanism of calcium hydroxide on melting and agglomeration behaviors of lignin under torrefaction temperature range. <i>Fuel Processing Technology</i> , 2022, 235, 107370.	7.2	1
4	Fractional condensation of pyrolysis oil from fast pyrolysis of food waste digestate for enrichment of high value-added nitrogen-containing components. <i>Journal of Analytical and Applied Pyrolysis</i> , 2022, 166, 105609.	5.5	5
5	Porous Carbons Derived from Desilication Treatment and Mixed Alkali Activation of Rice Husk Char for Supercapacitors. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2021, 43, 282-290.	2.3	9
6	Catalytic cracking of biomass tar using Ni nanoparticles embedded carbon nanofiber/porous carbon catalysts. <i>Energy</i> , 2021, 216, 119285.	8.8	47
7	Investigation of Char Yield and Its Physicochemical Properties with Recycling of Heavy Oil from Biomass Pyrolysis. <i>Energy &amp; Fuels</i> , 2021, 35, 2326-2334.	5.1	4
8	Simultaneous production of aromatics-rich bio-oil and carbon nanomaterials from catalytic co-pyrolysis of biomass/plastic wastes and in-line catalytic upgrading of pyrolysis gas. <i>Waste Management</i> , 2021, 121, 95-104.	7.4	54
9	Upgrading Biomass Fuels via Combination of CO <sub>2</sub> -Leaching and Torrefaction. <i>Energy &amp; Fuels</i> , 2021, 35, 5006-5014.	5.1	8
10	Study on co-hydrothermal treatment combined with pyrolysis of rice straw/sewage sludge: Biochar properties and heavy metals behavior. <i>Journal of Analytical and Applied Pyrolysis</i> , 2021, 155, 105074.	5.5	33
11	Catalytic conversion of plastic wastes using cost-effective bauxite residue as catalyst into H <sub>2</sub> -rich syngas and magnetic nanocomposites for chrome(VI) detoxification. <i>Journal of Hazardous Materials</i> , 2021, 413, 125289.	12.4	25
12	Preparation and characterization of char supported Ni Cu nanoalloy catalyst for biomass tar cracking together with syngas-rich gas production. <i>Fuel Processing Technology</i> , 2021, 218, 106858.	7.2	29
13	Thermal decomposition behavior and sulfur release characteristics for torrefied wheat straw during pyrolysis process. <i>Bioresource Technology</i> , 2021, 333, 125172.	9.6	4
14	Synthesis of modified char-supported Ni-Fe catalyst with hierarchical structure for catalytic cracking of biomass tar. <i>Renewable Energy</i> , 2021, 174, 188-198.	8.9	36
15	Construction of Fe embedded graphene nanoshell/carbon nanofibers catalyst for catalytic cracking of biomass tar: Effect of CO <sub>2</sub> etching. <i>Fuel</i> , 2021, 305, 121552.	6.4	25
16	The synergistic mechanism between coke depositions and gas for H <sub>2</sub> production from co-pyrolysis of biomass and plastic wastes via char supported catalyst. <i>Waste Management</i> , 2021, 121, 23-32.	7.4	47
17	Investigation of molten salt in wet torrefaction and its effects on fast pyrolysis behaviors. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2020, 42, 577-585.	2.3	4
18	Highly porous N-doped carbons production from biomass for high-performance supercapacitors without chemical nitrogen-containing dopants. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2020, 42, 1797-1807.	2.3	16

#	ARTICLE	IF	CITATIONS
19	A green route for pyrolysis poly-generation of typical high ash biomass, rice husk: Effects on simultaneous production of carbonic oxide-rich syngas, phenol-abundant bio-oil, high-adsorption porous carbon and amorphous silicon dioxide. <i>Bioresource Technology</i> , 2020, 295, 122243.	9.6	48
20	Syngas production at low temperature via the combination of hydrothermal pretreatment and activated carbon catalyst along with value-added utilization of tar and bio-char. <i>Energy Conversion and Management</i> , 2020, 205, 112382.	9.2	26
21	Performances of syngas production and deposited coke regulation during co-gasification of biomass and plastic wastes over Ni/β-Al <sub>2</sub> O <sub>3</sub> catalyst: Role of biomass to plastic ratio in feedstock. <i>Chemical Engineering Journal</i> , 2020, 392, 123728.	12.7	95
22	Co-pyrolysis of Sewage Sludge and Rice Straw: Thermal Behavior and Char Characteristic Evaluations. <i>Energy &amp; Fuels</i> , 2020, 34, 607-615.	5.1	35
23	Physicochemical structure and reactivity of char from torrefied rice husk: Effects of inorganic species and torrefaction temperature. <i>Fuel</i> , 2020, 262, 116667.	6.4	35
24	Combination of acid washing and torrefaction on Co-production of syngas and phenoli-riched bio-oil via low-temperature catalytic pyrolysis. <i>Energy</i> , 2020, 210, 118633.	8.8	5
25	Physiochemical properties and pyrolysis behavior evaluations of hydrochar from co-hydrothermal treatment of rice straw and sewage sludge. <i>Biomass and Bioenergy</i> , 2020, 140, 105664.	5.7	57
26	Effects of MgCl <sub>2</sub> and Mg(NO <sub>3</sub> ) <sub>2</sub> loading on catalytic pyrolysis of sawdust for bio-oil and MgO-impregnated biochar production. <i>Journal of Analytical and Applied Pyrolysis</i> , 2020, 152, 104962.	5.5	26
27	Release characteristics of potassium and chlorine for torrefied wheat straw during a combined pyrolysis-combustion system. <i>Bioresource Technology</i> , 2020, 312, 123591.	9.6	13
28	Synthesis and characterization of rice husk-based magnetic porous carbon by pyrolysis of pretreated rice husk with FeCl <sub>3</sub> and ZnCl <sub>2</sub> . <i>Journal of Analytical and Applied Pyrolysis</i> , 2020, 147, 104806.	5.5	37
29	Simultaneous Catalytic Conversion of Acid-Pretreated Biomass into High-Quality Syngas and Bio-oil at Mild Temperature. <i>Energy &amp; Fuels</i> , 2020, 34, 8366-8375.	5.1	4
30	Effect of Sludge-Based Additive on Ash Characteristic and Potassium Fixation during the Rice Straw Combustion Process. <i>Energy &amp; Fuels</i> , 2020, 34, 3367-3375.	5.1	8
31	Evaluation of pyrolysis behavior and products properties of rice husk after combined pretreatment of washing and torrefaction. <i>Biomass and Bioenergy</i> , 2019, 127, 105293.	5.7	40
32	The influence of preparation method of char supported metallic Ni catalysts on the catalytic performance for reforming of biomass tar. <i>International Journal of Energy Research</i> , 2019, 43, 6922.	4.5	13
33	Impacts and release characteristics of K and Mg contained in rice husk during torrefaction process. <i>Energy</i> , 2019, 186, 115888.	8.8	16
34	High quality H <sub>2</sub> -rich syngas production from pyrolysis-gasification of biomass and plastic wastes by Ni@Fe@Nanofibers/Porous carbon catalyst. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 26193-26203.	7.1	80
35	Adsorption characteristics and mechanism of Pb(II) by agricultural waste-derived biochars produced from a pilot-scale pyrolysis system. <i>Waste Management</i> , 2019, 100, 287-295.	7.4	75
36	Catalytic cracking of biomass tar together with syngas production over red brick powder-supported nickel catalysts. <i>Fuel Processing Technology</i> , 2019, 194, 106123.	7.2	29

#	ARTICLE	IF	CITATIONS
37	Influence of torrefaction on properties of activated carbon obtained from physical activation of pyrolysis char. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2019, 41, 2246-2256.	2.3	4
38	Effects of torrefaction and organic-acid leaching pretreatment on the pyrolysis behavior of rice husk. <i>Energy</i> , 2018, 149, 804-813.	8.8	96
39	Assessment of hydrothermal carbonization and coupling washing with torrefaction of bamboo sawdust for biofuels production. <i>Bioresource Technology</i> , 2018, 258, 111-118.	9.6	46
40	Catalytic fast pyrolysis of rice husk: Effect of coupling leaching with torrefaction pretreatment. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 133, 91-96.	5.5	40
41	Upgrading of bio-oil from catalytic pyrolysis of pretreated rice husk over Fe-modified ZSM-5 zeolite catalyst. <i>Fuel Processing Technology</i> , 2018, 175, 17-25.	7.2	118
42	Effect of Washing Pretreatment with Aqueous Fraction of Bio-Oil on Pyrolysis Characteristic of Rice Husk and Preparation of Amorphous Silica. <i>Waste and Biomass Valorization</i> , 2018, 9, 861-869.	3.4	22
43	Biomass tar cracking and syngas production using rice husk char-supported nickel catalysts coupled with microwave heating. <i>RSC Advances</i> , 2018, 8, 40873-40882.	3.6	20
44	Effects of pretreatment and FeCl <sub>3</sub> preload of rice husk on synthesis of magnetic carbon composites by pyrolysis for supercapacitor application. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 135, 22-31.	5.5	43
45	Pyrolysis behavior of raw/torrefied rice straw after different demineralization processes. <i>Biomass and Bioenergy</i> , 2018, 119, 229-236.	5.7	30
46	In-situ catalytic conversion of tar from biomass gasification over carbon nanofibers- supported Fe-Ni bimetallic catalysts. <i>Fuel Processing Technology</i> , 2018, 182, 77-87.	7.2	75
47	Effect of inorganic species on torrefaction process and product properties of rice husk. <i>Bioresource Technology</i> , 2018, 265, 450-455.	9.6	52
48	Investigation of representative components of flue gas used as torrefaction pretreatment atmosphere and its effects on fast pyrolysis behaviors. <i>Bioresource Technology</i> , 2018, 267, 584-590.	9.6	31
49	Influence of coupling demineralization with the torrefaction pretreatment process on the pyrolysis characteristics and kinetics of rice husk. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2017, 39, 726-732.	2.3	7
50	Effects of wet torrefaction on the physicochemical properties and pyrolysis product properties of rice husk. <i>Energy Conversion and Management</i> , 2017, 141, 403-409.	9.2	91
51	Combination of Light Bio-oil Washing and Torrefaction Pretreatment of Rice Husk: Its Effects on Physicochemical Characteristics and Fast Pyrolysis Behavior. <i>Energy &amp; Fuels</i> , 2016, 30, 3030-3037.	5.1	47
52	Physicochemical properties and combustion behavior of duckweed during wet torrefaction. <i>Bioresource Technology</i> , 2016, 218, 1157-1162.	9.6	62
53	Washing pretreatment with light bio-oil and its effect on pyrolysis products of bio-oil and biochar. <i>RSC Advances</i> , 2016, 6, 5270-5277.	3.6	41
54	Effects of torrefaction on yield and quality of pyrolysis char and its application on preparation of activated carbon. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 119, 217-223.	5.5	63

#	ARTICLE	IF	CITATIONS
55	Effects of water washing and torrefaction on the pyrolysis behavior and kinetics of rice husk through TGA and Py-GC/MS. <i>Bioresource Technology</i> , 2016, 199, 352-361.	9.6	133
56	Effects of four types of dilute acid washing on moso bamboo pyrolysis using Py-GC/MS. <i>Bioresource Technology</i> , 2015, 185, 62-69.	9.6	88
57	Effects of water washing and torrefaction pretreatments on rice husk pyrolysis by microwave heating. <i>Bioresource Technology</i> , 2015, 193, 442-448.	9.6	119
58	High quality syngas production from microwave pyrolysis of rice husk with char-supported metallic catalysts. <i>Bioresource Technology</i> , 2015, 191, 17-23.	9.6	154