

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1189797/publications.pdf>

Version: 2024-02-01

84
papers

4,083
citations

109137

35
h-index

118652

62
g-index

89
all docs

89
docs citations

89
times ranked

6145
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Thyroid Function on Phosphodiester Concentrations in Skeletal Muscle and Liver: An In Vivo NMRS Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4866-e4874.	1.8	6
2	Reduced hepatocellular lipid accumulation and energy metabolism in patients with long standing type 1 diabetes mellitus. <i>Scientific Reports</i> , 2019, 9, 2576.	1.6	13
3	GDF15 reflects beta cell function in obese patients independently of the grade of impairment of glucose metabolism. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 334-342.	1.1	30
4	Insulin resistance and β -cell function in smokers: results from the <sc>EGIR</sc> & <sc>RISC</sc> European multicentre study. <i>Diabetic Medicine</i> , 2017, 34, 223-228.	1.2	3
5	Pancreatic Fat Is Associated With Metabolic Syndrome and Visceral Fat but Not Beta-Cell Function or Body Mass Index in Pediatric Obesity. <i>Pancreas</i> , 2017, 46, 358-365.	0.5	43
6	Modification and Validation of the Triglyceride-to-HDL Cholesterol Ratio as a Surrogate of Insulin Sensitivity in White Juveniles and Adults without Diabetes Mellitus: The Single Point Insulin Sensitivity Estimator (SPISE). <i>Clinical Chemistry</i> , 2016, 62, 1211-1219.	1.5	61
7	Suppression of plasma free fatty acids reduces myocardial lipid content and systolic function in type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 387-392.	1.1	21
8	Pericardial- Rather than Intramyocardial Fat Is Independently Associated with Left Ventricular Systolic Heart Function in Metabolically Healthy Humans. <i>PLoS ONE</i> , 2016, 11, e0151301.	1.1	12
9	Free fatty acid availability is closely related to myocardial lipid storage and cardiac function in hypoglycemia counterregulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E631-E640.	1.8	10
10	Clinical presentation in insulinoma predicts histopathological tumour characteristics. <i>Clinical Endocrinology</i> , 2015, 83, 67-71.	1.2	12
11	Obesity and carotid artery remodeling. <i>Nutrition and Diabetes</i> , 2015, 5, e177-e177.	1.5	14
12	Whole-Body Insulin Sensitivity Rather than Body-Mass-Index Determines Fasting and Post-Glucose-Load Growth Hormone Concentrations. <i>PLoS ONE</i> , 2014, 9, e115184.	1.1	11
13	Cardiometabolic Phenotyping of Patients With Familial Hypocalcemic Hypercalcemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1721-E1726.	1.8	19
14	Intracellular lipid accumulation and shift during diabetes progression. <i>Wiener Medizinische Wochenschrift</i> , 2014, 164, 320-329.	0.5	17
15	Fasting and postprandial liver glycogen content in patients with type 1 diabetes mellitus after successful pancreas-kidney transplantation with systemic venous insulin delivery. <i>Clinical Endocrinology</i> , 2014, 80, 208-213.	1.2	8
16	Hepatic Rather Than Cardiac Steatosis Relates to Glucose Intolerance in Women with Prior Gestational Diabetes. <i>PLoS ONE</i> , 2014, 9, e91607.	1.1	6
17	Effects of pioglitazone versus glimepiride exposure on hepatocellular fat content in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 915-922.	2.2	13
18	Taking small steps towards targets - perspectives for clinical practice in diabetes, cardiometabolic disorders and beyond. <i>International Journal of Clinical Practice</i> , 2013, 67, 322-332.	0.8	28

#	ARTICLE	IF	CITATIONS
19	Adequately Adapted Insulin Secretion and Decreased Hepatic Insulin Extraction Cause Elevated Insulin Concentrations in Insulin Resistant Non-Diabetic Adrenal Incidentaloma Patients. <i>PLoS ONE</i> , 2013, 8, e77326.	1.1	11
20	Short-Term Hyperinsulinemia and Hyperglycemia Increase Myocardial Lipid Content in Normal Subjects. <i>Diabetes</i> , 2012, 61, 1210-1216.	0.3	47
21	Alterations in Gastrointestinal, Endocrine, and Metabolic Processes After Bariatric Roux-en-Y Gastric Bypass Surgery. <i>Diabetes Care</i> , 2012, 35, 2580-2587.	4.3	47
22	The Impact of Type 2 Diabetes on Circulating Adipokines in Patients with Metabolic Syndrome. <i>Obesity Facts</i> , 2012, 5, 270-276.	1.6	17
23	From Metabolic Normality to Cardiometabolic Risk Factors in Subjects With Obesity. <i>Obesity</i> , 2012, 20, 2063-2069.	1.5	46
24	Moderate alcohol consumption is associated with improved insulin sensitivity, reduced basal insulin secretion rate and lower fasting glucagon concentration in healthy women. <i>Diabetologia</i> , 2012, 55, 3228-3237.	2.9	64
25	Effects of Insulin Therapy on Myocardial Lipid Content and Cardiac Geometry in Patients with Type-2 Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e50077.	1.1	25
26	Prevalence of Endocrine Disorders in Morbidly Obese Patients and the Effects of Bariatric Surgery on Endocrine and Metabolic Parameters. <i>Obesity Surgery</i> , 2012, 22, 62-69.	1.1	55
27	Influence of Hyperinsulinemia and Insulin Resistance on In Vivo β -Cell Function. <i>Diabetes</i> , 2011, 60, 3141-3147.	0.3	43
28	Effects of Gastric Bypass Surgery on Insulin Resistance and Insulin Secretion in Nondiabetic Obese Patients. <i>Obesity</i> , 2011, 19, 1420-1426.	1.5	23
29	Insulin resistance is not associated with myocardial steatosis in women. <i>Diabetologia</i> , 2011, 54, 1871-1878.	2.9	28
30	Mechanism and Effects of Glucose Absorption during an Oral Glucose Tolerance Test Among Females and Males. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 515-524.	1.8	92
31	Liver Enzymes Are Associated With Hepatic Insulin Resistance, Insulin Secretion, and Glucagon Concentration in Healthy Men and Women. <i>Diabetes</i> , 2011, 60, 1660-1667.	0.3	112
32	A Combination of (ω -3) Polyunsaturated Fatty Acids, Polyphenols and L-Carnitine Reduces the Plasma Lipid Levels and Increases the Expression of Genes Involved in Fatty Acid Oxidation in Human Peripheral Blood Mononuclear Cells and HepG2 Cells. <i>Annals of Nutrition and Metabolism</i> , 2011, 58, 133-140.	1.0	32
33	The Relationship between Insulin Resistance and the Cardiovascular Biomarker Growth Differentiation Factor-15 in Obese Patients. <i>Clinical Chemistry</i> , 2011, 57, 309-316.	1.5	144
34	Glucose Absorption in Gestational Diabetes Mellitus During an Oral Glucose Tolerance Test. <i>Diabetes Care</i> , 2011, 34, 1475-1480.	4.3	19
35	Insulin Infusion During Normoglycemia Modulates Insulin Secretion According to Whole-Body Insulin Sensitivity. <i>Diabetes Care</i> , 2011, 34, 437-441.	4.3	18
36	Adipokines in type 1 diabetes after successful pancreas transplantation: normal visfatin and retinol-binding protein 4, but increased total adiponectin fasting concentrations. <i>Clinical Endocrinology</i> , 2010, 72, 763-769.	1.2	9

#	ARTICLE	IF	CITATIONS
37	Sex-specific differences in glyceic control and cardiovascular risk factors in older patients with insulin-treated type 2 diabetes mellitus. <i>Gender Medicine</i> , 2010, 7, 593-599.	1.4	38
38	Research update for articles published in EJCI in 2008. <i>European Journal of Clinical Investigation</i> , 2010, 40, 770-789.	1.7	1
39	Chronic Peripheral Hyperinsulinemia in Type 1 Diabetic Patients After Successful Combined Pancreas-Kidney Transplantation Does Not Affect Ectopic Lipid Accumulation in Skeletal Muscle and Liver. <i>Diabetes</i> , 2010, 59, 215-218.	0.3	25
40	Thyrotropin Serum Concentrations in Patients with Papillary Thyroid Microcancers. <i>Thyroid</i> , 2010, 20, 389-392.	2.4	43
41	Insulin Sensitivity and β -Cell Function in the Offspring of Type 2 Diabetic Patients: Impact of Line of Inheritance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4703-4711.	1.8	24
42	Impact of family history on relations between insulin resistance, LDL cholesterol and carotid IMT in healthy adults. <i>Heart</i> , 2010, 96, 1191-1200.	1.2	17
43	Increased GDF-15 Concentrations in Morbidly Obese Subjects Increase Further Following Gastric Bypass-Induced Weight Loss. , 2010, , P3-434-P3-434.		0
44	Effects of High-Dose Simvastatin Therapy on Glucose Metabolism and Ectopic Lipid Deposition in Nonobese Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2009, 32, 209-214.	4.3	49
45	Fasting insulin has a stronger association with an adverse cardiometabolic risk profile than insulin resistance: the RISC study. <i>European Journal of Endocrinology</i> , 2009, 161, 223-230.	1.9	20
46	Novel Aspects on Insulin Resistance. , 2009, 19, 302-305.		7
47	Fatty liver is associated with insulin resistance, risk of coronary heart disease, and early atherosclerosis in a large European population. <i>Hepatology</i> , 2009, 49, 1537-1544.	3.6	310
48	Beta cell (dys)function in non-diabetic offspring of diabetic patients. <i>Diabetologia</i> , 2009, 52, 2435-2444.	2.9	64
49	Persistent arterial stiffness and endothelial dysfunction following successful pancreas-kidney transplantation in Type 1 diabetes. <i>Diabetic Medicine</i> , 2009, 26, 1010-1018.	1.2	14
50	The Effect of Menopause on Carotid Artery Remodeling, Insulin Sensitivity, and Plasma Adiponectin in Healthy Women. <i>American Journal of Hypertension</i> , 2009, 22, 364-370.	1.0	44
51	Glucose turnover and intima media thickness of internal carotid artery in type 2 diabetes offspring. <i>European Journal of Clinical Investigation</i> , 2008, 38, 227-237.	1.7	24
52	Variation in the ADIPOQ gene promoter is associated with carotid intima media thickness independent of plasma adiponectin levels in healthy subjects. <i>European Heart Journal</i> , 2008, 29, 386-393.	1.0	45
53	Body Composition and Common Carotid Artery Remodeling in a Healthy Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3325-3332.	1.8	43
54	Insulin Resistance, Insulin Response, and Obesity as Indicators of Metabolic Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2885-2892.	1.8	149

#	ARTICLE	IF	CITATIONS
55	Insulin Resistance Is Unrelated to Circulating Retinol Binding Protein and Protein C Inhibitor. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 4306-4312.	1.8	87
56	Plasma obestatin is lower at fasting and not suppressed by insulin in insulin-resistant humans. American Journal of Physiology - Endocrinology and Metabolism, 2007, 293, E1393-E1398.	1.8	62
57	The Mammalian Target of Rapamycin Pathway Regulates Nutrient-Sensitive Glucose Uptake in Man. Diabetes, 2007, 56, 1600-1607.	0.3	210
58	The Clamp-Like Index. Diabetes Care, 2007, 30, 2374-2380.	4.3	45
59	Severity of insulin resistance in critically ill medical patients. Metabolism: Clinical and Experimental, 2007, 56, 1-5.	1.5	88
60	Effects of free fatty acids on carbohydrate metabolism and insulin signalling in perfused rat liver. European Journal of Clinical Investigation, 2007, 37, 774-782.	1.7	24
61	Effects of bariatric surgery on insulin resistance and insulin secretion in morbidly obese patients. Experimental and Clinical Endocrinology and Diabetes, 2007, 115, .	0.6	0
62	Impact of hypoglycemia on cerebral ATP-synthesis in type 1 diabetes. Experimental and Clinical Endocrinology and Diabetes, 2007, 115, .	0.6	0
63	Circulating retinol binding protein 4 and protein C inhibitor are not associated with insulin resistance. Experimental and Clinical Endocrinology and Diabetes, 2007, 115, .	0.6	0
64	Activation of PPAR- γ in isolated rat skeletal muscle switches fuel preference from glucose to fatty acids. Diabetologia, 2006, 49, 2713-2722.	2.9	75
65	Long-Term Mortality and Incidence of Renal Dialysis and Transplantation in Type 1 Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 3814-3820.	1.8	48
66	Increased plasma amylin in type 1 diabetic patients after kidney and pancreas transplantation: A sign of impaired beta-cell function?. Diabetes Care, 2006, 29, 1031-8.	4.3	15
67	Hepatic leptin signaling in obesity. FASEB Journal, 2005, 19, 1048-1050.	0.2	95
68	The Role of Intramyocellular Lipids during Hypoglycemia in Patients with Intensively Treated Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5559-5565.	1.8	24
69	Alterations in Postprandial Hepatic Glycogen Metabolism in Type 2 Diabetes. Diabetes, 2004, 53, 3048-3056.	0.3	267
70	In vivo and in vitro evidence for a hepatic modulation of the leptin signal in rats. European Journal of Clinical Investigation, 2004, 34, 831-837.	1.7	23
71	Radiological progression of joint damage in a longitudinal cohort of early DMARD-treated rheumatoid arthritis patients followed for 10 years. Scandinavian Journal of Rheumatology, 2004, 33, 162-166.	0.6	14
72	40th EASD Annual Meeting of the European Association for the Study of Diabetes. Diabetologia, 2004, 47, A1-A464.	2.9	41

#	ARTICLE	IF	CITATIONS
73	Adipotoxicity and the insulin resistance syndrome. <i>Pediatric Endocrinology Reviews</i> , 2004, 1, 310-9.	1.2	16
74	Direct and indirect effects of amino acids on hepatic glucose metabolism in humans. <i>Diabetologia</i> , 2003, 46, 917-925.	2.9	113
75	Insulin-Dependent Modulation of Plasma Ghrelin and Leptin Concentrations Is Less Pronounced in Type 2 Diabetic Patients. <i>Diabetes</i> , 2003, 52, 1792-1798.	0.3	108
76	Short-Term Leptin-Dependent Inhibition of Hepatic Gluconeogenesis Is Mediated by Insulin Receptor Substrate-2. <i>Molecular Endocrinology</i> , 2002, 16, 1612-1628.	3.7	66
77	Effects of Insulin Treatment in Type 2 Diabetic Patients on Intracellular Lipid Content in Liver and Skeletal Muscle. <i>Diabetes</i> , 2002, 51, 3025-3032.	0.3	157
78	Mechanism of Amino Acid-Induced Skeletal Muscle Insulin Resistance in Humans. <i>Diabetes</i> , 2002, 51, 599-605.	0.3	338
79	Inhibition of glucose production and stimulation of bile flow by R (+)- α -lipoic acid enantiomer in rat liver. <i>Liver</i> , 2002, 22, 355-361.	0.1	6
80	Effects of Short-Term Leptin Exposure on Triglyceride Deposition in Rat Liver. <i>Hepatology</i> , 2000, 32, 1045-1049.	3.6	29
81	Synthesis and Odour of Bicyclo[2.2.2]octanone Derivatives: α -Hydroxy Ketones and Enones. <i>Flavour and Fragrance Journal</i> , 1995, 10, 287-292.	1.2	3
82	Cardio-metabolic phenotyping of patients with familial hypocalciuric hypercalcemia. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
83	Pericardial rather than intramyocardial fat is independently associated with systolic and diastolic left ventricular heart function in metabolically healthy humans. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
84	GH is related to hepatic mitochondrial activity in humans. <i>Endocrine Abstracts</i> , 0, , .	0.0	0