Pieter Poot

List of Publications by Citations

Source: https://exaly.com/author-pdf/11898138/pieter-poot-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24 7,242 14 26 g-index

26 8,557 6.9 4.9 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
24	The worldwide leaf economics spectrum. <i>Nature</i> , 2004 , 428, 821-7	50.4	4915
23	Biomass allocation to leaves, stems and roots: meta-analyses of interspecific variation and environmental control. <i>New Phytologist</i> , 2012 , 193, 30-50	9.8	1490
22	Global variability in leaf respiration in relation to climate, plant functional types and leaf traits. <i>New Phytologist</i> , 2015 , 206, 614-36	9.8	244
21	Short Communication: Leaf trait relationships in Australian plant species. <i>Functional Plant Biology</i> , 2004 , 31, 551-558	2.7	103
20	Shallow-soil endemics: adaptive advantages and constraints of a specialized root-system morphology. <i>New Phytologist</i> , 2008 , 178, 371-381	9.8	83
19	Complex effects of fragmentation on remnant woodland plant communities of a rapidly urbanizing biodiversity hotspot. <i>Ecology</i> , 2014 , 95, 2466-2478	4.6	61
18	Are trade-offs in allocation pattern and root morphology related to species abundance? A congeneric comparison between rare and common species in the south-western Australian flora. <i>Journal of Ecology</i> , 2003 , 91, 58-67	6	54
17	Exploring rock fissures: does a specialized root morphology explain endemism on granite outcrops?. <i>Annals of Botany</i> , 2012 , 110, 291-300	4.1	53
16	Seasonal patterns in water use and leaf turnover of different plant functional types in a species-rich woodland, south-western Australia. <i>Plant and Soil</i> , 2003 , 257, 295-304	4.2	40
15	Species distribution and crown decline are associated with contrasting water relations in four common sympatric eucalypt species in southwestern Australia. <i>Plant and Soil</i> , 2013 , 364, 409-423	4.2	31
14	Growth responses to waterlogging and drainage of woody Hakea (Proteaceae) seedlings, originating from contrasting habitats in south-western Australia. <i>Plant and Soil</i> , 2003 , 253, 57-70	4.2	24
13	A climate change context for the decline of a foundation tree species in south-western Australia: insights from phylogeography and species distribution modelling. <i>Annals of Botany</i> , 2015 , 116, 941-52	4.1	16
12	Spatio-temporal water dynamics in mature Banksia menziesii trees during drought. <i>Physiologia Plantarum</i> , 2014 , 152, 301-15	4.6	16
11	Links between soil texture and root architecture of Eucalyptus species may limit distribution ranges under future climates. <i>Plant and Soil</i> , 2016 , 403, 217-229	4.2	12
10	Effects of fragmentation on the plant functional composition and diversity of remnant woodlands in a young and rapidly expanding city. <i>Journal of Vegetation Science</i> , 2018 , 29, 285-296	3.1	11
9	Simulation of the evolution of root water foraging strategies in dry and shallow soils. <i>Annals of Botany</i> , 2014 , 114, 763-78	4.1	11
8	Isometric partitioning of hydraulic conductance between leaves and stems: balancing safety and efficiency in different growth forms and habitats. <i>Plant, Cell and Environment</i> , 2015 , 38, 1628-36	8.4	11

LIST OF PUBLICATIONS

7	Adaptations to winter-wet ironstone soils: a comparison between rare ironstone Hakea (Proteaceae) species and their common congeners. <i>Australian Journal of Botany</i> , 2008 , 56, 574	1.2	9	
6	Shallow environmental gradients put inland species at risk: Insights and implications from predicting future distributions of Eucalyptus species in South Western Australia. <i>Austral Ecology</i> , 2015 , 40, 923-932	1.5	7	
5	AusTraits, a curated plant trait database for the Australian flora. Scientific Data, 2021, 8, 254	8.2	6	
4	Shallow soils negatively affect water relations and photosynthesis in two semi-arid Eucalyptus species. <i>Environmental and Experimental Botany</i> , 2018 , 155, 239-250	5.9	5	
3	Informing arid region mine-site restoration through comparative ecophysiology of Acacia species under drought. <i>Journal of Arid Environments</i> , 2016 , 133, 73-84	2.5	3	
2	Simulation of optimal rooting strategies: Whaths the best way to find a wet crack? 2012,		1	
1	AusTraits 🖟 curated plant trait database for the Australian flora		1	