
## Yasutake Mori

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11899161/publications.pdf Version: 2024-02-01



YASUTAKE MODI

#	Article	IF	CITATIONS
1	Presenilin-1 mutations downregulate the signalling pathway of the unfolded-protein response. Nature Cell Biology, 1999, 1, 479-485.	10.3	519
2	Two cis-acting elements in the 3′ untranslated region of α-CaMKII regulate its dendritic targeting. Nature Neuroscience, 2000, 3, 1079-1084.	14.8	164
3	CARM1 Regulates Proliferation of PC12 Cells by Methylating HuD. Molecular and Cellular Biology, 2006, 26, 2273-2285.	2.3	115
4	Mouse <i>Prickle1</i> and <i>Prickle2</i> are expressed in postmitotic neurons and promote neurite outgrowth. FEBS Letters, 2007, 581, 4754-4760.	2.8	47
5	Molecular Cloning of the Guinea-Pig Histamine H1 Receptor Gene. Journal of Biochemistry, 1993, 114, 408-414.	1.7	42
6	Specific regional distribution of protein arginine methyltransferase 8 (PRMT8) in the mouse brain. Brain Research, 2007, 1155, 1-9.	2.2	29
7	PRMT3 is essential for dendritic spine maturation in rat hippocampal neurons. Brain Research, 2010, 1352, 11-20.	2.2	28
8	Characterization of mouse Ire1α: cloning, mRNA localization in the brain and functional analysis in a neural cell line. Molecular Brain Research, 2000, 85, 68-76.	2.3	25
9	Molecular Cloning of a Novel Membrane Glycoprotein, Pal, Specifically Expressed in Photoreceptor Cells of the Retina and Containing Leucine-Rich Repeat. Journal of Neuroscience, 2000, 20, 3206-3213.	3.6	22
10	SCYL1 arginine methylation by PRMT1 is essential for neurite outgrowth via Golgi morphogenesis. Molecular Biology of the Cell, 2020, 31, 1963-1973.	2.1	12
11	Local protein synthesis by BDNF is potentiated in hippocampal neurons exposed to ephrins. Molecular Brain Research, 2005, 134, 333-337.	2.3	9