

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/11899793/anna-taddio-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42 papers	4,286 citations	27 h-index	46 g-index
46 ext. papers	4,853 ext. citations	7.2 avg, IF	4.95 L-index

#	Paper	IF	Citations
42	Effect of neonatal circumcision on pain response during subsequent routine vaccination. <i>Lancet, The</i> , <b>1997</b> , 349, 599-603	40	931
41	Premature Infant Pain Profile: development and initial validation. <i>Clinical Journal of Pain</i> , <b>1996</b> , 12, 13-22	3.5	823
40	Conditioning and hyperalgesia in newborns exposed to repeated heel lances. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 857-61	27.4	249
39	Efficacy and safety of lidocaine-prilocaine cream for pain during circumcision. <i>New England Journal of Medicine</i> , <b>1997</b> , 336, 1197-201	59.2	234
38	Inadequate pain management during routine childhood immunizations: the nerve of it. <i>Clinical Therapeutics</i> , <b>2009</b> , 31 Suppl 2, S152-67	3.5	163
37	A revised measure of acute pain in infants. <i>Journal of Pain and Symptom Management</i> , <b>1995</b> , 10, 456-63	4.8	139
36	Use of lidocaine-prilocaine cream for vaccination pain in infants. <i>Journal of Pediatrics</i> , <b>1994</b> , 124, 643-8	3.6	134
35	The premature infant pain profile-revised (PIPP-R): initial validation and feasibility. <i>Clinical Journal of Pain</i> , <b>2014</b> , 30, 238-43	3.5	111
34	The effects of early pain experience in neonates on pain responses in infancy and childhood. <i>Paediatric Drugs</i> , <b>2005</b> , 7, 245-57	4.2	109
33	The premature infant pain profile: evaluation 13 years after development. <i>Clinical Journal of Pain</i> , <b>2010</b> , 26, 813-30	3.5	107
32	Liposomal lidocaine to improve procedural success rates and reduce procedural pain among children: a randomized controlled trial. <i>Cmaj</i> , <b>2005</b> , 172, 1691-5	3.5	105
31	Analgesia and local anesthesia during invasive procedures in the neonate. <i>Clinical Therapeutics</i> , <b>2005</b> , 27, 844-76	3.5	101
30	Validation of the Premature Infant Pain Profile-Revised (PIPP-R). <i>Early Human Development</i> , <b>2014</b> , 90, 189-93	2.2	83
29	Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants. <i>Pain</i> , <b>2009</b> , 144, 43-8	8	78
28	Pediatric analgesic clinical trial designs, measures, and extrapolation: report of an FDA scientific workshop. <i>Pediatrics</i> , <b>2012</b> , 129, 354-64	7.4	74
27	Effectiveness of sucrose analgesia in newborns undergoing painful medical procedures. <i>Cmaj</i> , <b>2008</b> , 179, 37-43	3.5	74
26	Routine immunization practices: use of topical anesthetics and oral analgesics. <i>Pediatrics</i> , <b>2007</b> , 120, e637-43	7.4	74

25	Analgesia and anesthesia for neonates: study design and ethical issues. <i>Clinical Therapeutics</i> , <b>2005</b> , 27, 814-43	3.5	47
24	Combined analgesia and local anesthesia to minimize pain during circumcision. <i>JAMA Pediatrics</i> , <b>2000</b> , 154, 620-3		46
23	Remembering the pain of childhood: applying a developmental perspective to the study of pain memories. <i>Pain</i> , <b>2015</b> , 156, 31-34	8	43
22	Intravenous midazolam infusion for sedation of infants in the neonatal intensive care unit. <i>Cochrane Database of Systematic Reviews</i> , <b>2000</b> , CD002052		42
21	Pain management for neonatal circumcision. <i>Paediatric Drugs</i> , <b>2001</b> , 3, 101-11	4.2	41
20	Systematic Review: Predisposing, Precipitating, Perpetuating, and Present Factors Predicting Anticipatory Distress to Painful Medical Procedures in Children. <i>Journal of Pediatric Psychology</i> , <b>2016</b> , 41, 159-81	3.2	36
19	Lidocaine-prilocaine cream versus tetracaine gel for procedural pain in children. <i>Annals of Pharmacotherapy</i> , <b>2002</b> , 36, 687-92	2.9	35
18	Intravenous midazolam infusion for sedation of infants in the neonatal intensive care unit. <i>The Cochrane Library</i> , <b>2017</b> , 1, CD002052	5.2	30
17	Intravenous midazolam infusion for sedation of infants in the neonatal intensive care unit. <i>Cochrane Database of Systematic Reviews</i> , <b>2012</b> , CD002052		30
16	Reduced infant response to a routine care procedure after sucrose analgesia. <i>Pediatrics</i> , <b>2009</b> , 123, e425-9	7.4	25
15	Topical amethocaine gel 4% for intramuscular injection in term neonates: a double-blind, placebo-controlled, randomized trial. <i>Clinical Therapeutics</i> , <b>2008</b> , 30, 166-74	3.5	18
14	Lidocaine-prilocaine cream for analgesia during circumcision in newborn boys. <i>Cochrane Database of Systematic Reviews</i> , <b>2000</b> , CD000496		17
13	Brief Clinical Report: A Systematic Review and Meta-analysis of Pain Memory-reframing Interventions for Children's Needle Procedures. <i>Pain Practice</i> , <b>2018</b> , 18, 123-129	3	16
12	Practices and perceptions regarding pain and pain management during routine childhood immunizations: Findings from a focus-group study with nurses working at Toronto Public Health, Ontario. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , <b>2011</b> , 22, 43-8	2.6	15
11	Effect of liposomal lidocaine and sucrose alone and in combination for venipuncture pain in newborns. <i>Pediatrics</i> , <b>2011</b> , 127, e940-7	7.4	15
10	Evaluation of a new lancet device (BD QuikHeel) on pain response and success of procedure in term neonates. <i>JAMA Pediatrics</i> , <b>2003</b> , 157, 1075-8		14
9	The Power of a Parent's Touch: Evaluation of Reach and Impact of a Targeted Evidence-Based YouTube Video. <i>Journal of Perinatal and Neonatal Nursing</i> , <b>2017</b> , 31, 341-349	1.5	13
8	Contact dermatitis and bradycardia in a preterm infant given tetracaine 4% gel. <i>Therapeutic Drug Monitoring</i> , <b>2006</b> , 28, 291-4	3.2	12

7	Pain, opioid tolerance and sensitisation to nociception in the neonate. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , <b>2004</b> , 18, 291-302	4	11
6	Intraurethral Lidocaine for Urethral Catheterization in Children: A Randomized Controlled Trial. <i>Pediatrics</i> , <b>2015</b> , 136, e879-86	7.4	7
5	Implementation Effectiveness of a Parent-Directed YouTube Video ("It Doesn't Have To Hurt") on Evidence-Based Strategies to Manage Needle Pain: Descriptive Survey Study. <i>JMIR Pediatrics and Parenting</i> , <b>2020</b> , 3, e13552	4.2	7
4	Premedication for non-urgent endotracheal intubation for preventing pain in neonates. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	5
3	Glucose for the management of procedural pain in neonates <b>2012</b> ,		3
2	SAFETY OF LIDOCAINE-PRILOCAINE CREAM (EMLA) IN PREMATURE AND FULL-TERM NEONATES. □ 465. <i>Pediatric Research</i> , <b>1996</b> , 39, 80-80	3.2	3
1	To remember is not to forget: a reply to Moore and Henderson. <i>Pain</i> , <b>2015</b> , 156, 1173-1174	8	