

Shi Yue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11901057/publications.pdf>

Version: 2024-02-01

18
papers

1,107
citations

471509

17
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

1708
citing authors

#	ARTICLE	IF	CITATIONS
1	Glycogen synthase kinase 3 ^β promotes liver innate immune activation by restraining AMP-activated protein kinase activation. <i>Journal of Hepatology</i> , 2018, 69, 99-109.	3.7	64
2	Myeloid Notch1 deficiency activates the RhoA/ROCK pathway and aggravates hepatocellular damage in mouse ischemic livers. <i>Hepatology</i> , 2018, 67, 1041-1055.	7.3	52
3	Heme oxygenase-1 regulates sirtuin-1 ^α autophagy pathway in liver transplantation: From mouse to human. <i>American Journal of Transplantation</i> , 2018, 18, 1110-1121.	4.7	60
4	Phosphatase and tensin homolog ^β -catenin signaling modulates regulatory T cells and inflammatory responses in mouse liver ischemia/reperfusion injury. <i>Liver Transplantation</i> , 2017, 23, 813-825.	2.4	18
5	Blockade of Notch signaling promotes acetaminophen-induced liver injury. <i>Immunologic Research</i> , 2017, 65, 739-749.	2.9	29
6	Prolonged Ischemia Triggers Necrotic Depletion of Tissue-Resident Macrophages To Facilitate Inflammatory Immune Activation in Liver Ischemia Reperfusion Injury. <i>Journal of Immunology</i> , 2017, 198, 3588-3595.	0.8	58
7	The myeloid heat shock transcription factor 1 ^β -catenin axis regulates NLR family, pyrin domain ³ inflammasome activation in mouse liver ischemia/reperfusion injury. <i>Hepatology</i> , 2016, 64, 1683-1698.	7.3	84
8	The Dichotomy of Endoplasmic Reticulum Stress Response in Liver Ischemia-Reperfusion Injury. <i>Transplantation</i> , 2016, 100, 365-372.	1.0	40
9	Rapamycin Protection of Livers From Ischemia and Reperfusion Injury Is Dependent on Both Autophagy Induction and Mammalian Target of Rapamycin Complex 2-Akt Activation. <i>Transplantation</i> , 2015, 99, 48-55.	1.0	53
10	Adoptive Transfer of Heme Oxygenase-1 (HO-1)-Modified Macrophages Rescues the Nuclear Factor Erythroid 2-Related Factor (Nrf2) Antiinflammatory Phenotype in Liver Ischemia/Reperfusion Injury. <i>Molecular Medicine</i> , 2014, 20, 448-455.	4.4	45
11	Nuclear Factor Erythroid 2 ^α -Related Factor 2 Regulates Toll-Like Receptor 4 Innate Responses in Mouse Liver Ischemia-Reperfusion Injury Through Akt-Forkhead box Protein O1 Signaling Network. <i>Transplantation</i> , 2014, 98, 721-728.	1.0	35
12	Myeloid PTEN Deficiency Protects Livers from Ischemia Reperfusion Injury by Facilitating M2 Macrophage Differentiation. <i>Journal of Immunology</i> , 2014, 192, 5343-5353.	0.8	74
13	Sphingosine kinase/sphingosine 1-phosphate (S1P)/S1P receptor axis is involved in liver fibrosis-associated angiogenesis. <i>Journal of Hepatology</i> , 2013, 59, 114-123.	3.7	102
14	β -catenin regulates innate and adaptive immunity in mouse liver ischemia-reperfusion injury. <i>Hepatology</i> , 2013, 57, 1203-1214.	7.3	60
15	KEAP1-NRF2 complex in ischemia-induced hepatocellular damage of mouse liver transplants. <i>Journal of Hepatology</i> , 2013, 59, 1200-1207.	3.7	132
16	15-deoxy- $\Delta^{12,14}$ -prostaglandin J ₂ reduces recruitment of bone marrow-derived monocyte/macrophages in chronic liver injury in mice. <i>Hepatology</i> , 2012, 56, 350-360.	7.3	48
17	Essential roles of sphingosine 1-phosphate receptor types 1 and 3 in human hepatic stellate cells motility and activation. <i>Journal of Cellular Physiology</i> , 2011, 226, 2370-2377.	4.1	56
18	Involvement of Sphingosine 1-Phosphate (S1P)/S1P3 Signaling in Cholestasis-Induced Liver Fibrosis. <i>American Journal of Pathology</i> , 2009, 175, 1464-1472.	3.8	97