

Keigo Watanabe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11906770/publications.pdf>

Version: 2024-02-01

310
papers

2,112
citations

430442

18
h-index

414034

32
g-index

314
all docs

314
docs citations

314
times ranked

1003
citing authors

#	ARTICLE	IF	CITATIONS
1	Feedback Control of an Omnidirectional Autonomous Platform for Mobile Service Robots. Journal of Intelligent and Robotic Systems: Theory and Applications, 1998, 22, 315-330.	2.0	161
2	CAD/CAM-based position/force controller for a mold polishing robot. Mechatronics, 2007, 17, 207-216.	2.0	130
3	Robotic sanding system for new designed furniture with free-formed surface. Robotics and Computer-Integrated Manufacturing, 2007, 23, 371-379.	6.1	83
4	Central pattern generators based on Matsuoka oscillators for the locomotion of biped robots. Artificial Life and Robotics, 2008, 12, 264-269.	0.7	56
5	Analysis and Control for an Omnidirectional Mobile Manipulator. Journal of Intelligent and Robotic Systems: Theory and Applications, 2000, 27, 3-20.	2.0	48
6	Modular Fuzzy-Neuro Controller Driven by Spoken Language Commands. IEEE Transactions on Systems, Man, and Cybernetics, 2004, 34, 293-302.	5.5	47
7	Learning algorithms for neural networks with the Kalman filters. Journal of Intelligent and Robotic Systems: Theory and Applications, 1990, 3, 305-319.	2.0	44
8	An adaptive control for CARMA systems using linear neural networks. International Journal of Control, 1992, 56, 483-497.	1.2	34
9	Biomimetics Robots From Bio-inspiration to Implementation. , 2007, , .		33
10	Development of CAM system based on industrial robotic servo controller without using robot language. Robotics and Computer-Integrated Manufacturing, 2013, 29, 454-462.	6.1	32
11	A decentralized control system for cooperative transportation by multiple non-holonomic mobile robots. International Journal of Control, 2004, 77, 949-963.	1.2	28
12	Learning algorithms of layered neural networks via extended Kalman filters. International Journal of Systems Science, 1991, 22, 753-768.	3.7	26
13	An optimized Takagi-Sugeno type neuro-fuzzy system for modeling robot manipulators. Neural Computing and Applications, 2006, 15, 55-61.	3.2	26
14	Controlling a robot manipulator with fuzzy voice commands using a probabilistic neural network. Neural Computing and Applications, 2007, 16, 155-166.	3.2	26
15	A sequential failure detection approach and the identification of failure parameters. International Journal of Systems Science, 1979, 10, 827-836.	3.7	23
16	Title is missing!. Journal of Intelligent and Robotic Systems: Theory and Applications, 2000, 29, 257-275.	2.0	23
17	Intelligent Control Based on Flexible Neural Networks. , 1999, , .		22
18	Feed Rate Control Using Fuzzy Reasoning for a Mold Polishing Robot. Journal of Robotics and Mechatronics, 2006, 18, 76-82.	0.5	22

#	ARTICLE	IF	CITATIONS
19	Simulation of Fine Gain Tuning Using Genetic Algorithms for Model-Based Robotic Servo Controllers. , 2007, , .		21
20	Fuzzy behavior-based control trained by module learning to acquire the adaptive behaviors of mobile robots. Mathematics and Computers in Simulation, 2000, 51, 233-243.	2.4	20
21	Polishing Robot Using Joystick Controlled Teaching. Journal of Robotics and Mechatronics, 2001, 13, 517-525.	0.5	20
22	A new forward-pass fixed-interval smoother using the U-D information matrix factorization. Automatica, 1986, 22, 465-475.	3.0	19
23	A Real-Time Kinematics on the Translational Crawl Motion of a Quadruped Robot. Journal of Intelligent and Robotic Systems: Theory and Applications, 2000, 29, 111-131.	2.0	19
24	Energy-optimal gait analysis of quadruped robots. Artificial Life and Robotics, 2002, 6, 120-125.	0.7	19
25	Path Tracking Based on Closed-Loop Control for a Quadruped Robot in a Cluttered Environment. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2002, 124, 272-280.	0.9	18
26	Adaptive actor-critic learning for the control of mobile robots by applying predictive models. Soft Computing, 2005, 9, 835-845.	2.1	18
27	Generalized pseudo-Bayes estimation and detection for abruptly changing systems. Journal of Intelligent and Robotic Systems: Theory and Applications, 1993, 7, 95-112.	2.0	17
28	Autonomous Control for an Omnidirectional Mobile Robot with the Orthogonal-Wheel Assembly.. Journal of the Robotics Society of Japan, 1999, 17, 51-60.	0.0	16
29	Machining robot with vibrational motion and 3D printer-like data interface. International Journal of Automation and Computing, 2018, 15, 1-12.	4.5	16
30	Development of Post-processor Module of 5-Axis Control NC Machine Tool with Tilting-Head for Woody Furniture.. Journal of the Japan Society for Precision Engineering, 1996, 62, 1203-1207.	0.0	15
31	Neural network controller with flexible structure based on feedback-error-learning approach. Journal of Intelligent and Robotic Systems: Theory and Applications, 1996, 15, 367-387.	2.0	15
32	Basic performance of a desktop NC machine tool with compliant motion capability. , 2008, , .		15
33	On the relationship between the Lagrange multiplier method and the two-filter smoother. International Journal of Control, 1985, 42, 391-410.	1.2	14
34	Implementation of omnidirectional crawl for a quadruped robot. Advanced Robotics, 2001, 15, 169-190.	1.1	14
35	Control of Underactuated Manipulators using Fuzzy Logic Based Switching Controller. Journal of Intelligent and Robotic Systems: Theory and Applications, 2003, 38, 155-173.	2.0	14
36	Posture control of robot manipulators with fuzzy voice commands using a fuzzy coach“player system. Advanced Robotics, 2007, 21, 293-328.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Biped locomotion using CPG with sensory interaction. , 2009, , .		14
38	Underactuated control for nonholonomic mobile robots by using double integrator model and invariant manifold theory. , 2010, , .		14
39	A hierarchical multiple model adaptive control of discrete-time stochastic systems for sensor and actuator uncertainties. Automatica, 1990, 26, 875-886.	3.0	13
40	Cooperative swarm control for multiple mobile robots using only information from PSD sensors. Artificial Life and Robotics, 2011, 16, 116-120.	0.7	13
41	Defect detection method using deep convolutional neural network, support vector machine and template matching techniques. Artificial Life and Robotics, 2019, 24, 512-519.	0.7	13
42	Fuzzy-neural network controllers using mean-value-based functional reasoning. Neurocomputing, 1995, 9, 39-61.	3.5	12
43	Intelligent desktop NC machine tool with compliant motion capability. Artificial Life and Robotics, 2009, 13, 423-427.	0.7	12
44	Intelligent machining system for the artistic design of wooden paint rollers. Robotics and Computer-Integrated Manufacturing, 2009, 25, 680-688.	6.1	12
45	The Design of Central Pattern Generators Based on the Matsuoka Oscillator to Generate Rhythmic Human-Like Movement for Biped Robots. Journal of Advanced Computational Intelligence and Intelligent Informatics, 2007, 11, 946-955.	0.5	12
46	Optimal non-linear estimation for distributed-parameter systems via the partition theorem. International Journal of Systems Science, 1980, 11, 1113-1130.	3.7	11
47	Decentralized two-filter smoothing algorithms in discrete-time systems. International Journal of Control, 1986, 44, 49-63.	1.2	11
48	Dynamic Model and Control for a Holonomic Omnidirectional Mobile Robot. Autonomous Robots, 2001, 11, 173-189.	3.2	11
49	Fuzzy self-adaptive radial basis function neural network-based control of a seven-link redundant industrial manipulator. Advanced Robotics, 2001, 15, 17-43.	1.1	11
50	Translational Crawl and Path Tracking of a Quadruped Robot. Journal of Field Robotics, 2002, 19, 569-584.	0.7	11
51	Joystick Teaching System for Industrial Robots Using Fuzzy Compliance Control. , 2006, , .		11
52	Improvement of group performance of job distributed mobile robots by an emotionally biased control system. Artificial Life and Robotics, 2008, 12, 245-249.	0.7	11
53	Sliding mode control and a variable structure system observer as a dual problem for systems with non-linear uncertainties. International Journal of Systems Science, 1992, 23, 1991-2001.	3.7	10
54	Bioengineering. A Study of an EMG-Based Exoskeletal Robot for Human Shoulder Motion Support.. JSME International Journal Series C-Mechanical Systems Machine Elements and Manufacturing, 2001, 44, 1133-1141.	0.3	10

#	ARTICLE	IF	CITATIONS
55	Control of three degrees-of-freedom underactuated manipulator using fuzzy based switching. Artificial Life and Robotics, 2004, 8, 153-158.	0.7	10
56	An emotion-based task sharing approach for a cooperative multiagent robotic system. , 2008, , .		10
57	A desktop NC machine tool with a position/force controller using a fine-velocity pulse converter. Mechatronics, 2009, 19, 671-679.	2.0	10
58	A discontinuous exponential stabilization law for an underactuated X4-AUV. Artificial Life and Robotics, 2013, 17, 463-469.	0.7	10
59	Generation of triangulated patches smoothed from original point cloud data with noise and its application to robotic machining. , 2016, , .		10
60	Impedance Control Using Anisotropic Fuzzy Environment Models. Journal of Robotics and Mechatronics, 1999, 11, 60-66.	0.5	10
61	Task allocation with a cooperative plan for an emotionally intelligent system of multi-robots. , 2007, , .		9
62	Understanding user commands by evaluating fuzzy linguistic information based on visual attention. Artificial Life and Robotics, 2009, 14, 48-52.	0.7	9
63	Interpreting Fuzzy Linguistic Information by Acquiring Robot's Experience Based on Internal Rehearsal. Journal of System Design and Dynamics, 2010, 4, 297-313.	0.3	9
64	Adaptive learning with large variability of teaching signals for neural networks and its application to motion control of an industrial robot. International Journal of Automation and Computing, 2011, 8, 54-61.	4.5	9
65	Title is missing!. Journal of Intelligent and Robotic Systems: Theory and Applications, 2001, 32, 255-277.	2.0	8
66	Evolutionary Computations. Studies in Fuzziness and Soft Computing, 2004, , .	0.6	8
67	Adaptation of robot behaviors toward user perception on fuzzy linguistic information by fuzzy voice feedback. , 2009, , .		8
68	Adaptation of robot's perception of fuzzy linguistic information by evaluating vocal cues for controlling a robot manipulator. Artificial Life and Robotics, 2010, 15, 5-9.	0.7	8
69	Interpretation of fuzzy voice commands for robots based on vocal cues guided by user's willingness. , 2010, , .		8
70	Desktop orthogonal-type robot with abilities of compliant motion and stick-slip motion for lapping of LED lens molds. , 2010, , .		8
71	A nonholonomic control method for stabilizing an X4-AUV. Artificial Life and Robotics, 2011, 16, 202-207.	0.7	8
72	Image-based fuzzy trajectory tracking control for four-wheel steered mobile robots. Artificial Life and Robotics, 2012, 17, 130-135.	0.7	8

#	ARTICLE	IF	CITATIONS
73	Fuzzy feed rate controller for a machining robot. , 2014, , .		8
74	Motion Analysis of a Manta Robot for Underwater Exploration by Propulsive Experiments and the Design of Central Pattern Generator. International Journal of Automation Technology, 2014, 8, 231-237.	0.5	8
75	Stereo-vision-based AUV navigation system for resetting the inertial navigation system error. Artificial Life and Robotics, 2022, 27, 165-178.	0.7	8
76	Control of three-link underactuated manipulators using a switching method of fuzzy energy regions. Artificial Life and Robotics, 2008, 12, 258-263.	0.7	7
77	Automatic control of an orthogonal-type robot with a force sensor and a small force input device. , 2011, , .		7
78	A proposal of experimental education system of mechatronics. Artificial Life and Robotics, 2013, 17, 378-382.	0.7	7
79	A pectoral fin analysis for diving rajiform-type fish robots by fluid dynamics. Artificial Life and Robotics, 2014, 19, 136-141.	0.7	7
80	Tip-over stability enhancement for omnidirectional mobile robot. International Journal of Intelligent Unmanned Systems, 2014, 2, 91-106.	0.6	7
81	Design of an image-based fuzzy controller for autonomous parking of four-wheeled mobile robots. International Journal of Applied Electromagnetics and Mechanics, 2016, 52, 859-865.	0.3	7
82	Joint Positions and Robot Stability of the Omnidirectional Crawling Quadruped Robot. Journal of Robotics and Mechatronics, 1999, 11, 510-517.	0.5	7
83	Profiling Control for Industrial Robots Using a Position Compensator Based on Cutter Location Data.. Journal of the Japan Society for Precision Engineering, 2000, 66, 473-477.	0.0	7
84	Optimal filtering and smoothing algorithms for linear distributed-parameter systems with pointwise observation. International Journal of Systems Science, 1981, 12, 325-349.	3.7	6
85	Two-stage bias correction estimators based on generalized partitioning estimation methodâ€¢. International Journal of Control, 1983, 38, 621-637.	1.2	6
86	A Fuzzy-Neural Realization of Behavior-Based Control Systems for a Mobile Robot. Studies in Fuzziness and Soft Computing, 1998, , 1-26.	0.6	6
87	A Fuzzy Behavior-Based Control for Mobile Robots Using Adaptive Fusion Units. Journal of Intelligent and Robotic Systems: Theory and Applications, 2005, 42, 27-49.	2.0	6
88	Fuzzy Switching Control of Underactuated Manipulators with Approximated Switching Regions. , 2006, , .		6
89	Intelligent control for avoiding the joint limits of redundant planar manipulators. Artificial Life and Robotics, 2006, 10, 141-148.	0.7	6
90	Feature extractions for estimating human behaviors via a binocular vision head. , 2007, , .		6

#	ARTICLE	IF	CITATIONS
91	Bipedal Locomotion Control via CPGs with Coupled Nonlinear Oscillators. , 2007, , .		6
92	Bioinspiration and emerging actuator technologies. Artificial Life and Robotics, 2012, 17, 191-196.	0.7	6
93	Positioning device for outdoor mobile robots using optical sensors and lasers. Advanced Robotics, 2013, 27, 1147-1160.	1.1	6
94	A CPG design of considering the attitude for the propulsion control of a Manta robot. , 2013, , .		6
95	Machining robot for foamed polystyrene materials using fuzzy feed rate controller. International Journal of Mechatronics and Automation, 2015, 5, 34.	0.1	6
96	iOS application for quadrotor remote control. Artificial Life and Robotics, 2017, 22, 374-379.	0.7	6
97	Detection of minute defects using transfer learning-based CNN models. Artificial Life and Robotics, 2021, 26, 35-41.	0.7	6
98	Feedback linearization control for a tandem rotor UAV robot equipped with two 2-DOF tiltable coaxial-rotors. Artificial Life and Robotics, 2021, 26, 259-268.	0.7	6
99	Mean-value-based functional reasoning techniques in the development of fuzzy neural network control systems. Neural Network Systems Techniques and Applications, 1998, , 243-284.	0.0	6
100	Intelligent Interface Using Natural Voice and Vision for Supporting the Acquisition of Robot Behaviors. , 2006, , .		5
101	A Sensor Fusion Technique Using Visual and Ultrasonic Information to Acquire Obstacle Avoidance Behaviors for Quadruped Robots. , 2006, , .		5
102	A fuzzy logic based approach to the SLAM problem using pseudolinear models with multiframe data association. Artificial Life and Robotics, 2008, 13, 155-161.	0.7	5
103	Simultaneous Localization and Mapping: A Pseudolinear Kalman Filter (PLKF) Approach. , 2008, , .		5
104	CAD/CAM-based Position/Force Control for a Ball-End Abrasive Tool and Its Application to an Industrial Robot. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2008, 2, 742-752.	0.3	5
105	Behavior generation in robots by emotional motivation. , 2009, , .		5
106	CAD/CAM-based force controller using a neural network-based effective stiffness estimator. Artificial Life and Robotics, 2010, 15, 101-105.	0.7	5
107	A study of tipping stability for omnidirectional mobile robot with active dual-wheel caster assemblies. Artificial Life and Robotics, 2012, 17, 145-151.	0.7	5
108	Tip-over Prediction for Omnidirectional Mobile Robot. Procedia Engineering, 2012, 41, 1085-1094.	1.2	5

#	ARTICLE	IF	CITATIONS
109	Obstacle avoidance for mobile robots using an image-based fuzzy controller. , 2013, , .		5
110	Development of iOS application handlers for quadrotor UAV remote control and monitoring. , 2017, , .		5
111	Influence on the propulsive performance due to the difference in the fin shape of a robotic manta. Artificial Life and Robotics, 2017, 22, 276-282.	0.7	5
112	An automatic parking system using an optimized image-based fuzzy controller by genetic algorithms. Artificial Life and Robotics, 2017, 22, 139-144.	0.7	5
113	Development of an Aerial Robot That Has Multifunctional Locomotion Modes with Tilted Coaxial Rotors. , 2018, , .		5
114	Fuzzy Control for Robot Manipulators with Artificial Rubber Muscles. , 1994, , 493-510.		5
115	The Polishing Robot for PET Bottle Molds Using a Fuzzy Force Controller. The Proceedings of Conference of Kyushu Branch, 2004, 2004.57, 393-394.	0.0	5
116	An Interface between an Exoskeletal Elbow Motion Assistance Robot and the Human Upper Arm. Journal of Robotics and Mechatronics, 2002, 14, 439-452.	0.5	5
117	Dynamic Control for a Holonomic and Omnidirectional Mobile Robot with Active Dual-Wheel Caster Assemblies.. Journal of the Robotics Society of Japan, 2002, 20, 187-195.	0.0	5
118	Generalized Chandrasekhar algorithms for distributed-parameter filtering problem with pointwise coloured measurement noise. International Journal of Systems Science, 1982, 13, 619-637.	3.7	4
119	Partitioned estimators based on the perturbed Kalman filter equations. International Journal of Systems Science, 1983, 14, 1115-1128.	3.7	4
120	A passive type multiple-model adaptive control (MMAC) of linear discrete-time stochastic systems with uncertain observation subsystems. International Journal of Systems Science, 1984, 15, 647-659.	3.7	4
121	Multiple-model adaptive control for jump-linear stochastic systems. International Journal of Control, 1989, 50, 1603-1617.	1.2	4
122	Rotational control of an omnidirectional mobile robot using a fuzzy servo controller. Advanced Robotics, 1997, 12, 171-189.	1.1	4
123	A Nonlinear Robust Control Using a Fuzzy Reasoning and Its Application to a Robot Manipulator. Journal of Intelligent and Robotic Systems: Theory and Applications, 1997, 20, 275-294.	2.0	4
124	Evolving a multiobjective obstacle avoidance skill of a seven-link manipulator subject to constraints. International Journal of Systems Science, 2004, 35, 167-178.	3.7	4
125	Solution to global stability of fuzzy regulators via evolutionary computation. Applied Soft Computing Journal, 2004, 4, 25-34.	4.1	4
126	Neural network approach to acquiring free-gait motion of quadruped robots in obstacle avoidance. Artificial Life and Robotics, 2005, 9, 188-193.	0.7	4

#	ARTICLE	IF	CITATIONS
127	Neural Oscillators with a Sigmoidal Function for the CPG of Biped Robot Walking. , 2007, , .		4
128	A fuzzy logic based approach to the SLAM problem using pseudolinear models with two sensors data association. , 2007, , .		4
129	Locomotion pattern generation of semi-looper type robots using central pattern generators based on van der Pol oscillators. , 2008, , .		4
130	Impedance model force control using a neural network-based effective stiffness estimator for a desktop NC machine tool. Journal of Manufacturing Systems, 2009, 28, 78-87.	7.6	4
131	Propulsion movement control using CPG for a Manta robot. , 2012, , .		4
132	Underactuated control for an X4-AUV using partial linearization and attitude linearization. , 2013, , .		4
133	Visual feedback control of quadrotor by object detection in movies. Artificial Life and Robotics, 2020, 25, 488-494.	0.7	4
134	Defect detection in wrap film product using compact convolutional neural network. Artificial Life and Robotics, 2021, 26, 360-366.	0.7	4
135	Pick and Place Robot Using Visual Feedback Control and Transfer Learning-Based CNN. , 2020, , .		4
136	Indoor Self-Localization Using Multiple Magnetic Sensors. Journal of Robotics and Mechatronics, 2019, 31, 203-211.	0.5	4
137	Performance Test of a Force Controlled Robot Sander Using a Surface Following Controller Based on Cutter Location Data.. Journal of the Japan Society for Precision Engineering, 2002, 68, 953-957.	0.0	4
138	An alternative approach to the derivation of distributed-type partitioned filters. International Journal of Systems Science, 1981, 12, 351-356.	3.7	3
139	Optimal partitioned filter of stochastic distributed parameter dynamical systems with unknown initial state. Journal of the Franklin Institute, 1983, 315, 347-385.	1.9	3
140	Scattering framework for backwards partitioned estimators. International Journal of Systems Science, 1985, 16, 553-572.	3.7	3
141	A Decentralized Multiple Model Adaptive Filtering for Discrete-Time Stochastic Systems. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1989, 111, 371-377.	0.9	3
142	Controls of servomotors for carry hospital robots. Journal of Intelligent and Robotic Systems: Theory and Applications, 1993, 7, 353-369.	2.0	3
143	Fuzzy Behavior-Based Control. 1st Report. A Proposal of Control System Realization.. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 1998, 64, 1278-1286.	0.2	3
144	An Upper Drive-Active Dual-Wheel Caster Assembly and its Application for Constructing Holonomic and Omnidirectional Platform. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2001, 34, 405-410.	0.4	3

#	ARTICLE	IF	CITATIONS
145	A HUMANLIKE GRASPING FORCE PLANNER FOR OBJECT MANIPULATION BY ROBOT MANIPULATORS. Cybernetics and Systems, 2003, 34, 645-662.	1.6	3
146	A study on constructing a neuro-interface using the concept of a virtual master-slave system. Artificial Life and Robotics, 2005, 9, 51-57.	0.7	3
147	An Approach to Estimating Human Behaviors by Using an Active Vision Head. , 2006, , .		3
148	Simultaneous localization and mapping (SLAM) based on pseudolinear measurement model with a bias reduction approach. , 2007, , .		3
149	An Adaptive Actor-critic Algorithm with Multi-step Simulated Experiences for Controlling Nonholonomic Mobile Robots. Soft Computing, 2007, 11, 81-89.	2.1	3
150	A computational model of emotion through the perspective of benevolent agents for a cooperative task. Artificial Life and Robotics, 2008, 13, 162-166.	0.7	3
151	Generation of obstacle avoidance behaviors for quadruped robots using finite automaton. , 2008, , .		3
152	Interactive Dialogue for Behavior Teaching to Robots based on Primitive Behaviors with Fuzzy Voice Commands. , 2008, , .		3
153	Kinematics-based control of underactuated vehicles with four-inputs and six-states by applying invariant manifolds. , 2009, , .		3
154	T-S fuzzy model adopted SLAM algorithm with linear programming based data association for mobile robots. , 2009, , .		3
155	Path Planning and a Mobile Robot Navigation Method Based on a Human Frequency Map. Journal of Control, Automation and Electrical Systems, 2013, 24, 87-96.	1.2	3
156	Study on mobile mechanism of a climbing robot for stair cleaning: a translational locomotion mechanism and turning motion. Artificial Life and Robotics, 2013, 17, 400-404.	0.7	3
157	Tip-over stability control for a holonomic omnidirectional mobile robot with active dual-wheel caster assemblies using SGCMG. , 2013, , .		3
158	Polishing robot for pet bottle blow molds. , 2013, , 141-225.		3
159	Multiple mobile robots system with network-based subsumption architecture. International Journal of Mechatronics and Manufacturing Systems, 2013, 6, 57.	0.1	3
160	Offline gain optimization in kinodynamic motion planning based on a harmonic potential field. Artificial Life and Robotics, 2014, 19, 47-54.	0.7	3
161	The stabilization of attitude of a Manta robot by a mechanism for moving the center of gravity and improvement of diving ability. , 2016, , .		3
162	Design of 3D Printer-Like Data Interface for a Robotic Removable Machining. Lecture Notes in Computer Science, 2016, , 40-50.	1.0	3

#	ARTICLE	IF	CITATIONS
163	Application of fuzzy reasoning and neural network to feed rate control of a machining robot. International Journal of Applied Electromagnetics and Mechanics, 2016, 52, 897-905.	0.3	3
164	Reverse and Forward Post Processors for a Robot Machining System. Lecture Notes in Computer Science, 2017, , 70-78.	1.0	3
165	Development of post-processor approach for an industrial robot FANUC R2000iC. Artificial Life and Robotics, 2018, 23, 186-191.	0.7	3
166	Mission planning of iOS application for a quadrotor UAV. Artificial Life and Robotics, 2018, 23, 428-433.	0.7	3
167	Visibility improvement in relation to turbidity and distance, and application to docking. Artificial Life and Robotics, 2020, 25, 453-465.	0.7	3
168	Fuzzy Behavior-Based Control for a Task of Three-Link Manipulator with Obstacle Avoidance. Journal of Robotics and Mechatronics, 1999, 11, 502-509.	0.5	3
169	Generation of a Pathway Map Based on Observing Human Positions in an Intelligent Environment and Its Application to the Path Planning of a Mobile Robot. Transactions of the Society of Instrument and Control Engineers, 2011, 47, 631-639.	0.1	3
170	Flight control system design for a tandem rotor UAV robot in the presence of wind field disturbances. Artificial Life and Robotics, 0, , .	0.7	3
171	Fuzzy Controller Design Using the Mean-Value-Based Functional Reasoning. Transactions of the Society of Instrument and Control Engineers, 1995, 31, 1106-1113.	0.1	3
172	Application of pseudolinear partitioned filter to passive vehicle tracking. International Journal of Systems Science, 1984, 15, 959-975.	3.7	2
173	Decentralized Fixed-Interval Smoothing Algorithms. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1986, 108, 86-89.	0.9	2
174	Discrete-time forward-pass smoothers in distributed-sensor networks. International Journal of Systems Science, 1988, 19, 1375-1385.	3.7	2
175	Control of Chaotic Systems Using Fuzzy Model-Based Regulators. Lecture Notes in Computer Science, 1999, , 248-256.	1.0	2
176	Initial configuration dependence in a self-organizing robot. Artificial Life and Robotics, 1999, 3, 160-165.	0.7	2
177	Autonomous Trajectory Planning of Mobile Robots Using an Evolution Strategy. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1999, 32, 8468-8473.	0.4	2
178	Fuzzy Behavior-Based Control. 2nd Report, Learning with a Virus-Evolutionary Genetic Algorithm with Species.. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2000, 66, 174-181.	0.2	2
179	Two-stage adaptive robot position/force control using fuzzy reasoning and neural networks. Advanced Robotics, 2000, 14, 153-168.	1.1	2
180	Control for a rings gymnastic robot using fuzzy reasoning and genetic algorithms. Artificial Life and Robotics, 2002, 6, 113-119.	0.7	2

#	ARTICLE	IF	CITATIONS
181	Self-Adaptive Output Tracking with Applications to Active Binocular Tracking. Journal of Intelligent and Robotic Systems: Theory and Applications, 2003, 36, 129-147.	2.0	2
182	An Active Binocular Vision Head, Its Kinematic Analysis and Derivation of Equations of Motion. JSME International Journal Series C-Mechanical Systems Machine Elements and Manufacturing, 2003, 46, 754-765.	0.3	2
183	The Design of Wave Shape for Coupled Van der Pol Oscillators. , 2006, , .		2
184	Acquisition of Obstacle Avoidance Behaviors for a Quadruped Robot Using Visual and Ultrasonic Sensors. , 2006, , .		2
185	An Action Decision Mechanism Using Fuzzy-Neural Network in Voice Commanded Fuzzy Coach-Player System for Robots. , 2006, , .		2
186	Giving robots some feelings towards interaction with humans in ubiquitous environment. , 2007, , .		2
187	A Neuro-interface with fuzzy compensator for controlling nonholonomic mobile robots. Neural Computing and Applications, 2008, 17, 449-461.	3.2	2
188	Controlling a robot manipulator with fuzzy voice commands guided by visual motor coordination learning. , 2008, , .		2
189	Estimation system of human behaviors using fuzzy neural network based object selection. , 2008, , .		2
190	Control of three-link underactuated manipulators by a logic-based switching method. , 2009, , .		2
191	A fuzzy model adopted SLAM algorithm with linear programming based data association for mobile robots. Soft Computing, 2010, 14, 345-364.	2.1	2
192	Visual evaluation and fuzzy voice commands for controlling a robot manipulator. International Journal of Mechatronics and Manufacturing Systems, 2010, 3, 244.	0.1	2
193	Controller design of desktop-size NC machine tool with multi-application function. International Journal of Advanced Manufacturing Technology, 2011, 57, 1029-1041.	1.5	2
194	Stabilization of a Fire Truck Robot by an Invariant Manifold Theory. Procedia Engineering, 2012, 41, 1095-1104.	1.2	2
195	Network-based subsumption architecture for multiple mobile robots system. , 2012, , .		2
196	Tip-over prevention for a holonomic omnidirectional mobile robot with ADWCs using SGCMG. , 2013, , .		2
197	Kinodynamic motion planning and control for a quadrotor. Transactions of the JSME (in Japanese), 2015, 81, 14-00631-14-00631.	0.1	2
198	Vibrational motion control for foamed polystyrene machining robot and extraction of radius of curvature for fuzzy feed rate control. Artificial Life and Robotics, 2015, 20, 197-202.	0.7	2

#	ARTICLE	IF	CITATIONS
199	Algorithm for swarming and following behaviors of multiple mobile robots. , 2015, , .		2
200	Comparison of an X4-AUV performance using a direct Lyapunov — PD controller and backstepping approach. , 2015, , .		2
201	Robotic trajectory following controller with a capability for generating micro vibrational motion along curved surface. , 2015, , .		2
202	Notice of Removal The derivation of a dynamical model for a manta robot and its control. , 2015, , .		2
203	Preprocessor with spline interpolation for converting stereolithography into cutter location source data. IOP Conference Series: Earth and Environmental Science, 2017, 69, 012115.	0.2	2
204	Design Application of Deep Convolutional Neural Network for Vision-Based Defect Inspection. , 2018, , .		2
205	A Deep Neural Network Based Human Following Robot with Fuzzy Control. , 2019, , .		2
206	Development of Design and Training Application for Deep Convolutional Neural Networks and Support Vector Machines. , 2020, , 769-786.		2
207	A Design and Training Application for Deep Convolutional Neural Networks and Support Vector Machines Developed on MATLAB. Lecture Notes in Mechanical Engineering, 2020, , 27-33.	0.3	2
208	Remote Control Application for a Quadrotor Supporting iOS and Android. The Proceedings of JSME Annual Conference on Robotics and Mechatronics (Robomec), 2019, 2019, 1P1-N06.	0.0	2
209	Evolutionary Strategy Using Statistical Information and Its Application to Mobile Robot Control. Journal of Advanced Computational Intelligence and Intelligent Informatics, 1999, 3, 75-81.	0.5	2
210	Controller Adjustment of an Exoskeleton Robot for Shoulder Motion Assistance. Journal of Robotics and Mechatronics, 2004, 16, 245-255.	0.5	2
211	Control of three degrees-of-freedom underactuated manipulator using fuzzy based switching. Artificial Life and Robotics, 2004, 8, 153-158.	0.7	2
212	Optimal structurally partitioned filter for undisturbable stochastic systems Part I. Basic theory. International Journal of Systems Science, 1983, 14, 1139-1158.	3.7	1
213	Algebraic solution of a forward-pass fixed-interval smoother: continuous-time systems. International Journal of Systems Science, 1985, 16, 1217-1227.	3.7	1
214	Continuous-time decentralized smoothers based on two-filter form: identical local and global models. International Journal of Systems Science, 1986, 17, 1015-1028.	3.7	1
215	Backward-pass multiple model adaptive filtering for a fixed-interval smoother. International Journal of Control, 1989, 49, 385-397.	1.2	1
216	Observation-weighted controllers for linear stochastic systems using dual criterion"single input/single output case. International Journal of Systems Science, 1989, 20, 1305-1321.	3.7	1

#	ARTICLE	IF	CITATIONS
217	Decentralized estimation algorithms for a backward pass fixed-interval smoother. International Journal of Systems Science, 1990, 21, 913-931.	3.7	1
218	Generalized fixed-interval smoothers for discrete-time systems. International Journal of Systems Science, 1992, 23, 1491-1506.	3.7	1
219	Forward-pass Bryson-Frazier smoother in discret-time systems. International Journal of Systems Science, 1992, 23, 71-84.	3.7	1
220	Development of an omnidirectional mobile robot with active dual-wheel casters. Advanced Robotics, 1998, 13, 239-240.	1.1	1
221	Adaptive Behavioral Fusion of Fuzzy Behavior-Based Control for Khepera. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2001, 34, 279-284.	0.4	1
222	The design of fuzzy energy regions optimized by GA for a switching control of multi-link underactuated manipulators. , 2007, , .		1
223	Behavior generation through interaction in an emotionally intelligent robot system. , 2007, , .		1
224	Feed-rate control using fuzzy reasoning for NC machine tools. Artificial Life and Robotics, 2008, 12, 250-257.	0.7	1
225	A switching control of underactuated manipulators by introducing a definition of monotonically decreasing energy. , 2008, , .		1
226	Voice control of a robotic forceps using hierarchical instructions. , 2008, , .		1
227	A discontinuous control of VTOL aerial robots with four rotors through a chained form transformation. , 2008, , .		1
228	Impedance model force control using neural networks for a desktop NC machine tool. , 2009, , .		1
229	Posture control of a robot manipulator by evaluating fuzzy linguistic information based on user feedback. , 2009, , .		1
230	Skillful stick-slip motion control of a Cartesian-type robot. , 2010, , .		1
231	Proposal of the extended HFM by detection of the room area based on door recognition. , 2012, , .		1
232	Robot arm without using robot language and its application to machining process. , 2013, , .		1
233	Mechatronics education systems through sensing and control design. , 2013, , .		1
234	Evaluation of subsumption architecture controller by wireless multiple mobile robots system. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
235	Viewer, converter and preprocessor for smart machining process using an industrial robot. <i>Artificial Life and Robotics</i> , 2016, 21, 332-337.	0.7	1
236	Curved surface fitting method using a raster-scanning window and its application to stereolithography-based reverse engineering. , 2017, , .		1
237	Post processor for industrial robots " Circular arc interpolation of CLS data to generate FANUC robotic program ". , 2017, , .		1
238	Outline Font Handler for Industrial Robots. , 2018, , .		1
239	Visual Feedback Control and Transfer Learning-Based CNN for a Pick and Place Robot on a Sliding Rail. , 2021, , .		1
240	A CLEANING ROBOT FOR STAIRS AND THE SIMULATION OF STAIR MOVEMENT. , 2010, , .		1
241	Defect Inspection System Using Deep Convolutional Neural Networks. <i>The Proceedings of JSME Annual Conference on Robotics and Mechatronics (Robomec)</i> , 2018, 2018, 2A2-K14.	0.0	1
242	Basic Research on Detection of Defective Products with Minute Defects Using Convolution Neural Network (CNN) and Support Vector Machine (SVM). <i>The Proceedings of JSME Annual Conference on Robotics and Mechatronics (Robomec)</i> , 2019, 2019, 2A1-Q05.	0.0	1
243	Generation of Normalized Tool Vector from 3-Axis CL Data and Its Application to a Mold Polishing Robot. <i>The Proceedings of Conference of Kyushu Branch</i> , 2004, 2004.57, 391-392.	0.0	1
244	Knowledge Acquisition by a Sub-coach in a Coach-Player System for Controlling a Robot(Multi-agent) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Mechatronics Toward Evolutionary Fusion of IT and Mechatronics <i>ICAM</i> , 2004, 2004.4, 52.	0.0	1
245	Advanced Control of Mold Polishing Robots Using 3D CAD/CAM. <i>The Proceedings of the Manufacturing & Machine Tool Conference</i> , 2004, 2004.5, 205-206.	0.0	1
246	A Workmanlike Orthogonal-Type Robot with a Force Input Device. <i>Journal of Advanced Computational Intelligence and Intelligent Informatics</i> , 2011, 15, 888-895.	0.5	1
247	Exponential Stabilization of Second-Order Nonholonomic Chained Systems. <i>Lecture Notes in Computer Science</i> , 2013, , 96-107.	1.0	1
248	Robotic CAM System Available for Both CL Data and NC Data. <i>Advances in Mechatronics and Mechanical Engineering</i> , 2013, , 265-276.	1.0	1
249	Techniques for Adaptive Estimation and Control of Discrete-Time Stochastic Systems with Abruptly Changing Parameters. <i>Control and Dynamic Systems</i> , 1993, , 111-148.	0.1	1
250	Experimental Multiple Fuzzy Controls for A Robot Manipulator with Artificial Rubber Muscles.. <i>Journal of the Robotics Society of Japan</i> , 1994, 12, 596-602.	0.0	1
251	Optimal structurally partitioned filter for undisturbable stochastic systems Part II. Stability and its asymptotic behaviour. <i>International Journal of Systems Science</i> , 1983, 14, 1159-1169.	3.7	0
252	Steady-State Covariance Analysis for a Forward-Pass Fixed-Interval Smoother. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 1986, 108, 136-140.	0.9	0

#	ARTICLE	IF	CITATIONS
253	Steady-state error covariances of fixed-point smoothers. International Journal of Systems Science, 1987, 18, 1323-1337.	3.7	0
254	Simple method for solving the constant gains of Kalman filters with single output. International Journal of Control, 1987, 46, 849-864.	1.2	0
255	Application of a multiple-model adaptive filter method to inertial navigation systems. International Journal of Systems Science, 1987, 18, 301-322.	3.7	0
256	Observations-weighted controllers for linear stochastic systems using a dual criterion: the multivariable case. International Journal of Control, 1988, 48, 1897-1913.	1.2	0
257	Observations-weighted controllers for single-input single-output stochastic systems using a perturbed-type dual criterion. International Journal of Control, 1990, 52, 1019-1034.	1.2	0
258	Learning Control of a Mobile Rpbpt Using Block Hierarchical Fuzzy-Gaussian Neural Networks. Journal of Japan Society for Fuzzy Theory and Systems, 1996, 8, 105-114.	0.0	0
259	Stability Analysis of Fuzzy Systems as a Periodically Time-Varying System. Journal of Japan Society for Fuzzy Theory and Systems, 1997, 9, 541-550.	0.0	0
260	Neural network based expectation learning in perception control: learning and control with unreliable sensory system. Artificial Life and Robotics, 2004, 8, 147-152.	0.7	0
261	A concept of common reference object to the cooperative transportation of multiple mobile robots. International Journal of Knowledge-Based and Intelligent Engineering Systems, 2005, 9, 209-221.	0.7	0
262	Intelligent vision system for dynamic environments. Artificial Life and Robotics, 2006, 10, 59-63.	0.7	0
263	Costâ€“function analysis of optimizing fuzzy-energy regions in the control of underactuated manipulators. Artificial Life and Robotics, 2006, 10, 171-176.	0.7	0
264	Fuzzy-Chaos Hybrid Controllers for Nonlinear Dynamic Systems. , 2006, , 481-506.		0
265	Design of Coupled Van del Pol Oscillators for Multi-link Robots. Industrial Electronics Society (IECON), Annual Conference of IEEE, 2006, , .	0.0	0
266	Energy region design using projection for three-link underactuated manipulators. , 2007, , .		0
267	A solution to the SLAM problem based on fuzzy Kalman filter using pseudolinear measurement model. , 2007, , .		0
268	ANFIS for Adaptive Personal Space Determination for Ubiquitous Robots. , 2007, , .		0
269	CPG based control for generating stable bipedal trajectories under external perturbation. , 2007, , .		0
270	Kansei and human experience analysis for mobile robot navigation in a ubiquitous environment. Artificial Life and Robotics, 2007, 11, 105-111.	0.7	0

#	ARTICLE	IF	CITATIONS
271	Pseudolinear Model Based Solution to the SLAM Problem of Nonholonomic Mobile Robots. Journal of System Design and Dynamics, 2008, 2, 962-978.	0.3	0
272	Orthogonal-type robot with a CAD/CAM-based position/force controller. , 2009, , .		0
273	Position-based impedance control using inner servo system and its application to a desktop NC machine tool. International Journal of Mechatronics and Manufacturing Systems, 2010, 3, 168.	0.1	0
274	Stick-slip motion control based on cutter location data for an orthogonal-type robot. Artificial Life and Robotics, 2010, 15, 106-110.	0.7	0
275	Desktop Cartesian-Type Robot with Abilities of Compliant Motion and Stick-Slip Motion. , 0, , .		0
276	Design of fuzzy switching control for an underactuated planar manipulator. , 2011, , .		0
277	3D robot sander for artistically designed furniture. , 2013, , 91-225.		0
278	3D machining system for artistic wooden paint rollers. , 2013, , 113-225.		0
279	Velocity-based discrete-time control system with intelligent control concepts for openarchitecture industrial robots. , 2013, , 1-225.		0
280	CAM system for articulated-type industrial robot. , 2013, , 65-225.		0
281	Desktop orthogonal-type robot for LED lens cavities. , 2013, , 163-225.		0
282	Preliminary simulation of intelligent force control. , 2013, , 35-225.		0
283	Network-Based Subsumption Architecture for Broadcast Control of Multiple Mobile Robots Based on a Poor Hardware/Software Platform. Advances in Intelligent Systems and Computing, 2014, , 1-17.	0.5	0
284	Trajectory following control of an articulated robot VE026A incorporated with ORiN2 SDK. , 2014, , .		0
285	Generation of time-varying target lines for an automatic parking system using image-based processing. , 2015, , .		0
286	Image-based neural network controllers for mobile robots to track a human. , 2015, , .		0
287	An obstacle avoidance method by combing image-based visual servoing and optical flow. , 2015, , .		0
288	Generating cutter location source data using a depth sensor and stereolithography. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
289	System Construction for Distributedly Controlling the Thrusters of X4-AUV. Lecture Notes in Computer Science, 2017, , 825-833.	1.0	0
290	A Localization Method Using a Dynamical Model and an Extended Kalman Filtering for X4-AUV. Lecture Notes in Computer Science, 2017, , 834-845.	1.0	0
291	Smart Machining System Using Preprocessor, Postprocessor, and Interpolation Techniques. Materials Forming, Machining and Tribology, 2018, , 333-348.	0.7	0
292	347 Adaptive Tracking Control for Robotic Systems Based on Notion of Optimality. The Proceedings of the Symposium on the Motion and Vibration Control, 2001, 2001.7, 512-515.	0.0	0
293	Neural Network and Fuzzy Control Techniques for Robotic Systems. , 2002, , .		0
294	CAD/CAM-based Position/Force Control for a Ball-end Abrasive Tool and Its Application to an Industrial Robot. Proceedings of International Conference on Leading Edge Manufacturing in 21st Century LEM21, 2007, 2007.4, 7C301.	0.0	0
295	Innovative Experimental System Supporting Mechatronics Education. Advances in Intelligent Systems and Computing, 2013, , 753-761.	0.5	0
296	Partitioned Estimation Problem for Linear Distributed Parameter Systems. Transactions of the Society of Instrument and Control Engineers, 1982, 18, 677-684.	0.1	0
297	A Hierarchical Multiple Model Adaptive Control for Stochastic Systems with Instrument Failures. , 1987, , 263-270.		0
298	A Design of Stochastic Fuzzy Controller as a Linear Min-Max Control. Transactions of the Society of Instrument and Control Engineers, 1998, 34, 1574-1581.	0.1	0
299	Control of a Six-DOF Parallel Link Manipulator with Artificial Rubber Muscles by an Integral Type Stochastic Fuzzy Method.. Journal of the Robotics Society of Japan, 1998, 16, 1061-1068.	0.0	0
300	Development of An Inverse Dynamic Model. , 1999, , 171-196.		0
301	Industrial Machining Robot with Incorporated Robotic CAM System. Advances in Computational Intelligence and Robotics Book Series, 2015, , 793-817.	0.4	0
302	Fundamental Control for a Manta-Like Fish Robot. Advances in Computational Intelligence and Robotics Book Series, 2015, , 153-167.	0.4	0
303	Porting Experiment of Robotic Machining Application Using ORiN SDK and Design of 3D Printer-Like Interface. Advances in Intelligent Systems and Computing, 2017, , 563-579.	0.5	0
304	Fundamental Control for a Manta-Like Fish Robot. , 2019, , 929-943.		0
305	Robotic CAM System Available for Both CL Data and NC Data. , 2019, , 663-679.		0
306	Development of Robotic CAM System That Generates Online Motion Supported by CLS and NC Data. Advances in Computational Intelligence and Robotics Book Series, 2020, , 1-27.	0.4	0

#	ARTICLE	IF	CITATIONS
307	Monotonic Decreasing Energy and Switching Control for Underactuated Manipulators. Studies in Computational Intelligence, 2009, , 205-212.	0.7	0
308	Neural network based expectation learning in perception control: learning and control with unreliable sensory system. Artificial Life and Robotics, 2004, 8, 147-152.	0.7	0
309	Visual Feedback Control Through Real-Time Movie Frames for Quadcopter With Object Count Function and Pick-and-Place Robot With Orientation Estimator. Advances in Computational Intelligence and Robotics Book Series, 2022, , 99-116.	0.4	0
310	Fuzzy“Chaos Hybrid Controllers for Nonlinear Dynamic Systems. , 0, , 481-506.		0