

David Antoniucci

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11923257/publications.pdf>

Version: 2024-02-01

206
papers

15,087
citations

23500

58
h-index

18606

119
g-index

207
all docs

207
docs citations

207
times ranked

9614
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence and Predictors of Early and Late Mortality After Transcatheter Aortic Valve Implantation in 663 Patients With Severe Aortic Stenosis. <i>Circulation</i> , 2011, 123, 299-308.	1.6	1,044
2	Impact of Platelet Reactivity After Clopidogrel Administration on Drug-Eluting Stent Thrombosis. <i>Journal of the American College of Cardiology</i> , 2007, 49, 2312-2317.	1.2	607
3	Abciximab as Adjunctive Therapy to Reperfusion in Acute ST-Segment Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 1759.	3.8	553
4	Ticagrelor or Prasugrel in Patients with Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2019, 381, 1524-1534.	13.9	543
5	Cessation of dual antiplatelet treatment and cardiac events after percutaneous coronary intervention (PARIS): 2 year results from a prospective observational study. <i>Lancet, The</i> , 2013, 382, 1714-1722.	6.3	537
6	Left Ventricular Remodeling After Primary Coronary Angioplasty. <i>Circulation</i> , 2002, 106, 2351-2357.	1.6	530
7	Distal Microcirculatory Protection During Percutaneous Coronary Intervention in Acute ST-Segment Elevation Myocardial Infarction<SUBTITLE>A Randomized Controlled Trial</SUBTITLE>. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 1063.	3.8	508
8	Cardiovascular Death and Nonfatal Myocardial Infarction in Acute Coronary Syndrome Patients Receiving Coronary Stenting Are Predicted by Residual Platelet Reactivity to ADP Detected by a Point-of-Care Assay. <i>Circulation</i> , 2009, 119, 237-242.	1.6	502
9	Comparison of Prasugrel and Ticagrelor Loading Doses in ST-Segment Elevation Myocardial Infarction Patients. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1601-1606.	1.2	403
10	Impact of Microvascular Dysfunction on Left Ventricular Remodeling and Long-Term Clinical Outcome After Primary Coronary Angioplasty for Acute Myocardial Infarction. <i>Circulation</i> , 2004, 109, 1121-1126.	1.6	393
11	High Residual Platelet Reactivity After Clopidogrel Loading and Long-term Cardiovascular Events Among Patients With Acute Coronary Syndromes Undergoing PCI. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 1215.	3.8	361
12	A Clinical Trial Comparing Primary Stenting of the Infarct-Related Artery With Optimal Primary Angioplasty for Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1234-1239.	1.2	295
13	Transcatheter aortic valve implantation: 3-year outcomes of self-expanding CoreValve prosthesis. <i>European Heart Journal</i> , 2012, 33, 969-976.	1.0	265
14	Clinical impact of thrombectomy in acute ST-elevation myocardial infarction: an individual patient-data pooled analysis of 11 trials. <i>European Heart Journal</i> , 2009, 30, 2193-2203.	1.0	245
15	A randomized trial comparing primary infarct artery stenting with or without abciximab in acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2003, 42, 1879-1885.	1.2	243
16	Mechanical Reperfusion in Patients With Acute Myocardial Infarction Presenting More Than 12 Hours From Symptom Onset<SUBTITLE>A Randomized Controlled Trial</SUBTITLE>. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2865.	3.8	238
17	Abciximab in primary coronary stenting of ST-elevation myocardial infarction: a European meta-analysis on individual patients' data with long-term follow-up. <i>European Heart Journal</i> , 2007, 28, 443-449.	1.0	222
18	Relation between ST-segment changes and myocardial perfusion evaluated by myocardial contrast echocardiography in patients with acute myocardial infarction treated with direct angioplasty. <i>American Journal of Cardiology</i> , 1998, 82, 932-937.	0.7	219

#	ARTICLE	IF	CITATIONS
19	Relation of Cytochrome P450 2C19 Loss-of-Function Polymorphism to Occurrence of Drug-Eluting Coronary Stent Thrombosis. <i>American Journal of Cardiology</i> , 2009, 103, 806-811.	0.7	211
20	Impact of complete revascularization with percutaneous coronary intervention on survival in patients with at least one chronic total occlusion. <i>European Heart Journal</i> , 2008, 29, 2336-2342.	1.0	210
21	Incidence and Clinical Impact of Dual Nonresponsiveness to Aspirin and Clopidogrel in Patients With Drug-Eluting Stents. <i>Journal of the American College of Cardiology</i> , 2008, 52, 734-739.	1.2	189
22	A collaborative systematic review and meta-analysis on 1278 patients undergoing percutaneous drug-eluting stenting for unprotected left main coronary artery disease. <i>American Heart Journal</i> , 2008, 155, 274-283.	1.2	170
23	Ticagrelor Crushed Tablets Administration in STEMI Patients. <i>Journal of the American College of Cardiology</i> , 2015, 65, 511-512.	1.2	167
24	Morphine Is Associated With a Delayed Activity of Oral Antiplatelet Agents in Patients With ST-Elevation Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, .	1.4	164
25	Comparison of AngioJet Rheolytic Thrombectomy Before Direct Infarct Artery Stenting With Direct Stenting Alone in Patients With Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1298-1306.	1.2	161
26	Comparison of rheolytic thrombectomy before direct infarct artery stenting versus direct stenting alone in patients undergoing percutaneous coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2004, 93, 1033-1035.	0.7	160
27	Predictors of Reocclusion After Successful Drug-Eluting Stentâ€“Supported Percutaneous Coronary Intervention of Chronic Total Occlusion. <i>Journal of the American College of Cardiology</i> , 2013, 61, 545-550.	1.2	157
28	Comorbidities Frequency in Takotsubo Syndrome: An International Collaborative Systematic Review Including 1109 Patients. <i>American Journal of Medicine</i> , 2015, 128, 654.e11-654.e19.	0.6	157
29	Incidence, Clinical Findings, and Outcome of Women With Left Ventricular Apical Ballooning Syndrome. <i>American Journal of Cardiology</i> , 2007, 99, 182-185.	0.7	156
30	Relation of time to treatment and mortality in patients with acute myocardial infarction undergoing primary coronary angioplasty. <i>American Journal of Cardiology</i> , 2002, 89, 1248-1252.	0.7	146
31	Abciximab-Supported Infarct Artery Stent Implantation for Acute Myocardial Infarction and Long-Term Survival. <i>Circulation</i> , 2004, 109, 1704-1706.	1.6	140
32	Adjunctive mechanical devices to prevent distal embolization in patients undergoing mechanical revascularization for acute myocardial infarction: A meta-analysis of randomized trials. <i>American Heart Journal</i> , 2007, 153, 343-353.	1.2	135
33	Natural History of Tako-Tsubo Cardiomyopathy. <i>Chest</i> , 2011, 139, 887-892.	0.4	133
34	Myocardial Contrast Echocardiography Versus Dobutamine Echocardiography for Predicting Functional Recovery After Acute Myocardial Infarction Treated With Primary Coronary Angioplasty. <i>Journal of the American College of Cardiology</i> , 1996, 28, 1677-1683.	1.2	132
35	Systematic Direct Angioplasty and Stent-Supported Direct Angioplasty Therapy for Cardiogenic Shock Complicating Acute Myocardial Infarction: In-Hospital and Long-Term Survival. <i>Journal of the American College of Cardiology</i> , 1998, 31, 294-300.	1.2	132
36	Doppler-Derived Mitral Deceleration Time. <i>Circulation</i> , 1999, 99, 230-236.	1.6	124

#	ARTICLE	IF	CITATIONS
37	Coronary stenting versus balloon angioplasty for acute myocardial infarction: A meta-regression analysis of randomized trials. <i>International Journal of Cardiology</i> , 2008, 126, 37-44.	0.8	121
38	Influence of Infarct-Zone Viability on Left Ventricular Remodeling After Acute Myocardial Infarction. <i>Circulation</i> , 1997, 96, 3353-3359.	1.6	117
39	High Residual Platelet Reactivity After Clopidogrel Loading and Long-Term Clinical Outcome After Drug-Eluting Stenting for Unprotected Left Main Coronary Disease. <i>Circulation</i> , 2009, 120, 2214-2221.	1.6	114
40	Relation between preintervention angiographic evidence of coronary collateral circulation and clinical and angiographic outcomes after primary angioplasty or stenting for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2002, 89, 121-125.	0.7	112
41	A Multicenter Randomized Trial Comparing Amphilimus- With Paclitaxel-Eluting Stents in De Novo Native Coronary Artery Lesions. <i>Journal of the American College of Cardiology</i> , 2012, 59, 1371-1376.	1.2	105
42	Early short-term doxycycline therapy in patients with acute myocardial infarction and left ventricular dysfunction to prevent the ominous progression to adverse remodelling: the TIPTOP trial. <i>European Heart Journal</i> , 2014, 35, 184-191.	1.0	102
43	Prognostic implications of restrictive left ventricular filling in reperfused anterior acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2001, 37, 793-799.	1.2	89
44	Clinical and angiographic outcome after coronary arterial stenting with the carbostent. <i>American Journal of Cardiology</i> , 2000, 85, 821-825.	0.7	87
45	Restenosis after coronary stenting in current clinical practice. <i>American Heart Journal</i> , 1998, 135, 510-518.	1.2	86
46	Impact of Time to Treatment on Myocardial Reperfusion and Infarct Size With Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction (from the EMERALD Trial). <i>American Journal of Cardiology</i> , 2007, 99, 1680-1686.	0.7	86
47	Randomized Comparison of Ticagrelor versus Prasugrel in Patients with Acute Coronary Syndrome and Planned Invasive Strategyâ€”Design and Rationale of the Intracoronary Stenting and Antithrombotic Regimen: Rapid Early Action for Coronary Treatment (ISAR-REACT) 5 Trial. <i>Journal of Cardiovascular Translational Research</i> , 2014, 7, 91-100.	1.1	84
48	Sex-based differences in clinical and angiographic outcomes after primary angioplasty or stenting for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2001, 87, 289-293.	0.7	81
49	Direct infarct artery stenting without predilation and no-reflow in patients with acute myocardial infarction. <i>American Heart Journal</i> , 2001, 142, 684-690.	1.2	79
50	Impact of coronary artery disease in elderly patients undergoing transcatheter aortic valve implantation: Insight from the Italian CoreValve Registry. <i>International Journal of Cardiology</i> , 2013, 167, 943-950.	0.8	73
51	Left Ventricular Remodeling and Heart Failure in Diabetic Patients Treated With Primary Angioplasty for Acute Myocardial Infarction. <i>Circulation</i> , 2004, 110, 1974-1979.	1.6	70
52	Abciximab therapy improves survival in patients with acute myocardial infarction complicated by early cardiogenic shock undergoing coronary artery stent implantation. <i>American Journal of Cardiology</i> , 2002, 90, 353-357.	0.7	69
53	Residual Platelet Reactivity, Bleedings, and Adherence to Treatment in Patients Having Coronary Stent Implantation Treated With Prasugrel. <i>American Journal of Cardiology</i> , 2012, 109, 214-218.	0.7	66
54	Drug-eluting stent-supported percutaneous coronary intervention for chronic total coronary occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 67, 344-348.	0.7	65

#	ARTICLE	IF	CITATIONS
55	Prevalence, Predictors, Time Course, and Long-Term Clinical Implications of Left Ventricular Functional Recovery After Mechanical Reperfusion for Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2007, 100, 1718-1722.	0.7	65
56	Comparison of Variables in Men Versus Women Undergoing Transcatheter Aortic Valve Implantation for Severe Aortic Stenosis (from Italian Multicenter CoreValve Registry). <i>American Journal of Cardiology</i> , 2013, 111, 88-93.	0.7	64
57	Impact on Left Ventricular Function and Remodeling and on 1-Year Outcome in Patients With Left Bundle Branch Block After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2015, 116, 125-131.	0.7	62
58	Rapid Reduction of ST-Segment Elevation After Successful Direct Angioplasty in Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 1997, 80, 685-689.	0.7	59
59	Diagnostic accuracy of 64-slice computed tomography coronary angiography for the detection of in-stent restenosis: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 470-478.	1.4	57
60	Assessment of patients with low-risk chest pain in the emergency department: Head-to-head comparison of exercise stress echocardiography and exercise myocardial SPECT. <i>American Heart Journal</i> , 2005, 149, 894-901.	1.2	56
61	Relationship Between Patient's Risk Profile and Benefits in Mortality From Adjunctive Abciximab to Mechanical Revascularization for ST-Segment Elevation Myocardial Infarction: A Meta-Regression Analysis of Randomized Trials. <i>Journal of the American College of Cardiology</i> , 2006, 47, 685-686.	1.2	56
62	Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project). <i>American Journal of Cardiology</i> , 1993, 72, 1383-1388.	0.7	49
63	Anxiety trait in patients with stress-induced cardiomyopathy: a case-control study. <i>Clinical Research in Cardiology</i> , 2011, 100, 523-529.	1.5	49
64	Comparison of double (360 mg) ticagrelor loading dose with standard (60 mg) prasugrel loading dose in ST-elevation myocardial infarction patients: The Rapid Activity of Platelet Inhibitor Drugs (RAPID) primary PCI 2 study. <i>American Heart Journal</i> , 2014, 167, 909-914.	1.2	48
65	Heart rate as an independent prognostic risk factor in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention. <i>Atherosclerosis</i> , 2010, 211, 255-259.	0.4	46
66	Prognostic Value of Myocardial Injury Following Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2013, 111, 1475-1481.	0.7	46
67	High on-treatment platelet reactivity by more than one agonist predicts 12-month follow-up cardiovascular death and non-fatal myocardial infarction in acute coronary syndrome patients receiving coronary stenting. <i>Thrombosis and Haemostasis</i> , 2010, 104, 279-286.	1.8	45
68	Variable underlying morphology of culprit plaques associated with ST-elevation myocardial infarction: an optical coherence tomography analysis from the SMART trial. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1381-1389.	0.5	43
69	Residual platelet reactivity is associated with clinical and laboratory characteristics in patients with ischemic heart disease undergoing PCI on dual antiplatelet therapy. <i>Atherosclerosis</i> , 2007, 195, e217-e223.	0.4	42
70	Morphine use and myocardial reperfusion in patients with acute myocardial infarction treated with primary PCI. <i>International Journal of Cardiology</i> , 2016, 221, 567-571.	0.8	41
71	Thrombotic events in high risk patients are predicted by evaluating different pathways of platelet function. <i>Thrombosis and Haemostasis</i> , 2008, 100, 1136-1145.	1.8	41
72	Clinical and Angiographic Outcomes of Patients Treated With Everolimus-Eluting Stents or First-Generation Paclitaxel-Eluting Stents for Unprotected Left Main Disease. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1217-1222.	1.2	40

#	ARTICLE	IF	CITATIONS
73	Usefulness of 64-Slice Multidetector Computed Tomography for Detecting Drug Eluting In-Stent Restenosis. <i>American Journal of Cardiology</i> , 2007, 100, 1754-1758.	0.7	39
74	Comparison of Manual Thrombus Aspiration With Rheolytic Thrombectomy in Acute Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2013, 6, 224-230.	1.4	39
75	Predictors of restenosis after treatment of bifurcational lesions with paclitaxel eluting stents: A multicenter prospective registry of 150 consecutive patients. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 69, 416-424.	0.7	38
76	Systematic primary angioplasty in octogenarian and older patients. <i>American Heart Journal</i> , 1999, 138, 670-674.	1.2	37
77	Testing prospectively the effectiveness and safety of paclitaxel-eluting stents in over 1000 very high-risk patients. <i>International Journal of Cardiology</i> , 2007, 117, 349-354.	0.8	37
78	Comparison of Bivalirudin and Unfractionated Heparin Plus Protamine in Patients With Coronary Heart Disease Undergoing Percutaneous Coronary Intervention (from the Antithrombotic Regimens) Tj ETQq0 0 0 rBT /Overlock 10 Tf 5		
79	Comparison of impact of emergency percutaneous revascularization on outcome of patients ≥75 to those <75 years of age with acute myocardial infarction complicated by cardiogenic shock. <i>American Journal of Cardiology</i> , 2003, 91, 1458-1461.	0.7	36
80	Relationship of infarct size and severity versus left ventricular ejection fraction and volumes obtained from 99mTc-sestamibi gated single-photon emission computed tomography in patients treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 969-74.	3.3	35
81	Early detection of myocardial ischaemia in the emergency department by rest or exercise 99mTc tracer myocardial SPET in patients with chest pain and non-diagnostic ECG. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 1806-1810.	3.3	34
82	Effectiveness of a multidisciplinary chest pain unit for the assessment of coronary syndromes and risk stratification in the Florence area. <i>American Heart Journal</i> , 2002, 144, 630-635.	1.2	34
83	Drug-eluting stent supported percutaneous coronary intervention for unprotected left main disease. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 68, 225-230.	0.7	34
84	Direct angioplasty and stenting of the infarct-related artery in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1996, 78, 568-571.	0.7	33
85	Clinical and Angiographic Follow-Up of Small Vessel Lesions Treated With Paclitaxel-Eluting Stents (from the TRUE Registry). <i>American Journal of Cardiology</i> , 2008, 102, 1002-1008.	0.7	33
86	Heart Failure and Left Ventricular Remodeling After Reperfused Acute Myocardial Infarction in Patients With Hypertension. <i>Hypertension</i> , 2006, 47, 706-710.	1.3	32
87	Predictors of restenosis following contemporary subintimal tracking and reentry technique: The importance of final <sc>TIMI</sc> flow grade. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 884-892.	0.7	32
88	Optical coherence tomography in unprotected left main coronary artery stenting. <i>EuroIntervention</i> , 2010, 6, 94-99.	1.4	32
89	Usefulness of Primary Angioplasty in Nonagenarians With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2010, 106, 770-773.	0.7	31
90	Percutaneous reperfusion of left main coronary disease complicated by acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 56, 31-34.	0.7	30

#	ARTICLE	IF	CITATIONS
91	Ability of mechanical reperfusion to salvage myocardium in patients with acute myocardial infarction presenting beyond 12 hours after onset of symptoms. <i>American Heart Journal</i> , 2006, 152, 1133-1139.	1.2	30
92	Comparison of Everolimus-Eluting Stent With Paclitaxel-Eluting Stent in Long Chronic Total Occlusions. <i>American Journal of Cardiology</i> , 2011, 107, 1768-1771.	0.7	30
93	Percutaneous recanalization of chronic total occlusions: Wherein lies the body of proof?. <i>American Heart Journal</i> , 2013, 165, 133-142.	1.2	30
94	The Impact of Right Coronary Artery Chronic Total Occlusion on Clinical Outcome of Patients Undergoing Percutaneous Coronary Intervention for Unprotected Left Main Disease. <i>Journal of the American College of Cardiology</i> , 2011, 58, 125-130.	1.2	29
95	Stenting for in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2000, 49, 376-381.	0.7	28
96	Angiographic Findings, Time Course of Regional and Global Left Ventricular Function, and Clinical Outcome in Diabetic Patients With Acute Myocardial Infarction Treated With Primary Percutaneous Transluminal Coronary Angioplasty. <i>American Journal of Cardiology</i> , 2003, 91, 544-549.	0.7	28
97	ST-Segment Analysis to Predict Infarct Size and Functional Outcome in Acute Myocardial Infarction Treated With Primary Coronary Intervention and Adjunctive Abciximab Therapy. <i>American Journal of Cardiology</i> , 2006, 97, 48-54.	0.7	28
98	Residual platelet reactivity to predict long-term clinical outcomes after clopidogrel loading in patients with acute coronary syndromes: comparison of different cutoff values by light transmission aggregometry from the responsiveness to clopidogrel and stent thrombosis 2-acute coronary syndrome (RECLOSE 2-ACS) study. <i>Journal of Thrombosis and Thrombolysis</i> , 2015, 40, 76-82.	1.0	27
99	Impact of Insulin-Requiring diabetes mellitus on effectiveness of reperfusion and outcome of patients undergoing primary percutaneous coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2004, 93, 1170-1172.	0.7	26
100	Routine percutaneous coronary intervention in elderly patients with cardiogenic shock complicating acute myocardial infarction. <i>American Heart Journal</i> , 2006, 152, 903-908.	1.2	26
101	Relation Between Plasma Brain Natriuretic Peptide, Serum Indexes of Collagen Type I Turnover, and Left Ventricular Remodeling After Reperused Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2007, 99, 651-656.	0.7	26
102	Effectiveness of Primary Percutaneous Coronary Interventions for Stent Thrombosis. <i>American Journal of Cardiology</i> , 2009, 103, 913-916.	0.7	25
103	Relation of Gender to Infarct Size in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Angioplasty. <i>American Journal of Cardiology</i> , 2013, 111, 936-940.	0.7	25
104	Clinical and angiographic outcomes following elective implantation of the carbostent in patients at high risk of restenosis and target vessel failure. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 54, 420-426.	0.7	24
105	Impact of Chronic Total Occlusion Revascularization in Patients With Acute Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2014, 114, 1794-1800.	0.7	24
106	Percutaneous coronary intervention with oral sirolimus and bare metal stents has comparable safety and efficacy to treatment with drug eluting stents, but with significant cost saving: long-term follow-up results from the randomised, controlled ORAR III (Oral Rapamycin in ARGentina) study. <i>EuroIntervention</i> , 2009, 5, 255-264.	1.4	24
107	A randomized study of intravenous magnesium in acute myocardial infarction treated with direct coronary angioplasty. <i>American Heart Journal</i> , 2000, 140, 891-897.	1.2	23
108	Long-term prognostic implications of nonoptimal primary angioplasty for acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 68, 50-55.	0.7	23

#	ARTICLE	IF	CITATIONS
109	Transient left ventricular apical ballooning syndrome after inadvertent epidural administration of potassium chloride. <i>International Journal of Cardiology</i> , 2008, 124, e14-e15.	0.8	23
110	Prasugrel in Clopidogrel Nonresponders Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1563-1570.	1.1	23
111	Matrix metalloproteinases and their tissue inhibitor after reperfused ST-elevation myocardial infarction treated with doxycycline. Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , 2015, 197, 147-153.	0.8	23
112	Comparison of ticlopidine vs. clopidogrel in addition to aspirin after paclitaxel-eluting stent implantation: Insights from the TRUE (Taxus, in Real-life Usage Evaluation) Study. <i>International Journal of Cardiology</i> , 2006, 108, 406-407.	0.8	22
113	Clinical Implications of Early Mitral Regurgitation in Patients With Reperfused Acute Myocardial Infarction. <i>Journal of Cardiac Failure</i> , 2008, 14, 48-54.	0.7	21
114	Impact of Bivalirudin Therapy in High-Risk Patients With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 796-802.	1.1	21
115	Prognostic value of reverse left ventricular remodeling after primary angioplasty for STEMI. <i>Atherosclerosis</i> , 2012, 222, 123-128.	0.4	20
116	Residual thrombin potential predicts cardiovascular death in acute coronary syndrome patients undergoing percutaneous coronary intervention. <i>Thrombosis Research</i> , 2016, 147, 52-57.	0.8	20
117	Thrombectomy during PCI for acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 863-869.	0.7	19
118	Percutaneous Coronary Intervention for Multiple Chronic Total Occlusions. <i>American Journal of Cardiology</i> , 2013, 112, 1849-1853.	0.7	19
119	A randomized trial comparing clopidogrel versus ticlopidine therapy in patients undergoing infarct artery stenting for acute myocardial infarction with abciximab as adjunctive therapy. <i>American Heart Journal</i> , 2005, 150, 220.e1-220.e5.	1.2	18
120	Left bundle branch block as an electrocardiographic pattern at presentation of patients with Tako-tsubo cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 100-103.	0.6	18
121	Safety and benefits of protamine administration to revert anticoagulation soon after coronary angioplasty. A meta-analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 452-458.	1.0	18
122	High on-treatment platelet reactivity by ADP and increased risk of MACE in good clopidogrel metabolizers. <i>Platelets</i> , 2012, 23, 586-593.	1.1	18
123	Relationship between CHA ₂ DS ₂ -VASc score, coronary artery disease severity, residual platelet reactivity and long-term clinical outcomes in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2018, 262, 9-13.	0.8	18
124	Primary coronary infarct artery stenting in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1999, 84, 505-510.	0.7	17
125	Comparison of the usefulness of Doppler-derived deceleration time versus plasma brain natriuretic peptide to predict left ventricular remodeling after mechanical revascularization in patients with ST-elevation acute myocardial infarction and left ventricular systolic dysfunction. <i>American Journal of Cardiology</i> , 2005, 95, 930-934.	0.7	17
126	Angiographic and Clinical Outcomes After Everolimus-Eluting Stenting for Unprotected Left Main Disease and High Anatomic Coronary Complexity. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1001-1007.	1.1	17

#	ARTICLE	IF	CITATIONS
127	High on-aspirin platelet reactivity predicts cardiac death in acute coronary syndrome patients undergoing PCI. <i>European Journal of Internal Medicine</i> , 2016, 30, 49-54.	1.0	17
128	Individual patient-data meta-analysis comparing clinical outcome in patients with ST-elevation myocardial infarction treated with percutaneous coronary intervention with or without prior thrombectomy. ATTEMPT study: A pooled Analysis of Trials on Thrombectomy in acute Myocardial infarction based on individual Patient data. <i>Vascular Health and Risk Management</i> , 2009, 5, 243.	1.0	16
129	Time-to-treatment and infarct size in STEMI patients undergoing primary angioplasty. <i>International Journal of Cardiology</i> , 2013, 167, 1508-1513.	0.8	16
130	Relationship between changes in platelet reactivity and ischemic events following percutaneous coronary intervention: A meta-regression analysis of 30 randomized trials. <i>Atherosclerosis</i> , 2014, 234, 176-184.	0.4	16
131	Does gender affect the clinical outcome of patients with acute myocardial infarction complicated by cardiogenic shock who undergo percutaneous coronary intervention?. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 59, 423-428.	0.7	15
132	Switching from high-dose clopidogrel to prasugrel in ACS patients undergoing PCI: a single-center experience. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 38, 388-394.	1.0	15
133	Prevalence of thrombophilic disorders in takotsubo patients: the (Thrombophilia in Takotsubo) Tj ETQq1 1 0.784314 rgBT /Overlock 15	1.5	15
134	Early dobutamine echocardiography predicts improvement in regional and global left ventricular function after reperfused acute myocardial infarction without residual stenosis of the infarct-related artery. <i>American Heart Journal</i> , 2000, 139, 153-163.	1.2	14
135	Safety of immediate reversal of anticoagulation by protamine to reduce bleeding complications after infarct artery stenting for acute myocardial infarction and adjunctive abciximab therapy. <i>Journal of Thrombosis and Thrombolysis</i> , 2010, 30, 446-451.	1.0	14
136	Second vs. First generation drug eluting stents in multiple vessel disease and left main stenosis: Two-year follow-up of the observational, prospective, controlled, and multicenter ERACI IV registry. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 37-46.	0.7	14
137	Long-term follow-up (four years) of unprotected left main coronary artery disease treated with paclitaxel-eluting stents (from the TRUE Registry). <i>EuroIntervention</i> , 2010, 5, 906-916.	1.4	14
138	Left ventricular remodeling after primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2010, 160, S11-S15.	1.2	13
139	Abnormal response to mental stress in patients with Takotsubo cardiomyopathy detected by gated single photon emission computed tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 765-772.	3.3	13
140	Preprocedural TIMI flow and infarct size in STEMI undergoing primary angioplasty. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 38, 81-86.	1.0	13
141	Effects of a timely therapy with doxycycline on the left ventricular remodeling according to the pre-procedural TIMI flow grade in patients with ST-elevation acute myocardial infarction. <i>Basic Research in Cardiology</i> , 2014, 109, 412.	2.5	13
142	Modifying angiographic syntax score according to PCI strategy: lessons learnt from ERACI IV Study. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 418-420.	0.3	13
143	Clinical events beyond one year after an acute coronary syndrome: insights from the RECLOSE 2-ACS study. <i>EuroIntervention</i> , 2017, 12, 2018-2024.	1.4	13
144	Estimate of myocardial salvage in late presentation acute myocardial infarction by comparing functional and perfusion abnormalities in predischage gated SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 906-911.	3.3	12

#	ARTICLE	IF	CITATIONS
145	Comparison of Effects of Primary Coronary Angioplasty on Left Ventricular Remodeling and Heart Failure in Patients <70 Versus ≥70 Years With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2009, 104, 926-931.	0.7	12
146	Randomized comparison of cost-saving and effectiveness of oral rapamycin plus bare-metal stents with drug-eluting stents: Three-year outcome from the randomized oral rapamycin in Argentina (ORAR) III trial. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 385-394.	0.7	12
147	ORAL immunosuppressive therapy to prevent in-stent restenosis (RAMSES) cooperation: A patient-level meta-analysis of randomized trials. <i>Atherosclerosis</i> , 2014, 237, 410-417.	0.4	12
148	A New Risk Score to Predict Long-Term Cardiac Mortality in Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock and Treated With Primary Percutaneous Intervention. <i>American Journal of Cardiology</i> , 2017, 119, 351-354.	0.7	12
149	Comparison of Cost-Effectiveness of Oral Rapamycin Plus Bare-Metal Stents Versus First Generation of Drug-Eluting Stents (from the Randomized Oral Rapamycin in Argentina [ORAR] 3 Trial). <i>American Journal of Cardiology</i> , 2014, 113, 815-821.	0.7	11
150	Bailout Palmaz-Schatz coronary stenting in 39 patients with occlusive dissection complicating conventional angioplasty. <i>Catheterization and Cardiovascular Diagnosis</i> , 1995, 35, 204-209.	0.7	10
151	On-Treatment Platelet Reactivity is a Predictor of Adverse Events in Peripheral Artery Disease Patients Undergoing Percutaneous Angioplasty. <i>European Journal of Vascular and Endovascular Surgery</i> , 2018, 56, 545-552.	0.8	10
152	Gated SPECT evaluation of outcome after abciximab-supported primary infarct artery stenting for acute myocardial infarction: the scintigraphic data of the abciximab and carbostent evaluation (ACE) randomized trial. <i>Journal of Nuclear Medicine</i> , 2005, 46, 722-7.	2.8	10
153	Abciximab therapy improves 1-month survival rate in unselected patients with acute myocardial infarction undergoing routine infarct artery stent implantation. <i>American Heart Journal</i> , 2002, 144, 315-322.	1.2	9
154	Preinfarction angina does not affect infarct size in STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , 2013, 226, 153-156.	0.4	9
155	Switching from clopidogrel to prasugrel in patients having coronary stent implantation. <i>Journal of Thrombosis and Thrombolysis</i> , 2014, 38, 395-401.	1.0	9
156	Early changes of left ventricular filling pattern after reperfused ST-elevation myocardial infarction and doxycycline therapy: Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , 2017, 240, 43-48.	0.8	9
157	Patterns and Impact of Dual Antiplatelet Cessation on Cardiovascular Risk After Percutaneous Coronary Intervention in Patients With Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , 2019, 123, 709-716.	0.7	9
158	Impact of complete percutaneous revascularization in elderly patients with chronic total occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 145-153.	0.7	9
159	Primary stenting in nonselected patients with acute myocardial infarction: The Multilink Duet in Acute Myocardial Infarction (MIAMI) trial. <i>Catheterization and Cardiovascular Interventions</i> , 2000, 51, 273-279.	0.7	8
160	Cost-effective analysis of primary infarct-artery stenting versus optimal primary angioplasty (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1 Journal of Cardiology, 2000, 85, 1247-1249.	0.7	8
161	Residual platelet reactivity and outcomes with 5mg prasugrel therapy in elderly patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2014, 176, 874-877.	0.8	8
162	Bleeding events and maintenance dose of prasugrel: BLESS pilot study. <i>Open Heart</i> , 2016, 3, e000460.	0.9	8

#	ARTICLE	IF	CITATIONS
163	Five-year clinical outcome of multicenter randomized trial comparing amphilius - with paclitaxel-eluting stents in de novo native coronary artery lesions. <i>International Journal of Cardiology</i> , 2020, 301, 50-55.	0.8	8
164	Comparison of the Degree of Platelet Aggregation Inhibition With Prasugrel Versus Clopidogrel and Clinical Outcomes in Patients With Unprotected Left Main Disease Treated With Everolimus-Eluting Stents. <i>American Journal of Cardiology</i> , 2013, 112, 1843-1848.	0.7	7
165	Smoking and infarct size among STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , 2014, 233, 145-148.	0.4	7
166	Effect of diabetes on scintigraphic infarct size in STEMI patients undergoing primary angioplasty. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 322-328.	1.7	7
167	Prognostic impact of high residual platelet reactivity after chronic total occlusion percutaneous coronary intervention in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2015, 201, 561-567.	0.8	7
168	Current role of stenting in acute myocardial infarction. <i>American Heart Journal</i> , 1999, 138, S147-S152.	1.2	6
169	Impact of multivessel disease on infarct size among STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , 2014, 234, 244-248.	0.4	6
170	APpropriateness Assessment in Antiplatelet THERapY (APATHY) registry: Insight from current clinical practice. <i>International Journal of Cardiology</i> , 2017, 244, 13-16.	0.8	6
171	Lowering risk score profile during PCI in multiple vessel disease is associated with low adverse events: The ERACI risk score. <i>Cardiovascular Revascularization Medicine</i> , 2018, 19, 792-794.	0.3	6
172	Appraising the effectiveness and safety of paclitaxel-eluting stents in over 1,000 very high-risk patients: overall results of the Taxus in Real-life Usage Evaluation (TRUE) registry. <i>EuroIntervention</i> , 2007, 3, 333-339.	1.4	6
173	Evaluation of the influence of age and gender on the relationships between infarct size, infarct severity, and left ventricular ejection fraction in patients successfully treated with primary percutaneous coronary intervention. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 444-449.	1.4	5
174	Impact of hypertension on infarct size in ST elevation myocardial infarction patients undergoing primary angioplasty. <i>Journal of Hypertension</i> , 2013, 31, 2433-2437.	0.3	5
175	Bailout coronary stenting without anticoagulation or intravascular ultrasound guidance: Acute and six-month angiographic results in a series of 120 consecutive patients. , 1997, 41, 14-19.		4
176	Relationship of sustained brain natriuretic peptide release after reperfused acute myocardial infarction with gated SPECT infarct measurements and its connection with collagen turnover and left ventricular remodeling. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 644-654.	1.4	4
177	Left ventricular shape and function in primary coronary angioplasty. <i>International Journal of Cardiology</i> , 2008, 125, 364-375.	0.8	4
178	Long-Term Follow-Up of Elective Chronic Total Coronary Occlusion Angioplasty. <i>Journal of the American College of Cardiology</i> , 2014, 64, 2709.	1.2	4
179	Rheolytic thrombectomy in acute myocardial infarction: Effect on microvascular obstruction, infarct size, and left ventricular remodeling. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, E1-8.	0.7	4
180	Angiographic and clinical outcome after crush of everolimus-eluting stent for distal unprotected left main disease. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 90, 72-77.	0.7	4

#	ARTICLE	IF	CITATIONS
181	Coronary angiographic findings in asymptomatic men with suspected silent myocardial ischemia (the Tj ETQq1 1 0,784314 rgBT /Overl	0,7	3
182	Coronary risk factors and silent ischemic heart disease. The ECCIS Project. International Journal of Cardiology, 1994, 45, 35-43.	0.8	3
183	Predictive Value of Sequential Testing in Screening for Silent Myocardial Ischemia in Asymptomatic Middle-Aged Men (the ECCIS Project). Cardiology, 1996, 87, 240-243.	0.6	3
184	Predictor of Stent Thrombosis in Patients Treated with Turbostratic Carbon-Coated Stent Implantation for Acute Myocardial Infarction. Journal of Interventional Cardiology, 2010, 23, 554-559.	0.5	3
185	Tako-Tsubo Cardiomyopathy: Response. Chest, 2011, 140, 1101-1102.	0.4	3
186	Detection of infarct size safety threshold for left ventricular ejection fraction impairment in acute myocardial infarction successfully treated with primary percutaneous coronary intervention. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 542-547.	3.3	3
187	Is an Occluded Artery Better Than an Open One?. JACC: Cardiovascular Interventions, 2008, 1, 521-523.	1.1	2
188	ARCTIC: Additional proof against antiplatelet adjusted therapy. Global Cardiology Science & Practice, 2013, 2013, 17.	0.3	2
189	Switching from ticagrelor to prasugrel: A warning. International Journal of Cardiology, 2014, 176, 1089-1090.	0.8	2
190	Put Off Till Tomorrow What You Can Do Today. Journal of the American College of Cardiology, 2014, 63, 2099-2100.	1.2	2
191	One-Year Follow-Up Results From the Observational, Multicenter, Prospective, and Controlled Registry: The WALTZ All-Comers Study. Clinical Medicine Insights: Cardiology, 2019, 13, 117954681985405.	0.6	2
192	Cre8â„¢ Unique Technology in Challenging Daily Practice. Interventional Cardiology Review, 2014, 9, 180.	0.7	2
193	Patient selection bias in primary percutaneous coronary intervention trials: a critical issue. Country Review Ukraine, 2005, 7, 121-126.	0.8	1
194	Myocardial infarction redefined: Impact on case-load and outcome of patients with suspected acute coronary syndrome and nondiagnostic ECG at presentation. International Journal of Cardiology, 2006, 111, 195-201.	0.8	1
195	Significance of Additional ST Segment Elevation in Patients with No Reflow After Angioplasty for Acute Myocardial Infarction. Journal of the American Society of Echocardiography, 2007, 20, 262-269.	1.2	1
196	Reply. American Journal of Cardiology, 2014, 113, 2087.	0.7	1
197	Long-Term Mortality Comparison of Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock and Treated With Culprit-Only or Multivessel Percutaneous Coronary Intervention. Cardiovascular Revascularization Medicine, 2021, 22, 10-15.	0.3	1
198	Response to Letter Regarding Article, "Cardiovascular Death and Nonfatal Myocardial Infarction in Acute Coronary Syndrome Patients Receiving Coronary Stenting Are Predicted by Residual Platelet Reactivity to ADP Detected by a Point-of-Care Assay: A 12-Month Follow-Up". Circulation, 2009, 120, .	1.6	0

#	ARTICLE	IF	CITATIONS
199	Reply. Journal of the American College of Cardiology, 2013, 62, 1637.	1.2	0
200	Reply. Journal of the American College of Cardiology, 2013, 61, 2570-2571.	1.2	0
201	Reply. JACC: Cardiovascular Interventions, 2016, 9, 1974-1975.	1.1	0
202	Reply. JACC: Cardiovascular Interventions, 2016, 9, 106-107.	1.1	0
203	Direct Left Main Trunk Bifurcation Stenting in Acute Myocardial Infarction (AMI). , 2004, , 7-10.		0
204	How to prevent and manage complications during primary percutaneous cardiovascular interventions. , 2006, , 181-198.		0
205	Thrombectomy Devices. , 2010, , 144-151.		0
206	Managing Intracoronary Thrombus During PCI. , 2015, , 175-185.		0