

# David Antonucci

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/11923257/david-antoniucci-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

203  
papers

12,615  
citations

54  
h-index

109  
g-index

207  
ext. papers

13,958  
ext. citations

5.3  
avg, IF

5.55  
L-index

#	Paper	IF	Citations
203	Incidence and predictors of early and late mortality after transcatheter aortic valve implantation in 663 patients with severe aortic stenosis. <i>Circulation</i> , <b>2011</b> , 123, 299-308	16.7	902
202	Impact of platelet reactivity after clopidogrel administration on drug-eluting stent thrombosis. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 49, 2312-7	15.1	545
201	Cardiovascular death and nonfatal myocardial infarction in acute coronary syndrome patients receiving coronary stenting are predicted by residual platelet reactivity to ADP detected by a point-of-care assay: a 12-month follow-up. <i>Circulation</i> , <b>2009</b> , 119, 237-42	16.7	459
200	Abciximab as adjunctive therapy to reperfusion in acute ST-segment elevation myocardial infarction: a meta-analysis of randomized trials. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 1759-65	27.4	457
199	Distal microcirculatory protection during percutaneous coronary intervention in acute ST-segment elevation myocardial infarction: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 1063-72	27.4	438
198	Left ventricular remodeling after primary coronary angioplasty: patterns of left ventricular dilation and long-term prognostic implications. <i>Circulation</i> , <b>2002</b> , 106, 2351-7	16.7	438
197	Cessation of dual antiplatelet treatment and cardiac events after percutaneous coronary intervention (PARIS): 2 year results from a prospective observational study. <i>Lancet, The</i> , <b>2013</b> , 382, 1714-22	40.2	405
196	Comparison of prasugrel and ticagrelor loading doses in ST-segment elevation myocardial infarction patients: RAPID (Rapid Activity of Platelet Inhibitor Drugs) primary PCI study. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 1601-6	15.1	347
195	Impact of microvascular dysfunction on left ventricular remodeling and long-term clinical outcome after primary coronary angioplasty for acute myocardial infarction. <i>Circulation</i> , <b>2004</b> , 109, 1121-6	16.7	339
194	Ticagrelor or Prasugrel in Patients with Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 1524-1534	59.2	327
193	High residual platelet reactivity after clopidogrel loading and long-term cardiovascular events among patients with acute coronary syndromes undergoing PCI. <i>JAMA - Journal of the American Medical Association</i> , <b>2011</b> , 306, 1215-23	27.4	304
192	A clinical trial comparing primary stenting of the infarct-related artery with optimal primary angioplasty for acute myocardial infarction: results from the Florence Randomized Elective Stenting in Acute Coronary Occlusions (FRESCO) trial. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 31, 1234-9	15.1	244
191	Transcatheter aortic valve implantation: 3-year outcomes of self-expanding CoreValve prosthesis. <i>European Heart Journal</i> , <b>2012</b> , 33, 969-76	9.5	226
190	A randomized trial comparing primary infarct artery stenting with or without abciximab in acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>2003</b> , 42, 1879-85	15.1	214
189	Clinical impact of thrombectomy in acute ST-elevation myocardial infarction: an individual patient-data pooled analysis of 11 trials. <i>European Heart Journal</i> , <b>2009</b> , 30, 2193-203	9.5	201
188	Relation of cytochrome P450 2C19 loss-of-function polymorphism to occurrence of drug-eluting coronary stent thrombosis. <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 806-11	3	191
187	Abciximab in primary coronary stenting of ST-elevation myocardial infarction: a European meta-analysis on individual patients data with long-term follow-up. <i>European Heart Journal</i> , <b>2007</b> , 28, 443-9	9.5	190

186	Relation between ST-segment changes and myocardial perfusion evaluated by myocardial contrast echocardiography in patients with acute myocardial infarction treated with direct angioplasty. <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 932-7	3	188
185	Mechanical reperfusion in patients with acute myocardial infarction presenting more than 12 hours from symptom onset: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 2865-72	27.4	183
184	Impact of complete revascularization with percutaneous coronary intervention on survival in patients with at least one chronic total occlusion. <i>European Heart Journal</i> , <b>2008</b> , 29, 2336-42	9.5	172
183	Incidence and clinical impact of dual nonresponsiveness to aspirin and clopidogrel in patients with drug-eluting stents. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 734-9	15.1	171
182	A collaborative systematic review and meta-analysis on 1278 patients undergoing percutaneous drug-eluting stenting for unprotected left main coronary artery disease. <i>American Heart Journal</i> , <b>2008</b> , 155, 274-83	4.9	152
181	Ticagrelor crushed tablets administration in STEMI patients: the MOJITO study. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 511-2	15.1	138
180	Predictors of reocclusion after successful drug-eluting stent-supported percutaneous coronary intervention of chronic total occlusion. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 545-50	15.1	137
179	Comparison of AngioJet rheolytic thrombectomy before direct infarct artery stenting with direct stenting alone in patients with acute myocardial infarction. The JETSTENT trial. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 56, 1298-306	15.1	136
178	Comparison of rheolytic thrombectomy before direct infarct artery stenting versus direct stenting alone in patients undergoing percutaneous coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2004</b> , 93, 1033-5	3	136
177	Incidence, clinical findings, and outcome of women with left ventricular apical ballooning syndrome. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 182-5	3	133
176	Abciximab-supported infarct artery stent implantation for acute myocardial infarction and long-term survival: a prospective, multicenter, randomized trial comparing infarct artery stenting plus abciximab with stenting alone. <i>Circulation</i> , <b>2004</b> , 109, 1704-6	16.7	126
175	Relation of time to treatment and mortality in patients with acute myocardial infarction undergoing primary coronary angioplasty. <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 1248-52	3	126
174	Morphine is associated with a delayed activity of oral antiplatelet agents in patients with ST-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention. <i>Circulation: Cardiovascular Interventions</i> , <b>2015</b> , 8,	6	125
173	Myocardial contrast echocardiography versus dobutamine echocardiography for predicting functional recovery after acute myocardial infarction treated with primary coronary angioplasty. <i>Journal of the American College of Cardiology</i> , <b>1996</b> , 28, 1677-83	15.1	124
172	Adjunctive mechanical devices to prevent distal embolization in patients undergoing mechanical revascularization for acute myocardial infarction: a meta-analysis of randomized trials. <i>American Heart Journal</i> , <b>2007</b> , 153, 343-53	4.9	117
171	Doppler-derived mitral deceleration time: an early strong predictor of left ventricular remodeling after reperfused anterior acute myocardial infarction. <i>Circulation</i> , <b>1999</b> , 99, 230-6	16.7	111
170	Comorbidities frequency in Takotsubo syndrome: an international collaborative systematic review including 1109 patients. <i>American Journal of Medicine</i> , <b>2015</b> , 128, 654.e11-9	2.4	110
169	Natural history of tako-tsubo cardiomyopathy. <i>Chest</i> , <b>2011</b> , 139, 887-892	5.3	110

168	Systematic direct angioplasty and stent-supported direct angioplasty therapy for cardiogenic shock complicating acute myocardial infarction: in-hospital and long-term survival. <i>Journal of the American College of Cardiology</i> , <b>1998</b> , 31, 294-300	15.1	103
167	High residual platelet reactivity after clopidogrel loading and long-term clinical outcome after drug-eluting stenting for unprotected left main coronary disease. <i>Circulation</i> , <b>2009</b> , 120, 2214-21	16.7	99
166	Relation between preintervention angiographic evidence of coronary collateral circulation and clinical and angiographic outcomes after primary angioplasty or stenting for acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 121-5	3	98
165	Coronary stenting versus balloon angioplasty for acute myocardial infarction: a meta-regression analysis of randomized trials. <i>International Journal of Cardiology</i> , <b>2008</b> , 126, 37-44	3.2	94
164	Influence of infarct-zone viability on left ventricular remodeling after acute myocardial infarction. <i>Circulation</i> , <b>1997</b> , 96, 3353-9	16.7	94
163	A multicenter randomized trial comparing amphilimus- with paclitaxel-eluting stents in de novo native coronary artery lesions. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 1371-6	15.1	85
162	Prognostic implications of restrictive left ventricular filling in reperfused anterior acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>2001</b> , 37, 793-9	15.1	82
161	Clinical and angiographic outcome after coronary arterial stenting with the carbostent. <i>American Journal of Cardiology</i> , <b>2000</b> , 85, 821-5	3	79
160	Early short-term doxycycline therapy in patients with acute myocardial infarction and left ventricular dysfunction to prevent the ominous progression to adverse remodelling: the TIPTOP trial. <i>European Heart Journal</i> , <b>2014</b> , 35, 184-91	9.5	77
159	Impact of time to treatment on myocardial reperfusion and infarct size with primary percutaneous coronary intervention for acute myocardial infarction (from the EMERALD Trial). <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 1680-6	3	74
158	Restenosis after coronary stenting in current clinical practice. <i>American Heart Journal</i> , <b>1998</b> , 135, 510-8	4.9	74
157	Randomized comparison of ticagrelor versus prasugrel in patients with acute coronary syndrome and planned invasive strategy--design and rationale of the iNtracoronary Stenting and Antithrombotic Regimen: Rapid Early Action for Coronary Treatment (ISAR-REACT) 5 trial. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 101-10	3.3	73
156	Sex-based differences in clinical and angiographic outcomes after primary angioplasty or stenting for acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2001</b> , 87, 289-93	3	73
155	Direct infarct artery stenting without predilation and no-reflow in patients with acute myocardial infarction. <i>American Heart Journal</i> , <b>2001</b> , 142, 684-90	4.9	66
154	Residual platelet reactivity, bleedings, and adherence to treatment in patients having coronary stent implantation treated with prasugrel. <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 214-8	3	65
153	Left ventricular remodeling and heart failure in diabetic patients treated with primary angioplasty for acute myocardial infarction. <i>Circulation</i> , <b>2004</b> , 110, 1974-9	16.7	60
152	Abciximab therapy improves survival in patients with acute myocardial infarction complicated by early cardiogenic shock undergoing coronary artery stent implantation. <i>American Journal of Cardiology</i> , <b>2002</b> , 90, 353-7	3	59
151	Impact of coronary artery disease in elderly patients undergoing transcatheter aortic valve implantation: insight from the Italian CoreValve Registry. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 943-50	3.2	58

150	Drug-eluting stent-supported percutaneous coronary intervention for chronic total coronary occlusion. <i>Catheterization and Cardiovascular Interventions</i> , <b>2006</b> , 67, 344-8	2.7	55
149	Comparison of variables in men versus women undergoing transcatheter aortic valve implantation for severe aortic stenosis (from Italian Multicenter CoreValve registry). <i>American Journal of Cardiology</i> , <b>2013</b> , 111, 88-93	3	51
148	Rapid reduction of ST-segment elevation after successful direct angioplasty in acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 685-9	3	51
147	Assessment of patients with low-risk chest pain in the emergency department: Head-to-head comparison of exercise stress echocardiography and exercise myocardial SPECT. <i>American Heart Journal</i> , <b>2005</b> , 149, 894-901	4.9	51
146	Impact on Left Ventricular Function and Remodeling and on 1-Year Outcome in Patients With Left Bundle Branch Block After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 125-31	3	47
145	Prevalence, predictors, time course, and long-term clinical implications of left ventricular functional recovery after mechanical reperfusion for acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2007</b> , 100, 1718-22	3	47
144	Diagnostic accuracy of 64-slice computed tomography coronary angiography for the detection of in-stent restenosis: a meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2010</b> , 17, 470-8	2.1	46
143	Relationship between patient's risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 47, 685-6	15.1	44
142	Epidemiology of silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project). <i>American Journal of Cardiology</i> , <b>1993</b> , 72, 1383-8	3	44
141	Comparison of double (360 mg) ticagrelor loading dose with standard (60 mg) prasugrel loading dose in ST-elevation myocardial infarction patients: the Rapid Activity of Platelet Inhibitor Drugs (RAPID) primary PCI 2 study. <i>American Heart Journal</i> , <b>2014</b> , 167, 909-14	4.9	43
140	Anxiety trait in patients with stress-induced cardiomyopathy: a case-control study. <i>Clinical Research in Cardiology</i> , <b>2011</b> , 100, 523-9	6.1	42
139	High on-treatment platelet reactivity by more than one agonist predicts 12-month follow-up cardiovascular death and non-fatal myocardial infarction in acute coronary syndrome patients receiving coronary stenting. <i>Thrombosis and Haemostasis</i> , <b>2010</b> , 104, 279-86	7	40
138	Prognostic value of myocardial injury following transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , <b>2013</b> , 111, 1475-81	3	38
137	Variable underlying morphology of culprit plaques associated with ST-elevation myocardial infarction: an optical coherence tomography analysis from the SMART trial. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2015</b> , 16, 1381-9	4.1	35
136	Clinical and angiographic outcomes of patients treated with everolimus-eluting stents or first-generation Paclitaxel-eluting stents for unprotected left main disease. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 1217-22	15.1	35
135	Residual platelet reactivity is associated with clinical and laboratory characteristics in patients with ischemic heart disease undergoing PCI on dual antiplatelet therapy. <i>Atherosclerosis</i> , <b>2007</b> , 195, e217-23	3.1	35
134	Comparison of manual thrombus aspiration with rheolytic thrombectomy in acute myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , <b>2013</b> , 6, 224-30	6	34
133	Predictors of restenosis after treatment of bifurcational lesions with paclitaxel eluting stents: a multicenter prospective registry of 150 consecutive patients. <i>Catheterization and Cardiovascular Interventions</i> , <b>2007</b> , 69, 416-24	2.7	34

132	Usefulness of 64-slice multidetector computed tomography for detecting drug eluting in-stent restenosis. <i>American Journal of Cardiology</i> , <b>2007</b> , 100, 1754-8	3	33
131	Comparison of impact of emergency percutaneous revascularization on outcome of patients > or =75 to those American Journal of Cardiology, <b>2003</b> , 91, 1458-61, A6	3	33
130	Early detection of myocardial ischaemia in the emergency department by rest or exercise (99m)Tc tracer myocardial SPET in patients with chest pain and non-diagnostic ECG. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2001</b> , 28, 1806-10	8.8	33
129	Heart rate as an independent prognostic risk factor in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention. <i>Atherosclerosis</i> , <b>2010</b> , 211, 255-9	3.1	32
128	Comparison of bivalirudin and unfractionated heparin plus protamine in patients with coronary heart disease undergoing percutaneous coronary intervention (from the Antithrombotic Regimens and Outcome [ARNO] trial). <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 1053-9	3	32
127	Testing prospectively the effectiveness and safety of paclitaxel-eluting stents in over 1000 very high-risk patients: design, baseline characteristics, procedural data and in-hospital outcomes of the multicenter Taxus in Real-life Usage Evaluation (TRUE) Study. <i>International Journal of Cardiology</i> ,	3.2	32
126	Relationship of infarct size and severity versus left ventricular ejection fraction and volumes obtained from 99mTc-sestamibi gated single-photon emission computed tomography in patients treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 969-74	8.8	32
125	Effectiveness of a multidisciplinary chest pain unit for the assessment of coronary syndromes and risk stratification in the Florence area. <i>American Heart Journal</i> , <b>2002</b> , 144, 630-635	4.9	32
124	Morphine use and myocardial reperfusion in patients with acute myocardial infarction treated with primary PCI. <i>International Journal of Cardiology</i> , <b>2016</b> , 221, 567-71	3.2	32
123	Thrombotic events in high risk patients are predicted by evaluating different pathways of platelet function. <i>Thrombosis and Haemostasis</i> , <b>2008</b> , 100, 1136-45	7	31
122	Optical coherence tomography in unprotected left main coronary artery stenting. <i>EuroIntervention</i> , <b>2010</b> , 6, 94-99	3.1	31
121	Drug-eluting stent supported percutaneous coronary intervention for unprotected left main disease. <i>Catheterization and Cardiovascular Interventions</i> , <b>2006</b> , 68, 225-30	2.7	30
120	Systematic primary angioplasty in octogenarian and older patients. <i>American Heart Journal</i> , <b>1999</b> , 138, 670-4	4.9	30
119	Clinical and angiographic follow-up of small vessel lesions treated with paclitaxel-eluting stents (from the TRUE Registry). <i>American Journal of Cardiology</i> , <b>2008</b> , 102, 1002-8	3	28
118	Percutaneous reperfusion of left main coronary disease complicated by acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , <b>2002</b> , 56, 31-4	2.7	28
117	Direct angioplasty and stenting of the infarct-related artery in acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>1996</b> , 78, 568-71	3	28
116	Comparison of everolimus-eluting stent with paclitaxel-eluting stent in long chronic total occlusions. <i>American Journal of Cardiology</i> , <b>2011</b> , 107, 1768-71	3	27
115	Heart failure and left ventricular remodeling after reperfused acute myocardial infarction in patients with hypertension. <i>Hypertension</i> , <b>2006</b> , 47, 706-10	8.5	27

114	Angiographic findings, time course of regional and global left ventricular function, and clinical outcome in diabetic patients with acute myocardial infarction treated with primary percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 544-9	3	26
113	The impact of right coronary artery chronic total occlusion on clinical outcome of patients undergoing percutaneous coronary intervention for unprotected left main disease. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 125-30	15.1	25
112	ST-segment analysis to predict infarct size and functional outcome in acute myocardial infarction treated with primary coronary intervention and adjunctive abciximab therapy. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 48-54	3	25
111	Predictors of restenosis following contemporary subintimal tracking and reentry technique: The importance of final TIMI flow grade. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 87, 884-92	2.7	24
110	Usefulness of primary angioplasty in nonagenarians with acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 770-3	3	24
109	Impact of insulin-requiring diabetes mellitus on effectiveness of reperfusion and outcome of patients undergoing primary percutaneous coronary intervention for acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2004</b> , 93, 1170-2	3	24
108	Residual platelet reactivity to predict long-term clinical outcomes after clopidogrel loading in patients with acute coronary syndromes: comparison of different cutoff values by light transmission aggregometry from the responsiveness to clopidogrel and stent thrombosis 2-acute coronary syndrome (RECLOSE 2-ACS) study. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2015</b> , 40, 76-82	5.1	23
107	Relation between plasma brain natriuretic peptide, serum indexes of collagen type I turnover, and left ventricular remodeling after reperfused acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 651-6	3	23
106	Ability of mechanical reperfusion to salvage myocardium in patients with acute myocardial infarction presenting beyond 12 hours after onset of symptoms. <i>American Heart Journal</i> , <b>2006</b> , 152, 1133-9	4.9	23
105	Clinical and angiographic outcomes following elective implantation of the Carbostent in patients at high risk of restenosis and target vessel failure. <i>Catheterization and Cardiovascular Interventions</i> , <b>2001</b> , 54, 420-6	2.7	23
104	Prasugrel in Clopidogrel Nonresponders Undergoing Percutaneous Coronary Intervention: The RECLOSE-3 Study (REsponsiveness to CLOpidogrel and StEnt Thrombosis). <i>JACC: Cardiovascular Interventions</i> , <b>2015</b> , 8, 1563-70	5	22
103	Effectiveness of primary percutaneous coronary interventions for stent thrombosis. <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 913-6	3	21
102	Matrix metalloproteinases and their tissue inhibitor after reperfused ST-elevation myocardial infarction treated with doxycycline. Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , <b>2015</b> , 197, 147-53	3.2	20
101	Percutaneous recanalization of chronic total occlusions: wherein lies the body of proof?. <i>American Heart Journal</i> , <b>2013</b> , 165, 133-42	4.9	20
100	Transient left ventricular apical ballooning syndrome after inadvertent epidural administration of potassium chloride. <i>International Journal of Cardiology</i> , <b>2008</b> , 124, e14-5	3.2	20
99	Long-term prognostic implications of nonoptimal primary angioplasty for acute myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , <b>2006</b> , 68, 50-5	2.7	20
98	Comparison of ticlopidine vs. clopidogrel in addition to aspirin after paclitaxel-eluting stent implantation: insights from the TRUE (Taxusin Real-life Usage Evaluation) Study. <i>International Journal of Cardiology</i> , <b>2006</b> , 108, 406-7	3.2	20
97	Impact of chronic total occlusion revascularization in patients with acute myocardial infarction treated by primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , <b>2014</b> , 114, 1794-800	3.800	19

96	Relation of gender to infarct size in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty. <i>American Journal of Cardiology</i> , <b>2013</b> , 111, 936-40	3	19
95	Routine percutaneous coronary intervention in elderly patients with cardiogenic shock complicating acute myocardial infarction. <i>American Heart Journal</i> , <b>2006</b> , 152, 903-8	4.9	19
94	A randomized study of intravenous magnesium in acute myocardial infarction treated with direct coronary angioplasty. <i>American Heart Journal</i> , <b>2000</b> , 140, 891-7	4.9	19
93	Percutaneous coronary intervention with oral sirolimus and bare metal stents has comparable safety and efficacy to treatment with drug eluting stents, but with significant cost saving: long-term follow-up results from the randomised, controlled ORAR III (Oral Rapamycin in Acute Myocardial Infarction) trial. <i>Journal of Internal Medicine</i> , <b>2008</b> , 263, 555-64	3.1	19
92	Impact of bivalirudin therapy in high-risk patients with acute myocardial infarction: 1-year results from the HORIZONS-AMI (Harmonizing Outcomes with RevascularizatiON and Stents in Acute Myocardial Infarction) trial. <i>JACC: Cardiovascular Interventions</i> , <b>2010</b> , 3, 796-802	5	18
91	Stenting for in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , <b>2000</b> , 49, 376-81	2.7	18
90	Prognostic value of reverse left ventricular remodeling after primary angioplasty for STEMI. <i>Atherosclerosis</i> , <b>2012</b> , 222, 123-8	3.1	17
89	A randomized trial comparing clopidogrel versus ticlopidine therapy in patients undergoing infarct artery stenting for acute myocardial infarction with abciximab as adjunctive therapy. <i>American Heart Journal</i> , <b>2005</b> , 150, 220	4.9	17
88	High on-aspirin platelet reactivity predicts cardiac death in acute coronary syndrome patients undergoing PCI. <i>European Journal of Internal Medicine</i> , <b>2016</b> , 30, 49-54	3.9	16
87	Clinical implications of early mitral regurgitation in patients with reperfused acute myocardial infarction. <i>Journal of Cardiac Failure</i> , <b>2008</b> , 14, 48-54	3.3	16
86	Relationship between changes in platelet reactivity and ischemic events following percutaneous coronary intervention: a meta-regression analysis of 30 randomized trials. <i>Atherosclerosis</i> , <b>2014</b> , 234, 176-84	3.1	15
85	Percutaneous coronary intervention for multiple chronic total occlusions. <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 1849-53	3	15
84	Individual patient-data meta-analysis comparing clinical outcome in patients with ST-elevation myocardial infarction treated with percutaneous coronary intervention with or without prior thrombectomy. ATTEMPT study: a pooled Analysis of Trials on ThrombEctomy in acute Myocardial infarction based on individual Patient data. <i>Vascular Health and Risk Management</i> , <b>2009</b> , 5, 243-7	4.4	15
83	Primary coronary infarct artery stenting in acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>1999</b> , 84, 505-10	3	15
82	Second vs. First generation drug eluting stents in multiple vessel disease and left main stenosis: Two-year follow-up of the observational, prospective, controlled, and multicenter ERACI IV registry. <i>Catheterization and Cardiovascular Interventions</i> , <b>2017</b> , 89, 37-46	2.7	14
81	Relationship between CHADS-VASc score, coronary artery disease severity, residual platelet reactivity and long-term clinical outcomes in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2018</b> , 262, 9-13	3.2	14
80	Time-to-treatment and infarct size in STEMI patients undergoing primary angioplasty. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1508-13	3.2	14
79	High on-treatment platelet reactivity by ADP and increased risk of MACE in good clopidogrel metabolizers. <i>Platelets</i> , <b>2012</b> , 23, 586-93	3.6	14

78	Left bundle branch block as an electrocardiographic pattern at presentation of patients with Tako-tsubo cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , <b>2009</b> , 10, 100-3	1.9	14
77	Does gender affect the clinical outcome of patients with acute myocardial infarction complicated by cardiogenic shock who undergo percutaneous coronary intervention?. <i>Catheterization and Cardiovascular Interventions</i> , <b>2003</b> , 59, 423-8	2.7	14
76	Switching from high-dose clopidogrel to prasugrel in ACS patients undergoing PCI: a single-center experience. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2014</b> , 38, 388-94	5.1	13
75	Left ventricular remodeling after primary percutaneous coronary intervention. <i>American Heart Journal</i> , <b>2010</b> , 160, S11-5	4.9	13
74	Safety and benefits of protamine administration to revert anticoagulation soon after coronary angioplasty. A meta-analysis. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2010</b> , 30, 452-8	5.1	13
73	Comparison of the usefulness of Doppler-derived deceleration time versus plasma brain natriuretic peptide to predict left ventricular remodeling after mechanical revascularization in patients with ST-elevation acute myocardial infarction and left ventricular systolic dysfunction. <i>American Journal of Cardiology</i> , <b>2005</b> , 95, 230-4	3	13
72	Long-term follow-up (four years) of unprotected left main coronary artery disease treated with paclitaxel-eluting stents (from the TRUE Registry). <i>EuroIntervention</i> , <b>2010</b> , 5, 906-916	3.1	13
71	Early dobutamine echocardiography predicts improvement in regional and global left ventricular function after reperfused acute myocardial infarction without residual stenosis of the infarct-related artery. <i>American Heart Journal</i> , <b>2000</b> , 139, 153-63	4.9	12
70	Prevalence of thrombophilic disorders in takotsubo patients: the (ThRombophilia in TAKotsubo cardiomyopathy) TROTA study. <i>Clinical Research in Cardiology</i> , <b>2016</b> , 105, 717-26	6.1	12
69	Angiographic and Clinical Outcomes After Everolimus-Eluting Stenting for Unprotected Left Main Disease and High Anatomic Coronary Complexity. <i>JACC: Cardiovascular Interventions</i> , <b>2016</b> , 9, 1001-7	5	12
68	ORAL immunosuppressive therapy to prevent in-Stent restenosis (RAMSES) cooperation: a patient-level meta-analysis of randomized trials. <i>Atherosclerosis</i> , <b>2014</b> , 237, 410-7	3.1	11
67	Effects of a timely therapy with doxycycline on the left ventricular remodeling according to the pre-procedural TIMI flow grade in patients with ST-elevation acute myocardial infarction. <i>Basic Research in Cardiology</i> , <b>2014</b> , 109, 412	11.8	11
66	A New Risk Score to Predict Long-Term Cardiac Mortality in Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock and Treated With Primary Percutaneous Intervention. <i>American Journal of Cardiology</i> , <b>2017</b> , 119, 351-354	3	11
65	Safety of immediate reversal of anticoagulation by protamine to reduce bleeding complications after infarct artery stenting for acute myocardial infarction and adjunctive abciximab therapy. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2010</b> , 30, 446-51	5.1	11
64	Residual thrombin potential predicts cardiovascular death in acute coronary syndrome patients undergoing percutaneous coronary intervention. <i>Thrombosis Research</i> , <b>2016</b> , 147, 52-57	8.2	11
63	Modifying angiographic syntax score according to PCI strategy: lessons learnt from ERACI IV Study. <i>Cardiovascular Revascularization Medicine</i> , <b>2015</b> , 16, 418-20	1.6	10
62	Randomized comparison of cost-saving and effectiveness of oral rapamycin plus bare-metal stents with drug-eluting stents: three-year outcome from the randomized oral rapamycin in Argentina (ORAR) III trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 80, 385-94	2.7	10
61	Bailout Palmaz-Schatz coronary stenting in 39 patients with occlusive dissection complicating conventional angioplasty. <i>Catheterization and Cardiovascular Diagnosis</i> , <b>1995</b> , 35, 204-9		10

60	Gated SPECT evaluation of outcome after abciximab-supported primary infarct artery stenting for acute myocardial infarction: the scintigraphic data of the abciximab and carbostent evaluation (ACE) randomized trial. <i>Journal of Nuclear Medicine</i> , <b>2005</b> , 46, 722-7	8.9	10
59	Comparison of cost-effectiveness of oral rapamycin plus bare-metal stents versus first generation of drug-eluting stents (from the Randomized Oral Rapamycin in Argentina [ORAR] 3 trial). <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 815-21	3	9
58	Preinfarction angina does not affect infarct size in STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , <b>2013</b> , 226, 153-6	3.1	9
57	Abnormal response to mental stress in patients with Takotsubo cardiomyopathy detected by gated single photon emission computed tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 765-72	8.8	9
56	Clinical events beyond one year after an acute coronary syndrome: insights from the RECLOSE 2-ACS study. <i>EuroIntervention</i> , <b>2017</b> , 12, 2018-2024	3.1	9
55	Estimate of myocardial salvage in late presentation acute myocardial infarction by comparing functional and perfusion abnormalities in predischARGE gated SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2008</b> , 35, 906-11	8.8	8
54	Abciximab therapy improves 1-month survival rate in unselected patients with acute myocardial infarction undergoing routine infarct artery stent implantation. <i>American Heart Journal</i> , <b>2002</b> , 144, 315-22	4.9	8
53	Early changes of left ventricular filling pattern after reperfused ST-elevation myocardial infarction and doxycycline therapy: Insights from the TIPTOP trial. <i>International Journal of Cardiology</i> , <b>2017</b> , 240, 43-48	3.2	7
52	Preprocedural TIMI flow and infarct size in STEMI undergoing primary angioplasty. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2014</b> , 38, 81-6	5.1	7
51	Switching from clopidogrel to prasugrel in patients having coronary stent implantation. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2014</b> , 38, 395-401	5.1	7
50	Residual platelet reactivity and outcomes with 5 mg prasugrel therapy in elderly patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 874-7	3.2	7
49	Comparison of the degree of platelet aggregation inhibition with prasugrel versus clopidogrel and clinical outcomes in patients with unprotected left main disease treated with everolimus-eluting stents. <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 1843-8	3	7
48	Comparison of effects of primary coronary angioplasty on left ventricular remodeling and heart failure in patients $\geq 70$ years with acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2009</b> , 104, 926-31	3	7
47	Primary stenting in nonselected patients with acute myocardial infarction: the Multilink Duet in Acute Myocardial Infarction (MIAMI) trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2000</b> , 51, 273-9	2.7	7
46	Prognostic impact of high residual platelet reactivity after chronic total occlusion percutaneous coronary intervention in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , <b>2015</b> , 201, 561-7	3.2	6
45	Effect of diabetes on scintigraphic infarct size in STEMI patients undergoing primary angioplasty. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2015</b> , 31, 322-8	7.5	6
44	Impact of multivessel disease on infarct size among STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , <b>2014</b> , 234, 244-8	3.1	6
43	Five-year clinical outcome of multicenter randomized trial comparing amphilimus - with paclitaxel-eluting stents in de novo native coronary artery lesions. <i>International Journal of Cardiology</i> , <b>2020</b> , 301, 50-55	3.2	6

42	Impact of complete percutaneous revascularization in elderly patients with chronic total occlusion. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 95, 145-153	2.7	6
41	APpropriateness Assessment in Antiplatelet THERapy (APATHY) registry: Insight from current clinical practice. <i>International Journal of Cardiology</i> , <b>2017</b> , 244, 13-16	3.2	5
40	Cost-effective analysis of primary infarct-artery stenting versus optimal primary angioplasty (the Florence Randomized Elective Stenting in Acute Coronary Occlusions [FRESCO] trial). <i>American Journal of Cardiology</i> , <b>2000</b> , 85, 1247-9	3	5
39	Appraising the effectiveness and safety of paclitaxel-eluting stents in over 1,000 very high-risk patients: overall results of the Taxus in Real-life Usage Evaluation (TRUE) registry. <i>EuroIntervention</i> , <b>2007</b> , 3, 333-9	3.1	5
38	Lowering risk score profile during PCI in multiple vessel disease is associated with low adverse events: The ERACI risk score. <i>Cardiovascular Revascularization Medicine</i> , <b>2018</b> , 19, 792-794	1.6	4
37	On-Treatment Platelet Reactivity is a Predictor of Adverse Events in Peripheral Artery Disease Patients Undergoing Percutaneous Angioplasty. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2018</b> , 56, 545-552	2.3	4
36	Smoking and infarct size among STEMI patients undergoing primary angioplasty. <i>Atherosclerosis</i> , <b>2014</b> , 233, 145-8	3.1	4
35	Impact of hypertension on infarct size in ST elevation myocardial infarction patients undergoing primary angioplasty. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 2433-7	1.9	4
34	Evaluation of the influence of age and gender on the relationships between infarct size, infarct severity, and left ventricular ejection fraction in patients successfully treated with primary percutaneous coronary intervention. <i>Journal of Nuclear Cardiology</i> , <b>2010</b> , 17, 444-9	2.1	4
33	Current role of stenting in acute myocardial infarction. <i>American Heart Journal</i> , <b>1999</b> , 138, S147-52	4.9	4
32	Bleeding events and maintenance dose of prasugrel: BLESS pilot study. <i>Open Heart</i> , <b>2016</b> , 3, e000460	3	4
31	Rheolytic thrombectomy in acute myocardial infarction: Effect on microvascular obstruction, infarct size, and left ventricular remodeling. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 87, E1-8	2.7	3
30	Angiographic and clinical outcome after crush of everolimus-eluting stent for distal unprotected left main disease. <i>Catheterization and Cardiovascular Interventions</i> , <b>2017</b> , 90, 72-77	2.7	3
29	Long-term follow-up of elective chronic total coronary occlusion angioplasty. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 64, 2709	15.1	3
28	Predictor of stent thrombosis in patients treated with turbostratic carbon-coated stent implantation for acute myocardial infarction. <i>Journal of Interventional Cardiology</i> , <b>2010</b> , 23, 554-9	1.8	3
27	Tako-Tsubo Cardiomyopathy: Response. <i>Chest</i> , <b>2011</b> , 140, 1101-1102	5.3	3
26	Bailout coronary stenting without anticoagulation or intravascular ultrasound guidance: acute and six-month angiographic results in a series of 120 consecutive patients. <i>Catheterization and Cardiovascular Diagnosis</i> , <b>1997</b> , 41, 14-9		3
25	Relationship of sustained brain natriuretic peptide release after reperfused acute myocardial infarction with gated SPECT infarct measurements and its connection with collagen turnover and left ventricular remodeling. <i>Journal of Nuclear Cardiology</i> , <b>2008</b> , 15, 644-54	2.1	3

24	Predictive value of sequential testing in screening for silent myocardial ischemia in asymptomatic middle-aged men (the ECCIS Project). <i>Cardiology</i> , <b>1996</b> , 87, 240-3	1.6	3
23	Coronary risk factors and silent ischemic heart disease. The ECCIS Project. <i>International Journal of Cardiology</i> , <b>1994</b> , 45, 35-43	3.2	3
22	Patterns and Impact of Dual Antiplatelet Cessation on Cardiovascular Risk After Percutaneous Coronary Intervention in Patients With Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , <b>2019</b> , 123, 709-716	3	3
21	Switching from ticagrelor to prasugrel: a warning. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 1089-90	3.2	2
20	Detection of infarct size safety threshold for left ventricular ejection fraction impairment in acute myocardial infarction successfully treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 542-7	8.8	2
19	Left ventricular shape and function in primary coronary angioplasty. <i>International Journal of Cardiology</i> , <b>2008</b> , 125, 364-75	3.2	2
18	One-Year Follow-Up Results From the Observational, Multicenter, Prospective, and Controlled Registry: The WALTZ All-Comers Study. <i>Clinical Medicine Insights: Cardiology</i> , <b>2019</b> , 13, 1179546819854039	3.2	1
17	Concerning antiplatelet therapy. Reply. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 2087	3	1
16	ARCTIC: Additional proof against antiplatelet adjusted therapy. <i>Global Cardiology Science &amp; Practice</i> , <b>2013</b> , 2013, 130-2	0.7	1
15	Significance of additional ST segment elevation in patients with no reflow after angioplasty for acute myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , <b>2007</b> , 20, 262-9	5.8	1
14	Is an occluded artery better than an open one?. <i>JACC: Cardiovascular Interventions</i> , <b>2008</b> , 1, 521-3	5	1
13	Patient selection bias in primary percutaneous coronary intervention trials: a critical issue. <i>Country Review Ukraine</i> , <b>2005</b> , 7, 121-126		1
12	Myocardial infarction redefined: impact on case-load and outcome of patients with suspected acute coronary syndrome and nondiagnostic ECG at presentation. <i>International Journal of Cardiology</i> , <b>2006</b> , 111, 195-201	3.2	1
11	Coronary angiographic findings in asymptomatic men with suspected silent myocardial ischemia (the ECCIS Project). <i>American Journal of Cardiology</i> , <b>1994</b> , 73, 960-2	3	1
10	Long-Term Mortality Comparison of Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock and Treated With Culprit-Only or Multivessel Percutaneous Coronary Intervention. <i>Cardiovascular Revascularization Medicine</i> , <b>2021</b> , 22, 10-15	1.6	1
9	Cre8[Unique Technology in Challenging Daily Practice: Proceedings of a satellite symposium held at EuroPCR on 20th - 23rd May 2014 in Paris. <i>Interventional Cardiology Review</i> , <b>2014</b> , 9, 180-183	4.2	0
8	Reply: Personalized Antiplatelet Therapy: The Odyssey Continues. <i>JACC: Cardiovascular Interventions</i> , <b>2016</b> , 9, 106-107	5	
7	Reply: Mechanisms affecting platelet response to antiplatelet therapy in patients with ST-segment elevation myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 1637	15.1	

- 6 Reply: To PMID 23273395. *Journal of the American College of Cardiology*, **2013**, 61, 2570-1 15.1
- 5 Direct Left Main Trunk Bifurcation Stenting in Acute Myocardial Infarction (AMI) **2004**, 7-10
- 4 How to prevent and manage complications during primary percutaneous cardiovascular interventions **2006**, 181-198
- 3 Managing Intracoronary Thrombus During PCI **2015**, 175-185
- 2 Thrombectomy Devices **2010**, 144-151
- 1 Reply: Optimal Medical Therapy in the Prognosis of Coronary Artery Disease. *JACC: Cardiovascular Interventions*, **2016**, 9, 1974-5 5