

Susan I Gibson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11925830/publications.pdf>

Version: 2024-02-01

27
papers

2,965
citations

304368

22
h-index

525886

27
g-index

31
all docs

31
docs citations

31
times ranked

3281
citing authors

#	ARTICLE	IF	CITATIONS
1	Repression of <i>ZCT1</i> , <i>ZCT2</i> and <i>ZCT3</i> affects expression of terpenoid indole alkaloid biosynthetic and regulatory genes. PeerJ, 2021, 9, e11624.	0.9	4
2	CrBPF1 overexpression alters transcript levels of terpenoid indole alkaloid biosynthetic and regulatory genes. Frontiers in Plant Science, 2015, 6, 818.	1.7	34
3	Identification of differentially expressed genes between developing seeds of different soybean cultivars. Genomics Data, 2015, 6, 92-98.	1.3	3
4	Promoting an active form of learning out-of-class via answering online "study questions" leads to higher than expected exam scores in General Biology. PeerJ, 2015, 3, e1322.	0.9	7
5	<i>SIS8</i> , a putative mitogen-activated protein kinase kinase kinase, regulates sugar-resistant seedling development in Arabidopsis. Plant Journal, 2014, 77, 577-588.	2.8	30
6	The ORCA2 transcription factor plays a key role in regulation of the terpenoid indole alkaloid pathway. BMC Plant Biology, 2013, 13, 155.	1.6	97
7	Mutations in HISTONE ACETYLTRANSFERASE1 affect sugar response and gene expression in Arabidopsis. Frontiers in Plant Science, 2013, 4, 245.	1.7	24
8	SUGAR-INSENSITIVE3, a RING E3 Ligase, Is a New Player in Plant Sugar Response. Plant Physiology, 2010, 152, 1889-1900.	2.3	45
9	Identification, cloning and characterization of <i>sis7</i> and <i>sis10</i> sugar-insensitive mutants of Arabidopsis. BMC Plant Biology, 2008, 8, 104.	1.6	25
10	Characterization of an Ethanol-Inducible Promoter System in <i>Catharanthus roseus</i> Hairy Roots. Biotechnology Progress, 2007, 23, 0-0.	1.3	11
11	Expression of the Arabidopsis feedback-insensitive anthranilate synthase holoenzyme and tryptophan decarboxylase genes in <i>Catharanthus roseus</i> hairy roots. Journal of Biotechnology, 2006, 122, 28-38.	1.9	77
12	Terpenoid indole alkaloid production by <i>Catharanthus roseus</i> hairy roots induced by <i>Agrobacterium tumefaciens</i> harboring rol ABC genes. Biotechnology and Bioengineering, 2006, 93, 386-390.	1.7	48
13	Effects of terpenoid precursor feeding on <i>Catharanthus roseus</i> hairy roots over-expressing the alpha or the alpha and beta subunits of anthranilate synthase. Biotechnology and Bioengineering, 2006, 93, 534-540.	1.7	53
14	Transient Effects of Overexpressing Anthranilate Synthase $\hat{1}$ and $\hat{2}$ Subunits in <i>Catharanthus roseus</i> Hairy Roots. Biotechnology Progress, 2005, 21, 1572-1576.	1.3	35
15	Control of plant development and gene expression by sugar signaling. Current Opinion in Plant Biology, 2005, 8, 93-102.	3.5	584
16	Expression of a feedback-resistant anthranilate synthase in <i>Catharanthus roseus</i> hairy roots provides evidence for tight regulation of terpenoid indole alkaloid levels. Biotechnology and Bioengineering, 2004, 86, 718-727.	1.7	83
17	Metabolic engineering of the indole pathway in <i>Catharanthus roseus</i> hairy roots and increased accumulation of tryptamine and serpentine. Metabolic Engineering, 2004, 6, 268-276.	3.6	114
18	Chloroplast biogenesis by Arabidopsis seedlings is impaired in the presence of exogenous glucose. Physiologia Plantarum, 2003, 118, 456-463.	2.6	22

#	ARTICLE	IF	CITATIONS
19	Sugar and phytohormone response pathways: navigating a signalling network. <i>Journal of Experimental Botany</i> , 2003, 55, 253-264.	2.4	262
20	Mobilization of seed storage lipid by <i>Arabidopsis</i> seedlings is retarded in the presence of exogenous sugars. <i>BMC Plant Biology</i> , 2002, 2, 4.	1.6	56
21	ABA and sugar interactions regulating development: cross-talk or voices in a crowd?. <i>Current Opinion in Plant Biology</i> , 2002, 5, 26-32.	3.5	291
22	Characterization of an Inducible Promoter System in <i>Catharanthus roseus</i> Hairy Roots. <i>Biotechnology Progress</i> , 2002, 18, 1183-1186.	1.3	52
23	The sugar-insensitive1 (<i>sis1</i>) Mutant of <i>Arabidopsis</i> Is Allelic to <i>ctr1</i> . <i>Biochemical and Biophysical Research Communications</i> , 2001, 280, 196-203.	1.0	127
24	The <i>ram1</i> Mutant of <i>Arabidopsis</i> Exhibits Severely Decreased α -Amylase Activity. <i>Plant Physiology</i> , 2001, 127, 1798-1807.	2.3	67
25	The <i>Arabidopsis</i> sugar-insensitive mutants <i>sis4</i> and <i>sis5</i> are defective in abscisic acid synthesis and response. <i>Plant Journal</i> , 2000, 23, 587-596.	2.8	374
26	Fumaric acid: an overlooked form of fixed carbon in <i>Arabidopsis</i> and other plant species. <i>Planta</i> , 2000, 211, 743-751.	1.6	186
27	Plant Sugar-Response Pathways. Part of a Complex Regulatory Web. <i>Plant Physiology</i> , 2000, 124, 1532-1539.	2.3	240