

Christiane Angermann Angermann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1192998/publications.pdf>

Version: 2024-02-01

31
papers

1,614
citations

471509

17
h-index

434195

31
g-index

32
all docs

32
docs citations

32
times ranked

1725
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Prevalence and prognostic impact of chronic kidney disease and anaemia across ACC/AHA precursor and symptomatic heart failure stages. <i>Clinical Research in Cardiology</i> , 2023, 112, 868-879. | 3.3 | 4 |
| 2 | Regional differences in precipitating factors of hospitalization for acute heart failure: insights from the <sc>REPORTâ€HF</sc> registry. <i>European Journal of Heart Failure</i> , 2022, 24, 645-652. | 7.1 | 18 |
| 3 | The SGLT2 inhibitor empagliflozin in patients hospitalized for acute heart failure: a multinational randomized trial. <i>Nature Medicine</i> , 2022, 28, 568-574. | 30.7 | 341 |
| 4 | Global disparities in prescription of guideline-recommended drugs for heart failure with reduced ejection fraction. <i>European Heart Journal</i> , 2022, 43, 2224-2234. | 2.2 | 22 |
| 5 | Effects of Empagliflozin on Symptoms, Physical Limitations, and Quality of Life in Patients Hospitalized for Acute Heart Failure: Results From the EMPULSE Trial. <i>Circulation</i> , 2022, 146, 279-288. | 1.6 | 65 |
| 6 | Sexâ€specific bimodal clustering of left ventricular ejection fraction in patients with acute heart failure. <i>ESC Heart Failure</i> , 2022, 9, 786-790. | 3.1 | 8 |
| 7 | Quality of life assessed six months after hospitalisation for acute heart failure: An analysis from <sc>REPORTâ€HF</sc> (International Registry to assess <sc>mEdical</sc> Practice with) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Failure. 2022, ... | 7.1 | 12 |
| 8 | Trajectories of Left Ventricular Ejection Fraction After Acute Decompensation for Systolic Heart Failure: Concomitant Echocardiographic and Systemic Changes, Predictors, and Impact on Clinical Outcomes. <i>Journal of the American Heart Association</i> , 2021, 10, e017822. | 3.7 | 13 |
| 9 | Heart and brain interactions. <i>Herz</i> , 2021, 46, 138-149. | 1.1 | 24 |
| 10 | Sodiumâ€glucose coâ€transporter 2 inhibition in patients hospitalized for acute decompensated heart failure: rationale for and design of the <sc>EMPULSE</sc> trial. <i>European Journal of Heart Failure</i> , 2021, 23, 826-834. | 7.1 | 60 |
| 11 | Global Differences in Burden and Treatment of Ischemic Heart Disease in Acute Heart Failure. <i>JACC: Heart Failure</i> , 2021, 9, 349-359. | 4.1 | 14 |
| 12 | Dynamics of Left Ventricular Myocardial Work in Patients Hospitalized for Acute Heart Failure. <i>Journal of Cardiac Failure</i> , 2021, 27, 1393-1403. | 1.7 | 4 |
| 13 | Global Differences in Characteristics, Precipitants, and Initial Management of Patients Presenting With Acute Heart Failure. <i>JAMA Cardiology</i> , 2020, 5, 401. | 6.1 | 51 |
| 14 | Pulmonary artery pressureâ€guided therapy in ambulatory patients with symptomatic heart failure: the <sc>CardioMEMS E</sc>uropean <sc>M</sc>onitoring <sc>S</sc>tudy for <sc>H</sc>eart <sc>F</sc>ailure (<sc>MEMSâ€HF</sc>). <i>European Journal of Heart Failure</i> , 2020, 22, 1891-1901. | 7.1 | 142 |
| 15 | Post-discharge prognosis of patients admitted to hospital for heart failure by world region, and national level of income and income disparity (REPORT-HF): a cohort study. <i>The Lancet Global Health</i> , 2020, 8, e411-e422. | 6.3 | 104 |
| 16 | Symptom patterns and clinical outcomes in women versus men with systolic heart failure and depression. <i>Clinical Research in Cardiology</i> , 2019, 108, 244-253. | 3.3 | 23 |
| 17 | The trialistâ€™s perspective: what do you need to prove for remote monitoring devices to be approved?. <i>European Heart Journal Supplements</i> , 2019, 21, M57-M60. | 0.1 | 5 |
| 18 | Point-of-care B-type natriuretic peptide and portable echocardiography for assessment of patients with suspected heart failure in primary care: rationale and design of the three-part Handheld-BNP program and results of the training study. <i>Clinical Research in Cardiology</i> , 2018, 107, 95-107. | 3.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Depression, Anxiety, and Cognitive Impairment. <i>Current Heart Failure Reports</i> , 2018, 15, 398-410. | 3.3 | 65 |
| 20 | Safety and feasibility of pulmonary artery pressure-guided heart failure therapy: rationale and design of the prospective CardioMEMS Monitoring Study for Heart Failure (MEMS-HF). <i>Clinical Research in Cardiology</i> , 2018, 107, 991-1002. | 3.3 | 37 |
| 21 | Prognostic significance of serial high-sensitivity troponin I measurements following acute cardiac decompensation-correlation with longer-term clinical outcomes and reverse remodelling. <i>International Journal of Cardiology</i> , 2017, 232, 199-207. | 1.7 | 11 |
| 22 | Prevalence and clinical impact of iron deficiency and anaemia among outpatients with chronic heart failure: The PrEP Registry. <i>Clinical Research in Cardiology</i> , 2017, 106, 436-443. | 3.3 | 85 |
| 23 | Prognostic potential of midregional pro- α -adrenomedullin following decompensation for systolic heart failure: comparison with cardiac natriuretic peptides. <i>European Journal of Heart Failure</i> , 2017, 19, 1166-1175. | 7.1 | 30 |
| 24 | A functional variant of the neuropeptide S receptor-1 gene modulates clinical outcomes and healthcare utilization in patients with systolic heart failure: results from the Interdisciplinary Network Heart Failure (INH) Study. <i>European Journal of Heart Failure</i> , 2017, 19, 314-323. | 7.1 | 13 |
| 25 | High evening salivary cortisol is an independent predictor of increased mortality risk in patients with systolic heart failure. <i>International Journal of Cardiology</i> , 2016, 203, 69-73. | 1.7 | 22 |
| 26 | Prognostic Value of Aldosterone and Cortisol in Patients Hospitalized for Acutely Decompensated Chronic Heart Failure With and Without Mineralocorticoid Receptor Antagonism. <i>Journal of Cardiac Failure</i> , 2015, 21, 208-216. | 1.7 | 17 |
| 27 | International REgistry to assess medical Practice with LOngitudinal obseRVation for Treatment of Heart Failure (REPORT-HF): rationale for and design of a global registry. <i>European Journal of Heart Failure</i> , 2015, 17, 527-533. | 7.1 | 52 |
| 28 | Nurse-coordinated collaborative disease management improves the quality of guideline-recommended heart failure therapy, patient-reported outcomes, and left ventricular remodelling. <i>European Journal of Heart Failure</i> , 2015, 17, 442-452. | 7.1 | 103 |
| 29 | Comparative Potential of the 2-Item Versus the 9-Item Patient Health Questionnaire to Predict Death or Rehospitalization in Heart Failure. <i>Circulation: Heart Failure</i> , 2015, 8, 464-472. | 3.9 | 41 |
| 30 | Clinical characteristics, treatment and survival in patients with systolic heart failure – Comparative assessment of a Chinese and a German cohort. <i>International Journal of Cardiology</i> , 2014, 176, 1388-1390. | 1.7 | 4 |
| 31 | Mode of Action and Effects of Standardized Collaborative Disease Management on Mortality and Morbidity in Patients With Systolic Heart Failure. <i>Circulation: Heart Failure</i> , 2012, 5, 25-35. | 3.9 | 209 |