
## Veronica D Gonzalez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11930598/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mass Cytometry for the Characterization of Individual Cell Types in Ovarian Solid Tumors. Methods in Molecular Biology, 2022, 2424, 59-94.	0.4	3
2	High-grade serous ovarian tumor cells modulate NK cell function to create an immune-tolerant microenvironment. Cell Reports, 2021, 36, 109632.	2.9	26
3	Identification of NK Cell Subpopulations That Differentiate HIV-Infected Subject Cohorts with Diverse Levels of Virus Control. Journal of Virology, 2019, 93, .	1.5	41
4	Terminal Effector CD8 T Cells Defined by an IKZF2+IL-7Râ^' Transcriptional Signature Express FcγRIIIA, Expand in HIV Infection, and Mediate Potent HIV-Specific Antibody-Dependent Cellular Cytotoxicity. Journal of Immunology, 2019, 203, 2210-2221.	0.4	23
5	Commonly Occurring Cell Subsets in High-Grade Serous Ovarian Tumors Identified by Single-Cell Mass Cytometry. Cell Reports, 2018, 22, 1875-1888.	2.9	83
6	Highâ€ŧhroughput precision measurement of subcellular localization in single cells. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2017, 91, 180-189.	1.1	13
7	Atomic mass tag of bismuthâ€209 for increasing the immunoassay multiplexing capacity of mass cytometry. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2017, 91, 1150-1163.	1.1	37
8	Palladium-based mass tag cell barcoding with a doublet-filtering scheme and single-cell deconvolution algorithm. Nature Protocols, 2015, 10, 316-333.	5.5	466
9	The Human NK Cell Response to Yellow Fever Virus 17D Is Primarily Governed by NK Cell Differentiation Independently of NK Cell Education. Journal of Immunology, 2015, 195, 3262-3272.	0.4	47
10	Temporal Dynamics of the Primary Human T Cell Response to Yellow Fever Virus 17D As It Matures from an Effector- to a Memory-Type Response. Journal of Immunology, 2013, 190, 2150-2158.	0.4	97
11	Differential Loss of Invariant Natural Killer T Cells and FoxP3+ Regulatory T Cells in HIV-1 Subtype A and Subtype D Infections. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 289-293.	0.9	4
12	Rebound of residual plasma viremia after initial decrease following addition of intravenous immunoglobulin to effective antiretroviral treatment of HIV. AIDS Research and Therapy, 2011, 8, 21.	0.7	10
13	Innate and Adaptive Immune Responses Both Contribute to Pathological CD4 T Cell Activation in HIV-1 Infected Ugandans. PLoS ONE, 2011, 6, e18779.	1.1	36
14	Innate immunity and chronic immune activation in HCV/HIV-1 co-infection. Clinical Immunology, 2010, 135, 12-25.	1.4	52
15	Chronic immune activation in the T cell compartment of HCV/HIV-1 co-infected patients. Virulence, 2010, 1, 177-179.	1.8	25
16	Expansion of Functionally Skewed CD56-Negative NK Cells in Chronic Hepatitis C Virus Infection: Correlation with Outcome of Pegylated IFN-I± and Ribavirin Treatment. Journal of Immunology, 2009, 183, 6612-6618.	0.4	132
17	High Levels of Chronic Immune Activation in the T-Cell Compartments of Patients Coinfected with Hepatitis C Virus and Human Immunodeficiency Virus Type 1 and on Highly Active Antiretroviral Therapy Are Reverted by Alpha Interferon and Ribavirin Treatment. Journal of Virology, 2009, 83, 11407-11411.	1.5	134
18	Severe functional impairment and elevated PDâ€1 expression in CD1dâ€restricted NKT cells retained during chronic HIVâ€1 infection. European Journal of Immunology, 2009, 39, 902-911.	1.6	91

#	Article	IF	CITATIONS
19	Reduction of the HIV-1 reservoir in resting CD4+ T-lymphocytes by high dosage intravenous immunoglobulin treatment: a proof-of-concept study. AIDS Research and Therapy, 2009, 6, 15.	0.7	29
20	Elevated Natural Killer Cell Activity Despite Altered Functional and Phenotypic Profile in Ugandans With HIV-1 Clade A or Clade D Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 51, 380-389.	0.9	46
21	Expansion of CD56â^² NK cells in chronic HCV/HIV-1 co-infection: Reversion by antiviral treatment with pegylated IFNα and ribavirin. Clinical Immunology, 2008, 128, 46-56.	1.4	60
22	Application of nine-color flow cytometry for detailed studies of the phenotypic complexity and functional heterogeneity of human lymphocyte subsets. Journal of Immunological Methods, 2008, 330, 64-74.	0.6	27
23	Spontaneous HCV clearance in HCV/HIV-1 coinfection associated with normalized CD4 counts, low level of chronic immune activation and high level of T cell function. Journal of Clinical Virology, 2008, 41, 160-163.	1.6	29
24	Elevated Numbers of FcÎ <sup>3</sup> RIIIA+ (CD16+) Effector CD8 T Cells with NK Cell-Like Function in Chronic Hepatitis C Virus Infection. Journal of Immunology, 2008, 181, 4219-4228.	0.4	68
25	CXCR5 <sup>+</sup> CCR7 <sup>–</sup> CD8 T cells are early effector memory cells that infiltrate tonsil B cell follicles. European Journal of Immunology, 2007, 37, 3352-3362.	1.6	158
26	Expansion of CD7low and CD7negative CD8 T-cell effector subsets in HIV-1 infection: correlation with antigenic load and reversion by antiretroviral treatment. Blood, 2004, 104, 3672-3678.	0.6	32