

# Mohammad-Reza Movahed

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1193128/publications.pdf>

Version: 2024-02-01

178  
papers

2,755  
citations

201385

27  
h-index

223531

46  
g-index

182  
all docs

182  
docs citations

182  
times ranked

3969  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diabetes mellitus is a strong, independent risk for atrial fibrillation and flutter in addition to other cardiovascular disease. <i>International Journal of Cardiology</i> , 2005, 105, 315-318.	0.8	341
2	Clinical Characteristics, Demographics and Prognosis of Transient Left Ventricular Apical Ballooning Syndrome. <i>Heart Failure Reviews</i> , 2005, 10, 311-316.	1.7	227
3	Reverse or Inverted Takotsubo Cardiomyopathy (Reverse Left Ventricular Apical Ballooning Syndrome) Presents at a Younger Age Compared With the Mid or Apical Variant and Is Always Associated With Triggering Stress. <i>Congestive Heart Failure</i> , 2010, 16, 284-286.	2.0	118
4	Diabetic Cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2010, 16, 971-979.	0.7	104
5	Mitral Annulus Calcification is associated with valvular and cardiac structural abnormalities. <i>Cardiovascular Ultrasound</i> , 2007, 5, 14.	0.5	84
6	Increased Prevalence of Third-Degree Atrioventricular Block in Patients With Type II Diabetes Mellitus. <i>Chest</i> , 2005, 128, 2611-2614.	0.4	76
7	Prevention of Post-Coronary Artery Bypass Grafting (CABG) Atrial Fibrillation: Efficacy of Prophylactic Beta-Blockers in the Modern Era. <i>Annals of Noninvasive Electrocardiology</i> , 2013, 18, 58-68.	0.5	58
8	TYPE II DIABETES MELLITUS IS INDEPENDENTLY ASSOCIATED WITH NON-RHEUMATIC AORTIC VALVE STENOSIS OR REGURGITATION. <i>Chest</i> , 2005, 128, 3568-71.	0.4	54
9	Reverse or Inverted Left Ventricular Apical Ballooning Syndrome (Reverse Takotsubo Cardiomyopathy) in a Young Woman in the Setting of Amphetamine Use. <i>Echocardiography</i> , 2008, 25, 429-432.	0.3	53
10	Diabetes as a risk factor for cardiac conduction defects: a review. <i>Diabetes, Obesity and Metabolism</i> , 2007, 9, 276-281.	2.2	51
11	Echocardiographic Prevalence of Bicuspid Aortic Valve in the Population. <i>Heart Lung and Circulation</i> , 2006, 15, 297-299.	0.2	50
12	Successful management of acute massive pulmonary embolism using Angiovac suction catheter technique in a hemodynamically unstable patient. <i>Cardiovascular Revascularization Medicine</i> , 2014, 15, 240-243.	0.3	44
13	Review: transient left ventricular apical ballooning, broken heart syndrome, ampulla cardiomyopathy, atypical apical ballooning, or Tako-Tsubo cardiomyopathy. <i>Cardiovascular Revascularization Medicine</i> , 2007, 8, 289-292.	0.3	40
14	A novel method for safe and accurate left anterior descending coronary artery ligation for research in rats. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 121-123.	0.3	39
15	Increased prevalence of ventricular fibrillation in patients with type 2 diabetes mellitus. <i>Heart and Vessels</i> , 2007, 22, 251-253.	0.5	39
16	Contrast-induced nephropathy: a review. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 82-88.	0.3	38
17	Cardiac paraganglioma: Clinical presentation, diagnostic approach and factors affecting short and long-term outcomes. <i>International Journal of Cardiology</i> , 2013, 166, 315-320.	0.8	37
18	The pathogenesis and treatment of no-reflow occurring during percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2008, 9, 56-61.	0.3	36

#	ARTICLE	IF	CITATIONS
19	Obesity is strongly and independently associated with a higher prevalence of pulmonary embolism. <i>Respiratory Investigation</i> , 2019, 57, 376-379.	0.9	36
20	Increased prevalence of infectious endocarditis in patients with type II diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2007, 21, 403-406.	1.2	34
21	Obesity cardiomyopathy and systolic function: Obesity is not independently associated with dilated cardiomyopathy. <i>Heart Failure Reviews</i> , 2013, 18, 207-217.	1.7	33
22	Obesity is associated with left atrial enlargement, E/A reversal and left ventricular hypertrophy. <i>Experimental and Clinical Cardiology</i> , 2008, 13, 89-91.	1.3	33
23	Coronary artery bifurcation lesion classifications, interventional techniques and clinical outcome. <i>Expert Review of Cardiovascular Therapy</i> , 2008, 6, 261-274.	0.6	32
24	A new proposed simplified classification of coronary artery bifurcation lesions and bifurcation interventional techniques. <i>Journal of Invasive Cardiology</i> , 2006, 18, 199-204.	0.4	32
25	The prevalence of mitral valve prolapse in patients undergoing echocardiography for clinical reason. <i>International Journal of Cardiology</i> , 2007, 123, 55-57.	0.8	30
26	Flattening of the interventricular septum (D-shaped left ventricle) in addition to high right ventricular tracer uptake and increased right ventricular volume found on gated SPECT studies strongly correlates with right ventricular overload. <i>Journal of Nuclear Cardiology</i> , 2005, 12, 428-434.	1.4	29
27	The use of gadolinium in patients with contrast allergy or renal failure requiring coronary angiography, coronary intervention, or vascular procedure. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 747-754.	0.7	29
28	Obesity in Adolescence is Associated with Left Ventricular Hypertrophy and Hypertension. <i>Echocardiography</i> , 2011, 28, 150-153.	0.3	28
29	Increased Prevalence of Mitral Stenosis in Women. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 911-913.	1.2	27
30	State of the Art Comprehensive Review of Individual Statins, Their Differences, Pharmacology, and Clinical Implications. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 625-639.	1.3	27
31	A Comprehensive Review of PCSK9 Inhibitors. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2022, 27, 107424842211001.	1.0	27
32	Rate of Acute ST-Elevation Myocardial Infarction in the United States from 1988 to 2004 (from the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	26
33	Early Diagnosis of Stress-Induced Apical Ballooning Syndrome Based on Classic Echocardiographic Findings and Correlation with Cardiac Catheterization. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1423.e1-1423.e8.	1.2	25
34	Lack of Association between Obesity and Left Ventricular Systolic Dysfunction. <i>Echocardiography</i> , 2009, 26, 128-132.	0.3	25
35	Presence of Biventricular Dysfunction in Patients With Type II Diabetes Mellitus. <i>Congestive Heart Failure</i> , 2007, 13, 78-80.	2.0	24
36	How to prevent echocardiographic misinterpretation of Gerbode type defect as pulmonary arterial hypertension. <i>European Journal of Echocardiography</i> , 2007, 8, 494-497.	2.3	23

#	ARTICLE	IF	CITATIONS
37	Major Limitations of Randomized Clinical Trials Involving Coronary Artery Bifurcation Interventions: Time for Redesigning Clinical Trials by Involving Only True Bifurcation Lesions and Using Appropriate Bifurcation Classification. <i>Journal of Interventional Cardiology</i> , 2011, 24, 295-301.	0.5	20
38	The occurrence of asthma in hospitalized patients with type 2 diabetes mellitus. <i>Internal Medicine Journal</i> , 2009, 39, 699-701.	0.5	19
39	Thrombolytic Therapy for Right-Sided Mechanical Pulmonic and Tricuspid Valves: The Largest Survival Analysis to Date. <i>Texas Heart Institute Journal</i> , 2015, 42, 543-547.	0.1	19
40	Gradual decline in the age-adjusted in-hospital mortality rate from STEMI-related cardiogenic shock irrespective of cause, race or gender with persistent higher mortality rates in women despite multivariate adjustment. <i>Journal of Invasive Cardiology</i> , 2014, 26, 7-12.	0.4	19
41	Poor Correlation of Estimated Pulmonary Artery Systolic Pressure Between Echocardiography and Right Heart Catheterization in Patients Awaiting Cardiac Transplantation: Results From the Clinical Arena. <i>Transplantation Proceedings</i> , 2009, 41, 3827-3830.	0.3	17
42	Independent Association Between Type 2 Diabetes Mellitus and Hypertension Over a Period of 10 Years in a Large Inpatient Population. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 198-201.	0.5	17
43	Angina Induced by 5-Fluorouracil Infusion in a Patient with Normal Coronaries. <i>The American Heart Hospital Journal</i> , 2010, 8, 111.	0.2	17
44	Successful removal of an entrapped and kinked catheter during right transradial cardiac catheterization by snaring and unwinding the catheter via femoral access. <i>Cardiovascular Revascularization Medicine</i> , 2012, 13, 202.e1-202.e3.	0.3	16
45	Coronary artery bifurcation lesions: a review and update on classification and interventional techniques. <i>Cardiovascular Revascularization Medicine</i> , 2008, 9, 263-268.	0.3	15
46	Prevalence of suspected hypertrophic cardiomyopathy or left ventricular hypertrophy based on race and gender in teenagers using screening echocardiography. <i>Cardiovascular Ultrasound</i> , 2010, 8, 54.	0.5	15
47	Prophylactic Use of Vancomycin in Adult Cardiology and Cardiac Surgery. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2004, 9, 13-20.	1.0	14
48	Cardiovascular Abnormalities and Arrhythmias in Patients with Ondine's Curse (Congenital Central T <sub>1</sub> ETQq0 0 0 rgBT /Overlock 10 Tf 50.5	0.5	14
49	Wellens' Syndrome or Inverted U-waves?. <i>Clinical Cardiology</i> , 2008, 31, 133-134.	0.7	14
50	Declining In-hospital Mortality in Patients Undergoing Coronary Bypass Surgery in the United States Irrespective of Presence of Type 2 Diabetes or Congestive Heart Failure. <i>Clinical Cardiology</i> , 2012, 35, 297-300.	0.7	14
51	Strong independent association between obesity and essential hypertension. <i>Clinical Obesity</i> , 2016, 6, 189-192.	1.1	14
52	Left Ventricular Hypertrophy Is Associated With Obesity, Male Gender, and Symptoms in Healthy Adolescents. <i>Obesity</i> , 2009, 17, 606-610.	1.5	13
53	<i>Pasteurella multocida</i> endocarditis. <i>Journal of Heart Valve Disease</i> , 2012, 21, 260-2.	0.5	13
54	Impaired myocardial SPECT imaging secondary to silicon- and saline-containing breast implants. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 449-455.	0.7	12

#	ARTICLE	IF	CITATIONS
55	Impairment of echocardiographic acoustic window by breast implants. <i>European Journal of Echocardiography</i> , 2006, 9, 296-7.	2.3	12
56	Mitral valvar prolapse is significantly associated with low body mass index in addition to mitral and tricuspid regurgitation. <i>Cardiology in the Young</i> , 2007, 17, 172-174.	0.4	11
57	Interference of breast implants with echocardiographic image acquisition and interpretation. <i>Cardiovascular Ultrasound</i> , 2007, 5, 9.	0.5	11
58	Review of Movahedâ€™s sign (D shaped left ventricle seen on gated SPECT) suggestive of right ventricular overload. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 553-557.	0.7	11
59	Distal administration of very high doses of intracoronary adenosine for the treatment of resistant no-reflow. <i>Experimental and Clinical Cardiology</i> , 2008, 13, 141-3.	1.3	11
60	The Prevalence of Valvular Abnormalities in Patients Who Were Referred for Echocardiographic Examination With a Primary Diagnosis of "Heart Murmur". <i>Echocardiography</i> , 2007, 24, 447-451.	0.3	10
61	Nationwide Trends in the Utilization of Multivessel Percutaneous Coronary Intervention (MVPCI) in the United States across Different Gender and Ethnicities. <i>Journal of Interventional Cardiology</i> , 2009, 22, 247-251.	0.5	10
62	A Novel Risk Score in Predicting Failure or Success for Antegrade Approach to Percutaneous Coronary Intervention of Chronic Total Occlusion: Antegrade CTO Score. <i>International Journal of Angiology</i> , 2017, 26, 089-094.	0.2	10
63	The Use of Micropuncture Technique for Vascular or Body Cavity Access. <i>Reviews in Cardiovascular Medicine</i> , 2014, 15, 245-251.	0.5	10
64	Using a 0.035-in. straight-tip wire and a small infant laryngoscope for safe and easy endotracheal intubations in rats for cardiovascular research. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 160-162.	0.3	9
65	Removal of Iodine Contrast From Coronary Sinus in Swine During Coronary Angiography. <i>Journal of the American College of Cardiology</i> , 2006, 47, 465-467.	1.2	9
66	Prevalence of mitral valvar prolapse in young athletes. <i>Cardiology in the Young</i> , 2008, 18, 402-404.	0.4	9
67	Presence of Anomalous Coronary Seen on Angiogram Is Not Associated with Increased Risk of Significant Coronary Artery Disease. <i>International Journal of Angiology</i> , 2014, 23, 243-246.	0.2	9
68	Nationwide trends in the utilisation of percutaneous coronary intervention (PCI) in the United States of America based on gender and ethnicities. <i>EuroIntervention</i> , 2009, 5, 343-348.	1.4	9
69	Simultaneous subacute stent thrombosis of two drug-eluting stents in the left anterior descending and the circumflex coronary arteries. Case report and review of the literature. <i>Journal of Invasive Cardiology</i> , 2006, 18, E198-202.	0.4	9
70	Decreasing in-hospital mortality of patients undergoing percutaneous coronary intervention with persistent higher mortality rates in women and minorities in the United States. <i>Journal of Invasive Cardiology</i> , 2010, 22, 58-60.	0.4	9
71	A Novel Inhibitor of Protease-activated Receptor 1: A Review of Chemical Structure and Mode of Action. <i>Reviews in Cardiovascular Medicine</i> , 2015, 16, 68-73.	0.5	9
72	Absence of Device-Device Interaction (DDI) in a Patient with Cardiac and Diaphragmatic Pacemakers for Congenital Central Hypoventilation Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 1238-1239.	0.5	8

#	ARTICLE	IF	CITATIONS
73	Novel Antiplatelet Agent Ticagrelor in the Management of Acute Coronary Syndrome. <i>Journal of Interventional Cardiology</i> , 2011, 24, 199-207.	0.5	8
74	Age adjusted nationwide trends in the incidence of all cause and ST elevation myocardial infarction associated cardiogenic shock based on gender and race in the United States. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 2-5.	0.3	8
75	Going around the bend: deep inspiration facilitates difficult stent delivery in the native coronary arteries. <i>Texas Heart Institute Journal</i> , 2011, 38, 270-4.	0.1	8
76	Attenuation Artifact During Myocardial SPECT Imaging Secondary to Saline and Silicone Breast Implants. <i>The American Heart Hospital Journal</i> , 2007, 5, 195-196.	0.2	7
77	Current status of thoracic endografting and its adjunctive pharmacology. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 2871-2881.	0.9	7
78	Nationwide trends in the age adjusted prevalence of non-ST elevation myocardial infarction (NSTEMI) across various races and gender in the USA. <i>Acute Cardiac Care</i> , 2010, 12, 58-62.	0.2	7
79	Unusual Combination of Holt-Oram Syndrome and Persistent Left Superior Vena Cava. <i>Congenital Heart Disease</i> , 2012, 7, E46-E49.	0.0	7
80	Visual-Functional Mismatch Between Coronary Angiography, Fractional Flow Reserve, and Quantitative Coronary Angiography. <i>International Journal of Angiology</i> , 2016, 25, 229-234.	0.2	7
81	Coronary Stenting in Patients With Medically Resistant Vasospasm. <i>Reviews in Cardiovascular Medicine</i> , 2010, 11, 264-270.	0.5	7
82	Utilization efficacy of noninvasive and invasive cardiac testing among stable cardiac patients undergoing noncardiac surgery. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 12-18.	0.3	6
83	Predictor of a Negative Tilt-Table Test Result Based on Early Heart Rate Variation in Patients With a History of Syncope. <i>The American Heart Hospital Journal</i> , 2007, 5, 247-249.	0.2	6
84	Differences according to gender in reporting physical symptoms during echocardiographic screening in healthy teenage athletes. <i>Cardiology in the Young</i> , 2008, 18, 303-306.	0.4	6
85	Studies Involving Coronary Bifurcation Interventions Should Utilize the Most Comprehensive and Technically Relevant Movahed Coronary Bifurcation Classification for Better Communication and Accuracy. <i>American Journal of Cardiology</i> , 2010, 105, 1204-1205.	0.7	6
86	Important Echocardiographic Features of Takotsubo or Stress-Induced Cardiomyopathy That Can Aid Early Diagnosis. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 1200-1201.	2.3	6
87	The Safety of Using Large Amount (30 cc) of Onyx (Ethylene-vinyl Alcohol Copolymer) for the Treatment of Large Type II Endoleak after Endovascular Repair of Abdominal Aortic Aneurysm. <i>International Journal of Angiology</i> , 2016, 25, e169-e172.	0.2	6
88	Idiopathic thrombocytopenic purpura is strongly associated with higher prevalence of aortic valve disease. <i>Annals of Hematology</i> , 2020, 99, 2081-2084.	0.8	6
89	Efficacy and Safety of Perioperative Bridging Anticoagulation in Patients with Atrial Fibrillation Undergoing Elective Surgical Procedures: A Meta-analysis. <i>Clinical Medicine and Research</i> , 2021, 19, 19-25.	0.4	6
90	Microvascular dysfunction following primary percutaneous coronary intervention in the setting of ST-elevation myocardial infarction. <i>Journal of Invasive Cardiology</i> , 2008, 20, 603-14.	0.4	6

#	ARTICLE	IF	CITATIONS
91	Successful coil embolization of pericardiacophrenic artery perforation occurring during transradial cardiac catheterization via right radial artery. <i>Journal of Invasive Cardiology</i> , 2012, 24, 671-4.	0.4	6
92	High rate of right ventricular infarction after ligation of mid left anterior descending artery in rats. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 21-23.	0.3	5
93	Apparent racial disparity in the utilization of invasive testing for risk assessment of cardiac patients undergoing noncardiac surgery. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 64-69.	0.3	5
94	Transient Cardiac Ballooning is Not Best Nomenclature for Takotsubo Cardiomyopathy as it does Not Capture all Variants of This Syndrome. Stress Cardiomyopathy is a Much Better Term for this Syndrome. <i>Clinical Cardiology</i> , 2010, 33, 241-242.	0.7	5
95	Symptomatic radial artery thrombosis successfully treated with endovascular approach via femoral access route. <i>Cardiovascular Revascularization Medicine</i> , 2014, 15, 357-359.	0.3	5
96	High-Density Lipoprotein Cholesterol (HDL-C) Levels Independently Correlates With Cardiac Arrhythmias and Atrial Fibrillation. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 438-444.	1.3	5
97	Poor correlation between left and right ventricular ejection fractions in patients with normal ventricular function. <i>Experimental and Clinical Cardiology</i> , 2008, 13, 179-81.	1.3	5
98	The use of micropuncture technique for vascular or body cavity access. <i>Reviews in Cardiovascular Medicine</i> , 2014, 15, 245-51.	0.5	5
99	Prevalence of Suspected Diastolic Dysfunction in Patients with a Clinical Diagnosis of Congestive Heart Failure. <i>Heart Failure Reviews</i> , 2005, 10, 263-264.	1.7	4
100	Cardiovascular and hemodynamic effect of polyethylene glycol in Rats. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 70-72.	0.3	4
101	Delayed spontaneous recanalization of a totally occluded right coronary artery following failed percutaneous coronary intervention with associated Type F dissection: case report and review. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 174-178.	0.3	4
102	Where are we going with percutaneous aortic valve replacement?. <i>Expert Review of Cardiovascular Therapy</i> , 2007, 5, 997-998.	0.6	4
103	What We Should Know About Bifurcation Disease. <i>JACC: Cardiovascular Interventions</i> , 2008, 1, 595-596.	1.1	4
104	Percutaneous treatment of spontaneous left main coronary artery dissection extending to the left anterior descending and circumflex arteries possibly triggered by thrombolytic therapy. <i>International Journal of Angiology</i> , 2009, 18, 151-154.	0.2	4
105	Traumatic Coronary Artery Fistula Closure With Stent Graft. <i>Methodist DeBaakey Cardiovascular Journal</i> , 2012, 8, 59-60.	0.5	4
106	Acute ST-segment elevation myocardial infarction as the first manifestation of essential thrombocytosis successfully treated with thrombectomy alone. <i>Cardiovascular Intervention and Therapeutics</i> , 2016, 31, 275-278.	1.2	4
107	Successful Retrieval of embolized atrial septal defect occluder and patent foramen ovale closure device using novel coronary wire trap technique. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 189-192.	0.7	4
108	It is time to have better oversight and accountability in performing too many not indicated percutaneous coronary interventions in patients with chronic total occlusions. <i>International Journal of Cardiology</i> , 2019, 278, 38-39.	0.8	4

#	ARTICLE	IF	CITATIONS
109	The presence of idiopathic thrombocytopenic purpura correlates with lower rate of acute ST-elevation myocardial infarction. <i>Future Cardiology</i> , 2021, 17, 1327-1333.	0.5	4
110	Reversible severe ischemic mitral regurgitation and cardiogenic shock as a complication of percutaneous coronary intervention. <i>Journal of Invasive Cardiology</i> , 2005, 17, 104-7.	0.4	4
111	Isolated Noncompaction of Left Ventricular Myocardium With an Unusual Presentation of Angina Pectoris. <i>Reviews in Cardiovascular Medicine</i> , 2009, 10, 232-235.	0.5	4
112	Perioperative Management of Patients on Adenosine Diphosphate Inhibitors in the Era of Drug-Eluting Stents: Review of the Literature and Clinical Implications. <i>Current Medicinal Chemistry</i> , 2009, 16, 591-598.	1.2	3
113	Sex- and ethnic group-specific nationwide trends in the use of coronary artery bypass grafting in the United States. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 1545-1547.	0.4	3
114	Letter by Movahed Regarding Article, "Simple or Complex Stenting for Bifurcation Coronary Lesions: A Patient-Level Pooled Analysis of the Nordic Bifurcation Study and the British Bifurcation Coronary Study." <i>Circulation: Cardiovascular Interventions</i> , 2011, 4, e20.	1.4	3
115	D-Shaped Left Ventricle Seen on Gated Single-photon Emission Computed Tomography Is Suggestive of Right Ventricular Overload: The So-called Movahed's Sign. <i>American Journal of Medicine</i> , 2014, 127, e37.	0.6	3
116	Complete isolation of right subclavian artery supplied by the thoracic aorta and bilateral patent ductus arteriosus. <i>Future Cardiology</i> , 2017, 13, 337-344.	0.5	3
117	Higher Prevalence of Abnormal Electrocardiograms (ECG) in African Americans Undergoing Screening ECG and Echocardiography. <i>Critical Pathways in Cardiology</i> , 2019, 18, 86-88.	0.2	3
118	Risk Factors for Post-Coronary Artery Bypass Grafting (CABG) Atrial Fibrillation and the Role of Aspirin and Beta Blockers in its Prevention. <i>Journal of Atrial Fibrillation</i> , 2013, 5, 800.	0.5	3
119	Correlation between estimated ejection fraction measured by echocardiography with ejection fraction estimated by cardiac catheterization in patients awaiting cardiac transplantation. <i>Journal of Invasive Cardiology</i> , 2010, 22, 571-3.	0.4	3
120	Asymptomatic pediatric pulmonic valve myxoma involving the right ventricular outflow tract: a case report and review of the literature. <i>Journal of Heart Valve Disease</i> , 2012, 21, 398-400.	0.5	3
121	Anomalous Origin of the Right Coronary Artery From the Left Anterior Descending Artery With Anomalous Course Between the Great Vessels: A Case for Conservative Management With Review of the Literature. <i>Reviews in Cardiovascular Medicine</i> , 2015, 16, 221-224.	0.5	3
122	Failure of Gated Single Photon Emission Computer Tomography Scan to Detect Imminent Acute Plaque Rupture Causing Acute ST-Elevation Myocardial Infarction. <i>Chest</i> , 2005, 128, 1043-1047.	0.4	2
123	Failure of gated SPECT and echocardiography to detect large apical aneurysm secondary to hyperdynamic left ventricular wall at the aneurysm neck. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 250-254.	0.3	2
124	The Value of $\beta$ -Blockers Administration during Recovery Phase of Dobutamine Stress Echocardiography: A Review. <i>Echocardiography</i> , 2013, 30, 723-729.	0.3	2
125	Resistant hypertension due to unilateral renal artery occlusion as the first presentation of antiphospholipid syndrome. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 190-191.	0.3	2
126	Reverse Movahed Maneuver: Maximal Expiration Maneuver during Saphenous Vein Graft Intervention for Facilitated Balloon and Stent Delivery in Tortuous Vein Grafts "A Novel Technique. <i>International Journal of Angiology</i> , 2016, 25, e66-e69.	0.2	2



#	ARTICLE	IF	CITATIONS
127	Impact of Sex on Long-term Clinical Outcomes After Percutaneous Coronary Intervention. <i>Critical Pathways in Cardiology</i> , 2017, 16, 161-166.	0.2	2
128	Initial Intravascular Ultrasound Without a Routine Early Baseline Study in the Evaluation of Cardiac Transplant Vasculopathy has Prognostic Value. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 1105-1109.	0.3	2
129	Facilitating Stent Advancement by Using the Reverse Movable™s Maneuver (Maximal Expiration) During Tortuous Vein Graft Intervention. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 139-140.	1.1	2
130	Outcomes of Percutaneous Coronary Intervention in Atrial Fibrillation Patients Presenting With Acute Myocardial Infarction: Analysis of Nationwide Inpatient Sample Database. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 851-854.	0.3	2
131	The presence of idiopathic thrombocytopenic purpura and incidence of acute non-ST elevation myocardial infarction. <i>Annals of Hematology</i> , 2021, , 1.	0.8	2
132	Differences in right ventricular dysfunction in patients with idiopathic pulmonary hypertension versus secondary pulmonary hypertension. <i>Advances in Respiratory Medicine</i> , 2020, 88, 1-5.	0.5	2
133	Screening of the Abdominal Aorta During Routine Echocardiographic Examination Is Cost-effective and Leads to Increase in Statin Utilization by Detecting Subclinical Atherosclerosis. <i>Critical Pathways in Cardiology</i> , 2021, 20, 1-3.	0.2	2
134	Infectious endocarditis with systemic septic embolization as a rare complication of cardiac catheterization. <i>Experimental and Clinical Cardiology</i> , 2009, 14, e17-20.	1.3	2
135	Brachytherapy with gamma radiation of a coronary artery for in-stent restenosis may induce the regression of in-stent restenosis of an adjacent coronary artery without angioplasty. First case report and review of the literature. <i>Cardiovascular Radiation Medicine</i> , 2004, 5, 166-170.	0.7	1
136	Cardiac Evaluation, Toxicity and Monitoring in the Treatment of Breast Cancer. <i>Seminars in Breast Disease</i> , 2006, 9, 160-167.	0.0	1
137	Persistent and proximal migration of a large coronary thrombus during percutaneous coronary intervention in the setting of acute Q-wave myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 48-50.	0.3	1
138	Relation of Pericardial Effusion to Degree of Fractional Shortening. <i>American Journal of Cardiology</i> , 2006, 97, 910-911.	0.7	1
139	Intercoronary Communication Between Left Anterior Descending Artery and Totally Occluded Right Coronary Artery. <i>The American Heart Hospital Journal</i> , 2007, 5, 125-126.	0.2	1
140	Low ejection fraction documented during cardiac catheterization is significantly associated with long-term, all-cause mortality. <i>Cardiovascular Revascularization Medicine</i> , 2010, 11, 163-166.	0.3	1
141	Comparison of fractional flow reserve measurements using intracoronary adenosine versus intracoronary sodium nitroprusside infusions in moderately stenotic coronary artery lesions. <i>Cardiovascular Revascularization Medicine</i> , 2016, 17, 441-443.	0.3	1
142	Strong Bias Toward Performing Percutaneous Coronary Intervention in Patients With Chronic Total Occlusion Despite Lack of Important Benefit at a Very High Cost and Risk to the Patient. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1540-1541.	1.1	1
143	Effect of Age on Procedural Success, Complications, and Clinical Outcome From a Large Angioplasty Registry. <i>Critical Pathways in Cardiology</i> , 2019, 18, 23-31.	0.2	1
144	Distal administration of very high doses of adenosine using over-the-wire balloon or export catheter should be the first choice for treatment of patients with resistant no-reflow. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, .	0.7	1

#	ARTICLE	IF	CITATIONS
145	Variceal Veins Embolization and Left Renal Vein Stenting in a Patient with Combined Nutcracker and May-Thurner Syndrome. <i>International Journal of Angiology</i> , 2022, 31, 138-142.	0.2	1
146	Wellens Syndrome or Inverted U Waves: A Serious Clinical Condition Needing Immediate Attention Regardless of Symptoms. <i>American Journal of Medicine</i> , 2021, 134, 1365-1367.	0.6	1
147	Acute Myocardial Infarction Secondary to Suspected Paradoxical Emboli through Patent Foramen Ovale in a Young Woman. <i>The American Heart Hospital Journal</i> , 2011, 9, 122.	0.2	1
148	Severe Contrast-Induced Nephropathy Leading to Dialysis Occurring in a Patient with Near-Normal Baseline Creatinine Undergoing CT Angiography Using Intravenous Contrast Only. <i>International Journal of Angiology</i> , 2023, 32, 277-279.	0.2	1
149	Combined peripheral and coronary artery percutaneous intervention in patients with significant coronary and peripheral vascular disease. Case reports and review. <i>Journal of Invasive Cardiology</i> , 2006, 18, E157-61.	0.4	1
150	Decline in the nationwide trends in in-hospital mortality of patients undergoing multivessel percutaneous coronary intervention. <i>Journal of Invasive Cardiology</i> , 2009, 21, 388-90.	0.4	1
151	Re.: Provisional vs. complex stenting strategy for coronary bifurcation lesions: meta-analysis of randomized trials. <i>Journal of Invasive Cardiology</i> , 2010, 22, 148-9.	0.4	1
152	The optimal treatment of STEMI: new pharmacological and device approaches. <i>Panminerva Medica</i> , 2013, 55, 339-43.	0.2	1
153	Systolic cessation of the flow in the mid stent segment of the previously stented ostial vein graft with normal flow during diastole. A case report and brief review. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 189-191.	0.3	0
154	Regarding Comparison of Percutaneous Coronary Intervention With Bare-Metal and Drug-Eluting Stents for Cardiac Allograft Vasculopathy. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 474.	1.1	0
155	Clinical Characteristics and Prognosis of Pulmonary Vein Leiomyosarcoma: A Review and Survival Analysis. <i>Echocardiography</i> , 2010, 27, 210-214.	0.3	0
156	Outcomes of Patients with Coronary Artery Perforation Complicating Percutaneous Coronary Intervention and Correlations with the Type of Adjunctive Antithrombotic Therapy: Pooled Analysis from REPLACE-2, ACUITY, and HORIZONS-AMI Trials. Heparin Only Should be Considered for Lesions at High Risk For Perforation. <i>Journal of Interventional Cardiology</i> , 2010, 23, 203-203.	0.5	0
157	Difficult pacemaker implantation. Detection of a wrong course due to sinus venosus type atrial septal defect. <i>Congenital Anomalies (discontinued)</i> , 2010, 50, 203-204.	0.3	0
158	A Runaway Clot. <i>Acute Cardiac Care</i> , 2011, 13, 189-189.	0.2	0
159	Optimal visualization of five different stent layers during and after percutaneous coronary intervention for recurrent in-stent restenosis using optical coherence tomography (OCT). <i>Cardiovascular Revascularization Medicine</i> , 2012, 13, 292-294.	0.3	0
160	Any Degree of Mitral Regurgitation Found during Invasive Ventriculography is Associated with All-Cause Mortality. <i>International Journal of Angiology</i> , 2015, 24, 275-277.	0.2	0
161	Spontaneous Resolution of Catheter-Induced Iatrogenic Vein Graft Dissection: First Case Report and Review of Literature. <i>International Journal of Angiology</i> , 2016, 25, e123-e125.	0.2	0
162	Successful percutaneous closure of a large symptomatic AV fistula using an amplatzer occluder device. <i>Cardiovascular Revascularization Medicine</i> , 2018, 19, 23-24.	0.3	0

#	ARTICLE	IF	CITATIONS
163	CRT-100.22 Outcomes of Percutaneous Coronary Intervention in Patients with Atrial Fibrillation Presenting With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, S8.	1.1	0
164	Evaluating Association Between Coronary Calcifications Visualized During Invasive Coronary Angiography With Total Mortality. <i>Critical Pathways in Cardiology</i> , 2020, 19, 30-32.	0.2	0
165	Coronary dissection with ST elevation myocardial infarction responding to thrombolytic and conservative therapy alone. <i>Future Cardiology</i> , 2020, 16, 271-274.	0.5	0
166	Statin Controversies: Response to the Letter from Tomlinson et al.. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 437-438.	1.3	0
167	DIABETES IS INDEPENDENTLY ASSOCIATED WITH DECREASE LEFT AND RIGHT VENTRICULAR FUNCTION. <i>Chest</i> , 2005, 128, 292S.	0.4	0
168	LOW BODY MASS INDEX IS ASSOCIATED WITH MITRAL VALVE PROLAPSE. <i>Chest</i> , 2006, 130, 192S.	0.4	0
169	BODY MASS INDEX IS NOT CORRELATED WITH LEFT VENTRICULAR SYSTOLIC FUNCTION BUT IS ASSOCIATED WITH PARAMETERS OF DIASTOLIC DYSFUNCTION. <i>Chest</i> , 2006, 130, 99S.	0.4	0
170	CHRONIC OBSTRUCTIVE PULMONARY DISEASE DOES NOT EFFECT LEFT OR RIGHT VENTRICULAR EJECTION FRACTIONS. <i>Chest</i> , 2006, 130, 170S.	0.4	0
171	Persistent reduction in the age adjusted mortality rate from aortic valve surgery in the United State with elimination of gender gap in recent years. <i>American Journal of Cardiovascular Disease</i> , 2020, 10, 522-527.	0.5	0
172	Evaluating association between idiopathic thrombocytopenic purpura and hypertension. <i>American Journal of Blood Research</i> , 2021, 11, 405-409.	0.6	0
173	Early prediction of ventricular functional recovery after myocardial infarction by longitudinal strain study. <i>American Journal of Cardiovascular Disease</i> , 2021, 11, 471-477.	0.5	0
174	B2 lesions are true bifurcation lesions simply categorized as one group according to the Movahed bifurcation classification. <i>Journal of Invasive Cardiology</i> , 2010, 22, 252.	0.4	0
175	Vascular Perforation Occurring During Transradial Cardiac Catheterization is More Common Than Thought and Could Be Fatal. <i>Journal of Invasive Cardiology</i> , 2019, 31, E256.	0.4	0
176	Successful distal administration of high doses of adenosine and nicardipine using export catheter for treatment of resistant no-reflow in a vein graft.. <i>American Journal of Cardiovascular Disease</i> , 2022, 12, 53-55.	0.5	0
177	Left ventricular hypertrophy is independently associated with all-cause mortality.. <i>American Journal of Cardiovascular Disease</i> , 2022, 12, 38-41.	0.5	0
178	Bronchial Artery Embolization for Life-Threatening Hemoptysis in COVID-19 Patients. <i>International Journal of Angiology</i> , 0, , .	0.2	0