

Mohammad-Reza Movahed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1193128/publications.pdf>

Version: 2024-02-01

178
papers

2,755
citations

201385

27
h-index

223531

46
g-index

182
all docs

182
docs citations

182
times ranked

3969
citing authors

#	ARTICLE	IF	CITATIONS
1	Severe Contrast-Induced Nephropathy Leading to Dialysis Occurring in a Patient with Near-Normal Baseline Creatinine Undergoing CT Angiography Using Intravenous Contrast Only. <i>International Journal of Angiology</i> , 2023, 32, 277-279.	0.2	1
2	Distal administration of very high doses of adenosine using over-the-wire balloon or export catheter should be the first choice for treatment of patients with resistant no-reflow. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, .	0.7	1
3	Variceal Veins Embolization and Left Renal Vein Stenting in a Patient with Combined Nutcracker and May-Thurner Syndrome. <i>International Journal of Angiology</i> , 2022, 31, 138-142.	0.2	1
4	Successful distal administration of high doses of adenosine and nicardipine using export catheter for treatment of resistant no-reflow in a vein graft.. <i>American Journal of Cardiovascular Disease</i> , 2022, 12, 53-55.	0.5	0
5	Left ventricular hypertrophy is independently associated with all-cause mortality.. <i>American Journal of Cardiovascular Disease</i> , 2022, 12, 38-41.	0.5	0
6	A Comprehensive Review of PCSK9 Inhibitors. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2022, 27, 107424842211001.	1.0	27
7	Wellens Syndrome or Inverted U Waves: A Serious Clinical Condition Needing Immediate Attention Regardless of Symptoms. <i>American Journal of Medicine</i> , 2021, 134, 1365-1367.	0.6	1
8	The presence of idiopathic thrombocytopenic purpura correlates with lower rate of acute ST-elevation myocardial infarction. <i>Future Cardiology</i> , 2021, 17, 1327-1333.	0.5	4
9	The presence of idiopathic thrombocytopenic purpura and incidence of acute non-ST elevation myocardial infarction. <i>Annals of Hematology</i> , 2021, , 1.	0.8	2
10	Screening of the Abdominal Aorta During Routine Echocardiographic Examination Is Cost-effective and Leads to Increase in Statin Utilization by Detecting Subclinical Atherosclerosis. <i>Critical Pathways in Cardiology</i> , 2021, 20, 1-3.	0.2	2
11	Evaluating association between idiopathic thrombocytopenic purpura and hypertension. <i>American Journal of Blood Research</i> , 2021, 11, 405-409.	0.6	0
12	Early prediction of ventricular functional recovery after myocardial infarction by longitudinal strain study. <i>American Journal of Cardiovascular Disease</i> , 2021, 11, 471-477.	0.5	0
13	Efficacy and Safety of Perioperative Bridging Anticoagulation in Patients with Atrial Fibrillation Undergoing Elective Surgical Procedures: A Meta-analysis. <i>Clinical Medicine and Research</i> , 2021, 19, 19-25.	0.4	6
14	High-Density Lipoprotein Cholesterol (HDL-C) Levels Independently Correlates With Cardiac Arrhythmias and Atrial Fibrillation. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 438-444.	1.3	5
15	Facilitating Stent Advancement by Using the Reverse Movahed's Maneuver (Maximal Expiration) During Tortuous Vein Graft Intervention. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 139-140.	1.1	2
16	Outcomes of Percutaneous Coronary Intervention in Atrial Fibrillation Patients Presenting With Acute Myocardial Infarction: Analysis of Nationwide Inpatient Sample Database. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 851-854.	0.3	2
17	Evaluating Association Between Coronary Calcifications Visualized During Invasive Coronary Angiography With Total Mortality. <i>Critical Pathways in Cardiology</i> , 2020, 19, 30-32.	0.2	0
18	Coronary dissection with ST elevation myocardial infarction responding to thrombolytic and conservative therapy alone. <i>Future Cardiology</i> , 2020, 16, 271-274.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Idiopathic thrombocytopenic purpura is strongly associated with higher prevalence of aortic valve disease. <i>Annals of Hematology</i> , 2020, 99, 2081-2084.	0.8	6
20	Statin Controversies: Response to the Letter from Tomlinson et al.. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 437-438.	1.3	0
21	Differences in right ventricular dysfunction in patients with idiopathic pulmonary hypertension versus secondary pulmonary hypertension. <i>Advances in Respiratory Medicine</i> , 2020, 88, 1-5.	0.5	2
22	Persistent reduction in the age adjusted mortality rate from aortic valve surgery in the United State with elimination of gender gap in recent years. <i>American Journal of Cardiovascular Disease</i> , 2020, 10, 522-527.	0.5	0
23	Initial Intravascular Ultrasound Without a Routine Early Baseline Study in the Evaluation of Cardiac Transplant Vasculopathy has Prognostic Value. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 1105-1109.	0.3	2
24	Obesity is strongly and independently associated with a higher prevalence of pulmonary embolism. <i>Respiratory Investigation</i> , 2019, 57, 376-379.	0.9	36
25	State of the Art Comprehensive Review of Individual Statins, Their Differences, Pharmacology, and Clinical Implications. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 625-639.	1.3	27
26	Higher Prevalence of Abnormal Electrocardiograms (ECG) in African Americans Undergoing Screening ECG and Echocardiography. <i>Critical Pathways in Cardiology</i> , 2019, 18, 86-88.	0.2	3
27	Effect of Age on Procedural Success, Complications, and Clinical Outcome From a Large Angioplasty Registry. <i>Critical Pathways in Cardiology</i> , 2019, 18, 23-31.	0.2	1
28	It is time to have better oversight and accountability in performing too many not indicated percutaneous coronary interventions in patients with chronic total occlusions. <i>International Journal of Cardiology</i> , 2019, 278, 38-39.	0.8	4
29	Vascular Perforation Occurring During Transradial Cardiac Catheterization is More Common Than Thought and Could Be Fatal. <i>Journal of Invasive Cardiology</i> , 2019, 31, E256.	0.4	0
30	Successful percutaneous closure of a large symptomatic AV fistula using an amplatzer occluder device. <i>Cardiovascular Revascularization Medicine</i> , 2018, 19, 23-24.	0.3	0
31	Successful Retrieval of embolized atrial septal defect occluder and patent foramen ovale closure device using novel coronary wire trap technique. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 189-192.	0.7	4
32	Strong Bias Toward Performing Percutaneous Coronary Intervention in Patients With Chronic Total Occlusion Despite Lack of Important Benefit at a Very High Cost and Risk to the Patient. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1540-1541.	1.1	1
33	CRT-100.22 Outcomes of Percutaneous Coronary Intervention in Patients with Atrial Fibrillation Presenting With Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, S8.	1.1	0
34	Impact of Sex on Long-term Clinical Outcomes After Percutaneous Coronary Intervention. <i>Critical Pathways in Cardiology</i> , 2017, 16, 161-166.	0.2	2
35	Complete isolation of right subclavian artery supplied by the thoracic aorta and bilateral patent ductus arteriosus. <i>Future Cardiology</i> , 2017, 13, 337-344.	0.5	3
36	A Novel Risk Score in Predicting Failure or Success for Antegrade Approach to Percutaneous Coronary Intervention of Chronic Total Occlusion: Antegrade CTO Score. <i>International Journal of Angiology</i> , 2017, 26, 089-094.	0.2	10

#	ARTICLE	IF	CITATIONS
37	Strong independent association between obesity and essential hypertension. <i>Clinical Obesity</i> , 2016, 6, 189-192.	1.1	14
38	The Safety of Using Large Amount (30 cc) of Onyx (Ethylene-vinyl Alcohol Copolymer) for the Treatment of Large Type II Endoleak after Endovascular Repair of Abdominal Aortic Aneurysm. <i>International Journal of Angiology</i> , 2016, 25, e169-e172.	0.2	6
39	Spontaneous Resolution of Catheter-Induced Iatrogenic Vein Graft Dissection: First Case Report and Review of Literature. <i>International Journal of Angiology</i> , 2016, 25, e123-e125.	0.2	0
40	Visual-Functional Mismatch Between Coronary Angiography, Fractional Flow Reserve, and Quantitative Coronary Angiography. <i>International Journal of Angiology</i> , 2016, 25, 229-234.	0.2	7
41	Reverse Movahed Maneuver: Maximal Expiration Maneuver during Saphenous Vein Graft Intervention for Facilitated Balloon and Stent Delivery in Tortuous Vein Grafts – A Novel Technique. <i>International Journal of Angiology</i> , 2016, 25, e66-e69.	0.2	2
42	Comparison of fractional flow reserve measurements using intracoronary adenosine versus intracoronary sodium nitroprusside infusions in moderately stenotic coronary artery lesions. <i>Cardiovascular Revascularization Medicine</i> , 2016, 17, 441-443.	0.3	1
43	Acute ST-segment elevation myocardial infarction as the first manifestation of essential thrombocytosis successfully treated with thrombectomy alone. <i>Cardiovascular Intervention and Therapeutics</i> , 2016, 31, 275-278.	1.2	4
44	Any Degree of Mitral Regurgitation Found during Invasive Ventriculography is Associated with All-Cause Mortality. <i>International Journal of Angiology</i> , 2015, 24, 275-277.	0.2	0
45	Age adjusted nationwide trends in the incidence of all cause and ST elevation myocardial infarction associated cardiogenic shock based on gender and race in the United States. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 2-5.	0.3	8
46	Resistant hypertension due to unilateral renal artery occlusion as the first presentation of antiphospholipid syndrome. <i>Cardiovascular Revascularization Medicine</i> , 2015, 16, 190-191.	0.3	2
47	Thrombolytic Therapy for Right-Sided Mechanical Pulmonic and Tricuspid Valves: The Largest Survival Analysis to Date. <i>Texas Heart Institute Journal</i> , 2015, 42, 543-547.	0.1	19
48	A Novel Inhibitor of Protease-activated Receptor 1: A Review of Chemical Structure and Mode of Action. <i>Reviews in Cardiovascular Medicine</i> , 2015, 16, 68-73.	0.5	9
49	Anomalous Origin of the Right Coronary Artery From the Left Anterior Descending Artery With Anomalous Course Between the Great Vessels: A Case for Conservative Management With Review of the Literature. <i>Reviews in Cardiovascular Medicine</i> , 2015, 16, 221-224.	0.5	3
50	Presence of Anomalous Coronary Seen on Angiogram Is Not Associated with Increased Risk of Significant Coronary Artery Disease. <i>International Journal of Angiology</i> , 2014, 23, 243-246.	0.2	9
51	D-Shaped Left Ventricle Seen on Gated Single-photon Emission Computed Tomography Is Suggestive of Right Ventricular Overload: The So-called Movahed's Sign. <i>American Journal of Medicine</i> , 2014, 127, e37.	0.6	3
52	Successful management of acute massive pulmonary embolism using Angiovac suction catheter technique in a hemodynamically unstable patient. <i>Cardiovascular Revascularization Medicine</i> , 2014, 15, 240-243.	0.3	44
53	Symptomatic radial artery thrombosis successfully treated with endovascular approach via femoral access route. <i>Cardiovascular Revascularization Medicine</i> , 2014, 15, 357-359.	0.3	5
54	Gradual decline in the age-adjusted in-hospital mortality rate from STEMI-related cardiogenic shock irrespective of cause, race or gender with persistent higher mortality rates in women despite multivariate adjustment. <i>Journal of Invasive Cardiology</i> , 2014, 26, 7-12.	0.4	19

#	ARTICLE	IF	CITATIONS
55	The use of micropuncture technique for vascular or body cavity access. <i>Reviews in Cardiovascular Medicine</i> , 2014, 15, 245-51.	0.5	5
56	The Use of Micropuncture Technique for Vascular or Body Cavity Access. <i>Reviews in Cardiovascular Medicine</i> , 2014, 15, 245-251.	0.5	10
57	The Value of β -Blockers Administration during Recovery Phase of Dobutamine Stress Echocardiography: A Review. <i>Echocardiography</i> , 2013, 30, 723-729.	0.3	2
58	Cardiac paraganglioma: Clinical presentation, diagnostic approach and factors affecting short and long-term outcomes. <i>International Journal of Cardiology</i> , 2013, 166, 315-320.	0.8	37
59	Prevention of Post-Coronary Artery Bypass Grafting (CABG) Atrial Fibrillation: Efficacy of Prophylactic β -Blockers in the Modern Era. <i>Annals of Noninvasive Electrocardiology</i> , 2013, 18, 58-68.	0.5	58
60	Obesity cardiomyopathy and systolic function: Obesity is not independently associated with dilated cardiomyopathy. <i>Heart Failure Reviews</i> , 2013, 18, 207-217.	1.7	33
61	Risk Factors for Post-Coronary Artery Bypass Grafting (CABG) Atrial Fibrillation and the Role of Aspirin and Beta Blockers in its Prevention. <i>Journal of Atrial Fibrillation</i> , 2013, 5, 800.	0.5	3
62	The optimal treatment of STEMI: new pharmacological and device approaches. <i>Panminerva Medica</i> , 2013, 55, 339-43.	0.2	1
63	Traumatic Coronary Artery Fistula Closure With Stent Graft. <i>Methodist DeBakey Cardiovascular Journal</i> , 2012, 8, 59-60.	0.5	4
64	Optimal visualization of five different stent layers during and after percutaneous coronary intervention for recurrent in-stent restenosis using optical coherence tomography (OCT). <i>Cardiovascular Revascularization Medicine</i> , 2012, 13, 292-294.	0.3	0
65	Declining In-Hospital Mortality in Patients Undergoing Coronary Bypass Surgery in the United States Irrespective of Presence of Type 2 Diabetes or Congestive Heart Failure. <i>Clinical Cardiology</i> , 2012, 35, 297-300.	0.7	14
66	Successful removal of an entrapped and kinked catheter during right transradial cardiac catheterization by snaring and unwinding the catheter via femoral access. <i>Cardiovascular Revascularization Medicine</i> , 2012, 13, 202.e1-202.e3.	0.3	16
67	Unusual Combination of Holt-Oram Syndrome and Persistent Left Superior Vena Cava. <i>Congenital Heart Disease</i> , 2012, 7, E46-E49.	0.0	7
68	<i>Pasteurella multocida</i> endocarditis. <i>Journal of Heart Valve Disease</i> , 2012, 21, 260-2.	0.5	13
69	Asymptomatic pediatric pulmonic valve myxoma involving the right ventricular outflow tract: a case report and review of the literature. <i>Journal of Heart Valve Disease</i> , 2012, 21, 398-400.	0.5	3
70	Successful coil embolization of pericardiophrenic artery perforation occurring during transradial cardiac catheterization via right radial artery. <i>Journal of Invasive Cardiology</i> , 2012, 24, 671-4.	0.4	6
71	A Runaway Clot. <i>Acute Cardiac Care</i> , 2011, 13, 189-189.	0.2	0
72	Obesity in Adolescence is Associated with Left Ventricular Hypertrophy and Hypertension. <i>Echocardiography</i> , 2011, 28, 150-153.	0.3	28

#	ARTICLE	IF	CITATIONS
73	Novel Antiplatelet Agent Ticagrelor in the Management of Acute Coronary Syndrome. <i>Journal of Interventional Cardiology</i> , 2011, 24, 199-207.	0.5	8
74	Major Limitations of Randomized Clinical Trials Involving Coronary Artery Bifurcation Interventions: Time for Redesigning Clinical Trials by Involving Only True Bifurcation Lesions and Using Appropriate Bifurcation Classification. <i>Journal of Interventional Cardiology</i> , 2011, 24, 295-301.	0.5	20
75	The use of gadolinium in patients with contrast allergy or renal failure requiring coronary angiography, coronary intervention, or vascular procedure. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 747-754.	0.7	29
76	Letter by Movahed Regarding Article, "Simple or Complex Stenting for Bifurcation Coronary Lesions: A Patient-Level Pooled Analysis of the Nordic Bifurcation Study and the British Bifurcation Coronary Study." <i>Circulation: Cardiovascular Interventions</i> , 2011, 4, e20.	1.4	3
77	Acute Myocardial Infarction Secondary to Suspected Paradoxical Emboli through Patent Foramen Ovale in a Young Woman. <i>The American Heart Hospital Journal</i> , 2011, 9, 122.	0.2	1
78	Going around the bend: deep inspiration facilitates difficult stent delivery in the native coronary arteries. <i>Texas Heart Institute Journal</i> , 2011, 38, 270-4.	0.1	8
79	Transient Cardiac Ballooning is Not Best Nomenclature for Takotsubo Cardiomyopathy as it does Not Capture all Variants of This Syndrome. Stress Cardiomyopathy is a Much Better Term for this Syndrome. <i>Clinical Cardiology</i> , 2010, 33, 241-242.	0.7	5
80	Review of Movahed's "M" sign (D shaped left ventricle seen on gated SPECT) suggestive of right ventricular overload. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 553-557.	0.7	11
81	Sex- and ethnic group-specific nationwide trends in the use of coronary artery bypass grafting in the United States. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 1545-1547.	0.4	3
82	Studies Involving Coronary Bifurcation Interventions Should Utilize the Most Comprehensive and Technically Relevant Movahed Coronary Bifurcation Classification for Better Communication and Accuracy. <i>American Journal of Cardiology</i> , 2010, 105, 1204-1205.	0.7	6
83	Low ejection fraction documented during cardiac catheterization is significantly associated with long-term, all-cause mortality. <i>Cardiovascular Revascularization Medicine</i> , 2010, 11, 163-166.	0.3	1
84	Reverse or Inverted Takotsubo Cardiomyopathy (Reverse Left Ventricular Apical Ballooning Syndrome) Presents at a Younger Age Compared With the Mid or Apical Variant and Is Always Associated With Triggering Stress. <i>Congestive Heart Failure</i> , 2010, 16, 284-286.	2.0	118
85	Prevalence of suspected hypertrophic cardiomyopathy or left ventricular hypertrophy based on race and gender in teenagers using screening echocardiography. <i>Cardiovascular Ultrasound</i> , 2010, 8, 54.	0.5	15
86	Clinical Characteristics and Prognosis of Pulmonary Vein Leiomyosarcoma: A Review and Survival Analysis. <i>Echocardiography</i> , 2010, 27, 210-214.	0.3	0
87	Outcomes of Patients with Coronary Artery Perforation Complicating Percutaneous Coronary Intervention and Correlations with the Type of Adjunctive Antithrombotic Therapy: Pooled Analysis from REPLACE-2, ACUITY, and HORIZONS-AMI Trials. Heparin Only Should be Considered for Lesions at High Risk For Perforation. <i>Journal of Interventional Cardiology</i> , 2010, 23, 203-203.	0.5	0
88	Difficult pacemaker implantation. Detection of a wrong course due to sinus venosus type atrial septal defect. <i>Congenital Anomalies (discontinued)</i> , 2010, 50, 203-204.	0.3	0
89	Independent Association Between Type 2 Diabetes Mellitus and Hypertension Over a Period of 10 Years in a Large Inpatient Population. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 198-201.	0.5	17
90	Important Echocardiographic Features of Takotsubo or Stress-Induced Cardiomyopathy That Can Aid Early Diagnosis. <i>JACC: Cardiovascular Imaging</i> , 2010, 3, 1200-1201.	2.3	6

#	ARTICLE	IF	CITATIONS
91	Diabetic Cardiomyopathy. Journal of Cardiac Failure, 2010, 16, 971-979.	0.7	104
92	Nationwide trends in the age adjusted prevalence of non-ST elevation myocardial infarction (NSTEMI) across various races and gender in the USA. Acute Cardiac Care, 2010, 12, 58-62.	0.2	7
93	Angina Induced by 5-Fluorouracil Infusion in a Patient with Normal Coronaries. The American Heart Hospital Journal, 2010, 8, 111.	0.2	17
94	Decreasing in-hospital mortality of patients undergoing percutaneous coronary intervention with persistent higher mortality rates in women and minorities in the United States. Journal of Invasive Cardiology, 2010, 22, 58-60.	0.4	9
95	Re.: Provisional vs. complex stenting strategy for coronary bifurcation lesions: meta-analysis of randomized trials. Journal of Invasive Cardiology, 2010, 22, 148-9.	0.4	1
96	B2 lesions are true bifurcation lesions simply categorized as one group according to the Movahed bifurcation classification. Journal of Invasive Cardiology, 2010, 22, 252.	0.4	0
97	Correlation between estimated ejection fraction measured by echocardiography with ejection fraction estimated by cardiac catheterization in patients awaiting cardiac transplantation. Journal of Invasive Cardiology, 2010, 22, 571-3.	0.4	3
98	Coronary Stenting in Patients With Medically Resistant Vasospasm. Reviews in Cardiovascular Medicine, 2010, 11, 264-270.	0.5	7
99	Perioperative Management of Patients on Adenosine Diphosphate Inhibitors in the Era of Drug-Eluting Stents: Review of the Literature and Clinical Implications. Current Medicinal Chemistry, 2009, 16, 591-598.	1.2	3
100	Percutaneous treatment of spontaneous left main coronary artery dissection extending to the left anterior descending and circumflex arteries possibly triggered by thrombolytic therapy. International Journal of Angiology, 2009, 18, 151-154.	0.2	4
101	Rate of Acute ST-Elevation Myocardial Infarction in the United States from 1988 to 2004 (from the) Tj ETQq1 1 0.784314 rgBT /Overl	0.7	26
102	Left Ventricular Hypertrophy Is Associated With Obesity, Male Gender, and Symptoms in Healthy Adolescents. Obesity, 2009, 17, 606-610.	1.5	13
103	Lack of Association between Obesity and Left Ventricular Systolic Dysfunction. Echocardiography, 2009, 26, 128-132.	0.3	25
104	Nationwide Trends in the Utilization of Multivessel Percutaneous Coronary Intervention (MVPCI) in the United States across Different Gender and Ethnicities. Journal of Interventional Cardiology, 2009, 22, 247-251.	0.5	10
105	The occurrence of asthma in hospitalized patients with type 2 diabetes mellitus. Internal Medicine Journal, 2009, 39, 699-701.	0.5	19
106	Regarding Comparison of Percutaneous Coronary Intervention With Bare-Metal and Drug-Eluting Stents for Cardiac Allograft Vasculopathy. JACC: Cardiovascular Interventions, 2009, 2, 474.	1.1	0
107	Poor Correlation of Estimated Pulmonary Artery Systolic Pressure Between Echocardiography and Right Heart Catheterization in Patients Awaiting Cardiac Transplantation: Results From the Clinical Arena. Transplantation Proceedings, 2009, 41, 3827-3830.	0.3	17
108	Current status of thoracic endografting and its adjunctive pharmacology. Expert Opinion on Pharmacotherapy, 2009, 10, 2871-2881.	0.9	7

#	ARTICLE	IF	CITATIONS
109	Nationwide trends in the utilisation of percutaneous coronary intervention (PCI) in the United States of America based on gender and ethnicities. <i>EuroIntervention</i> , 2009, 5, 343-348.	1.4	9
110	Infectious endocarditis with systemic septic embolization as a rare complication of cardiac catheterization. <i>Experimental and Clinical Cardiology</i> , 2009, 14, e17-20.	1.3	2
111	Decline in the nationwide trends in in-hospital mortality of patients undergoing multivessel percutaneous coronary intervention. <i>Journal of Invasive Cardiology</i> , 2009, 21, 388-90.	0.4	1
112	Isolated Noncompaction of Left Ventricular Myocardium With an Unusual Presentation of Angina Pectoris. <i>Reviews in Cardiovascular Medicine</i> , 2009, 10, 232-235.	0.5	4
113	What We Should Know About Bifurcation Disease. <i>JACC: Cardiovascular Interventions</i> , 2008, 1, 595-596.	1.1	4
114	Wellens' Syndrome or Inverted U-waves?. <i>Clinical Cardiology</i> , 2008, 31, 133-134.	0.7	14
115	Reverse or Inverted Left Ventricular Apical Ballooning Syndrome (Reverse Takotsubo Cardiomyopathy) in a Young Woman in the Setting of Amphetamine Use. <i>Echocardiography</i> , 2008, 25, 429-432.	0.3	53
116	The pathogenesis and treatment of no-reflow occurring during percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2008, 9, 56-61.	0.3	36
117	Coronary artery bifurcation lesions: a review and update on classification and interventional techniques. <i>Cardiovascular Revascularization Medicine</i> , 2008, 9, 263-268.	0.3	15
118	Coronary artery bifurcation lesion classifications, interventional techniques and clinical outcome. <i>Expert Review of Cardiovascular Therapy</i> , 2008, 6, 261-274.	0.6	32
119	Prevalence of mitral valvar prolapse in young athletes. <i>Cardiology in the Young</i> , 2008, 18, 402-404.	0.4	9
120	Differences according to gender in reporting physical symptoms during echocardiographic screening in healthy teenage athletes. <i>Cardiology in the Young</i> , 2008, 18, 303-306.	0.4	6
121	Obesity is associated with left atrial enlargement, E/A reversal and left ventricular hypertrophy. <i>Experimental and Clinical Cardiology</i> , 2008, 13, 89-91.	1.3	33
122	Distal administration of very high doses of intracoronary adenosine for the treatment of resistant no-reflow. <i>Experimental and Clinical Cardiology</i> , 2008, 13, 141-3.	1.3	11
123	Poor correlation between left and right ventricular ejection fractions in patients with normal ventricular function. <i>Experimental and Clinical Cardiology</i> , 2008, 13, 179-81.	1.3	5
124	Microvascular dysfunction following primary percutaneous coronary intervention in the setting of ST-elevation myocardial infarction. <i>Journal of Invasive Cardiology</i> , 2008, 20, 603-14.	0.4	6
125	Intercoronary Communication Between Left Anterior Descending Artery and Totally Occluded Right Coronary Artery. <i>The American Heart Hospital Journal</i> , 2007, 5, 125-126.	0.2	1
126	Attenuation Artifact During Myocardial SPECT Imaging Secondary to Saline and Silicone Breast Implants. <i>The American Heart Hospital Journal</i> , 2007, 5, 195-196.	0.2	7

#	ARTICLE	IF	CITATIONS
127	Mitral valvar prolapse is significantly associated with low body mass index in addition to mitral and tricuspid regurgitation. <i>Cardiology in the Young</i> , 2007, 17, 172-174.	0.4	11
128	How to prevent echocardiographic misinterpretation of Gerbode type defect as pulmonary arterial hypertension. <i>European Journal of Echocardiography</i> , 2007, 8, 494-497.	2.3	23
129	Predictor of a Negative Tilt-Table Test Result Based on Early Heart Rate Variation in Patients With a History of Syncope. <i>The American Heart Hospital Journal</i> , 2007, 5, 247-249.	0.2	6
130	The prevalence of mitral valve prolapse in patients undergoing echocardiography for clinical reason. <i>International Journal of Cardiology</i> , 2007, 123, 55-57.	0.8	30
131	Where are we going with percutaneous aortic valve replacement?. <i>Expert Review of Cardiovascular Therapy</i> , 2007, 5, 997-998.	0.6	4
132	Mitral Annulus Calcification is associated with valvular and cardiac structural abnormalities. <i>Cardiovascular Ultrasound</i> , 2007, 5, 14.	0.5	84
133	Interference of breast implants with echocardiographic image acquisition and interpretation. <i>Cardiovascular Ultrasound</i> , 2007, 5, 9.	0.5	11
134	Diabetes as a risk factor for cardiac conduction defects: a review. <i>Diabetes, Obesity and Metabolism</i> , 2007, 9, 276-281.	2.2	51
135	The Prevalence of Valvular Abnormalities in Patients Who Were Referred for Echocardiographic Examination With a Primary Diagnosis of "Heart Murmur". <i>Echocardiography</i> , 2007, 24, 447-451.	0.3	10
136	Review: transient left ventricular apical ballooning, broken heart syndrome, ampulla cardiomyopathy, atypical apical ballooning, or Tako-Tsubo cardiomyopathy. <i>Cardiovascular Revascularization Medicine</i> , 2007, 8, 289-292.	0.3	40
137	Presence of Biventricular Dysfunction in Patients With Type II Diabetes Mellitus. <i>Congestive Heart Failure</i> , 2007, 13, 78-80.	2.0	24
138	Increased prevalence of infectious endocarditis in patients with type II diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2007, 21, 403-406.	1.2	34
139	Increased prevalence of ventricular fibrillation in patients with type 2 diabetes mellitus. <i>Heart and Vessels</i> , 2007, 22, 251-253.	0.5	39
140	Increased Prevalence of Mitral Stenosis in Women. <i>Journal of the American Society of Echocardiography</i> , 2006, 19, 911-913.	1.2	27
141	Cardiac Evaluation, Toxicity and Monitoring in the Treatment of Breast Cancer. <i>Seminars in Breast Disease</i> , 2006, 9, 160-167.	0.0	1
142	Removal of Iodine Contrast From Coronary Sinus in Swine During Coronary Angiography. <i>Journal of the American College of Cardiology</i> , 2006, 47, 465-467.	1.2	9
143	Echocardiographic Prevalence of Bicuspid Aortic Valve in the Population. <i>Heart Lung and Circulation</i> , 2006, 15, 297-299.	0.2	50
144	Persistent and proximal migration of a large coronary thrombus during percutaneous coronary intervention in the setting of acute Q-wave myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 48-50.	0.3	1

#	ARTICLE	IF	CITATIONS
145	Utilization efficacy of noninvasive and invasive cardiac testing among stable cardiac patients undergoing noncardiac surgery. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 12-18.	0.3	6
146	Apparent racial disparity in the utilization of invasive testing for risk assessment of cardiac patients undergoing noncardiac surgery. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 64-69.	0.3	5
147	Systolic cessation of the flow in the mid stent segment of the previously stented ostial vein graft with normal flow during diastole. A case report and brief review. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 189-191.	0.3	0
148	Failure of gated SPECT and echocardiography to detect large apical aneurysm secondary to hyperdynamic left ventricular wall at the aneurysm neck. <i>Cardiovascular Revascularization Medicine</i> , 2006, 7, 250-254.	0.3	2
149	Impaired myocardial SPECT imaging secondary to silicon- and saline-containing breast implants. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 449-455.	0.7	12
150	Relation of Pericardial Effusion to Degree of Fractional Shortening. <i>American Journal of Cardiology</i> , 2006, 97, 910-911.	0.7	1
151	Impairment of echocardiographic acoustic window by breast implants. <i>European Journal of Echocardiography</i> , 2006, 9, 296-7.	2.3	12
152	LOW BODY MASS INDEX IS ASSOCIATED WITH MITRAL VALVE PROLAPSE. <i>Chest</i> , 2006, 130, 192S.	0.4	0
153	BODY MASS INDEX IS NOT CORRELATED WITH LEFT VENTRICULAR SYSTOLIC FUNCTION BUT IS ASSOCIATED WITH PARAMETERS OF DIASTOLIC DYSFUNCTION. <i>Chest</i> , 2006, 130, 99S.	0.4	0
154	CHRONIC OBSTRUCTIVE PULMONARY DISEASE DOES NOT EFFECT LEFT OR RIGHT VENTRICULAR EJECTION FRACTIONS. <i>Chest</i> , 2006, 130, 170S.	0.4	0
155	A new proposed simplified classification of coronary artery bifurcation lesions and bifurcation interventional techniques. <i>Journal of Invasive Cardiology</i> , 2006, 18, 199-204.	0.4	32
156	Combined peripheral and coronary artery percutaneous intervention in patients with significant coronary and peripheral vascular disease. Case reports and review. <i>Journal of Invasive Cardiology</i> , 2006, 18, E157-61.	0.4	1
157	Simultaneous subacute stent thrombosis of two drug-eluting stents in the left anterior descending and the circumflex coronary arteries. Case report and review of the literature. <i>Journal of Invasive Cardiology</i> , 2006, 18, E198-202.	0.4	9
158	Increased Prevalence of Third-Degree Atrioventricular Block in Patients With Type II Diabetes Mellitus. <i>Chest</i> , 2005, 128, 2611-2614.	0.4	76
159	Flattening of the interventricular septum (D-shaped left ventricle) in addition to high right ventricular tracer uptake and increased right ventricular volume found on gated SPECT studies strongly correlates with right ventricular overload. <i>Journal of Nuclear Cardiology</i> , 2005, 12, 428-434.	1.4	29
160	Absence of Device-Device Interaction (DDI) in a Patient with Cardiac and Diaphragmatic Pacemakers for Congenital Central Hypoventilation Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 1238-1239.	0.5	8
161	Cardiovascular Abnormalities and Arrhythmias in Patients with Ondine's Curse (Congenital Central) Tj ETQq1 1 0.784314 rgBT /Overlo 0.5 14	0.5	14
162	Prevalence of Suspected Diastolic Dysfunction in Patients with a Clinical Diagnosis of Congestive Heart Failure. <i>Heart Failure Reviews</i> , 2005, 10, 263-264.	1.7	4

#	ARTICLE	IF	CITATIONS
163	Clinical Characteristics, Demographics and Prognosis of Transient Left Ventricular Apical Ballooning Syndrome. <i>Heart Failure Reviews</i> , 2005, 10, 311-316.	1.7	227
164	Failure of Gated Single Photon Emission Computer Tomography Scan to Detect Imminent Acute Plaque Rupture Causing Acute ST-Elevation Myocardial Infarction. <i>Chest</i> , 2005, 128, 1043-1047.	0.4	2
165	Diabetes mellitus is a strong, independent risk for atrial fibrillation and flutter in addition to other cardiovascular disease. <i>International Journal of Cardiology</i> , 2005, 105, 315-318.	0.8	341
166	High rate of right ventricular infarction after ligation of mid left anterior descending artery in rats. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 21-23.	0.3	5
167	A novel method for safe and accurate left anterior descending coronary artery ligation for research in rats. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 121-123.	0.3	39
168	Cardiovascular and hemodynamic effect of polyethylene glycol in Rats. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 70-72.	0.3	4
169	Contrast-induced nephropathy: a review. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 82-88.	0.3	38
170	Using a 0.035-in. straight-tip wire and a small infant laryngoscope for safe and easy endotracheal intubations in rats for cardiovascular research. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 160-162.	0.3	9
171	Delayed spontaneous recanalization of a totally occluded right coronary artery following failed percutaneous coronary intervention with associated Type F dissection: case report and review. <i>Cardiovascular Revascularization Medicine</i> , 2005, 6, 174-178.	0.3	4
172	Early Diagnosis of Stress-Induced Apical Ballooning Syndrome Based on Classic Echocardiographic Findings and Correlation with Cardiac Catheterization. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1423.e1-1423.e8.	1.2	25
173	TYPE II DIABETES MELLITUS IS INDEPENDENTLY ASSOCIATED WITH NON-RHEUMATIC AORTIC VALVE STENOSIS OR REGURGITATION. <i>Chest</i> , 2005, 128, 3568-71.	0.4	54
174	DIABETES IS INDEPENDENTLY ASSOCIATED WITH DECREASE LEFT AND RIGHT VENTRICULAR FUNCTION. <i>Chest</i> , 2005, 128, 292S.	0.4	0
175	Reversible severe ischemic mitral regurgitation and cardiogenic shock as a complication of percutaneous coronary intervention. <i>Journal of Invasive Cardiology</i> , 2005, 17, 104-7.	0.4	4
176	Prophylactic Use of Vancomycin in Adult Cardiology and Cardiac Surgery. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2004, 9, 13-20.	1.0	14
177	Brachytherapy with gamma radiation of a coronary artery for in-stent restenosis may induce the regression of in-stent restenosis of an adjacent coronary artery without angioplasty. First case report and review of the literature. <i>Cardiovascular Radiation Medicine</i> , 2004, 5, 166-170.	0.7	1
178	Bronchial Artery Embolization for Life-Threatening Hemoptysis in COVID-19 Patients. <i>International Journal of Angiology</i> , 0, , .	0.2	0