

Joerg Ebbing

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1193374/publications.pdf>

Version: 2024-02-01

114
papers

2,735
citations

159585

30
h-index

233421

45
g-index

153
all docs

153
docs citations

153
times ranked

1857
citing authors

#	ARTICLE	IF	CITATIONS
1	Styles of extension offshore mid-Norway and implications for mechanisms of crustal thinning at passive margins. <i>Tectonics</i> , 2008, 27, .	2.8	136
2	Global Crustal Thickness and Velocity Structure From Geostatistical Analysis of Seismic Data. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 1626-1652.	3.4	86
3	Avoidable Euler Errors – the use and abuse of Euler deconvolution applied to potential fields. <i>Geophysical Prospecting</i> , 2014, 62, 1162-1168.	1.9	85
4	Inverse modelling of elastic thickness by convolution method – the eastern Alps as a case example. <i>Earth and Planetary Science Letters</i> , 2002, 202, 387-404.	4.4	83
5	An improved tectonic model for the Eocene opening of the Norwegian-Greenland Sea: Use of modern magnetic data. <i>Marine and Petroleum Geology</i> , 2007, 24, 53-66.	3.3	72
6	A global reference model of the lithosphere and upper mantle from joint inversion and analysis of multiple data sets. <i>Geophysical Journal International</i> , 2019, 217, 1602-1628.	2.4	72
7	GOCE gravity gradient data for lithospheric modeling. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015, 35, 16-30.	2.8	69
8	The mid-Norwegian margin: a discussion of crustal lineaments, mafic intrusions, and remnants of the Caledonian root by 3D density modelling and structural interpretation. <i>Journal of the Geological Society</i> , 2006, 163, 47-59.	2.1	63
9	New aeromagnetic and gravity compilations from Norway and adjacent areas: methods and applications. <i>Petroleum Geology Conference Proceedings</i> , 2010, 7, 559-586.	0.7	62
10	Forward and inverse modelling of gravity revealing insight into crustal structures of the Eastern Alps. <i>Tectonophysics</i> , 2001, 337, 191-208.	2.2	58
11	Anatomy of the Dead Sea Transform from lithospheric to microscopic scale. <i>Reviews of Geophysics</i> , 2009, 47, .	23.0	56
12	Offshore prolongation of Caledonian structures and basement characterisation in the western Barents Sea from geophysical modelling. <i>Tectonophysics</i> , 2009, 470, 71-88.	2.2	54
13	The deep structure of the Scandes and its relation to tectonic history and present-day topography. <i>Tectonophysics</i> , 2013, 602, 15-37.	2.2	54
14	Geophysical insights and early spreading history in the vicinity of the Jan Mayen Fracture Zone, Norwegian-Greenland Sea. <i>Tectonophysics</i> , 2009, 468, 185-205.	2.2	53
15	Structure of the Scandes lithosphere from surface to depth. <i>Tectonophysics</i> , 2012, 536-537, 1-24.	2.2	51
16	Satellite gravity gradient grids for geophysics. <i>Scientific Reports</i> , 2016, 6, 21050.	3.3	51
17	Earth tectonics as seen by GOCE - Enhanced satellite gravity gradient imaging. <i>Scientific Reports</i> , 2018, 8, 16356.	3.3	49
18	Insights into the lithospheric structure and tectonic setting of the Barents Sea region from isostatic considerations. <i>Geophysical Journal International</i> , 2007, 171, 1390-1403.	2.4	48

#	ARTICLE	IF	CITATIONS
19	New insights into the basement structure of the West Siberian Basin from forward and inverse modeling of GRACE satellite gravity data. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	48
20	The enigmatic Chad lineament revisited with global gravity and gravity-gradient fields. <i>Geological Society Special Publication</i> , 2011, 357, 329-341.	1.3	46
21	The lithospheric density structure of the Eastern Alps. <i>Tectonophysics</i> , 2006, 414, 145-155.	2.2	45
22	The Northern and Southern Scandes " structural differences revealed by an analysis of gravity anomalies, the geoid and regional isostasy. <i>Tectonophysics</i> , 2005, 411, 73-87.	2.2	42
23	Geothermal Heat Flux in Antarctica: Assessing Models and Observations by Bayesian Inversion. <i>Frontiers in Earth Science</i> , 2020, 8, .	1.8	40
24	Basement inhomogeneities and crustal setting in the Barents Sea from a combined 3D gravity and magnetic model. <i>Geophysical Journal International</i> , 2013, 193, 557-584.	2.4	39
25	Moho Depths of Antarctica: Comparison of Seismic, Gravity, and Isostatic Results. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 1629-1645.	2.5	39
26	Crustal structure of central Norway and Sweden from integrated modelling of teleseismic receiver functions and the gravity anomaly. <i>Geophysical Journal International</i> , 2012, 191, 1-11.	2.4	36
27	3D gravity modelling of the Chicxulub impact structure. <i>Planetary and Space Science</i> , 2001, 49, 599-609.	1.7	35
28	Importance of far-field topographic and isostatic corrections for regional density modelling. <i>Geophysical Journal International</i> , 2016, 207, 274-287.	2.4	33
29	Predicting Geothermal Heat Flow in Antarctica With a Machine Learning Approach. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021499.	3.4	33
30	Integrated geophysical modelling of a lateral transition zone in the lithospheric mantle under Norway and Sweden. <i>Geophysical Journal International</i> , 2013, 194, 1358-1373.	2.4	32
31	Reference frame transformation of satellite gravity gradients and topographic mass reduction. <i>Journal of Geophysical Research: Solid Earth</i> , 2013, 118, 759-774.	3.4	32
32	3-D density and magnetic crustal characterization of the southwestern Barents Shelf: implications for the offshore prolongation of the Norwegian Caledonides. <i>Geophysical Journal International</i> , 2011, 184, 1147-1166.	2.4	30
33	Advancements in satellite gravity gradient data for crustal studies. <i>The Leading Edge</i> , 2013, 32, 900-906.	0.7	30
34	Glacial isostatic adjustment in the static gravity field of Fennoscandia. <i>Journal of Geophysical Research: Solid Earth</i> , 2015, 120, 503-518.	3.4	29
35	New gravity maps of the Eastern Alps and significance for the crustal structures. <i>Tectonophysics</i> , 2006, 414, 127-143.	2.2	28
36	Stochastic velocity inversion of seismic reflection/refraction traveltime data for rift structure of the southwest Barents Sea. <i>Tectonophysics</i> , 2013, 593, 135-150.	2.2	28

#	ARTICLE	IF	CITATIONS
37	On the use of global potential field models for regional interpretation of the West and Central African Rift System. <i>Tectonophysics</i> , 2010, 492, 25-39.	2.2	27
38	Integrated 3D density modelling and segmentation of the Dead Sea Transform. <i>International Journal of Earth Sciences</i> , 2007, 96, 289-302.	1.8	26
39	A discussion of structural and thermal control of magnetic anomalies on the mid-Norwegian margin. <i>Geophysical Prospecting</i> , 2009, 57, 665-681.	1.9	26
40	Magnetotelluric array data analysis from north-west Fennoscandia. <i>Tectonophysics</i> , 2015, 653, 1-19.	2.2	26
41	Towards a 4D topographic view of the Norwegian sea margin. <i>Global and Planetary Change</i> , 2007, 58, 382-410.	3.5	25
42	The East Greenland Caledonides' teleseismic signature, gravity and isostasy. <i>Geophysical Journal International</i> , 2015, 203, 1400-1418.	2.4	25
43	Modeling Satellite Gravity Gradient Data to Derive Density, Temperature, and Viscosity Structure of the Antarctic Lithosphere. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 12053-12076.	3.4	25
44	The Lithospheric Structure of the Saharan Metacraton From 3D Integrated Geophysical-Petrological Modeling. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018747.	3.4	25
45	Inverse and 3D forward gravity modelling for the estimation of the crustal thickness of Egypt. <i>Tectonophysics</i> , 2019, 752, 52-67.	2.2	24
46	The GRACE satellite gravity and geoid fields in analysing large-scale, cratonic or intracratonic basins. <i>Geophysical Prospecting</i> , 2009, 57, 559-571.	1.9	23
47	Forward modeling magnetic fields of induced and remanent magnetization in the lithosphere using tesseroïds. <i>Computers and Geosciences</i> , 2016, 96, 124-135.	4.2	23
48	Is there evidence for magmatic underplating beneath the Oslo Rift?. <i>Terra Nova</i> , 2005, 17, 129-134.	2.1	22
49	New compilation of top basement and basement thickness for the Norwegian continental shelf reveals the segmentation of the passive margin system. <i>Petroleum Geology Conference Proceedings</i> , 2010, 7, 885-897.	0.7	22
50	Onshore-offshore potential field analysis of the Møre-Trøndelag Fault Complex and adjacent structures of Mid Norway. <i>Tectonophysics</i> , 2012, 518-521, 17-28.	2.2	22
51	Properties and distribution of lower crustal bodies on the mid-Norwegian margin. <i>Petroleum Geology Conference Proceedings</i> , 2010, 7, 843-854.	0.7	21
52	The crustal structure of the Eastern Alps from a combination of 3D gravity modelling and isostatic investigations. <i>Tectonophysics</i> , 2004, 380, 89-104.	2.2	20
53	Comment on "A crustal thickness map of Africa derived from a global gravity field model using Euler deconvolution" by Getachew E. Tedla, M. van der Meijde, A. A. Nyblade and F. D. van der Meer. <i>Geophysical Journal International</i> , 2012, 189, 1217-1222.	2.4	20
54	Moho depth model for the Central Asian Orogenic Belt from satellite gravity gradients. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 7388-7407.	3.4	20

#	ARTICLE	IF	CITATIONS
55	East Antarctica magnetically linked to its ancient neighbours in Gondwana. <i>Scientific Reports</i> , 2021, 11, 5513.	3.3	20
56	Joint Gravity and Isostatic Analysis for Basement Studies – A Novel Tool. , 2007, , .		20
57	Magnetic basement study in the Barents Sea from inversion and forward modelling. <i>Tectonophysics</i> , 2010, 493, 153-171.	2.2	19
58	Crustal structure across the Møre margin, mid-Norway, from wide-angle seismic and gravity data. <i>Tectonophysics</i> , 2014, 626, 21-40.	2.2	19
59	NEW DEPTH MAPS OF THE MAIN KAROO BASIN, USED TO EXPLORE THE CAPE ISOSTATIC ANOMALY, SOUTH AFRICA. <i>South African Journal of Geology</i> , 2015, 118, 225-248.	1.2	19
60	A 3D regional crustal model of the NE Atlantic based on seismic and gravity data. <i>Geological Society Special Publication</i> , 2017, 447, 233-247.	1.3	19
61	Insights into the magmatic architecture of the Oslo Graben by petrophysically constrained analysis of the gravity and magnetic field. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	18
62	Mismatch of geophysical datasets in distal rifted margin studies. <i>Terra Nova</i> , 2016, 28, 340-347.	2.1	18
63	Basement characterization and crustal structure beneath the Arabia–Eurasia collision (Iran): A combined gravity and magnetic study. <i>Tectonophysics</i> , 2018, 731-732, 155-171.	2.2	18
64	GEOPHYSICALLY PLUMBING THE MAIN KAROO BASIN, SOUTH AFRICA. <i>South African Journal of Geology</i> , 2014, 117, 275-300.	1.2	16
65	An integrated geophysical study of the Beattie Magnetic Anomaly, South Africa. <i>Tectonophysics</i> , 2014, 636, 228-243.	2.2	16
66	Geophysical-petrological modelling of the East Greenland Caledonides – Isostatic support from crust and upper mantle. <i>Tectonophysics</i> , 2016, 692, 44-57.	2.2	16
67	Electrical conductivity structure of north-west Fennoscandia from three-dimensional inversion of magnetotelluric data. <i>Tectonophysics</i> , 2015, 653, 20-32.	2.2	14
68	LITHOSPHERIC STRUCTURE OF THE WEST AND CENTRAL AFRICAN RIFT SYSTEM FROM REGIONAL THREE-DIMENSIONAL GRAVITY MODELLING. <i>South African Journal of Geology</i> , 2015, 118, 285-298.	1.2	14
69	Density distribution across the Alpine lithosphere constrained by 3-D gravity modelling and relation to seismicity and deformation. <i>Solid Earth</i> , 2019, 10, 2073-2088.	2.8	13
70	Large-scale gravity anomaly in northern Norway: tectonic implications of shallow or deep source depth and a possible conjugate in northeast Greenland. <i>Geophysical Journal International</i> , 2015, 203, 2070-2088.	2.4	12
71	The first pan-Alpine surface-gravity database, a modern compilation that crosses frontiers. <i>Earth System Science Data</i> , 2021, 13, 2165-2209.	9.9	12
72	Gravity Spectra from the Density Distribution of Earth's Uppermost 435 km. <i>Surveys in Geophysics</i> , 2018, 39, 227-244.	4.6	10

#	ARTICLE	IF	CITATIONS
73	Sensitivity analysis of gravity gradient inversion of the Moho depth—a case example for the Amazonian Craton. <i>Geophysical Journal International</i> , 2020, 221, 1896-1912.	2.4	10
74	A regional background model for the Arabian Peninsula from modeling satellite gravity gradients and their invariants. <i>Tectonophysics</i> , 2016, 692, 86-94.	2.2	9
75	Greenland Geothermal Heat Flow Database and Map (Version 1). <i>Earth System Science Data</i> , 2022, 14, 2209-2238.	9.9	9
76	Sensitivity of GOCE Gravity Gradients to Crustal Thickness and Density Variations: Case Study for the Northeast Atlantic Region. <i>International Association of Geodesy Symposia</i> , 2014, , 291-298.	0.4	8
77	Comparing gravity-based to seismic-derived lithosphere densities: a case study of the British Isles and surrounding areas. <i>Geophysical Journal International</i> , 0, , ggw483.	2.4	8
78	A fast equivalent source method for airborne gravity gradient data. <i>Geophysics</i> , 2019, 84, G75-G82.	2.6	8
79	Regional Gravity Field Model of Egypt Based on Satellite and Terrestrial Data. <i>Pure and Applied Geophysics</i> , 2019, 176, 767-786.	1.9	8
80	New magnetic anomaly map for the Red Sea reveals transtensional structures associated with rotational rifting. <i>Scientific Reports</i> , 2022, 12, 5757.	3.3	8
81	The use of potential field data in revealing the basement structure in sub-basaltic settings: an example from the Møre margin, offshore Norway. <i>Geophysical Prospecting</i> , 2009, 57, 753-771.	1.9	7
82	Geophysical characterisation of two segments of the Møre-Trøndelag Fault Complex, Mid Norway. <i>Solid Earth</i> , 2011, 2, 125-134.	2.8	7
83	Gravity, magnetics and geothermal heat flow of the Antarctic lithospheric crust and mantle. <i>Geological Society Memoir</i> , 2023, 56, 213-229.	1.7	7
84	Small-scale gravity modeling of upper crustal structures in the Araba Valley along the Dead Sea Transform. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a.	2.5	6
85	Global High-Resolution Magnetic Field Inversion Using Spherical Harmonic Representation of Tesseroids as Individual Sources. <i>Geosciences (Switzerland)</i> , 2020, 10, 147.	2.2	6
86	Extension, hyperextension and mantle exhumation offshore Norway: a discussion based on 6 crustal transects. <i>Norwegian Journal of Geology</i> , 0, , .	0.5	6
87	Antarctica 3-D crustal structure investigation by means of the Bayesian gravity inversion: the Wilkes Land case study. <i>Geophysical Journal International</i> , 2022, 229, 2147-2161.	2.4	6
88	Isostasy as a tool to validate interpretations of regional geophysical datasets — application to the mid-Norwegian continental margin. <i>Geological Society Special Publication</i> , 2017, 447, 279-297.	1.3	5
89	A Multiple 1D Earth Approach (M1DEA) to account for lateral viscosity variations in solutions of the sea level equation: An application for glacial isostatic adjustment by Antarctic deglaciation. <i>Journal of Geodynamics</i> , 2020, 135, 101695.	1.6	5
90	Two-step Gravity Inversion Reveals Variable Architecture of African Cratons. <i>Frontiers in Earth Science</i> , 2021, 9, .	1.8	5

#	ARTICLE	IF	CITATIONS
91	Chapter 11 Structural interpretation of the Barents and Kara Seas from gravity and magnetic data. Geological Society Memoir, 2011, 35, 197-208.	1.7	4
92	Hotspot-ridge interaction and its influence on Icelandic crust formation and dynamics. Tectonophysics, 2008, 447, 1-4.	2.2	3
93	Basement Characterisation by Regional Isostatic Methods in the Barents Sea. , 2006, , .		3
94	Crustal structure of the Volgo-Uralian subcraton revealed by inverse and forward gravity modelling. Solid Earth, 2022, 13, 431-448.	2.8	3
95	Spectral consistency of satellite and airborne data: Application of an equivalent dipole layer for combining satellite and aeromagnetic data sets. Geophysics, 2022, 87, G71-G81.	2.6	3
96	Linearized Bayesian estimation of magnetization and depth to magnetic bottom from satellite data. Geophysical Journal International, 2022, 230, 1508-1533.	2.4	3
97	The use of gravity gradients and invariants for geophysical modelling - Example from airborne and satellite data. , 2015, , .		2
98	An isostatic study of the Karoo basin and underlying lithosphere in 3-D. Geophysical Journal International, 2016, 206, 774-791.	2.4	2
99	Spherical magnetic field gradients and lithospheric magnetization (Part 1) : finite difference calculation and depth sensitivity to lithospheric magnetization. Geophysical Journal International, 2018, 215, 1747-1765.	2.4	2
100	Deep structure of the northern North Sea and southwestern Norway based on 3D density and magnetic modelling. Norwegian Journal of Geology, 0, , .	0.5	2
101	Correction to "Anatomy of the Dead Sea Transform from lithospheric to microscopic scale". Reviews of Geophysics, 2010, 48, .	23.0	1
102	3D gravity inversion constrained by stereotomography. , 2011, , .		1
103	Joint inversion project for improved sub-salt and sub-basalt imaging. , 2011, , .		1
104	Gravity effect of Alpine slab segments based on geophysical and petrological modelling. Solid Earth, 2021, 12, 691-711.	2.8	1
105	The deep geothermal potential of the radiogenic Låvstakken Granite in western Norway. Norwegian Journal of Geology, 0, , .	0.5	1
106	Using Geophysical Methods to Characterize a Fault Zone - A Case Study from the Måre-Tråndelag Fault Complex, Mid-Norway. , 2010, , .		1
107	Feasibility study of electromagnetic, gravimetric and aeromagnetic methods in sub-basaltic settings. , 2008, , .		1
108	Use of GOCE Satellite Gradient Gravity Data for Forward and Inverse Modeling of the NE Atlantic Margin. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
109	Integrated interpretation of potential field and seismic data for shale gas potential in the Karoo Basin, South Africa. , 2013, , .		0
110	A new noise reduction method for airborne gravity gradient data. Exploration Geophysics, 2016, 47, 296-301.	1.1	0
111	From crustal seismology to geodynamics – Contributions from the Rolf-Meissner-Symposium. Tectonophysics, 2016, 692, 1-2.	2.2	0
112	11892 Heterogeneous gravity data combination for geophysical exploration research: Applications for basin and petroleum system analysis in the Arabian Peninsula. Georabia, 2012, 17, 181-239.	1.6	0
113	Increased density of large low-velocity provinces recovered by seismologically constrained gravity inversion. Solid Earth, 2020, 11, 1551-1569.	2.8	0
114	Satellite magnetic anomalies with a smooth spectral transition to long wavelengths. Physics of the Earth and Planetary Interiors, 2022, 324, 106843.	1.9	0