Bartosz Wyszynski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11936077/publications.pdf

Version: 2024-02-01

1163117 1199594 22 154 8 12 citations g-index h-index papers 22 22 22 143 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | BIOMIMETIC MATERIALS AND MULTIVARIATE APPROACH TO ODOR SENSING. World Scientific Series in Nanoscience and Nanotechnology, 2014, , 475-507. | 0.1 | O |
| 2 | Stabilization of coating for QCM odor sensors with liquid GC materials supported by lipopolymers and lipids. Sensors and Actuators B: Chemical, 2013, 179, 81-86. | 7.8 | 9 |
| 3 | Highly sensitive QCM odor sensors with lipopolymeric nanocomposites and physisorbed amphiphilic GC materials. Sensor Review, 2011, 31, 277-284. | 1.8 | 2 |
| 4 | Odor sensing system using ball SAW devices functionalized with self-assembled lipid-derivatives and GC materials. , 2010, , . | | 1 |
| 5 | Spherical SAW devices with self-assembled lipopolymers for odor-sensing. Sensors and Actuators B: Chemical, 2010, 144, 247-254. | 7.8 | 12 |
| 6 | Linking biological and artificial olfaction: biomimetic quartz crystal microbalance odor sensors. IEEJ Transactions on Electrical and Electronic Engineering, 2009, 4, 334-338. | 1.4 | 21 |
| 7 | Development of odor recorder with enhanced recording capabilities based on real-time mass spectrometry. Sensors and Actuators B: Chemical, 2009, 141, 141-146. | 7.8 | 9 |
| 8 | Odor Recorder Capable of Wide Dynamic Recordable Range Based on Higher Order Sensing and Signal Extraction Technique for Small Signal. IEEE Sensors Journal, 2009, 9, 93-102. | 4.7 | 1 |
| 9 | Self-Assembled Lipopolymers with Physisorbed Amphiphilic GC Materials for QCM Odor Sensors. IEEJ Transactions on Sensors and Micromachines, 2009, 129, 273-277. | 0.1 | 5 |
| 10 | Chemisorbed PEGylated lipopolymers as sensing film supports for QCM odor sensors. Sensors and Actuators B: Chemical, 2008, 130, 857-863. | 7.8 | 15 |
| 11 | Mixed self-assembled lipopolymers with spacer lipids enhancing sensitivity of lipid-derivative QCMs for odor sensors. Sensors and Actuators B: Chemical, 2008, 134, 72-78. | 7.8 | 12 |
| 12 | Reproduction of scent and video at remote site using odor sensing system and olfactory display together with camera. , 2008, , . | | 5 |
| 13 | Highly sensitive QCM odor-sensors functionalized with self-assembled lipid-derivatives and GC materials. , 2008, , . | | 1 |
| 14 | Sensitivity Improvement of Odor Sensing System Using Ball SAW Devices. IEEJ Transactions on Sensors and Micromachines, 2008, 128, 487-492. | 0.1 | 1 |
| 15 | Odor sensing system using ball SAW devices functionalized with self-assembled lipopolymers. , 2007, , . | | O |
| 16 | Realization of recording a wide range of odor by utilizing both of transient and steady-state sensor responses in recording process. Sensors and Actuators B: Chemical, 2007, 124, 557-563. | 7.8 | 13 |
| 17 | Study of odor recorder based on preconcentrator with variable temperature. Sensors and Actuators B: Chemical, 2007, 127, 392-398. | 7.8 | 6 |
| 18 | Improvement of ultrasonic atomizer method for deposition of gas-sensing film on QCM. Sensors and Actuators B: Chemical, 2007, 127, 253-259. | 7.8 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Study of PEG Tether Length of Pegylated-Lipid Sensing Films in QCM Odor Sensors. IEEJ Transactions on Sensors and Micromachines, 2007, 127, 165-169. | 0.1 | 6 |
| 20 | PEG Lipopolymers as Coatings for QCM Odor Sensors. Effect of Tether's Chain-length., 2006,,. | | O |
| 21 | Recording and reproducing citrus flavors using odor recorder. Sensors and Actuators B: Chemical, 2005, 106, 388-393. | 7.8 | 20 |
| 22 | Odor Sensing Using Spherical Surface Acoustic Wave Sensors (Ball SAW Sensors) with Organic Sensing-Films., 0,, 229-245. | | 0 |