

Marieke Wichers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11937/marieke-wichers-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

209
papers

10,005
citations

53
h-index

94
g-index

246
ext. papers

11,762
ext. citations

5.1
avg, IF

6.46
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 209 | Anticipating the direction of symptom progression using critical slowing down: a proof-of-concept study.. <i>BMC Psychiatry</i> , 2022 , 22, 49 | 4.2 | 1 |
| 208 | Shared and individual-specific daily stress-reactivity in a cross-diagnostic at-risk sample. 2022 , 131, 221-234 | | 0 |
| 207 | Anticipating manic and depressive transitions in patients with bipolar disorder using early warning signals.. <i>International Journal of Bipolar Disorders</i> , 2022 , 10, 12 | 5.4 | 1 |
| 206 | Be(com)ing social: Daily-life social interactions and parental bonding.. <i>Developmental Psychology</i> , 2022 , 58, 792-805 | 3.7 | 0 |
| 205 | Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements.. <i>Comprehensive Psychiatry</i> , 2022 , 115, 152309 | 7.3 | 0 |
| 204 | ESMvis: a tool for visualizing individual Experience Sampling Method (ESM) data. <i>Quality of Life Research</i> , 2021 , 30, 3179-3188 | 3.7 | 4 |
| 203 | On the transience or stability of subthreshold psychopathology. <i>Scientific Reports</i> , 2021 , 11, 23306 | 4.9 | 1 |
| 202 | Psychopathological networks: Theory, methods and practice.. <i>Behaviour Research and Therapy</i> , 2021 , 149, 104011 | 5.2 | 7 |
| 201 | A Narrative Review of Network Studies in Depression: What Different Methodological Approaches Tell Us About Depression. <i>Frontiers in Psychiatry</i> , 2021 , 12, 719490 | 5 | 2 |
| 200 | Preventing Recurrence of Depression: Long-Term Effects of a Randomized Controlled Trial on Cognitive Control Training for Remitted Depressed Patients. <i>Clinical Psychological Science</i> , 2021 , 9, 615-633 | 6 | 8 |
| 199 | Efficacy of early warning signals and spectral periodicity for predicting transitions in bipolar patients: An actigraphy study. <i>Translational Psychiatry</i> , 2021 , 11, 350 | 8.6 | 5 |
| 198 | Uncovering complexity details in actigraphy patterns to differentiate the depressed from the non-depressed. <i>Scientific Reports</i> , 2021 , 11, 13447 | 4.9 | 4 |
| 197 | Cross-instrument feasibility, validity, and reproducibility of wireless heart rate monitors: Novel opportunities for extended daily life monitoring. <i>Psychophysiology</i> , 2021 , 58, e13898 | 4.1 | 1 |
| 196 | Comment on: Eronen MI (2019). The levels problem in psychopathology. <i>Psychological Medicine</i> , 2021 , 51, 525-526 | 6.9 | 4 |
| 195 | Reflections on psychological resilience: a comparison of three conceptually different operationalizations in predicting mental health. <i>Høgre Utbildning</i> , 2021 , 12, 1956802 | 5 | |
| 194 | Network dynamics of momentary affect states and future course of psychopathology in adolescents. <i>PLoS ONE</i> , 2021 , 16, e0247458 | 3.7 | 2 |
| 193 | Individual and common patterns in the order of symptom improvement during outpatient treatment for major depression. <i>Journal of Affective Disorders</i> , 2021 , 290, 81-88 | 6.6 | 1 |

| | | | |
|-----|---|------|----|
| 192 | Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103916 | 5.2 | 1 |
| 191 | The complex and dynamic interplay between self-esteem, belongingness and physical activity in daily life: An experience sampling study in adolescence and young adulthood. <i>Mental Health and Physical Activity</i> , 2021 , 21, 100413 | 5 | 2 |
| 190 | Early warning signals and critical transitions in psychopathology: challenges and recommendations. <i>Current Opinion in Psychology</i> , 2021 , 41, 51-58 | 6.2 | 7 |
| 189 | Single-Subject Research in Psychiatry: Facts and Fictions. <i>Frontiers in Psychiatry</i> , 2020 , 11, 539777 | 5 | 7 |
| 188 | Early warning signals in psychopathology: what do they tell?. <i>BMC Medicine</i> , 2020 , 18, 269 | 11.4 | 6 |
| 187 | Don't worry, be happy: Protective factors to buffer against distress associated with psychotic experiences. <i>Schizophrenia Research</i> , 2020 , 223, 79-86 | 3.6 | 4 |
| 186 | T103. THE EFFECT OF VIRTUAL REALITY COGNITIVE BEHAVIORAL THERAPY ON PARANOIA AND MOOD STATES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S270-S270 | 1.3 | 78 |
| 185 | Virtual reality based cognitive behavioral therapy for paranoia: Effects on mental states and the dynamics among them. <i>Schizophrenia Research</i> , 2020 , 222, 227-234 | 3.6 | 8 |
| 184 | Expressive suppression in psychosis: The association with social context. <i>PLoS ONE</i> , 2020 , 15, e0230102 | 3.7 | 1 |
| 183 | Measuring psychopathology as it unfolds in daily life: addressing key assumptions of intensive longitudinal methods in the TRAILS TRANS-ID study. <i>BMC Psychiatry</i> , 2020 , 20, 351 | 4.2 | 6 |
| 182 | Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020 , 128, 103592 | 5.2 | 13 |
| 181 | Cortisol dynamics in depression: Application of a continuous-time process model. <i>Psychoneuroendocrinology</i> , 2020 , 115, 104598 | 5 | 3 |
| 180 | Measuring resilience prospectively as the speed of affect recovery in daily life: a complex systems perspective on mental health. <i>BMC Medicine</i> , 2020 , 18, 36 | 11.4 | 11 |
| 179 | Early Warning Signals Based on Momentary Affect Dynamics can Expose Nearby Transitions in Depression: A Confirmatory Single-Subject Time-Series Study. <i>Journal for Person-Oriented Research</i> , 2020 , 6, 1-15 | 1 | 19 |
| 178 | Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. <i>Journal of Medical Internet Research</i> , 2020 , 22, e22634 | 7.6 | 5 |
| 177 | Recommendations for the use of long-term experience sampling in bipolar disorder care: a qualitative study of patient and clinician experiences. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 38 | 5.4 | 4 |
| 176 | Getting stuck in social isolation: Solitude inertia and depressive symptoms. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 713-723 | 7 | 5 |
| 175 | Sudden gains in day-to-day change: Revealing nonlinear patterns of individual improvement in depression. <i>Journal of Consulting and Clinical Psychology</i> , 2020 , 88, 119-127 | 6.5 | 18 |

| | | | |
|-----|--|------|----|
| 174 | Lower emotional complexity as a prospective predictor of psychopathology in adolescents from the general population. <i>Emotion</i> , 2020 , | 4.1 | 3 |
| 173 | ACTman: Automated preprocessing and analysis of actigraphy data. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 481-486 | 4.4 | 4 |
| 172 | Comorbidity between depression and anxiety: assessing the role of bridge mental states in dynamic psychological networks. <i>BMC Medicine</i> , 2020 , 18, 308 | 11.4 | 30 |
| 171 | Associations between responses to voices, distress and appraisals during daily life: an ecological validation of the cognitive behavioural model. <i>Psychological Medicine</i> , 2020 , 1-10 | 6.9 | 1 |
| 170 | Time to get personal? The impact of researchers choices on the selection of treatment targets using the experience sampling methodology. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110211 | 4.1 | 31 |
| 169 | Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. <i>Translational Psychiatry</i> , 2020 , 10, 259 | 8.6 | 8 |
| 168 | White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. <i>Brain Imaging and Behavior</i> , 2020 , 14, 1876-1888 | 4.1 | 0 |
| 167 | Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. <i>Neuropsychopharmacology</i> , 2020 , 45, 534-541 | 8.7 | 20 |
| 166 | Between vulnerability and resilience: A network analysis of fluctuations in cognitive risk and protective factors following remission from depression. <i>Behaviour Research and Therapy</i> , 2019 , 116, 1-9 | 5.2 | 19 |
| 165 | Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1045-1054 | 4.5 | 6 |
| 164 | 7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S98-S98 | 1.3 | 1 |
| 163 | How to assess negative affective reactivity to daily life stress in depressed and nondepressed individuals?. <i>Psychiatry Research</i> , 2019 , 279, 259-266 | 9.9 | 5 |
| 162 | The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 339-346 | 5.5 | 2 |
| 161 | Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. <i>Schizophrenia Research</i> , 2019 , 205, 58-62 | 3.6 | 9 |
| 160 | Can we predict the direction of sudden shifts in symptoms? Transdiagnostic implications from a complex systems perspective on psychopathology. <i>Psychological Medicine</i> , 2019 , 49, 380-387 | 6.9 | 29 |
| 159 | Increasing Restlessness Signals Impending Increase in Depressive Symptoms More than 2 Months before It Happens in Individual Patients. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 249-251 | 9.4 | 10 |
| 158 | Insights of Patients and Clinicians on the Promise of the Experience Sampling Method for Psychiatric Care. <i>Psychiatric Services</i> , 2019 , 70, 983-991 | 3.3 | 24 |
| 157 | Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1374-1385 | 1.2 | |

| | | | |
|-----|--|-----|-----|
| 156 | Neurobehavioural mechanisms of threat generalization moderate the link between childhood maltreatment and psychopathology in emerging adulthood. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 185-194 | 4.5 | 13 |
| 155 | What do centrality measures measure in psychological networks?. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 892-903 | 7 | 233 |
| 154 | TwinssCan - Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019 , 22, 460-466 | 2.2 | 5 |
| 153 | Specificity of psychopathology across levels of severity: a transdiagnostic network analysis. <i>Scientific Reports</i> , 2019 , 9, 18298 | 4.9 | 6 |
| 152 | Capturing the risk of persisting depressive symptoms: A dynamic network investigation of patients' daily symptom experiences. <i>Psychiatry Research</i> , 2019 , 271, 640-648 | 9.9 | 21 |
| 151 | From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019 , 49, 2441-2451 | 6.9 | 35 |
| 150 | Effect of self-monitoring through experience sampling on emotion differentiation in depression. <i>Journal of Affective Disorders</i> , 2019 , 244, 71-77 | 6.6 | 21 |
| 149 | Functional neuroimaging of associative learning and generalization in specific phobia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 275-285 | 5.5 | 12 |
| 148 | Sensitivity to Peer Evaluation and Its Genetic and Environmental Determinants: Findings from a Population-Based Twin Study. <i>Child Psychiatry and Human Development</i> , 2018 , 49, 766-778 | 3.3 | 3 |
| 147 | T30. TIPPING POINTS [PREDICTING TRANSITIONS TO PSYCHOSIS IN AT-RISK YOUNG PEOPLE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S124-S125 | 1.3 | 1 |
| 146 | The Reciprocity of Prosocial Behavior and Positive Affect in Daily Life. <i>Journal of Personality</i> , 2018 , 86, 139-146 | 4.4 | 42 |
| 145 | The Cascade of Stress: A Network Approach to Explore Differential Dynamics in Populations Varying in Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 328-337 | 1.3 | 45 |
| 144 | Affective reactivity to daily life stress: Relationship to positive psychotic and depressive symptoms in a general population sample. <i>Journal of Affective Disorders</i> , 2018 , 225, 474-481 | 6.6 | 18 |
| 143 | Exploring the relation between visual mental imagery and affect in the daily life of previously depressed and never depressed individuals. <i>Cognition and Emotion</i> , 2018 , 32, 1131-1138 | 2.3 | 2 |
| 142 | Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study 2018 , 8, e019059 | | 4 |
| 141 | Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018 , 8, e019059 | 3 | 5 |
| 140 | Exploring the emotional dynamics of subclinically depressed individuals with and without anhedonia: An experience sampling study. <i>Journal of Affective Disorders</i> , 2018 , 228, 186-193 | 6.6 | 17 |
| 139 | A qualitative approach to guide choices for designing a diary study. <i>BMC Medical Research Methodology</i> , 2018 , 18, 140 | 4.7 | 23 |

| | | | |
|-----|--|------|-----|
| 138 | Self-monitoring and personalized feedback based on the experiencing sampling method as a tool to boost depression treatment: a protocol of a pragmatic randomized controlled trial (ZELF-i). <i>BMC Psychiatry</i> , 2018 , 18, 276 | 4.2 | 14 |
| 137 | Individual Negative Affective Trajectories Can Be Detected during Different Depressive Relapse Prevention Strategies. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 243-245 | 9.4 | 7 |
| 136 | A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 122-132 | 1.3 | 43 |
| 135 | Dimensional and discrete variations on the psychosis continuum in a Dutch crowd-sourcing population sample. <i>European Psychiatry</i> , 2017 , 42, 55-62 | 6 | 10 |
| 134 | The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26, | 4.3 | 8 |
| 133 | The shape of change in perceived stress, negative affect, and stress sensitivity during mindfulness-based stress reduction. <i>Mindfulness</i> , 2017 , 8, 728-736 | 2.9 | 21 |
| 132 | No Time Like the Present: Discovering the Hidden Dynamics in Intensive Longitudinal Data. <i>Current Directions in Psychological Science</i> , 2017 , 26, 10-15 | 6.5 | 158 |
| 131 | Can We Jump from Cross-Sectional to Dynamic Interpretations of Networks? Implications for the Network Perspective in Psychiatry. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 175-177 | 9.4 | 64 |
| 130 | The Impact of Treatments for Depression on the Dynamic Network Structure of Mental States: Two Randomized Controlled Trials. <i>Scientific Reports</i> , 2017 , 7, 46523 | 4.9 | 43 |
| 129 | Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 302-315 | 1.3 | 39 |
| 128 | Associations Between Daily Affective Instability and Connectomics in Functional Subnetworks in Remitted Patients with Recurrent Major Depressive Disorder. <i>Neuropsychopharmacology</i> , 2017 , 42, 2583-2592 | 8.7 | 21 |
| 127 | Daily Stressful Experiences Precede But Do Not Succeed Depressive Symptoms: Results from a Longitudinal Experience Sampling Study. <i>Journal of Social and Clinical Psychology</i> , 2017 , 36, 196-220 | 1.6 | 10 |
| 126 | Moving From Static to Dynamic Models of the Onset of Mental Disorder: A Review. <i>JAMA Psychiatry</i> , 2017 , 74, 528-534 | 14.5 | 147 |
| 125 | Behavioral pattern separation and its link to the neural mechanisms of fear generalization. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1720-1729 | 4 | 37 |
| 124 | Reward and punishment learning in daily life: A replication study. <i>PLoS ONE</i> , 2017 , 12, e0180753 | 3.7 | 6 |
| 123 | White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017 , 12, e0183695 | 3.7 | 20 |
| 122 | Identifying levels of general distress in first line mental health services: can GP- and eHealth clients' scores be meaningfully compared?. <i>BMC Psychiatry</i> , 2017 , 17, 382 | 4.2 | 3 |
| 121 | Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017 , 17, 415 | 4.2 | 10 |

| | | | |
|-----|--|-----|-----|
| 120 | Imagine your mood: Study design and protocol of a randomized controlled micro-trial using app-based experience sampling methodology to explore processes of change during relapse prevention interventions for recurrent depression. <i>Contemporary Clinical Trials Communications</i> , 2017 , 7, 172-178 | 1.8 | 5 |
| 119 | Is sensitivity to daily stress predictive of onset or persistence of psychopathology?. <i>European Psychiatry</i> , 2017 , 45, 167-173 | 6 | 14 |
| 118 | Unraveling the Role of Loneliness in Depression: The Relationship Between Daily Life Experience and Behavior. <i>Psychiatry (New York)</i> , 2017 , 80, 104-117 | 1 | 41 |
| 117 | Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017 , 8, 1908 | 3.4 | 20 |
| 116 | Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). <i>Noropsikiyatri Arsivi</i> , 2017 , 54, 3-10 | 0.4 | 5 |
| 115 | Data from Critical Slowing Down as a Personalized Early Warning Signal for Depression 2017 , 5, | | 20 |
| 114 | Real-life validation of reduced reward processing in emerging adults with depressive symptoms. <i>Journal of Abnormal Psychology</i> , 2017 , 126, 713-725 | 7 | 16 |
| 113 | The 5-HTTLPR genotype moderates the association between sleep quality and positive affect: A replication study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1350-1 | 1.2 | 2 |
| 112 | The Dutch Measure for quantification of Treatment Resistance in Depression (DM-TRD): an extension of the Maudsley Staging Method. <i>Journal of Affective Disorders</i> , 2016 , 205, 365-371 | 6.6 | 33 |
| 111 | Reactivity to social stress in ethnic minority men. <i>Psychiatry Research</i> , 2016 , 246, 629-636 | 9.9 | 8 |
| 110 | Change in daily life behaviors and depression: Within-person and between-person associations. <i>Health Psychology</i> , 2016 , 35, 433-41 | 5 | 29 |
| 109 | Critical Slowing Down as a Personalized Early Warning Signal for Depression. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 114-6 | 9.4 | 156 |
| 108 | Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e103 | 5.5 | 18 |
| 107 | A Primrose Path? Moderating Effects of Age and Gender in the Association between Green Space and Mental Health. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, | 4.6 | 32 |
| 106 | Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. <i>PLoS ONE</i> , 2016 , 11, e0162329 | 3.7 | 3 |
| 105 | HowNutsAreTheDutch (HoeGekisNL): A crowdsourcing study of mental symptoms and strengths. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 123-44 | 4.3 | 59 |
| 104 | Vulnerability for new episodes in recurrent major depressive disorder: protocol for the longitudinal DELTA-neuroimaging cohort study. <i>BMJ Open</i> , 2016 , 6, e009510 | 3 | 23 |
| 103 | The Two-Sided Face of Antidepressants: The Impact of Their Use on Real-Life Affective Change during Mindfulness-Based Cognitive Therapy. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 180-2 | 9.4 | 3 |

| | | | |
|-----|---|------|-----|
| 102 | Daily life stress reactivity in remitted versus non-remitted depressed individuals. <i>European Psychiatry</i> , 2015 , 30, 441-7 | 6 | 41 |
| 101 | Micro-Level Affect Dynamics in Psychopathology Viewed From Complex Dynamical System Theory. <i>Emotion Review</i> , 2015 , 7, 362-367 | 4.6 | 84 |
| 100 | Exploring the underlying structure of mental disorders: cross-diagnostic differences and similarities from a network perspective using both a top-down and a bottom-up approach. <i>Psychological Medicine</i> , 2015 , 45, 2375-87 | 6.9 | 101 |
| 99 | What kind of thing is depression?. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 312-4 | 5.1 | 4 |
| 98 | Experience sampling-based personalized feedback and positive affect: a randomized controlled trial in depressed patients. <i>PLoS ONE</i> , 2015 , 10, e0128095 | 3.7 | 31 |
| 97 | Mindfulness training promotes upward spirals of positive affect and cognition: multilevel and autoregressive latent trajectory modeling analyses. <i>Frontiers in Psychology</i> , 2015 , 6, 15 | 3.4 | 94 |
| 96 | Commentary: "Consistent Superiority of Selective Serotonin Reuptake Inhibitors Over Placebo in Reducing Depressed Mood in Patients with Major Depression". <i>Frontiers in Psychiatry</i> , 2015 , 6, 117 | 5 | 18 |
| 95 | Effects of momentary self-monitoring on empowerment in a randomized controlled trial in patients with depression. <i>European Psychiatry</i> , 2015 , 30, 900-6 | 6 | 27 |
| 94 | From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. <i>PLoS ONE</i> , 2015 , 10, e0129722 | 3.7 | 16 |
| 93 | Reply to Bos and De Jonge: Between-subject data do provide first empirical support for critical slowing down in depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E879 | 11.5 | 9 |
| 92 | Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1883-90 | 7.3 | 47 |
| 91 | The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1086-90 | 1.2 | 11 |
| 90 | Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: replication and extension of a gene-environment interaction. <i>European Neuropsychopharmacology</i> , 2014 , 24, 930-8 | 1.2 | 27 |
| 89 | Evidence that a psychopathology interactome has diagnostic value, predicting clinical needs: an experience sampling study. <i>PLoS ONE</i> , 2014 , 9, e86652 | 3.7 | 30 |
| 88 | How to boost positive interpretations? A meta-analysis of the effectiveness of cognitive bias modification for interpretation. <i>PLoS ONE</i> , 2014 , 9, e100925 | 3.7 | 128 |
| 87 | Epigenetic genes and emotional reactivity to daily life events: a multi-step gene-environment interaction study. <i>PLoS ONE</i> , 2014 , 9, e100935 | 3.7 | 24 |
| 86 | The effect of personality on daily life emotional processes. <i>PLoS ONE</i> , 2014 , 9, e110907 | 3.7 | 48 |
| 85 | Critical slowing down as early warning for the onset and termination of depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 87-92 | 11.5 | 359 |

| | | | |
|----|---|------|-----|
| 84 | Therapygenetics in mindfulness-based cognitive therapy: do genes have an impact on therapy-induced change in real-life positive affective experiences?. <i>Translational Psychiatry</i> , 2014 , 4, e384 | 8.6 | 15 |
| 83 | A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014 , 13, 68-77 | 14.4 | 144 |
| 82 | Positive emotions from social company in women with persisting subclinical psychosis: lessons from daily life. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 202-10 | 6.5 | 7 |
| 81 | Time-lagged moment-to-moment interplay between negative affect and paranoia: new insights in the affective pathway to psychosis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 278-86 | 1.3 | 84 |
| 80 | The dynamic nature of depression: a new micro-level perspective of mental disorder that meets current challenges. <i>Psychological Medicine</i> , 2014 , 44, 1349-60 | 6.9 | 168 |
| 79 | Resilience in mental health: linking psychological and neurobiological perspectives. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 3-20 | 6.5 | 197 |
| 78 | FKBP5 as a possible moderator of the psychosis-inducing effects of childhood trauma. <i>British Journal of Psychiatry</i> , 2013 , 202, 261-8 | 5.4 | 68 |
| 77 | Genetic innovation and stability in externalizing problem behavior across development: a multi-informant twin study. <i>Behavior Genetics</i> , 2013 , 43, 191-201 | 3.2 | 26 |
| 76 | Emotional experience in negative symptoms of schizophrenia--no evidence for a generalized hedonic deficit. <i>Schizophrenia Bulletin</i> , 2013 , 39, 217-25 | 1.3 | 110 |
| 75 | Novel directions for psychiatric diagnosis: from psychopathology to motor function to monitoring technology. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 289-95 | 5.1 | 8 |
| 74 | Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013 , 43, 1563-7 | 6.9 | 19 |
| 73 | Genetic and environmental predictors of latent trajectories of alcohol use from adolescence to adulthood: a male twin study. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 498-506 | 3.7 | 18 |
| 72 | Deconstructing the familiarity of variability in momentary negative and positive affect. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 318-27 | 6.5 | 17 |
| 71 | Dynamic association between interpersonal functioning and positive symptom dimensions of psychosis over time: a longitudinal study of healthy adolescents. <i>Schizophrenia Bulletin</i> , 2013 , 39, 179-85 | 1.3 | 19 |
| 70 | Day-to-day associations between subjective sleep and affect in regard to future depression in a female population-based sample. <i>British Journal of Psychiatry</i> , 2013 , 202, 407-12 | 5.4 | 64 |
| 69 | Psychiatric diagnosis revisited: towards a system of staging and profiling combining nomothetic and idiographic parameters of momentary mental states. <i>PLoS ONE</i> , 2013 , 8, e59559 | 3.7 | 60 |
| 68 | Depressive symptoms in Crohn's disease: relationship with immune activation and tryptophan availability. <i>PLoS ONE</i> , 2013 , 8, e60435 | 3.7 | 32 |
| 67 | Moment-to-moment transfer of positive emotions in daily life predicts future course of depression in both general population and patient samples. <i>PLoS ONE</i> , 2013 , 8, e75655 | 3.7 | 52 |

| | | | |
|----|--|-----|-----|
| 66 | Altered transfer of momentary mental states (ATOMS) as the basic unit of psychosis liability in interaction with environment and emotions. <i>PLoS ONE</i> , 2013 , 8, e54653 | 3.7 | 26 |
| 65 | A network approach to psychopathology: new insights into clinical longitudinal data. <i>PLoS ONE</i> , 2013 , 8, e60188 | 3.7 | 296 |
| 64 | From epidemiology to daily life: linking daily life stress reactivity to persistence of psychotic experiences in a longitudinal general population study. <i>PLoS ONE</i> , 2013 , 8, e62688 | 3.7 | 52 |
| 63 | Putting a Hold on the Downward Spiral of Paranoia in the Social World: A Randomized Controlled Trial of Mindfulness-Based Cognitive Therapy in Individuals with a History of Depression. <i>PLoS ONE</i> , 2013 , 8, e66747 | 3.7 | 20 |
| 62 | How does MBCT for depression work? studying cognitive and affective mediation pathways. <i>PLoS ONE</i> , 2013 , 8, e72778 | 3.7 | 54 |
| 61 | The dynamic interplay between negative and positive emotions in daily life predicts response to treatment in depression: a momentary assessment study. <i>British Journal of Clinical Psychology</i> , 2012 , 51, 206-22 | 3.6 | 47 |
| 60 | A time-lagged momentary assessment study on daily life physical activity and affect. <i>Health Psychology</i> , 2012 , 31, 135-44 | 5 | 116 |
| 59 | Genetic and environmental causes of individual differences in daily life positive affect and reward experience and its overlap with stress-sensitivity. <i>Behavior Genetics</i> , 2012 , 42, 778-86 | 3.2 | 20 |
| 58 | Replication of the five-dimensional structure of positive psychotic experiences in young adulthood. <i>Psychiatry Research</i> , 2012 , 197, 353-5 | 9.9 | 23 |
| 57 | Dimensions of Normal Personality as Networks in Search of Equilibrium: You Can't like Parties if you Don't like People. <i>European Journal of Personality</i> , 2012 , 26, 414-431 | 5.1 | 241 |
| 56 | Measurable Like Temperature or Mereological like Flocking? on the Nature of Personality Traits. <i>European Journal of Personality</i> , 2012 , 26, 451-459 | 5.1 | 18 |
| 55 | Mobile assessment in schizophrenia: a data-driven momentary approach. <i>Schizophrenia Bulletin</i> , 2012 , 38, 405-13 | 1.3 | 58 |
| 54 | Evidence that genes for depression impact on the pathway from trauma to psychotic-like symptoms by occasioning emotional dysregulation. <i>Psychological Medicine</i> , 2012 , 42, 283-94 | 6.9 | 24 |
| 53 | Disentangling the causal inter-relationship between negative life events and depressive symptoms in women: a longitudinal twin study. <i>Psychological Medicine</i> , 2012 , 42, 1801-14 | 6.9 | 23 |
| 52 | Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012 , 201, 320-5 | 5.4 | 53 |
| 51 | Depressive symptoms following interferon- β therapy: mediated by immune-induced reductions in brain-derived neurotrophic factor?. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 247-53 | 5.8 | 41 |
| 50 | Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011 , 21, 241-7 | 1.2 | 79 |
| 49 | Evidence that onset of clinical psychosis is an outcome of progressively more persistent subclinical psychotic experiences: an 8-year cohort study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 84-93 | 1.3 | 274 |

| | | | |
|----|--|-----|-----|
| 48 | Translating assessments of the film of daily life into person-tailored feedback interventions in depression. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 402-3 | 6.5 | 35 |
| 47 | Momentary assessment technology as a tool to help patients with depression help themselves. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 262-72 | 6.5 | 85 |
| 46 | Neuroticism explained? From a non-informative vulnerability marker to informative person-context interactions in the realm of daily life. <i>British Journal of Clinical Psychology</i> , 2011 , 50, 19-32 | 3.6 | 44 |
| 45 | A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 546-52 | 3.5 | 34 |
| 44 | Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 618-28 | 6.5 | 283 |
| 43 | Psychotic exacerbation and emotional dampening in the daily life of patients with schizophrenia switched to aripiprazole therapy: a collection of standardized case reports. <i>Therapeutic Advances in Psychopharmacology</i> , 2011 , 1, 145-51 | 4.9 | 11 |
| 42 | Genetic moderation of CO ₂ -induced fear by 5-HTTLPR genotype. <i>Journal of Psychopharmacology</i> , 2011 , 25, 37-42 | 4.6 | 43 |
| 41 | Affectively salient meaning in random noise: a task sensitive to psychosis liability. <i>Schizophrenia Bulletin</i> , 2011 , 37, 1179-86 | 1.3 | 44 |
| 40 | Meeting risk with resilience: high daily life reward experience preserves mental health. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 129-38 | 6.5 | 75 |
| 39 | Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 255-66 | 6.5 | 55 |
| 38 | Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. <i>Psychological Medicine</i> , 2010 , 40, 289-99 | 6.9 | 50 |
| 37 | A cognitive intermediate phenotype study confirming possible gene-by adversity interaction in psychosis outcome: A general population twin study. <i>Psychosis</i> , 2010 , 2, 1-11 | 1.2 | 15 |
| 36 | Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , 2010 , 196, 102-8 | 5.4 | 72 |
| 35 | REVIEW: Genome-wide findings in schizophrenia and the role of gene-environment interplay. <i>CNS Neuroscience and Therapeutics</i> , 2010 , 16, e185-92 | 6.8 | 52 |
| 34 | Unveiling patterns of affective responses in daily life may improve outcome prediction in depression: a momentary assessment study. <i>Journal of Affective Disorders</i> , 2010 , 124, 191-5 | 6.6 | 107 |
| 33 | No major role for X-inactivation in variations of intelligence and behavioral problems at middle childhood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1311-7 | 3.5 | 6 |
| 32 | Transition from stress sensitivity to a depressive state: longitudinal twin study. <i>British Journal of Psychiatry</i> , 2009 , 195, 498-503 | 5.4 | 94 |
| 31 | Reduced stress-sensitivity or increased reward experience: the psychological mechanism of response to antidepressant medication. <i>Neuropsychopharmacology</i> , 2009 , 34, 923-31 | 8.7 | 96 |

| | | | |
|----|---|------|-----|
| 30 | Early adversity and 5-HTT/BDNF genes: new evidence of gene-environment interactions on depressive symptoms in a general population. <i>Psychological Medicine</i> , 2009 , 39, 1425-32 | 6.9 | 209 |
| 29 | Does antidepressant medication in patients with hepatitis C undergoing interferon alpha treatment reduce therapeutic efficacy?. <i>Gut</i> , 2009 , 58, 145; author reply 145-6 | 19.2 | 4 |
| 28 | Mechanisms of gene-environment interactions in depression: evidence that genes potentiate multiple sources of adversity. <i>Psychological Medicine</i> , 2009 , 39, 1077-86 | 6.9 | 90 |
| 27 | Subtle gene-environment interactions driving paranoia in daily life. <i>Genes, Brain and Behavior</i> , 2009 , 8, 5-12 | 3.6 | 62 |
| 26 | Does reactivity to stress cosegregate with subclinical psychosis? A general population twin study. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 45-53 | 6.5 | 65 |
| 25 | The catechol-O-methyl transferase Val158Met polymorphism and experience of reward in the flow of daily life. <i>Neuropsychopharmacology</i> , 2008 , 33, 3030-6 | 8.7 | 60 |
| 24 | The psychology of psychiatric genetics: evidence that positive emotions in females moderate genetic sensitivity to social stress associated with the BDNF Val-sup-6-sup-6Met polymorphism. <i>Journal of Abnormal Psychology</i> , 2008 , 117, 699-704 | 7 | 44 |
| 23 | Susceptibility to depression expressed as alterations in cortisol day curve: a cross-twin, cross-trait study. <i>Psychosomatic Medicine</i> , 2008 , 70, 314-8 | 3.7 | 19 |
| 22 | The BDNF Val(66)Met x 5-HTTLPR x child adversity interaction and depressive symptoms: An attempt at replication. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 120-3 | 3.5 | 112 |
| 21 | Altered omega-3 polyunsaturated fatty acid status in depressed post-myocardial infarction patients. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 35-40 | 6.5 | 26 |
| 20 | Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 451-7 | 6.5 | 126 |
| 19 | Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007 , 191, 218-23 | 5.4 | 121 |
| 18 | Depression: Too Much Negative Affect or Too Little Positive Affect?. <i>Twin Research and Human Genetics</i> , 2007 , 10, 19-20 | 2.2 | 16 |
| 17 | Interferon-alpha-induced depressive symptoms are related to changes in the cytokine network but not to cortisol. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 207-14 | 4.1 | 100 |
| 16 | Early prediction of major depression in chronic hepatitis C patients during peg-interferon alpha-2b treatment by assessment of vegetative-depressive symptoms after four weeks. <i>World Journal of Gastroenterology</i> , 2007 , 13, 5736-40 | 5.6 | 18 |
| 15 | Baseline immune activation as a risk factor for the onset of depression during interferon-alpha treatment. <i>Biological Psychiatry</i> , 2006 , 60, 77-9 | 7.9 | 67 |
| 14 | Cytokines and major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005 , 29, 201-17 | 5.5 | 832 |
| 13 | Early increase in vegetative symptoms predicts IFN-alpha-induced cognitive-depressive changes. <i>Psychological Medicine</i> , 2005 , 35, 433-41 | 6.9 | 66 |

| | | | |
|----|---|------|-----|
| 12 | IDO and interferon-alpha-induced depressive symptoms: a shift in hypothesis from tryptophan depletion to neurotoxicity. <i>Molecular Psychiatry</i> , 2005 , 10, 538-44 | 15.1 | 345 |
| 11 | Effect of antitumour necrosis factor-alpha therapy on bone turnover in patients with active Crohn's disease: a prospective study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 851-7 | 6.1 | 52 |
| 10 | Mechanisms of interferon-alpha-induced depressive symptoms. <i>Acta Neuropsychiatrica</i> , 2002 , 14, 103-5 | 3.9 | 4 |
| 9 | Prenatal life and post-natal psychopathology: evidence for negative gene-birth weight interaction. <i>Psychological Medicine</i> , 2002 , 32, 1165-74 | 6.9 | 42 |
| 8 | Central nervous system symptoms related to the use of efavirenz in HIV-seropositive patients. <i>Current Opinion in Psychiatry</i> , 2002 , 15, 643-647 | 4.9 | 3 |
| 7 | The psychoneuroimmuno-pathophysiology of cytokine-induced depression in humans. <i>International Journal of Neuropsychopharmacology</i> , 2002 , 5, 375-88 | 5.8 | 236 |
| 6 | Chorion type and twin similarity for child psychiatric symptoms. <i>Archives of General Psychiatry</i> , 2002 , 59, 562-4 | | 6 |
| 5 | Associations between nonshared environment and child problem behaviour. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 319-23 | 4.5 | 7 |
| 4 | A prospective twin study of birth weight discordance and child problem behavior. <i>Biological Psychiatry</i> , 2001 , 50, 593-9 | 7.9 | 60 |
| 3 | Research methods in psychiatry53-67 | | |
| 2 | Interaction between polygenic liability for schizophrenia and childhood adversity influences daily-life emotional dysregulation and psychosis proneness | | 1 |
| 1 | Transitions in Depression (TRANS-ID) Recovery: Study protocol for a repeated intensive longitudinal n = 1 study design to search for personalized early warning signals of critical transitions towards improvement in depression | | 4 |