

# Kevin D Hyde

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/11937822/kevin-d-hyde-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

899  
papers

24,605  
citations

76  
h-index

123  
g-index

943  
ext. papers

29,940  
ext. citations

4.6  
avg, IF

7  
L-index

#	Paper	IF	Citations
899	Taxonomy, phylogeny, molecular dating and ancestral state reconstruction of Xylariomycetidae (Sordariomycetes). <i>Fungal Diversity</i> , <b>2022</b> , 112, 1	17.6	2
898	Morpho-molecular characterization of Brunneofissuraceae fam. nov., <i>Cirsosia mangiferae</i> sp. nov., and <i>Asterina neomangiferae</i> nom. nov. <i>Mycological Progress</i> , <b>2022</b> , 21, 279-295	1.9	
897	Synopsis of Leptosphaeriaceae and Introduction of Three New Taxa and One New Record from China. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2022</b> , 8, 416	5.6	0
896	<i>Pezicula endophytica</i> sp. nov., endophytic in <i>Dendrobium</i> in Thailand. <i>Mycotaxon</i> , <b>2021</b> , 136, 563-577	0.5	0
895	<i>Lembosia mimusopis</i> sp. nov. from Thailand. <i>Mycotaxon</i> , <b>2021</b> , 136, 635-644	0.5	
894	Two novel species and two new records of from freshwater habitats in China and Thailand. <i>MycoKeys</i> , <b>2021</b> , 84, 79-101	2.4	2
893	Taxonomic studies of some often over-looked Diaporthomycetidae and Sordariomycetidae. <i>Fungal Diversity</i> , <b>2021</b> , 111, 443	17.6	1
892	The Global Soil Mycobiome consortium dataset for boosting fungal diversity research. <i>Fungal Diversity</i> , <b>2021</b> , 111, 573	17.6	10
891	Discovery of Three Novel <i>Cytospora</i> Species in Thailand and Their Antagonistic Potential. <i>Diversity</i> , <b>2021</b> , 13, 488	2.5	1
890	Morphology and Phylogeny Reveal fam. nov. (, ) with Two Novel Species. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	1
889	Biphasic taxonomic approaches for generic relatedness and phylogenetic relationships of Teichosporaceae. <i>Fungal Diversity</i> , <b>2021</b> , 110, 199-241	17.6	0
888	<a href="https://botryosphaeriales.org/">https://botryosphaeriales.org/</a> , an online platform for up-to-date classification and account of taxa of Botryosphaeriales. <i>Database: the Journal of Biological Databases and Curation</i> , <b>2021</b> , 2021,	5	4
887	Novel species (Mucoromycetes, Mucoraceae) from northern Thailand. <i>MycoKeys</i> , <b>2021</b> , 84, 57-78	2.4	1
886	gen. et sp. nov. and sp. nov. (Diatrypaceae) from China. <i>Biodiversity Data Journal</i> , <b>2021</b> , 9, e63864	1.8	3
885	Investigating species boundaries in <i>Colletotrichum</i> . <i>Fungal Diversity</i> , <b>2021</b> , 107, 107-127	17.6	25
884	Climate-Fungal Pathogen Modeling Predicts Loss of Up to One-Third of Tea Growing Areas. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 610567	5.9	2
883	Morphological and phylogenetic resolution of <i>Arthrinium</i> from medicinal plants in Yunnan, including <i>A. cordylines</i> and <i>A. pseudomarii</i> spp. nov.. <i>Mycotaxon</i> , <b>2021</b> , 136, 183-199	0.5	2

882	Fungal taxonomy and sequence-based nomenclature. <i>Nature Microbiology</i> , <b>2021</b> , 6, 540-548	26.6	32
881	Mucoralean Fungi in Thailand: Novel Species of Absidia from Tropical Forest Soil. <i>Cryptogamie, Mycologie</i> , <b>2021</b> , 42,	1.4	3
880	Multigene Phylogeny Reveals gen. et sp. nov. and Familial Replacement of (Xylariales, Sordariomycetes, Ascomycota). <i>Life</i> , <b>2021</b> , 11,	3	3
879	How to publish a new fungal species, or name, version 3.0. <i>IMA Fungus</i> , <b>2021</b> , 12, 11	6.8	26
878	Introducing a new pleosporalean family Sublophostomataceae fam. nov. to accommodate Sublophostoma gen. nov. <i>Scientific Reports</i> , <b>2021</b> , 11, 9496	4.9	4
877	Taxonomic and phylogenetic contributions to Celtis formosana, Ficus ampelas, F. septica, Macaranga tanarius and Morus australis leaf litter inhabiting microfungi. <i>Fungal Diversity</i> , <b>2021</b> , 108, 1-215	17.6	6
876	Macrofungi as a Nutraceutical Source: Promising Bioactive Compounds and Market Value. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	11
875	Phylogenetic assessment and taxonomic revision of Halobyssothecium and Lentithecium (Lentitheciaceae, Pleosporales). <i>Mycological Progress</i> , <b>2021</b> , 20, 701-720	1.9	2
874	The Plant Family Asteraceae Is a Cache for Novel Fungal Diversity: Novel Species and Genera With Remarkable Ascospores in Leptosphaeriaceae. <i>Frontiers in Microbiology</i> , <b>2021</b> , 12, 660261	5.7	1
873	Fomitiporia punicata and Phaeoacremonium minimum associated with Esca complex of grapevine in China. <i>Phytopathology Research</i> , <b>2021</b> , 3,	4.1	2
872	Phlebopus (Boletales, Boletinellaceae), a peculiar bolete genus with widely consumed edible species and potential for economic development in tropical countries. <i>Food Bioscience</i> , <b>2021</b> , 41, 100962	4.9	2
871	Diversity and Function of Appressoria. <i>Pathogens</i> , <b>2021</b> , 10,	4.5	4
870	Where are the basal fungi? Current status on diversity, ecology, evolution, and taxonomy. <i>Biologia (Poland)</i> , <b>2021</b> , 76, 421-440	1.5	3
869	Taxonomy, Diversity and Cultivation of the Oudemansielloid/Xeruloid Taxa and with Respect to Their Bioactivities: A Review. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	3
868	Additions to Italian Pleosporinae, including sp. nov. <i>Biodiversity Data Journal</i> , <b>2021</b> , 9, e59648	1.8	1
867	Integrating Different Lines of Evidence to Establish a Novel Ascomycete Genus and Family (,) in. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	7
866	Structure and Development of Ascomata <b>2021</b> , 255-262		
865	Mushroom cultivation for soil amendment and bioremediation. <i>Circular Agricultural Systems</i> , <b>2021</b> , 1, 1-14		3

864	Outline of Ascomycota <b>2021</b> , 246-254		0
863	<i>Acrocordiella yunnanensis</i> sp. nov. (Requienellaceae, Xylariales) from Yunnan, China. <i>Phytotaxa</i> , <b>2021</b> , 487, 103-113	0.7	2
862	The Evolution of Life Modes in Stictidaceae, with Three Novel Taxa. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	5
861	Evolution of freshwater Diaporthomycetidae (Sordariomycetes) provides evidence for five new orders and six new families. <i>Fungal Diversity</i> , <b>2021</b> , 107, 71-105	17.6	11
860	Five Novel Freshwater Ascomycetes Indicate High Undiscovered Diversity in Lotic Habitats in Thailand. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	10
859	Reviewing the world's edible mushroom species: A new evidence-based classification system. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2021</b> , 20, 1982-2014	16.4	34
858	Catechol-Bearing Polyketide Derivatives from. <i>Journal of Natural Products</i> , <b>2021</b> , 84, 2053-2058	4.9	2
857	Importance of Molecular Data to Identify Fungal Plant Pathogens and Guidelines for Pathogenicity Testing Based on Koch's Postulates. <i>Pathogens</i> , <b>2021</b> , 10,	4.5	4
856	Defining a species in fungal plant pathology: beyond the species level. <i>Fungal Diversity</i> , <b>2021</b> , 109, 267	17.6	3
855	Five Novel Taxa from Freshwater Habitats and New Taxonomic Insights of Pleurotheciales and Savoryellomycetidae. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	2
854	Novel saprobic species (Hermatomycetaceae, Pleosporales) from China (Yunnan Province) and Thailand. <i>MycoKeys</i> , <b>2021</b> , 82, 57-79	2.4	2
853	Fungal Biodiversity in Salt Marsh Ecosystems. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	4
852	What are fungal species and how to delineate them?. <i>Fungal Diversity</i> , <b>2021</b> , 109, 1	17.6	15
851	Integrative approaches for species delimitation in Ascomycota. <i>Fungal Diversity</i> , <b>2021</b> , 109, 155	17.6	10
850	Biodiversity of Lignicolous Freshwater Hyphomycetes from China and Thailand and Description of Sixteen Species. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	3
849	Fungal Pathogens in Grasslands. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 695087	5.9	2
848	Morphological and phylogenetic appraisal of Ophioceras (Ophioceraceae, Magnaporthales). <i>PLoS ONE</i> , <b>2021</b> , 16, e0253853	3.7	0
847	What is a species in fungal plant pathogens?. <i>Fungal Diversity</i> , <b>2021</b> , 109, 239	17.6	8

846	Aquatisphaeria thailandica gen. et sp. nov. (Tetraplosphaeriaceae, Pleosporales) from freshwater habitat in Thailand. <i>Phytotaxa</i> , <b>2021</b> , 513, 118-128	0.7	2
845	Insight into the Systematics of Novel Entomopathogenic Fungi Associated with Armored Scale Insect, (Hemiptera: Diaspididae) in China. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	1
844	A Taxonomic Appraisal of Bambusicolous Fungi in Occultibambusaceae (Pleosporales, Dothideomycetes) with New Collections from Yunnan Province, China. <i>Life</i> , <b>2021</b> , 11,	3	2
843	Delimiting species in Basidiomycota: a review. <i>Fungal Diversity</i> , <b>2021</b> , 109, 181	17.6	2
842	Early-diverging fungal phyla: taxonomy, species concept, ecology, distribution, anthropogenic impact, and novel phylogenetic proposals. <i>Fungal Diversity</i> , <b>2021</b> , 109, 1-40	17.6	5
841	Macrofungi as Food <b>2021</b> , 405-417		1
840	Fungal diversity notes 1387-1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa.. <i>Fungal Diversity</i> , <b>2021</b> , 111, 1-335	17.6	17
839	Rousoella guttulata (Rousoellaceae, Pleosporales), a novel bambusicolous ascomycete from Thailand. <i>Phytotaxa</i> , <b>2020</b> , 471, 221-233	0.7	2
838	The Genus from Southwestern China and Northern Thailand. <i>Mycobiology</i> , <b>2020</b> , 48, 464-475	1.7	
837	Lepiota condylospora, a new species with nodulose spores in section Lilaceae from northern Thailand. <i>Phytotaxa</i> , <b>2020</b> , 455, 61-69	0.7	1
836	Molecular Phylogeny and Morphology of (=) (Amphisphaeriaceae). <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2020</b> , 6,	5.6	3
835	Two new species of Termitomyces (Agaricales, Lyophyllaceae) from China and Thailand. <i>Phytotaxa</i> , <b>2020</b> , 439, 231-242	0.7	1
834	Unravelling evolutionary relationships between epifoliar Meliolaceae and angiosperms. <i>Journal of Systematics and Evolution</i> , <b>2020</b> ,	2.9	6
833	Morpho-molecular characterization of two novel amphisphaeriaceous species from Yunnan, China. <i>Phytotaxa</i> , <b>2020</b> , 446, 144-158	0.7	2
832	First sexual morph record of Sarcopodium vanillae. <i>Mycotaxon</i> , <b>2020</b> , 134, 707-717	0.5	0
831	Patellariopsidaceae Fam. Nov. With Sexual-Asexual Connection and a New Host Record for (Vibrissaceae, Ascomycota). <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 906	5.7	1
830	Fungal diversity notes 1151-1276: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , <b>2020</b> , 100, 5-277	17.6	62
829	Elucidation of the life cycle of the endophytic genus Muscodor and its transfer to Induratia in Induratiaceae fam. nov., based on a polyphasic taxonomic approach. <i>Fungal Diversity</i> , <b>2020</b> , 101, 177-210	17.6	18

828	Taxonomy and phylogeny of hyaline-spored coelomycetes. <i>Fungal Diversity</i> , <b>2020</b> , 100, 279-801	17.6	30
827	Alpha-Glucosidase- and Lipase-Inhibitory Phenalenones from a New Species of Originating from Thailand. <i>Molecules</i> , <b>2020</b> , 25,	4.8	8
826	Bimuria omanensis sp. nov. (Didymosphaeriaceae, Pleosporales) from Oman. <i>Phytotaxa</i> , <b>2020</b> , 449, 97-108	0.7	2
825	Genome Wide Identification of the MLO Gene Family Associated with Powdery Mildew Resistance in Rubber Trees ( <i>Hevea brasiliensis</i> ). <i>Tropical Plant Biology</i> , <b>2020</b> , 13, 331-342	1.6	1
824	Ribosomal and Protein Gene Phylogeny Reveals Novel Saprobic Fungal Species From and. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 1303	5.7	4
823	Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. <i>Fungal Diversity</i> , <b>2020</b> , 102, 1-203	17.6	37
822	Xepicula yifeii sp. nov. caused a leaf blight of Lasia spinosa (Araceae) in South China karst. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 158, 121-134	2.1	2
821	Evolution of non-lichenized, saprotrophic species of Arthonia (Ascomycota, Arthoniales) and resurrection of Naevia, with notes on Mycoporum. <i>Fungal Diversity</i> , <b>2020</b> , 102, 205-224	17.6	7
820	Nigrospora Species Associated with Various Hosts from Shandong Peninsula, China. <i>Mycobiology</i> , <b>2020</b> , 48, 169-183	1.7	6
819	Contributions to species of Xylariales in China-3. <i>Collodiscula tubulosa</i> (Xylariaceae). <i>Phytotaxa</i> , <b>2020</b> , 428, 122-130	0.7	2
818	Polyketide-Derived Secondary Metabolites from a Dothideomycetes Fungus, . et . ., (Muyocopronales) with Antimicrobial and Cytotoxic Activities. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	5
817	Taxonomic and phylogenetic contributions to fungi associated with the invasive weed <i>Chromolaena odorata</i> (Siam weed). <i>Fungal Diversity</i> , <b>2020</b> , 101, 1-175	17.6	31
816	Hurdles in fungal taxonomy: Effectiveness of recent methods in discriminating taxa. <i>Megataxa</i> , <b>2020</b> , 1,	3.8	7
815	Taxonomy and phylogeny of <i>Leptosillia cordylinea</i> sp. nov. from China. <i>Phytotaxa</i> , <b>2020</b> , 435, 213-226	0.7	2
814	<i>Lonicericola fuyuanensis</i> (Parabambusicolaceae) a new terrestrial pleosporalean ascomycete from Yunnan Province, China. <i>Phytotaxa</i> , <b>2020</b> , 446, 103-113	0.7	3
813	<i>Wicklowia phuketensis</i> (Wicklowiaceae, Pleosporales), a novel freshwater taxon from Thailand. <i>Phytotaxa</i> , <b>2020</b> , 452, 55-64	0.7	4
812	Domestication of <i>Ganoderma leucocontextum</i> , <i>G. resinaceum</i> , and <i>G. gibbosum</i> Collected from Yunnan Province, China. <i>Biosciences, Biotechnology Research Asia</i> , <b>2020</b> , 17, 07-26	0.5	1
811	Additions to Phaeosphaeriaceae (Pleosporales): gen. nov., sp. nov., sp. nov. and a new host record of from Musaceae. <i>MycoKeys</i> , <b>2020</b> , 70, 59-88	2.4	2

810	sp. nov. (Hypocreales: Hypocreaceae) on sp. from Yunnan, PR China. <i>Biodiversity Data Journal</i> , <b>2020</b> , 8, e53490	1.8	4
809	The rise of mycology in Asia. <i>ScienceAsia</i> , <b>2020</b> , 46S, 1	1.4	7
808	sp. nov. (Distoseptisporaceae) on bamboo from China and Thailand. <i>Biodiversity Data Journal</i> , <b>2020</b> , 8, e53678	1.8	7
807	(Fungi, Sordariomycetes), a new species from in northern Thailand. <i>Biodiversity Data Journal</i> , <b>2020</b> , 8, e58755	1.8	6
806	Diseases of (Poaceae) in China: sp. nov. <i>MycKeys</i> , <b>2020</b> , 63, 49-67	2.4	7
805	Taxonomy and phylogenetic appraisal of sp. nov. and (Didymosphaeriaceae, Pleosporales) on Musaceae from Thailand. <i>MycKeys</i> , <b>2020</b> , 70, 19-37	2.4	4
804	Multi-gene phylogenetic evidence suggests belongs in Didymosphaeriaceae (Pleosporales, Dothideomycetes) and sp. nov. on from Thailand. <i>MycKeys</i> , <b>2020</b> , 71, 101-118	2.4	5
803	Modern Taxonomic Approaches to Identifying Diatrypaceous Fungi from Marine Habitats, with a Novel Genus Halocryptovalsa Dayarathne & K.D.Hyde, Gen. Nov.. <i>Cryptogamie, Mycologie</i> , <b>2020</b> , 41, 21	1.4	10
802	A survey of marine fungi on wood in South Australia. <i>Botanica Marina</i> , <b>2020</b> , 63, 469-478	1.8	0
801	A polyphasic approach to delineate species in Bipolaris. <i>Fungal Diversity</i> , <b>2020</b> , 102, 225-256	17.6	13
800	Refined families of Dothideomycetes: orders and families incertae sedis in Dothideomycetes. <i>Fungal Diversity</i> , <b>2020</b> , 105, 17-318	17.6	29
799	Freshwater Dothideomycetes. <i>Fungal Diversity</i> , <b>2020</b> , 105, 319-575	17.6	29
798	Taxonomic and phylogenetic characterizations reveal three new species of Mendogia (Myriangiaceae, Myriangiales). <i>Mycological Progress</i> , <b>2020</b> , 19, 41-51	1.9	4
797	Characterization of Species Associated with Mango Grey Leaf Spot Disease in Sinaloa, Mexico. <i>Pathogens</i> , <b>2020</b> , 9,	4.5	4
796	Mycoenterolobium aquadictyosporium sp. nov. (Pleosporomycetidae, Dothideomycetes) from a freshwater habitat in Thailand. <i>Mycological Progress</i> , <b>2020</b> , 19, 1031-1042	1.9	2
795	One stop shop IV: taxonomic update with molecular phylogeny for important phytopathogenic genera: 76100 (2020). <i>Fungal Diversity</i> , <b>2020</b> , 103, 87-218	17.6	18
794	A Mechanistic Review on Medicinal Mushrooms-Derived Bioactive Compounds: Potential Mycotherapy Candidates for Alleviating Neurological Disorders. <i>Planta Medica</i> , <b>2020</b> , 86, 1161-1175	3.1	10
793	Unambiguous identification of fungi: where do we stand and how accurate and precise is fungal DNA barcoding?. <i>IMA Fungus</i> , <b>2020</b> , 11, 14	6.8	101



792	Setting scientific names at all taxonomic ranks in italics facilitates their quick recognition in scientific papers. <i>IMA Fungus</i> , <b>2020</b> , 11, 25	6.8	12
791	<i>Biscogniauxia dendrobii</i> sp. nov. and <i>B. petrensis</i> from <i>Dendrobium</i> orchids and the first report of cytotoxicity (towards A549 and K562) of <i>B. petrensis</i> (MFLUCC 14-0151) in vitro. <i>South African Journal of Botany</i> , <b>2020</b> , 134, 382-393	2.9	4
790	(Acrogenosporaceae, Minutisphaerales) Appears to Be a Very Diverse Genus. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 1606	5.7	11
789	Morpho-molecular analysis reveals <i>Appendiculella viticis</i> sp. nov. (Meliolaceae). <i>Phytotaxa</i> , <b>2020</b> , 454, 45-54	0.7	1
788	Fungal diversity notes 1277–1386: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , <b>2020</b> , 104, 1-266	17.6	26
787	A re-evaluation of the Chaetothyriales using criteria of comparative biology. <i>Fungal Diversity</i> , <b>2020</b> , 103, 47-85	17.6	12
786	Novel species of fungi on from Thailand. <i>Mycology</i> , <b>2020</b> , 11, 306-315	3.7	1
785	The numbers of fungi: is the descriptive curve flattening?. <i>Fungal Diversity</i> , <b>2020</b> , 103, 219-271	17.6	58
784	Studies on Parmulariaceae II. Re-examination of <i>Hysterostomella</i> , <i>Mintera</i> , <i>Rhipidocarpon</i> and <i>Viegasella</i> . <i>Phytotaxa</i> , <b>2020</b> , 458, 231-241	0.7	
783	Phylogeny of new marine Dothideomycetes and Sordariomycetes from mangroves and deep-sea sediments. <i>Botanica Marina</i> , <b>2020</b> , 63, 155-181	1.8	15
782	(Dactylosporaceae, Eurotiomycetes, Fungi) a Novel Lignicolous Genus. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 456	5.7	9
781	Three Novel Entomopathogenic Fungi From China and Thailand. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 608994	3.7	1
780	Endophytic Associated With cv. <i>Tomentosa</i> in China. <i>Frontiers in Microbiology</i> , <b>2020</b> , 11, 609387	5.7	3
779	Substrate Preference Determines Macrofungal Biogeography in the Greater Mekong Sub-Region. <i>Forests</i> , <b>2019</b> , 10, 824	2.8	4
778	<i>Verruconis heveae</i> , a novel species from <i>Hevea brasiliensis</i> in Thailand. <i>Phytotaxa</i> , <b>2019</b> , 403, 47	0.7	1
777	<i>Murispora aquatica</i> sp. nov. and <i>Murispora fagicola</i> , a new record from freshwater habitat in China. <i>Phytotaxa</i> , <b>2019</b> , 416, 1-13	0.7	6
776	<i>Rhytidhysterium mangrovei</i> (Hysteriaceae), a new species from mangroves in Phetchaburi Province, Thailand. <i>Phytotaxa</i> , <b>2019</b> , 401, 166	0.7	5
775	The holomorph of <i>Neorousoella alishanense</i> sp. nov. (Rousoellaceae, Pleosporales) on <i>Pennisetum purpureum</i> (Poaceae). <i>Phytotaxa</i> , <b>2019</b> , 406, 218-236	0.7	6



774	Additions to the genus <i>Savoryella</i> (Savoryellaceae), with the asexual morphs <i>Savoryella nypae</i> comb. nov. and <i>S. sarushimana</i> sp. nov.. <i>Phytotaxa</i> , <b>2019</b> , 408, 195-207	0.7	4
773	<i>Wicklowia submersa</i> sp. nov. (Wicklowiaceae, Pleosporales), a second species in a monotypic family. <i>Phytotaxa</i> , <b>2019</b> , 411, 73-83	0.7	4
772	Morphology and phylogeny reveal <i>Stemphylium dianthi</i> sp. nov. and new host records for the sexual morphs of <i>S. beticola</i> , <i>S. gracilariae</i> , <i>S. simmonsii</i> and <i>S. vesicarium</i> fr. <i>Phytotaxa</i> , <b>2019</b> , 411, 243-263	0.7	1
771	A new section and a new species of <i>Alternaria</i> encountered from Oman. <i>Phytotaxa</i> , <b>2019</b> , 405, 279	0.7	9
770	Introducing <i>Arthrinium phyllostachium</i> sp. nov. (Apiosporaceae, Xylariales) on <i>Phyllostachys heteroclada</i> from Sichuan Province, China. <i>Phytotaxa</i> , <b>2019</b> , 406, 91-110	0.7	8
769	Multi-gene phylogeny and morphotaxonomy of <i>Phaeosphaeria ampeli</i> sp. nov. from <i>Ficus ampelas</i> and a new record of <i>P. musae</i> from Roystonea regia. <i>Phytotaxa</i> , <b>2019</b> , 406, 111-128	0.7	5
768	Taxonomy and molecular phylogeny of <i>Thyrostroma ephedricola</i> sp. nov. (Dothidotthiaceae) and proposal for <i>Thyrostroma jaczewskii</i> comb. nov.. <i>Phytotaxa</i> , <b>2019</b> , 416, 243-256	0.7	5
767	Phylogeny and morphology of <i>Lasiodiplodia</i> species associated with <i>Magnolia</i> forest plants. <i>Scientific Reports</i> , <b>2019</b> , 9, 14355	4.9	13
766	Endophytic pestalotiod taxa in <i>Dendrobium</i> orchids. <i>Phytotaxa</i> , <b>2019</b> , 419, 268-286	0.7	7
765	Use of endophytes as biocontrol agents. <i>Fungal Biology Reviews</i> , <b>2019</b> , 33, 133-148	6.8	98
764	<i>Lasiodiplodia theobromae</i> and <i>L. pseudotheobromae</i> causing leaf necrosis on <i>Camellia sinensis</i> in Fujian Province, China. <i>Canadian Journal of Plant Pathology</i> , <b>2019</b> , 41, 277-284	1.6	4
763	Pharmaceutical Potential of Marine Fungal Endophytes. <i>Reference Series in Phytochemistry</i> , <b>2019</b> , 283-305	0.7	3
762	Taxonomy and the evolutionary history of Micropeltidaceae. <i>Fungal Diversity</i> , <b>2019</b> , 97, 393-436	17.6	11
761	Fungal diversity notes 1036-1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , <b>2019</b> , 96, 1-242	17.6	76
760	An online resource for marine fungi. <i>Fungal Diversity</i> , <b>2019</b> , 96, 347-433	17.6	75
759	Divergence time calibrations for ancient lineages of Ascomycota classification based on a modern review of estimations. <i>Fungal Diversity</i> , <b>2019</b> , 96, 285-346	17.6	25
758	Fungal diversity notes 929-1035: taxonomic and phylogenetic contributions on genera and species of fungi. <i>Fungal Diversity</i> , <b>2019</b> , 95, 1-273	17.6	105
757	<i>Muyocopron heveae</i> sp. nov. and <i>M. dipterocarpi</i> appears to have host-jumped to rubber. <i>Mycological Progress</i> , <b>2019</b> , 18, 741-752	1.9	6

756	Pharmaceutical Potential of Marine Fungal Endophytes. <i>Reference Series in Phytochemistry</i> , <b>2019</b> , 1-23	0.7	6
755	Misturatosphaeria viridibrunnea sp. nov. (Teichosporaceae, Pleosporales) from Thailand. <i>Phytotaxa</i> , <b>2019</b> , 388, 123	0.7	1
754	Neoastrosphaeriella aquatica sp. nov. (Aigialaceae), a new species from freshwater habitat in southern Thailand. <i>Phytotaxa</i> , <b>2019</b> , 391, 197	0.7	6
753	Two new species of Amphisphaeria (Amphisphaeriaceae) from northern Thailand. <i>Phytotaxa</i> , <b>2019</b> , 391, 207	0.7	6
752	A new species of Phyllachora (Phyllachoraceae, Phyllachorales) on Phyllostachys heteroclada from Sichuan, China. <i>Phytotaxa</i> , <b>2019</b> , 392, 186	0.7	5
751	Neopestalotiopsis alpicalis sp. nov. a new endophyte from tropical mangrove trees in Krabi Province (Thailand). <i>Phytotaxa</i> , <b>2019</b> , 393, 251	0.7	8
750	Aquimonospora tratensis gen. et sp. nov. (Diaporthomycetidae, Sordariomycetes), a new lineage from a freshwater habitat in Thailand. <i>Phytotaxa</i> , <b>2019</b> , 397, 146	0.7	3
749	Taxonomic and phylogenetic characterizations reveal two new species and two new records of Roussoella (Roussoellaceae, Pleosporales) from Yunnan, China. <i>Mycological Progress</i> , <b>2019</b> , 18, 577-591	1.9	9
748	Melanocamarosporioides ugamica gen. et sp. nov., a novel member of the family Melanommataceae from Uzbekistan. <i>Mycological Progress</i> , <b>2019</b> , 18, 471-481	1.9	7
747	Phylogenetic Revision of Savoryellaceae and Evidence for Its Ranking as a Subclass. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 840	5.7	15
746	Two new entomopathogenic species of in Thailand. <i>MycoKeys</i> , <b>2019</b> , 53-74	2.4	5
745	Three new Phylloporus species from tropical China and Thailand. <i>Mycological Progress</i> , <b>2019</b> , 18, 603-614	1.9	5
744	Fungicolous fungi: terminology, diversity, distribution, evolution, and species checklist. <i>Fungal Diversity</i> , <b>2019</b> , 95, 337-430	17.6	23
743	High Genetic Diversity and Species Complexity of Associated With Grapevine Dieback in China. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 1936	5.7	27
742	Conioscypha tenebrosa sp. nov. (Conioscyphaceae) from China and notes on Conioscypha species. <i>Phytotaxa</i> , <b>2019</b> , 413, 159-171	0.7	2
741	Multigene phylogenetic analyses to establish new Valsaria species and taxonomic significance of spore ornamentation. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217982	3.7	7
740	The amazing potential of fungi: 50 ways we can exploit fungi industrially. <i>Fungal Diversity</i> , <b>2019</b> , 97, 1-136	7.6	236
739	Culturable plant pathogenic fungi associated with sugarcane in southern China. <i>Fungal Diversity</i> , <b>2019</b> , 99, 1-104	17.6	24

738	Sparticolins A-G, Biologically Active Oxidized Spirodioxynaphthalene Derivatives from the Ascomycete. <i>Journal of Natural Products</i> , <b>2019</b> , 82, 2878-2885	4.9	10
737	Freshwater Sordariomycetes. <i>Fungal Diversity</i> , <b>2019</b> , 99, 451-660	17.6	59
736	A Survey of (Lyophyllaceae, Agaricales), Including a New Species, from a Subtropical Forest in Xishuangbanna, China. <i>Mycobiology</i> , <b>2019</b> , 47, 391-400	1.7	6
735	gen. et sp. nov. (Phaeosphaeriaceae, Pleosporales) on (Poaceae) from Sichuan Province, China. <i>MycoKeys</i> , <b>2019</b> , 119-150	2.4	10
734	Striatiguttulaceae, a new pleosporalean family to accommodate and gen. nov. from palms. <i>MycoKeys</i> , <b>2019</b> , 49, 99-129	2.4	10
733	Two new endophytic species from in China. <i>MycoKeys</i> , <b>2019</b> , 49, 1-14	2.4	3
732	The genus. <i>MycoKeys</i> , <b>2019</b> , 51, 1-14	2.4	1
731	A new record of (Basidiomycota, Polyporales) for Thailand and first assessment of optimum conditions for mycelia production. <i>MycoKeys</i> , <b>2019</b> , 51, 65-83	2.4	5
730	species in south-western China. <i>MycoKeys</i> , <b>2019</b> , 57, 113-127	2.4	13
729	gen. nov., a second hypocrellin-producing genus in Shiraiaceae (Pleosporales). <i>MycoKeys</i> , <b>2019</b> , 58, 1-26	2.4	7
728	Additions to the knowledge of in Thailand: , a new record; and sp. nov. <i>MycoKeys</i> , <b>2019</b> , 59, 47-65	2.4	6
727	The genus. <i>MycoKeys</i> , <b>2019</b> , 60, 69-92	2.4	9
726	Additions to Chaetothyriaceae (Chaetothyriales): gen. nov. and , a new host record from decaying leaves of. <i>MycoKeys</i> , <b>2019</b> , 61, 91-109	2.4	2
725	A Stable Phylogeny for Dactylosporaceae. <i>Cryptogamie, Mycologie</i> , <b>2019</b> , 40, 23	1.4	5
724	One stop shop III: taxonomic update with molecular phylogeny for important phytopathogenic genera: 5175 (2019). <i>Fungal Diversity</i> , <b>2019</b> , 98, 77-160	17.6	16
723	Molecular data reveals a new holomorphic marine fungus, , and the asexual morph of. <i>Mycology</i> , <b>2019</b> , 11, 167-183	3.7	3
722	One stop shop II: taxonomic update with molecular phylogeny for important phytopathogenic genera: 2680 (2019). <i>Fungal Diversity</i> , <b>2019</b> , 94, 41-129	17.6	34
721	Acremonium arthrinii sp. nov., a mycopathogenic fungus on Arthrinium yunnanum. <i>Phytotaxa</i> , <b>2019</b> , 420, 283-299	0.7	0

720	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , <b>2019</b> , 99, 105-367	17.6	116
719	A morpho-molecular re-appraisal of <i>Polystigma fulvum</i> and <i>P. rubrum</i> (Polystigma, Polystigmataceae). <i>Phytotaxa</i> , <b>2019</b> , 422, 209-224	0.7	1
718	<i>Tubeufia sahyadriensis</i> (Tubeufiaceae), a new dictyosporous anamorph from the Western Ghats, India. <i>Phytotaxa</i> , <b>2019</b> , 423, 171-181	0.7	1
717	Taxonomic and phylogenetic characterizations of <i>Keissleriella bambusicola</i> sp. nov. (Lentitheciaceae, Pleosporales) from Yunnan, China. <i>Phytotaxa</i> , <b>2019</b> , 423, 129-144	0.7	4
716	<i>Ganoderma weixiensis</i> (Polyporaceae, Basidiomycota), a new member of the <i>G. lucidum</i> complex from Yunnan Province, China. <i>Phytotaxa</i> , <b>2019</b> , 423, 75-86	0.7	5
715	<i>Cunninghamella binariae</i> , <i>Mucor ardhlaengiktus</i> , <i>Mucor gigasporus</i> and <i>Umbelopsis changbaiensis</i> , newly recorded species from amphibian feces and soil in Korea. <i>Phytotaxa</i> , <b>2019</b> , 425, 19-34	0.7	
714	Families in Botryosphaeriales: a phylogenetic, morphological and evolutionary perspective. <i>Fungal Diversity</i> , <b>2019</b> , 94, 1-22	17.6	39
713	Sexual morph of <i>Phaeoacremonium aureum</i> from <i>Rhizophora mucronata</i> collected in southern Thailand. <i>Phytotaxa</i> , <b>2019</b> , 387, 21	0.7	1
712	A phylogenetic census of global diversity of gut anaerobic fungi and a new taxonomic framework. <i>Fungal Diversity</i> , <b>2018</b> , 89, 253-266	17.6	24
711	Novel microsatellite markers reveal multiple origins of <i>Botryosphaeria dothidea</i> causing the Chinese grapevine trunk disease. <i>Fungal Ecology</i> , <b>2018</b> , 33, 134-142	4.1	5
710	Morphological and molecular taxonomy of <i>Jahnula dianchia</i> sp. nov. (Jahnulales) from submerged wood in Dianchi Lake, Yunnan China. <i>Mycological Progress</i> , <b>2018</b> , 17, 547-555	1.9	8
709	Direct comparison of culture-dependent and culture-independent molecular approaches reveal the diversity of fungal endophytic communities in stems of grapevine ( <i>Vitis vinifera</i> ). <i>Fungal Diversity</i> , <b>2018</b> , 90, 85-107	17.6	83
708	Outline of Ascomycota: 2017. <i>Fungal Diversity</i> , <b>2018</b> , 88, 167-263	17.6	157
707	Morphology and phylogeny of <i>Atrocalyx acervatus</i> sp. nov. (Lophiotremataceae) from <i>Acer</i> species. <i>Phytotaxa</i> , <b>2018</b> , 333, 199	0.7	2
706	Morphological and molecular taxonomy of novel species Pleurotheciaceae from freshwater habitats in Yunnan, China. <i>Mycological Progress</i> , <b>2018</b> , 17, 511-530	1.9	15
705	Mycobiomes of sympatric <i>Amorphophallus albispatus</i> (Araceae) and <i>Camellia sinensis</i> (Theaceae) – a case study reveals clear tissue preferences and differences in diversity and composition. <i>Mycological Progress</i> , <b>2018</b> , 17, 489-500	1.9	6
704	Multi-gene phylogenetic analyses reveals <i>Neohelicosporium</i> gen. nov. and five new species of helicosporous hyphomycetes from aquatic habitats. <i>Mycological Progress</i> , <b>2018</b> , 17, 631-646	1.9	14
703	Towards a natural classification and backbone tree for Graphostromataceae, Hypoxylaceae, Lopadostomataceae and Xylariaceae. <i>Fungal Diversity</i> , <b>2018</b> , 88, 1-165	17.6	58

702	Comparative genome and transcriptome analyses reveal adaptations to opportunistic infections in woody plant degrading pathogens of Botryosphaeriaceae. <i>DNA Research</i> , <b>2018</b> , 25, 87-102	4.5	34
701	<i>Helminthosporium submersum</i> sp. nov. (Massarinaceae) from submerged wood in north-western Yunnan Province, China. <i>Phytotaxa</i> , <b>2018</b> , 348, 269	0.7	3
700	Morphological and phylogenetic evidence reveal <i>Fissuroma taiwanense</i> sp. nov. (Aigialaceae, Pleosporales) from <i>Hedychium coronarium</i> . <i>Phytotaxa</i> , <b>2018</b> , 338, 265	0.7	8
699	<i>Acrocordiella omanensis</i> sp. nov. (Requienellaceae, Xylariales) from the Sultanate of Oman. <i>Phytotaxa</i> , <b>2018</b> , 338, 294	0.7	6
698	The importance of plot size and the number of sampling seasons on capturing macrofungal species richness. <i>Fungal Biology</i> , <b>2018</b> , 122, 692-700	2.8	6
697	<i>Thyridariella</i> , a novel marine fungal genus from India: morphological characterization and phylogeny inferred from multigene DNA sequence analyses. <i>Mycological Progress</i> , <b>2018</b> , 17, 791-804	1.9	25
696	Biodiversity of fungi on <i>Vitis vinifera</i> L. revealed by traditional and high-resolution culture-independent approaches. <i>Fungal Diversity</i> , <b>2018</b> , 90, 1-84	17.6	52
695	Morphology and multigene phylogeny reveal new genus and species of Torulaceae from freshwater habitats in northwestern Yunnan, China. <i>Mycological Progress</i> , <b>2018</b> , 17, 531-545	1.9	13
694	Introducing <i>Aculeata aquatica</i> gen. et sp. nov., <i>Minimelanolocus thailandensis</i> sp. nov. and <i>Thysanorea aquatica</i> sp. nov. (Herpotrichiellaceae, Chaetothyriales) from freshwater in northern Thailand. <i>Mycological Progress</i> , <b>2018</b> , 17, 617-629	1.9	11
693	<i>Pseudostanjehughesia aquitropica</i> gen. et sp. nov. and <i>Sporidesmium sensu lato</i> species from freshwater habitats. <i>Mycological Progress</i> , <b>2018</b> , 17, 591-616	1.9	23
692	<i>Neocamarosporium jorjanensis</i> , <i>N. persepolis</i> , and <i>N. solicola</i> spp. nov. (Neocamarosporiaceae, Pleosporales) isolated from saline lakes of Iran indicate the possible halotolerant nature for the genus. <i>Mycological Progress</i> , <b>2018</b> , 17, 661-679	1.9	8
691	Novel palmicolous taxa within Pleosporales: multigene phylogeny and taxonomic circumscription. <i>Mycological Progress</i> , <b>2018</b> , 17, 571-590	1.9	11
690	Fungal diversity notes 709B39: taxonomic and phylogenetic contributions to fungal taxa with an emphasis on fungi on Rosaceae. <i>Fungal Diversity</i> , <b>2018</b> , 89, 1-236	17.6	101
689	Additions to the genus <i>Massariothea</i> in Diaporthaceae. <i>Mycological Progress</i> , <b>2018</b> , 17, 1139-1147	1.9	3
688	Native Forests Have a Higher Diversity of Macrofungi Than Comparable Plantation Forests in the Greater Mekong Subregion. <i>Forests</i> , <b>2018</b> , 9, 402	2.8	6
687	The holomorph of <i>Fusarium celtidicola</i> sp. nov. from <i>Celtis australis</i> . <i>Phytotaxa</i> , <b>2018</b> , 361, 251	0.7	2
686	<i>Neolinocarpon phayaoense</i> sp. nov. (Linocarpaceae) from Thailand. <i>Phytotaxa</i> , <b>2018</b> , 362, 77	0.7	4
685	Morpho-Molecular Characterization of Two s spp. (Pleosporales) Strains Mycoparasites of Powdery Mildew of. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 12	5.7	20

684	Ten reasons why a sequence-based nomenclature is not useful for fungi anytime soon. <i>IMA Fungus</i> , <b>2018</b> , 9, 177-183	6.8	27
683	Can we use environmental DNA as holotypes?. <i>Fungal Diversity</i> , <b>2018</b> , 92, 1-30	17.6	39
682	Combined multi-gene backbone tree for the genus <i>Coniochaeta</i> with two new species from Uzbekistan. <i>Phytotaxa</i> , <b>2018</b> , 336, 43	0.7	10
681	A novel marine genus, <i>Halobyssothecium</i> (Lentitheciaceae) and epitypification of <i>Halobyssothecium obiones</i> comb. nov.. <i>Mycological Progress</i> , <b>2018</b> , 17, 1161-1171	1.9	10
680	Molecular taxonomy of five species of microfungi on <i>Alnus</i> spp. from Italy. <i>Mycological Progress</i> , <b>2018</b> , 17, 255-274	1.9	5
679	Morpho-molecular characterization of <i>Peroneutypa</i> (Diatrypaceae, Xylariales) with two novel species from Thailand. <i>Phytotaxa</i> , <b>2018</b> , 356, 1	0.7	9
678	Fruiting patterns of macrofungi in tropical and temperate land use types in Yunnan Province, China. <i>Acta Oecologica</i> , <b>2018</b> , 91, 7-15	1.7	1
677	An appendage-bearing coelomycete <i>Pseudotruncatella arezzoensis</i> gen. and sp. nov. (Amphisphaeriales genera incertae sedis) from Italy, with notes on <i>Monochaetina</i> . <i>Phytotaxa</i> , <b>2018</b> , 338, 177	0.7	4
676	New species of <i>Camptophora</i> and <i>Cyphellophora</i> from China, and first report of sexual morphs for these genera. <i>Phytotaxa</i> , <b>2018</b> , 343, 149	0.7	7
675	<i>Marinophialophora garethjonesii</i> gen. et sp. nov.: a new hyphomycete associated with <i>Halocyphina</i> from marine habitats in Thailand. <i>Phytotaxa</i> , <b>2018</b> , 345, 1	0.7	7
674	Morphology and phylogeny of <i>Tamhinispora srinivasanii</i> sp. nov. (Tubeufiaceae) from northern Western Ghats, India. <i>Phytotaxa</i> , <b>2018</b> , 346, 113	0.7	5
673	<i>Lecanicillium subprimulinum</i> (Cordycipitaceae, Hypocreales), a novel species from Baoshan, Yunnan. <i>Phytotaxa</i> , <b>2018</b> , 348, 99	0.7	8
672	<i>Helicascus alatus</i> (Morosphaeriaceae), a new freshwater species from southwestern China. <i>Phytotaxa</i> , <b>2018</b> , 351, 210	0.7	2
671	sp. nov. (Phaeosphaeriaceae, Pleosporales) on from Italy. <i>MycKeys</i> , <b>2018</b> , 35-46	2.4	6
670	Morphological and phylogenetic characterisation of novel species associated with mangroves. <i>MycKeys</i> , <b>2018</b> , 93-120	2.4	16
669	A new section and species of <i>AgaricussubgenusPseudochitonia</i> from Thailand. <i>MycKeys</i> , <b>2018</b> , 53-67	2.4	10
668	Beta-tubulin and Actin gene phylogeny supports as a new species from freshwater habitats in China. <i>MycKeys</i> , <b>2018</b> , 1-15	2.4	6
667	sp. nov. (Coryneaceae, Diaporthales) on twigs of Para rubber in Thailand. <i>MycKeys</i> , <b>2018</b> , 75-90	2.4	3

666	Novel Taxa within Nectriaceae:Cosmosporellagen. nov. andAquanectriasp. nov. from Freshwater Habitats in China. <i>Cryptogamie, Mycologie, 2018, 39, 169-192</i>	1.4	8
665	Multigene Phylogeny Coupled with Morphological Characterization Reveal Two New Species ofHolmiellaand Taxonomic Insights within Patellariaceae. <i>Cryptogamie, Mycologie, 2018, 39, 193-209</i>	1.4	7
664	Lentimurisporaceae, a New Pleosporalean Family with Divergence Times Estimates. <i>Cryptogamie, Mycologie, 2018, 39, 259-282</i>	1.4	8
663	Phylogenetic characterization of two novel Kamalomyces species in Tubeufiaceae (Tubeufiales). <i>Mycological Progress, 2018, 17, 647-660</i>	1.9	12
662	Simplified and efficient DNA extraction protocol for Meliolaceae specimens. <i>Mycological Progress, 2018, 17, 403-415</i>	1.9	8
661	Identification of endophytic fungi from leaves of Pandanaceae based on their morphotypes and DNA sequence data from southern Thailand. <i>MycoKeys, 2018, 25-67</i>	2.4	37
660	Two novel species of (Parabambusicolaceae, Pleosporales) with their phoma-like asexual morphs. <i>MycoKeys, 2018, 47-62</i>	2.4	2
659	New species in , new combinations in and an updated backbone tree for Dictyosporiaceae. <i>MycoKeys, 2018, 83-105</i>	2.4	16
658	The world's ten most feared fungi. <i>Fungal Diversity, 2018, 93, 161-194</i>	17.6	52
657	sp. nov. associated with leaf diseases of in China. <i>MycoKeys, 2018, 49-61</i>	2.4	13
656	Thailand's amazing diversity: up to 96% of fungi in northern Thailand may be novel. <i>Fungal Diversity, 2018, 93, 215-239</i>	17.6	84
655	Fungal diversity notes 840-28: micro-fungi associated with Pandanaceae. <i>Fungal Diversity, 2018, 93, 1-160</i>	17.6	66
654	Taxonomic circumscription of Diaporthales based on multigene phylogeny and morphology. <i>Fungal Diversity, 2018, 93, 241-443</i>	17.6	41
653	Didymella eriobotryae sp. nov. (Didymellaceae) and Arthrinium arundinis (Apiosporaceae) from fruit of Eriobotrya japonica (loquat) in China. <i>Phytotaxa, 2018, 382, 136</i>	0.7	2
652	Familial status of Lophiotremataceae and its related families in Pleosporales. <i>Phytotaxa, 2018, 383, 93</i>	0.7	1
651	Description of Dermea persica (Dermateaceae, Helotiales), a new asexual Ascomycete from Iran, and an updated key to Dermea species. <i>Phytotaxa, 2018, 367, 25</i>	0.7	1
650	Introducing Massarioramusculicola, a novel genus in Massariaceae. <i>Phytotaxa, 2018, 371, 17</i>	0.7	1
649	Triadelphia fusiformis sp. nov. from a freshwater habitat in Thailand. <i>Phytotaxa, 2018, 374, 231</i>	0.7	3



648	Monochaetia sinensis sp. nov. from Yunnan Province in China. <i>Phytotaxa</i> , <b>2018</b> , 375, 59	0.7	2
647	Multigene phylogenetics of Polycephalomyces (Ophiocordycipitaceae, Hypocreales), with two new species from Thailand. <i>Scientific Reports</i> , <b>2018</b> , 8, 18087	4.9	5
646	A taxonomic reassessment of Tubeufiales based on multi-locus phylogeny and morphology. <i>Fungal Diversity</i> , <b>2018</b> , 92, 131-344	17.6	24
645	Taxonomy and phylogeny of operculate discomycetes: Pezizomycetes. <i>Fungal Diversity</i> , <b>2018</b> , 90, 161-243	17.6	17
644	Hidden mycota of pine needles: Molecular signatures from PCR-DGGE and Ribosomal DNA phylogenetic characterization of novel phylotypes. <i>Scientific Reports</i> , <b>2018</b> , 8, 18053	4.9	12
643	Studies on Parmulariaceae I. A phylogeny based on available sequence data; introducing Parmulariales ord. nov., and Hemigraphaceae, Melaspileellaceae and Stictographaceae fam. nov.. <i>Phytotaxa</i> , <b>2018</b> , 369, 63	0.7	6
642	Pseudodactylaria brevis sp. nov. from Thailand confirms the status of Pseudodactylariaceae. <i>Phytotaxa</i> , <b>2018</b> , 369, 241	0.7	3
641	Notes for genera: basal clades of Fungi (including Aphelidiomycota, Basidiobolomycota, Blastocladiomycota, Calcarisporiellomycota, Caulochytriomycota, Chytridiomycota, Entomophthoromycota, Glomeromycota, Kickxellomycota, Monoblepharomycota, Mortierellomycota, Mucoromycota, Neocallimastigomycota, Olpidiomycota, Rozellomycota and	17.6	52
640	Arachnophora longa sp. nov., a freshwater hyphomycete from far north Queensland, Australia. <i>Mycotaxon</i> , <b>2018</b> , 133, 9-13	0.5	2
639	Acuminatispora palmarum gen. et sp. nov. from mangrove habitats. <i>Mycological Progress</i> , <b>2018</b> , 17, 1173-1188	11.88	6
638	Molecular phylogeny, morphology and pathogenicity of Pseudopestalotiopsis species on Ixora in Taiwan. <i>Mycological Progress</i> , <b>2018</b> , 17, 941-952	1.9	11
637	Translucidithyrium thailandicum gen. et sp. nov.: a new genus in Phaeothecoidiaceae. <i>Mycological Progress</i> , <b>2018</b> , 17, 1087-1096	1.9	3
636	Microfungi on Tectona grandis (teak) in Northern Thailand. <i>Fungal Diversity</i> , <b>2017</b> , 82, 107-182	17.6	73
635	Bambusicolous fungi. <i>Fungal Diversity</i> , <b>2017</b> , 82, 1-105	17.6	98
634	Diversity of Auricularia (Auriculariaceae, Auriculariales) in Thailand. <i>Phytotaxa</i> , <b>2017</b> , 292, 19	0.7	9
633	Successful cultivation of a valuable wild strain of Lepista sordida from Thailand. <i>Mycological Progress</i> , <b>2017</b> , 16, 311-323	1.9	8
632	Monochaetia ilexae sp. nov. (Pestalotiopsidaceae) from Yunnan Province in China. <i>Phytotaxa</i> , <b>2017</b> , 291, 123	0.7	5
631	Pyrenochaetopsis tabarestanensis (Cucurbitariaceae, Pleosporales), a new species isolated from rice farms in north Iran. <i>Phytotaxa</i> , <b>2017</b> , 297, 15	0.7	10

630	Subsessila turbinata gen. et. sp. nov. (Beltraniaceae), a Beltrania-like fungus from Thailand. <i>Mycological Progress</i> , <b>2017</b> , 16, 393-401	1.9	7
629	Taxonomic revision and phylogenetic analyses of rubber powdery mildew fungi. <i>Microbial Pathogenesis</i> , <b>2017</b> , 105, 185-195	3.8	11
628	Four new species of Tubeufia (Tubeufiaceae, Tubeufiales) from Thailand. <i>Mycological Progress</i> , <b>2017</b> , 16, 403-417	1.9	15
627	A novel Pestalotiopsis species isolated from Bulbophyllum thouars in Guangxi Province, China. <i>Phytotaxa</i> , <b>2017</b> , 306, 96	0.7	1
626	Fungal diversity notes 491-502: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , <b>2017</b> , 83, 1-261	17.6	134
625	Melansporellaceae: a novel family of Diaporthales (Ascomycota). <i>Phytotaxa</i> , <b>2017</b> , 305, 191	0.7	9
624	The ranking of fungi: a tribute to David L. Hawksworth on his 70th birthday. <i>Fungal Diversity</i> , <b>2017</b> , 84, 1-23	17.6	56
623	A six-gene phylogenetic overview of Basidiomycota and allied phyla with estimated divergence times of higher taxa and a phyloproteomics perspective. <i>Fungal Diversity</i> , <b>2017</b> , 84, 43-74	17.6	81
622	Ranking higher taxa using divergence times: a case study in Dothideomycetes. <i>Fungal Diversity</i> , <b>2017</b> , 84, 75-99	17.6	99
621	An updated phylogeny of Sordariomycetes based on phylogenetic and molecular clock evidence. <i>Fungal Diversity</i> , <b>2017</b> , 84, 25-41	17.6	99
620	New saprobic marine fungi and a new combination. <i>Botanica Marina</i> , <b>2017</b> , 60,	1.8	12
619	Diatrypella tectonae and Peroneutypa mackenziei spp. nov. (Diatrypaceae) from northern Thailand. <i>Mycological Progress</i> , <b>2017</b> , 16, 463-476	1.9	17
618	Calcarisporium xylariicola sp. nov. and introduction of Calcarisporiaceae fam. nov. in Hypocreales. <i>Mycological Progress</i> , <b>2017</b> , 16, 433-445	1.9	9
617	Multigene phylogeny and morphology reveal that the Chinese medicinal mushroom Cordyceps gunnii is Metacordyceps neogunnii sp. nov.. <i>Phytotaxa</i> , <b>2017</b> , 302, 27	0.7	9
616	Molecular taxonomy and morphological characterization reveal new species and new host records of Torula species (Torulaceae, Pleosporales). <i>Mycological Progress</i> , <b>2017</b> , 16, 447-461	1.9	17
615	Saprobic Dothideomycetes in Thailand: Neoaquastroma gen. nov. (Parabambusicolaceae) introduced based on morphological and molecular data. <i>Phytotaxa</i> , <b>2017</b> , 302, 133	0.7	7
614	Phylogenetic and chemotaxonomic resolution of the genus Annulohypoxyton (Xylariaceae) including four new species. <i>Fungal Diversity</i> , <b>2017</b> , 85, 1-43	17.6	53
613	Notes for genera: Ascomycota. <i>Fungal Diversity</i> , <b>2017</b> , 86, 1-594	17.6	151

612	Study of three interesting <i>Amanita</i> species from Thailand: Morphology, multiple-gene phylogeny and toxin analysis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182131	3.7	15
611	A new species of <i>Monilochaetes</i> from <i>Nothapodytes pittosporoides</i> . <i>Phytotaxa</i> , <b>2017</b> , 326, 129	0.7	1
610	Introducing <i>Ophiocordyceps thanathonensis</i> , a new species of entomogenous fungi on ants, and a reference specimen for <i>O. pseudolloydii</i> . <i>Phytotaxa</i> , <b>2017</b> , 328, 115	0.7	6
609	<i>Alfaria avenellae</i> sp. nov. from Italy. <i>Phytotaxa</i> , <b>2017</b> , 332, 67	0.7	
608	A new species of <i>Trichoglossum</i> (Geoglossales, Ascomycota) from Thailand. <i>Phytotaxa</i> , <b>2017</b> , 316, 161	0.7	2
607	Morphological characterization and DNA based taxonomy of <i>Fusiconidium</i> gen. nov. with two novel taxa within Melanommataceae (Pleosporales). <i>Phytotaxa</i> , <b>2017</b> , 308, 206	0.7	10
606	Towards a natural classification of Annulatascaceae-like taxa: introducing <i>Atractosporales</i> ord. nov. and six new families. <i>Fungal Diversity</i> , <b>2017</b> , 85, 75-110	17.6	29
605	Towards a natural classification of <i>Ophiobolus</i> and ophiobolus-like taxa; introducing three novel genera <i>Ophiobolopsis</i> , <i>Paraophiobolus</i> and <i>Pseudoophiobolus</i> in Phaeosphaeriaceae (Pleosporales). <i>Fungal Diversity</i> , <b>2017</b> , 87, 299-339	17.6	24
604	First successful domestication and determination of nutritional and antioxidant properties of the red ear mushroom <i>Auricularia thailandica</i> (Auriculariales, Basidiomycota). <i>Mycological Progress</i> , <b>2017</b> , 16, 1029-1039	1.9	16
603	Life styles of <i>Colletotrichum</i> species and implications for plant biosecurity. <i>Fungal Biology Reviews</i> , <b>2017</b> , 31, 155-168	6.8	104
602	Tropic origins, a dispersal model for saprotrophic mushrooms in <i>Agaricus</i> section <i>Minores</i> with descriptions of sixteen new species. <i>Scientific Reports</i> , <b>2017</b> , 7, 5122	4.9	10
601	Microfungi on <i>Tamarix</i> . <i>Fungal Diversity</i> , <b>2017</b> , 82, 239-306	17.6	35
600	Morphological and phylogenetic insights resolve <i>Plenodomus sinensis</i> (Leptosphaeriaceae) as a new species. <i>Phytotaxa</i> , <b>2017</b> , 324, 73	0.7	6
599	Introducing the new Indian mangrove species, <i>Vaginatispota microarmatispora</i> (Lophiostomataceae) based on morphology and multigene phylogenetic analysis. <i>Phytotaxa</i> , <b>2017</b> , 329, 139	0.7	16
598	Phylogenetic taxonomy of <i>Dematiopleospora fusiformis</i> sp. nov. (Phaeosphaeriaceae) from Russia. <i>Phytotaxa</i> , <b>2017</b> , 316, 239	0.7	7
597	Fungal diversity notes 603-608: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , <b>2017</b> , 87, 1-235	17.6	107
596	Multiple gene genealogy reveals high genetic diversity and evidence for multiple origins of Chinese <i>Plasmopara viticola</i> population. <i>Scientific Reports</i> , <b>2017</b> , 7, 17304	4.9	10
595	<i>Novomicrothelia pandanicola</i> sp. nov., a non-lichenized Trypetheliaceae species from <i>Pandanus</i> . <i>Phytotaxa</i> , <b>2017</b> , 321, 254	0.7	4

594	A new species of <i>Colletotrichum</i> from <i>Sonchus</i> sp. in Italy. <i>Phytotaxa</i> , <b>2017</b> , 314, 55	0.7	6
593	Two new species of <i>Dyfrolomyces</i> (Dyfrolomycetaceae, Dothideomycetes) from karst landforms. <i>Phytotaxa</i> , <b>2017</b> , 313, 267	0.7	6
592	The genus <i>Phillipsia</i> from China and Thailand. <i>Phytotaxa</i> , <b>2017</b> , 316, 138	0.7	2
591	<i>Helicosporium luteosporum</i> sp. nov. and <i>Acanthohelicospora aurea</i> (Tubeufiaceae, Tubeufiales) from terrestrial habitats. <i>Phytotaxa</i> , <b>2017</b> , 319, 241	0.7	12
590	Using standard keywords in publications to facilitate updates of new fungal taxonomic names. <i>IMA Fungus</i> , <b>2017</b> , 8, A70-A73	6.8	7
589	Fungal Biodiversity Profiles 21B0. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 101-146	1.4	27
588	Molecular Phylogeny and Morphological Characterization of Asexual Fungi (Tubeufiaceae) from Freshwater Habitats in Yunnan, China. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 27-53	1.4	30
587	Novel <i>Neoacanthostigma</i> Species from Aquatic Habitats. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 169-190	1.4	10
586	Succession and Natural Occurrence of Saprobic Fungi on Leaves of <i>Magnolia liliifera</i> in a Tropical Forest. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 213-225	1.4	7
585	A New Hysteriform Dothideomycete (Gloniaceae, Pleosporomycetidae Incertae sedis), <i>Purpurepithecium murisporum</i> gen. et sp. nov. on Pine Cone Scales. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 241-251	1.4	3
584	<i>Beltrania</i> -Like Taxa from Thailand. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 301-319	1.4	4
583	<i>Delonicicola siamense</i> gen. & sp. nov. (Delonicicolaceae fam. nov., Delonicicolales ord. nov.), a Saprobic Species from <i>Delonix regia</i> Seed Pods. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 321-340	1.4	4
582	Taxonomic Position of <i>Melomastia italica</i> sp. nov. and Phylogenetic Reappraisal of Dyfrolomycetales. <i>Cryptogamie, Mycologie</i> , <b>2017</b> , 38, 507-525	1.4	3
581	<i>Lactarius</i> subgenus <i>Russularia</i> (Basidiomycota, Russulales): novel Asian species, worldwide phylogeny and evolutionary relationships. <i>Fungal Biology</i> , <b>2016</b> , 120, 1554-1581	2.8	20
580	Lamproconiaceae fam. nov. to accommodate <i>Lamproconium desmazieri</i> . <i>Phytotaxa</i> , <b>2016</b> , 270, 89	0.7	18
579	Towards a natural classification of Dothideomycetes: 8. The genera <i>Cocconia</i> , <i>Dianesea</i> , <i>Endococcus</i> and <i>Lineostroma</i> . <i>Phytotaxa</i> , <b>2016</b> , 255, 66	0.7	3
578	Truncatones AD, benzo[ <i>j</i> ]fluoranthenes from <i>Annulohyphoxylon</i> species (Xylariaceae, Ascomycota). <i>Tetrahedron</i> , <b>2016</b> , 72, 6450-6454	2.4	18
577	Phylogeny and morphology reveal two new species of <i>Diaporthe</i> from <i>Betula</i> spp. in China. <i>Phytotaxa</i> , <b>2016</b> , 269, 90	0.7	21

576	The genus <i>Fusariella</i> . <i>Mycological Progress</i> , <b>2016</b> , 15, 1313-1326	1.9	1
575	Uncertainties in Predicting Debris Flow Hazards Following Wildfire. <i>Geophysical Monograph Series</i> , <b>2016</b> , 287-299	1.1	
574	Lentinulactam, a hirsutane sesquiterpene with an unprecedented lactam modification. <i>Tetrahedron Letters</i> , <b>2016</b> , 57, 5911-5913	2	12
573	A new species of <i>Trichoderma hypoxylon</i> harbours abundant secondary metabolites. <i>Scientific Reports</i> , <b>2016</b> , 6, 37369	4.9	24
572	Two novel <i>Acervus</i> species extend their distribution within Yunnan, China. <i>Phytotaxa</i> , <b>2016</b> , 283, 74	0.7	4
571	Taxonomy of <i>Paragavialidium</i> (Orthoptera: Tetrigidae: Scelimeninae) with Description of One New Species and Notes on Ecology and Habits. <i>Entomological News</i> , <b>2016</b> , 126, 43-51	0.4	5
570	Generic names in Magnaporthales. <i>IMA Fungus</i> , <b>2016</b> , 7, 155-9	6.8	66
569	<i>Equiseticola</i> gen. nov. (Phaeosphaeriaceae), from <i>Equisetum</i> sp. in Italy. <i>Phytotaxa</i> , <b>2016</b> , 284, 169	0.7	6
568	Species of <i>Psilocybe</i> (Hymenogastraceae) from Yunnan, southwest China. <i>Phytotaxa</i> , <b>2016</b> , 284, 181	0.7	1
567	Additions to Karst Fungi 3: <i>Prosthemia sinense</i> sp nov., from Guizhou Province, China. <i>Phytotaxa</i> , <b>2016</b> , 284, 281	0.7	3
566	Diversity of <i>Penicillium</i> species isolated from heavy metal polluted soil in Guizhou Province, China. <i>Phytotaxa</i> , <b>2016</b> , 273, 167	0.7	5
565	<i>Laccaria rubroalba</i> sp. nov. (Hydnangiaceae, Agaricales) from Southwestern China. <i>Phytotaxa</i> , <b>2016</b> , 284, 41	0.7	5
564	Novel chaetosphaeriaceous hyphomycetes from aquatic habitats. <i>Mycological Progress</i> , <b>2016</b> , 15, 1157-1167	1.7	17
563	<i>Phallus haitangensis</i> , a new species of stinkhorn from Yunnan Province, China. <i>Phytotaxa</i> , <b>2016</b> , 280, 116	0.7	4
562	<i>Sporidesmioides thailandica</i> gen. et sp. nov. (Dothideomycetes) from northern Thailand. <i>Mycological Progress</i> , <b>2016</b> , 15, 1169-1178	1.9	9
561	Additions to the Genus <i>Rhytidhysteronia</i> in Hysteriaceae. <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 99-116	1.4	11
560	Influences of vegetation disturbance on hydrogeomorphic response following wildfire. <i>Hydrological Processes</i> , <b>2016</b> , 30, 1131-1148	3.3	7
559	Species clarification of the culinary <i>Bachu</i> mushroom in western China. <i>Mycologia</i> , <b>2016</b> , 108, 828-36	2.4	11

558	Some stromatic pyrenomycetous fungi from northern Thailand 𠄎. Annulohyphoxylon and Ustulina. <i>Mycotaxon</i> , <b>2016</b> , 131, 61-85	0.5	
557	Taxonomy and phylogeny of Laburnicola gen. nov. and Paramassariosphaeria gen. nov. (Didymosphaeriaceae, Massarineae, Pleosporales). <i>Fungal Biology</i> , <b>2016</b> , 120, 1354-1373	2.8	17
556	Families of Sordariomycetes. <i>Fungal Diversity</i> , <b>2016</b> , 79, 1-317	17.6	164
555	The holomorph of Parasarcopodium (Stachybotryaceae), introducing P. pandanicola sp. nov. on Pandanus sp.. <i>Phytotaxa</i> , <b>2016</b> , 266, 250	0.7	9
554	Camarosporium arezzoensis on Cytisus sp., an addition to sexual state of Camarosporium sensu stricto. <i>Saudi Journal of Biological Sciences</i> , <b>2016</b> , 23, 1-8	4	5
553	The genus Thoradonta in Thailand (Orthoptera: Tetrigidae: Scelimeninae) with description of two new species. <i>Journal of Natural History</i> , <b>2016</b> , 50, 833-845	0.5	2
552	Towards standardizing taxonomic ranks using divergence times 𠄎 case study for reconstruction of the Agaricus taxonomic system. <i>Fungal Diversity</i> , <b>2016</b> , 78, 239-292	17.6	50
551	Pseudopestalotiopsis ignota and Ps. camelliae spp. nov. associated with grey blight disease of tea in China. <i>Mycological Progress</i> , <b>2016</b> , 15, 1	1.9	19
550	Rosellinia convexa sp. nov. (Xylariales, Pezizomycotina) from China. <i>Mycoscience</i> , <b>2016</b> , 57, 164-170	1.2	6
549	Pulveroboletus fragrans, a new Boletaceae species from Northern Thailand, with a remarkable aromatic odor. <i>Mycological Progress</i> , <b>2016</b> , 15, 1	1.9	20
548	Lignicolous freshwater fungi along a north-south latitudinal gradient in the Asian/Australian region; can we predict the impact of global warming on biodiversity and function?. <i>Fungal Ecology</i> , <b>2016</b> , 19, 190-200	4.1	72
547	A new species and a revised key of the genus Thoradonta (Orthoptera, Tetrigidae). <i>ZooKeys</i> , <b>2016</b> , 69-79	1.2	3
546	Taxonomy and Phylogeny of Juncaceicolagen. nov. (Phaeosphaeriaceae, Pleosporinae, Pleosporales). <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 135-156	1.4	11
545	Taxonomic and Phylogenetic Placement of Phaeodimeriella (Pseudoperisporiaceae, Pleosporales). <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 157-176	1.4	4
544	Fuscosporellales, a New Order of Aquatic and Terrestrial Hypocreomycetidae (Sordariomycetes). <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 449-475	1.4	15
543	Introducing Melanoctona tectonaegen. et sp. nov. and Minimelanolocus yunnanensis sp. nov. (Herpotrichiellaceae, Chaetothyriales). <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 477-492	1.4	8
542	Taxonomic Rearrangement of Anthostomella (Xylariaceae) Based on a Multigene Phylogeny and Morphology. <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 509-538	1.4	10
541	Records of Hedotettix and Teredorus in Thailand with the description of three new species (Orthoptera, Tetrigidae). <i>ZooKeys</i> , <b>2016</b> , 83-95	1.2	2

540	Overlooked competing asexual and sexually typified generic names of with recommendations for their use or protection. <i>IMA Fungus</i> , <b>2016</b> , 7, 289-308	6.8	27
539	Morphology and Phylogeny of <i>Neoscytalidium orchidacearum</i> sp. nov. (Botryosphaeriaceae). <i>Mycobiology</i> , <b>2016</b> , 44, 79-84	1.7	18
538	Genetic Analyses of the Internal Transcribed Spacer Sequences Suggest Introgression and Duplication in the Medicinal Mushroom <i>Agaricus subrufescens</i> . <i>PLoS ONE</i> , <b>2016</b> , 11, e0156250	3.7	12
537	Recommendations for competing sexual-asexually typified generic names in Sordariomycetes (except Diaporthales, Hypocreales, and Magnaporthales). <i>IMA Fungus</i> , <b>2016</b> , 7, 131-53	6.8	57
536	Additions to Sporormiaceae: Introducing Two Novel Genera, <i>Sparticola</i> and <i>Forliomyces</i> , from <i>Spartium</i> . <i>Cryptogamie, Mycologie</i> , <b>2016</b> , 37, 75-97	1.4	13
535	A new species and four new records of <i>Amanita</i> (Amanitaceae; Basidiomycota) from Northern Thailand. <i>Phytotaxa</i> , <b>2016</b> , 286, 211	0.7	14
534	<i>Neopestalotiopsis vitis</i> sp. nov. causing grapevine leaf spot in China. <i>Phytotaxa</i> , <b>2016</b> , 258, 63	0.7	25
533	<i>Lepiota thailandica</i> (Agaricaceae), a new species from Thailand. <i>Phytotaxa</i> , <b>2016</b> , 245, 262	0.7	5
532	Multigene phylogeny and morphology reveal a new species, <i>Ophiocordyceps tettigonia</i> , from Guizhou Province, China. <i>Phytotaxa</i> , <b>2016</b> , 280, 141	0.7	7
531	<i>Chaetothyria mangiferae</i> sp. nov., a new species of <i>Chaetothyria</i> . <i>Phytotaxa</i> , <b>2016</b> , 255, 21	0.7	8
530	Correct names of two cultivated mushrooms from the genus <i>Pleurotus</i> in China. <i>Phytotaxa</i> , <b>2016</b> , 260, 36	0.7	2
529	A new species of genus <i>Anteaglonium</i> (Anteagloniaceae, Pleosporales) with its asexual morph. <i>Phytotaxa</i> , <b>2016</b> , 263, 233	0.7	6
528	Muyocopronales, ord. nov., (Dothideomycetes, Ascomycota) and a reappraisal of <i>Muyocopron</i> species from northern Thailand. <i>Phytotaxa</i> , <b>2016</b> , 265, 225	0.7	21
527	<i>Infundibulicybe rufa</i> sp. nov. (Tricholomataceae), a reddish brown species from southwestern China. <i>Phytotaxa</i> , <b>2016</b> , 266, 134	0.7	4
526	<i>Lentithecium cangshanense</i> sp. nov. (Lentitheciaceae) from freshwater habitats in Yunnan Province, China. <i>Phytotaxa</i> , <b>2016</b> , 267, 61	0.7	11
525	<i>Calcarisporium cordycipiticola</i> sp. nov., an important fungal pathogen of <i>Cordyceps militaris</i> . <i>Phytotaxa</i> , <b>2016</b> , 268, 135	0.7	5
524	Two new species of <i>Helicascus</i> (Morosphaeriaceae) from submerged wood in northern Thailand. <i>Phytotaxa</i> , <b>2016</b> , 270, 182	0.7	8
523	Additions to Karst Fungi 1: <i>Botryosphaeria minutispermata</i> sp. nov., from Guizhou Province, China. <i>Phytotaxa</i> , <b>2016</b> , 275, 35	0.7	19



522	Inter- and intra-specific diversity in <i>Agaricus endoxanthus</i> and allied species reveals a new taxon, <i>A. punjabensis</i> . <i>Phytotaxa</i> , <b>2016</b> , 252, 1	0.7	11
521	A checklist of fungi in Oman. <i>Phytotaxa</i> , <b>2016</b> , 273, 219	0.7	12
520	Molecular data shows <i>Didymella aptrootii</i> is a new genus in <i>Bambusicolaceae</i> . <i>Phytotaxa</i> , <b>2016</b> , 247, 99	0.7	8
519	New species of <i>Sporoschisma</i> ( <i>Chaetosphaeriaceae</i> ) from aquatic habitats in Thailand. <i>Phytotaxa</i> , <b>2016</b> , 289, 147	0.7	14
518	<i>Ceramothyrium longivolcaniforme</i> sp. nov., a new species of <i>Chaetothyriaceae</i> from northern Thailand. <i>Phytotaxa</i> , <b>2016</b> , 267, 51	0.7	6
517	Additions to Karst Fungi 2: <i>Alpestrisphaeria jonesii</i> from Guizhou Province, China. <i>Phytotaxa</i> , <b>2016</b> , 277, 255	0.7	9
516	Two new <i>Pseudohalonectria</i> species on beech cupules ( <i>Fagus sylvatica</i> ) and a new genus to accommodate <i>P. suthepensis</i> . <i>Phytotaxa</i> , <b>2016</b> , 278, 115	0.7	3
515	<i>Helminthosporium velutinum</i> and <i>H. aquaticum</i> sp. nov. from aquatic habitats in Yunnan Province, China. <i>Phytotaxa</i> , <b>2016</b> , 253, 179	0.7	9
514	Studies on <i>Agaricus subtilipes</i> , a new cultivatable species from Thailand, incidentally reveal the presence of <i>Agaricus subrufescens</i> in Africa. <i>Mycoscience</i> , <b>2016</b> , 57, 239-250	1.2	12
513	Pyristriatins A and B: Pyridino-Cyathane Antibiotics from the Basidiomycete <i>Cyathus</i> cf. <i>striatus</i> . <i>Journal of Natural Products</i> , <b>2016</b> , 79, 1684-8	4.9	38
512	Antagonistic interaction between <i>Trichoderma asperellum</i> and <i>Phytophthora capsici</i> in vitro. <i>Journal of Zhejiang University: Science B</i> , <b>2016</b> , 17, 271-281	4.5	20
511	Fungal diversity notes 253B66: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , <b>2016</b> , 78, 1-237	17.6	174
510	<i>Ligninsphaeria jonesii</i> gen. et. sp. nov., a remarkable bamboo inhabiting ascomycete. <i>Phytotaxa</i> , <b>2016</b> , 247, 109	0.7	5
509	The families <i>Distoseptisporaceae</i> fam. nov., <i>Kirschsteiniotheliaceae</i> , <i>Sporormiaceae</i> and <i>Torulaceae</i> , with new species from freshwater in Yunnan Province, China. <i>Fungal Diversity</i> , <b>2016</b> , 80, 375-409	17.6	50
508	<i>Poaceascoma aquaticum</i> sp. nov. ( <i>Lentitheciaceae</i> ), a new species from submerged bamboo in freshwater. <i>Phytotaxa</i> , <b>2016</b> , 253, 71	0.7	12
507	<i>Cryptosporella platyphylla</i> , a new species associated with <i>Betula platyphylla</i> in China. <i>Phytotaxa</i> , <b>2016</b> , 253, 285	0.7	4
506	<i>Seimatosporium quercina</i> sp. nov. ( <i>Discosiaceae</i> ) on <i>Quercus robur</i> from Germany. <i>Phytotaxa</i> , <b>2016</b> , 255, 240	0.7	7
505	Sexual morph of <i>Seimatosporium cornii</i> found on <i>Cornus sanguinea</i> in Italy. <i>Phytotaxa</i> , <b>2016</b> , 257, 51	0.7	7

504	A description of eleven new species of <i>Agaricus</i> sections <i>Xanthodermatei</i> and <i>Hondenses</i> collected from Tibet and the surrounding areas. <i>Phytotaxa</i> , <b>2016</b> , 257, 99	0.7	13
503	<i>Dictyosporiaceae</i> fam. nov.. <i>Fungal Diversity</i> , <b>2016</b> , 80, 457-482	17.6	33
502	Taxonomy and phylogeny of dematiaceous coelomycetes. <i>Fungal Diversity</i> , <b>2016</b> , 77, 1-316	17.6	105
501	<i>Ophiosimulans tanaceti</i> gen. et sp. nov. (Phaeosphaeriaceae) on <i>Tanacetum</i> sp. (Asteraceae) from Italy. <i>Mycological Progress</i> , <b>2016</b> , 15, 1	1.9	7
500	New species and records of saddle fungi ( <i>Helvella</i> , <i>Helvellaceae</i> ) from Jiuzhaigou Natural Reserve, China. <i>Mycoscience</i> , <b>2016</b> , 57, 422-430	1.2	4
499	<i>Seifertia shangrilaensis</i> sp. nov. ( <i>Melanommataceae</i> ), a new species from Southwest China. <i>Phytotaxa</i> , <b>2016</b> , 273, 34	0.7	8
498	Fungal diversity notes 367-390: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , <b>2016</b> , 80, 1-270	17.6	219
497	<i>Sporoschisma</i> from submerged wood in Yunnan, China. <i>Mycological Progress</i> , <b>2016</b> , 15, 1145-1155	1.9	15
496	Morphology and phylogenetic position of <i>Wynnella subalpina</i> sp. nov. ( <i>Helvellaceae</i> ) from western China. <i>Phytotaxa</i> , <b>2016</b> , 270, 41	0.7	5
495	Global versus Chinese perspectives on the phylogeny of the N-fixing clade. <i>Journal of Systematics and Evolution</i> , <b>2016</b> , 54, 392-399	2.9	4
494	Towards a natural classification and backbone tree for <i>Pleosporaceae</i> . <i>Fungal Diversity</i> , <b>2015</b> , 71, 85-139	17.6	72
493	Overview of <i>Stachybotrys</i> ( <i>Memnoniella</i> ) and current species status. <i>Fungal Diversity</i> , <b>2015</b> , 71, 17-83	17.6	31
492	Endophytic <i>Diaporthe</i> associated with Citrus: A phylogenetic reassessment with seven new species from China. <i>Fungal Biology</i> , <b>2015</b> , 119, 331-47	2.8	54
491	<i>Cytospora</i> species associated with walnut canker disease in China, with description of a new species <i>C. gigalocus</i> . <i>Fungal Biology</i> , <b>2015</b> , 119, 310-9	2.8	37
490	Towards unraveling relationships in <i>Xylariomycetidae</i> ( <i>Sordariomycetes</i> ). <i>Fungal Diversity</i> , <b>2015</b> , 73, 73-146	17.6	110
489	Dynamics of the worldwide number of fungi with emphasis on fungal diversity in China. <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	26
488	Epitypification of <i>Broomella vitalbae</i> and Introduction of a Novel Species of <i>Hyalotiella</i> . <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 93-108	1.4	7
487	Deconins A-E: Cuparenic and Mevalonic or Propionic Acid Conjugates from the Basidiomycete <i>Deconica</i> sp. 471. <i>Journal of Natural Products</i> , <b>2015</b> , 78, 934-8	4.9	35

486	Discovery of new mitorubrin derivatives from <i>Hypoxyton fulvo-sulphureum</i> sp. nov. (Ascomycota, Xylariales). <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	14
485	Towards a natural classification and backbone tree for Sordariomycetes. <i>Fungal Diversity</i> , <b>2015</b> , 72, 199-306	17.6	206
484	<i>Polyporus umbellatus</i> , an Edible-Medicinal Cultivated Mushroom with Multiple Developed Health-Care Products as Food, Medicine and Cosmetics: A Review. <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 3-42	1.4	16
483	Fungal diversity notes 1110: taxonomic and phylogenetic contributions to fungal species. <i>Fungal Diversity</i> , <b>2015</b> , 72, 1-197	17.6	231
482	<i>Anthostomella</i> is polyphyletic comprising several genera in Xylariaceae. <i>Fungal Diversity</i> , <b>2015</b> , 73, 203-238	17.6	50
481	Diverse species of <i>Colletotrichum</i> associated with grapevine anthracnose in China. <i>Fungal Diversity</i> , <b>2015</b> , 71, 233-246	17.6	38
480	Global diversity and taxonomy of the <i>Auricularia auricula-judae</i> complex (Auriculariales, Basidiomycota). <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	19
479	The Faces of Fungi database: fungal names linked with morphology, phylogeny and human impacts. <i>Fungal Diversity</i> , <b>2015</b> , 74, 3-18	17.6	335
478	Phylogenetic relationships and morphological reappraisal of Melanommataceae (Pleosporales). <i>Fungal Diversity</i> , <b>2015</b> , 74, 267-324	17.6	31
477	Fungal diversity notes 111052: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , <b>2015</b> , 75, 27-274	17.6	255
476	Backbone tree for Chaetothyriales with four new species of <i>Minimelanolocus</i> from aquatic habitats. <i>Fungal Biology</i> , <b>2015</b> , 119, 1046-1062	2.8	32
475	Revision and phylogeny of Leptosphaeriaceae. <i>Fungal Diversity</i> , <b>2015</b> , 74, 19-51	17.6	42
474	<i>Hericium erinaceus</i> , an amazing medicinal mushroom. <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	66
473	Meliolales. <i>Fungal Diversity</i> , <b>2015</b> , 74, 91-141	17.6	20
472	The Genus <i>Bolivaritettix</i> in Thailand (Orthoptera: Tettigoniidae: Metrodorinae), with Three New Species and One New Record. <i>Entomological News</i> , <b>2015</b> , 125, 136-146	0.4	2
471	<i>Diaporthe rostrata</i> , a novel ascomycete from <i>Juglans mandshurica</i> associated with walnut dieback. <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	16
470	<i>Seiridium venetum</i> redescribed, and <i>S. camelliae</i> , a new species from <i>Camellia reticulata</i> in China. <i>Mycological Progress</i> , <b>2015</b> , 14, 1	1.9	2
469	Towards a natural classification of <i>Astrosphaeriella</i> -like species; introducing <i>Astrosphaeriellaceae</i> and <i>Pseudoastrosphaeriellaceae</i> fam. nov. and <i>Astrosphaeriellopsis</i> , gen. nov.. <i>Fungal Diversity</i> , <b>2015</b> , 74, 143-197	17.6	48

468	Splanchnonema-like species in Pleosporales: introducing Pseudosplanchnonema gen. nov. in Massarinaceae. <i>Phytotaxa</i> , <b>2015</b> , 231, 133	0.7	5
467	Agaricus section Brunneopicti: a phylogenetic reconstruction with descriptions of four new taxa. <i>Phytotaxa</i> , <b>2015</b> , 192, 145	0.7	24
466	Cytospora species associated with canker disease of three anti-desertification plants in northwestern China. <i>Phytotaxa</i> , <b>2015</b> , 197, 227-244	0.7	30
465	A new species of Collodiscula (Xylariaceae) from China. <i>Phytotaxa</i> , <b>2015</b> , 205, 187	0.7	6
464	Metacordyceps shibinensis sp. nov. from larvae of Lepidoptera in Guizhou Province, southwest China. <i>Phytotaxa</i> , <b>2015</b> , 226, 51	0.7	9
463	A multiple gene genealogy reveals the phylogenetic placement of Iodosphaeria tongrenensis sp. nov. in Iodosphaeriaceae (Xylariales). <i>Phytotaxa</i> , <b>2015</b> , 234, 121	0.7	3
462	Phylogeny and morphology of Premilcurensis gen. nov. (Pleosporales) from stems of Senecio in Italy. <i>Phytotaxa</i> , <b>2015</b> , 236, 40	0.7	12
461	Multigene phylogeny and morphology reveal Phaeobotryon rhois sp. nov. (Botryosphaeriales, Ascomycota). <i>Phytotaxa</i> , <b>2015</b> , 205, 90	0.7	7
460	Auricularia thailandica sp. nov. (Auriculariaceae, Auriculariales) a widely distributed species from Southeastern Asia. <i>Phytotaxa</i> , <b>2015</b> , 208, 147	0.7	7
459	Muriphaeosphaeria galatellae gen. et sp. nov. in Phaeosphaeriaceae (Pleosporales). <i>Phytotaxa</i> , <b>2015</b> , 227, 55	0.7	16
458	Bambusicola loculata sp. nov. (Bambusicolaceae) from bamboo. <i>Phytotaxa</i> , <b>2015</b> , 213, 122	0.7	13
457	Species diversity within the Helvella crispa group (Ascomycota: Helvellaceae) in China. <i>Phytotaxa</i> , <b>2015</b> , 239, 130	0.7	15
456	Large-scale phylogenetic analyses reveal multiple gains of actinorhizal nitrogen-fixing symbioses in angiosperms associated with climate change. <i>Scientific Reports</i> , <b>2015</b> , 5, 14023	4.9	52
455	Botryosphaeriaceae associated with Tectona grandis (teak) in Northern Thailand. <i>Phytotaxa</i> , <b>2015</b> , 233, 1	0.7	13
454	Edible species of Agaricus (Agaricaceae) from Xinjiang Province (Western China). <i>Phytotaxa</i> , <b>2015</b> , 202, 185	0.7	19
453	Molecular phylogenetic analysis reveals two new species of Discosia from Italy. <i>Phytotaxa</i> , <b>2015</b> , 203, 37	0.7	3
452	Lactarius subgenus Russularia (Russulaceae) in South-East Asia: 3. new diversity in Thailand and Vietnam. <i>Phytotaxa</i> , <b>2015</b> , 207, 215	0.7	11
451	Lasiodiplodia pseudotheobromae causes pedicel and peduncle discolouration of grapes in China. <i>Australasian Plant Disease Notes</i> , <b>2015</b> , 10, 1	0.8	15

450	Synonymy of two species of <i>Bipolaris</i> from aquatic crops of Poaceae. <i>Mycotaxon</i> , <b>2015</b> , 130, 131-143	0.5	2
449	Recommended names for pleomorphic genera in Dothideomycetes. <i>IMA Fungus</i> , <b>2015</b> , 6, 507-23	6.8	72
448	<i>Poaceascoma helicoides</i> gen et sp. nov., a New Genus with Scolecospores in Lentitheciaceae. <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 225-236	1.4	20
447	Fungal Biodiversity Profiles 1120. <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 355-380	1.4	37
446	Additions to Brown Spored Coelomycetous Taxa in Massarinae, Pleosporales: Introducing <i>Phragmocamarosporium</i> gen. nov. and <i>Suttonomyces</i> gen. nov.. <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 213-224	1.4	16
445	The Genus <i>Murispora</i> . <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 419-448	1.4	12
444	Fungal Biodiversity Profiles 1110. <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 121-166	1.4	22
443	<i>Zeloasperisporiales</i> ord. nov., and Two New Species of <i>Zeloasperisporium</i> . <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 301-317	1.4	12
442	Prenylhydroquinone-Derived Secondary Metabolites from Cultures of the Basidiomycete <i>Lentinus Similis</i> BCC 52578. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000	0.9	1
441	Morphological and molecular characterisation of <i>Diaporthe</i> species associated with grapevine trunk disease in China. <i>Fungal Biology</i> , <b>2015</b> , 119, 283-94	2.8	47
440	<i>Micropsalliota pseudoglobocystis</i> , a new species from China. <i>Mycotaxon</i> , <b>2015</b> , 130, 555-561	0.5	3
439	Two new <i>Rosellinia</i> species from Southwest China. <i>Mycotaxon</i> , <b>2015</b> , 130, 563-567	0.5	5
438	Towards a natural classification and backbone tree for Lophiostomataceae, Floricolaceae, and Amorosiaceae fam. nov.. <i>Fungal Diversity</i> , <b>2015</b> , 74, 199-266	17.6	51
437	Identification and characterization of <i>Pestalotiopsis</i> -like fungi related to grapevine diseases in China. <i>Fungal Biology</i> , <b>2015</b> , 119, 348-61	2.8	27
436	<i>Lenormandins A</i> , new azaphilones from <i>Hypoxylen lenormandii</i> and <i>Hypoxylen jaklitschii</i> sp. nov., recognised by chemotaxonomic data. <i>Fungal Diversity</i> , <b>2015</b> , 71, 165-184	17.6	38
435	The <i>Diaporthe sojae</i> species complex: Phylogenetic re-assessment of pathogens associated with soybean, cucurbits and other field crops. <i>Fungal Biology</i> , <b>2015</b> , 119, 383-407	2.8	87
434	<i>Keissleriella dactylidis</i> , sp. nov., from <i>Dactylis glomerata</i> and its phylogenetic placement. <i>ScienceAsia</i> , <b>2015</b> , 41, 295	1.4	10
433	<i>Zeloasperisporiales</i> ord. nov., and Two New Species of <i>Zeloasperisporium</i> . <i>Cryptogamie, Mycologie</i> , <b>2015</b> , 36, 301-317	1.4	1

432	The sooty moulds. <i>Fungal Diversity</i> , <b>2014</b> , 66, 1-36	17.6	302
431	Improving the backbone tree for the genus <i>Pestalotiopsis</i> ; addition of <i>P. steyaertii</i> and <i>P. magna</i> sp. nov.. <i>Mycological Progress</i> , <b>2014</b> , 13, 617-624	1.9	28
430	Improving ITS sequence data for identification of plant pathogenic fungi. <i>Fungal Diversity</i> , <b>2014</b> , 67, 11-19	17.6	101
429	Revision of <i>Phaeosphaeriaceae</i> . <i>Fungal Diversity</i> , <b>2014</b> , 68, 159-238	17.6	108
428	Insights into the genus <i>Diaporthe</i> : phylogenetic species delimitation in the <i>D. eres</i> species complex. <i>Fungal Diversity</i> , <b>2014</b> , 67, 203-229	17.6	149
427	A molecular phylogenetic reappraisal of the <i>Didymosphaeriaceae</i> (= <i>Montagnulaceae</i> ). <i>Fungal Diversity</i> , <b>2014</b> , 68, 69-104	17.6	79
426	Sporothriolide derivatives as chemotaxonomic markers for. <i>Mycology</i> , <b>2014</b> , 5, 110-119	3.7	34
425	Epitypification of Two <i>Bambusicolous</i> Fungi from Thailand. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 239-256	1.4	9
424	Introducing the Novel Species, <i>Dothiorella symphoricarposicola</i> , from Snowberry in Italy. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 257-270	1.4	10
423	One stop shop: backbones trees for important phytopathogenic genera: I (2014). <i>Fungal Diversity</i> , <b>2014</b> , 67, 21-125	17.6	180
422	A new <i>Alternaria</i> species from grapevine in China. <i>Mycological Progress</i> , <b>2014</b> , 13, 1119	1.9	7
421	<i>Dematiopleospora mariaegen.</i> sp. nov., from <i>Ononis spinosa</i> in Italy. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 105-117	1.4	19
420	Morphological and molecular characterization of three <i>Agaricus</i> species from tropical Asia (Pakistan, Thailand) reveals a new group in section <i>Xanthodermatei</i> . <i>Mycologia</i> , <b>2014</b> , 106, 1220-32	2.4	28
419	Novel <i>Pestalotiopsis</i> Species from Thailand Point to the Rich Undiscovered Diversity of this Chemically Creative Genus. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 139-149	1.4	10
418	Endophytic species of <i>Colletotrichum</i> associated with mango in northeastern Brazil. <i>Fungal Diversity</i> , <b>2014</b> , 67, 181-202	17.6	75
417	Effects of vegetation disturbance by fire on channel initiation thresholds. <i>Geomorphology</i> , <b>2014</b> , 214, 84-96	4.3	37
416	<i>Lindgomyces griseosporus</i> , a new aquatic ascomycete from Europe including new records. <i>Mycoscience</i> , <b>2014</b> , 55, 43-48	1.2	9
415	<i>Pustulomyces</i> gen. nov. Accommodated in <i>Diaporthaceae</i> , <i>Diaporthales</i> , as Revealed by Morphology and Molecular Analyses. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 63-72	1.4	24

414	The Phylogenetic Placement of <i>Eriosporella bambusicola</i> sp. nov. in Capnodiales. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 41-49	1.4	8
413	<i>Psilocybe chuxiongensis</i> , a new bluing species from subtropical China. <i>Phytotaxa</i> , <b>2014</b> , 156, 211	0.7	4
412	Lactarius subgenus <i>Russularia</i> (Russulaceae) in Southeast Asia: 1. Species with very distant gills. <i>Phytotaxa</i> , <b>2014</b> , 158, 23	0.7	17
411	Introducing <i>Chaetothyriotheceum</i> , a new genus of Microthyriales. <i>Phytotaxa</i> , <b>2014</b> , 161, 157	0.7	19
410	Systematic analyses of <i>Ophiocordyceps ramosissimum</i> sp. nov., a new species from a larvae of Hepialidae in China. <i>Phytotaxa</i> , <b>2014</b> , 161, 227	0.7	13
409	Rousoellaceae, a new pleosporalean family to accommodate the genera <i>Neorousoella</i> gen. nov., <i>Rousoella</i> and <i>Rousoellopsis</i> . <i>Phytotaxa</i> , <b>2014</b> , 181, 1	0.7	58
408	<i>Camarosporium</i> sensu stricto in Pleosporinae, Pleosporales with two new species. <i>Phytotaxa</i> , <b>2014</b> , 183, 16	0.7	14
407	<i>Greeneria saprophytica</i> sp. nov. on dead leaves of <i>Syzygium cumini</i> from Chiang Rai, Thailand. <i>Phytotaxa</i> , <b>2014</b> , 184, 275	0.7	4
406	Phyllosticta species from banana ( <i>Musa</i> sp.) in Chongqing and Guizhou Provinces, China. <i>Phytotaxa</i> , <b>2014</b> , 188, 135	0.7	10
405	Trichopeltinaceae (Dothideomycetes), an earlier name for Brefeldiellaceae, with a new species of <i>Trichopeltina</i> . <i>Phytotaxa</i> , <b>2014</b> , 176, 270	0.7	6
404	Englerulaceae (Dothideomycetes) $\square$ <i>Phytotaxa</i> , <b>2014</b> , 176, 139	0.7	8
403	Towards a natural classification of Dothideomycetes 5: The genera <i>Ascostratum</i> , <i>Chaetoscutula</i> , <i>Ceratocarpia</i> , <i>Cystocoleus</i> , and <i>Colensoniella</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , <b>2014</b> , 176, 42	0.7	6
402	Towards a natural classification of Dothideomycetes 2: The genera <i>Cucurbitodithis</i> , <i>Heterosphaeriopsis</i> , <i>Hyalosphaera</i> , <i>Navicella</i> and <i>Pleiosptomellina</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , <b>2014</b> , 176, 7	0.7	14
401	A reappraisal of Microthyriaceae. <i>Phytotaxa</i> , <b>2014</b> , 176, 201	0.7	15
400	Confusion surrounding <i>Didymosphaeria</i> $\square$ Phylogenetic and morphological evidence suggest <i>Didymosphaeriaceae</i> is not a distinct family. <i>Phytotaxa</i> , <b>2014</b> , 176, 102	0.7	33
399	A re-assessment of <i>Elsinoaceae</i> (Myriangiales, Dothideomycetes). <i>Phytotaxa</i> , <b>2014</b> , 176, 120	0.7	21
398	<i>Homortomyces tamaricis</i> sp. nov. and convergent evolution of <i>Homortomyces</i> and <i>Stilbospora</i> . <i>Phytotaxa</i> , <b>2014</b> , 176, 156	0.7	4
397	Neotypification and phylogeny of <i>Kalmusia</i> $\square$ <i>Phytotaxa</i> , <b>2014</b> , 176, 164	0.7	6



396	The genus <i>Leptoxyphium</i> (Capnodiaceae) from China. <i>Phytotaxa</i> , <b>2014</b> , 176, 174	0.7	8
395	Freshwater ascomycetes: <i>Lophiostoma vaginatispora</i> comb. nov. (Dothideomycetes, Pleosporales, Lophiostomaceae) based on morphological and molecular data. <i>Phytotaxa</i> , <b>2014</b> , 176, 184	0.7	13
394	Macrodiplodiopsis in Lophiostomataceae, Pleosporales. <i>Phytotaxa</i> , <b>2014</b> , 176, 192	0.7	11
393	A new species of <i>Microthyrium</i> from Yunnan, China. <i>Phytotaxa</i> , <b>2014</b> , 176, 213	0.7	7
392	The status of Myriangiaceae (Dothideomycetes). <i>Phytotaxa</i> , <b>2014</b> , 176, 219	0.7	12
391	Morphology and phylogeny of <i>Pseudorobillarda eucalypti</i> sp. nov., from Thailand. <i>Phytotaxa</i> , <b>2014</b> , 176, 251	0.7	6
390	The sexual state of <i>Setophoma</i> . <i>Phytotaxa</i> , <b>2014</b> , 176, 260	0.7	15
389	Taxonomy and phylogeny of Dothideomycetes. <i>Phytotaxa</i> , <b>2014</b> , 176, 5	0.7	3
388	Towards a natural classification of Dothideomycetes 4: The genera <i>Bryopelta</i> , <i>Bryorella</i> , <i>Bryosphaeria</i> , <i>Lophiosphaerella</i> and <i>Maireella</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , <b>2014</b> , 176, 28	0.7	9
387	Towards a natural classification of Dothideomycetes 6: The genera <i>Dolabra</i> , <i>Placostromella</i> , <i>Pleosphaerellula</i> , <i>Polysporidiella</i> and <i>Pseudotrichia</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , <b>2014</b> , 176, 55	0.7	15
386	New species of <i>Phallus</i> from a subtropical forest in Xishuangbanna, China. <i>Phytotaxa</i> , <b>2014</b> , 163, 91	0.7	8
385	Morphology and phylogeny of <i>Chaetospermum</i> (asexual coelomycetous Basidiomycota). <i>Phytotaxa</i> , <b>2014</b> , 175, 61	0.7	7
384	Phylogeny and morphology of <i>Phaeosphaeriopsis triseptata</i> sp. nov., and <i>Phaeosphaeriopsis glaucopunctata</i> . <i>Phytotaxa</i> , <b>2014</b> , 176, 238	0.7	19
383	Towards a natural classification of Dothideomycetes 3: The genera <i>Muellerites</i> , <i>Trematosphaeriopsis</i> , <i>Vizellopsis</i> and <i>Yoshinagella</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , <b>2014</b> , 176, 18	0.7	10
382	<i>Clavatispora thailandica</i> gen. et sp. nov., a novel taxon of Venturiales (Dothideomycetes) from Thailand. <i>Phytotaxa</i> , <b>2014</b> , 176, 92	0.7	10
381	Finding needles in haystacks: linking scientific names, reference specimens and molecular data for Fungi. <i>Database: the Journal of Biological Databases and Curation</i> , <b>2014</b> , 2014,	5	199
380	Optimization of large-scale culture conditions for the production of cordycepin with <i>Cordyceps militaris</i> by liquid static culture. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 510627	2.2	18
379	A molecular and morphological reassessment of Diademaceae. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 675348	2.2	13

378	Vamsapriya(Xylariaceae) Re-Described, with Two New Species and Molecular Sequence Data. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 339-357	1.4	15
377	An Exciting Novel Member of Lentitheciaceae in Italy from Clematis Vitalba. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 323-337	1.4	32
376	(2304) Proposal to conserve the name Diaporthe eres against twenty-one competing names (Ascomycota: Diaporthales: Diaporthaceae). <i>Taxon</i> , <b>2014</b> , 63, 934-935	0.8	14
375	Camarosporium-Like Species are Polyphyletic inPleosporales; IntroducingParacamarosporiumandPseudocamarosporiumgen. nov. inMontagnulaceae. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 177-198	1.4	27
374	Evidence for amphithallism and broad geographical hybridization potential among Agaricus subrufescens isolates from Brazil, France, and Thailand. <i>Fungal Biology</i> , <b>2014</b> , 118, 1013-23	2.8	18
373	Revision of genera in Asterinales. <i>Fungal Diversity</i> , <b>2014</b> , 68, 1-68	17.6	42
372	Naming and outline of -2014 including proposals for the protection or suppression of generic names. <i>Fungal Diversity</i> , <b>2014</b> , 69, 1-55	17.6	181
371	Dothideales. <i>Fungal Diversity</i> , <b>2014</b> , 68, 105-158	17.6	37
370	Epitypification and neotypification: guidelines with appropriate and inappropriate examples. <i>Fungal Diversity</i> , <b>2014</b> , 69, 57-91	17.6	107
369	Tubeufiales, ord. nov., integrating sexual and asexual generic names. <i>Fungal Diversity</i> , <b>2014</b> , 68, 239-298	17.6	69
368	Optimal conditions of mycelia growth of sensu lato. <i>Mycology</i> , <b>2014</b> , 5, 221-227	3.7	4
367	Multi-Locus Phylogeny Reveals the Sexual State ofTiarosporellain Botryosphaeriaceae. <i>Cryptogamie, Mycologie</i> , <b>2014</b> , 35, 359-367	1.4	11
366	The vacuoles containing multivesicular bodies: a new observation in interaction between Ustilago esculenta and Zizania latifolia. <i>European Journal of Plant Pathology</i> , <b>2014</b> , 138, 79-91	2.1	15
365	Freshwater Fungi <b>2014</b> ,		26
364	A novel Trichoderma species isolated from soil in Guizhou, T. guizhouense. <i>Mycological Progress</i> , <b>2013</b> , 12, 167-172	1.9	20
363	Molecular and morphological evidence support four new species in the genus Muscodor from northern Thailand. <i>Annals of Microbiology</i> , <b>2013</b> , 63, 1341-1351	3.2	39
362	What are the common anthracnose pathogens of tropical fruits?. <i>Fungal Diversity</i> , <b>2013</b> , 61, 165-179	17.6	74
361	Endophytic Colletotrichum from tropical grasses with a new species C. endophytica. <i>Fungal Diversity</i> , <b>2013</b> , 61, 107-115	17.6	43

360	The ApMat marker can resolve <i>Colletotrichum</i> species: a case study with <i>Mangifera indica</i> . <i>Fungal Diversity</i> , <b>2013</b> , 61, 117-138	17.6	76
359	Diaporthe species occurring on citrus in China. <i>Fungal Diversity</i> , <b>2013</b> , 61, 237-250	17.6	55
358	Five <i>Colletotrichum</i> species are responsible for mango anthracnose in northeastern Brazil. <i>Fungal Diversity</i> , <b>2013</b> , 61, 75-88	17.6	100
357	Species of Botryosphaeriaceae involved in grapevine dieback in China. <i>Fungal Diversity</i> , <b>2013</b> , 61, 221-236	17.6	65
356	Comparison of DNA and RNA, and cultivation approaches for the recovery of terrestrial and aquatic fungi from environmental samples. <i>Current Microbiology</i> , <b>2013</b> , 66, 185-91	2.4	8
355	Antimicrobial activity of crude extracts of <i>Phyllosticta</i> spp.. <i>Mycology</i> , <b>2013</b> , 4, 112-117	3.7	3
354	Dyfolomycetaceae, a new family in the Dothideomycetes, Ascomycota. <i>Cryptogamie, Mycologie</i> , <b>2013</b> , 34, 223-232	1.4	17
353	Families of Dothideomycetes. <i>Fungal Diversity</i> , <b>2013</b> , 63, 1-313	17.6	400
352	Gymnopalynes A and B, chloropropynyl-isocoumarin antibiotics from cultures of the basidiomycete <i>Gymnopus</i> sp. <i>Journal of Natural Products</i> , <b>2013</b> , 76, 2141-4	4.9	28
351	Bioactive metabolites from macrofungi: ethnopharmacology, biological activities and chemistry. <i>Fungal Diversity</i> , <b>2013</b> , 62, 1-40	17.6	130
350	Phylogeny and Morphology of <i>Leptosphaerulina saccharicolasp.</i> nov. and <i>Pleosphaerulina oryzae</i> and Relationships with <i>Pithomyces</i> . <i>Cryptogamie, Mycologie</i> , <b>2013</b> , 34, 303-319	1.4	15
349	Multi-Gene Analyses Reveal Taxonomic Placement of <i>Scolicosporium minkeviciusii</i> in Phaeosphaeriaceae (Pleosporales). <i>Cryptogamie, Mycologie</i> , <b>2013</b> , 34, 357-366	1.4	9
348	<i>Tortulomyces thailandicus</i> gen. et sp. nov. and <i>Nitschkia siamensis</i> sp. nov. (Coronophorales, Ascomycota) from northern Thailand. <i>Mycoscience</i> , <b>2013</b> , 54, 110-115	1.2	3
347	<i>Fusarium</i> spp. are Responsible for Shoot Canker of Kumquat in China. <i>Journal of Phytopathology</i> , <b>2013</b> , 161, 59-62	1.8	4
346	<i>Misturatosphaeria mariae</i> sp. nov. from France, a first record of <i>Misturatosphaeria</i> in Europe. <i>Mycoscience</i> , <b>2013</b> , 54, 106-109	1.2	6
345	Molecular and morphological data reveal two new species of <i>Scolecobasidium</i> . <i>Mycoscience</i> , <b>2013</b> , 54, 420-425	1.2	3
344	<i>Colletotrichum</i> species on grape in Guizhou and Yunnan provinces, China. <i>Mycoscience</i> , <b>2013</b> , 54, 29-41	1.2	45
343	<i>Stachybotrys</i> from soil in China, identified by morphology and molecular phylogeny. <i>Mycological Progress</i> , <b>2013</b> , 12, 693-698	1.9	4

342	Phyllosticta capitalensis, a widespread endophyte of plants. <i>Fungal Diversity</i> , <b>2013</b> , 60, 91-105	17.6	62
341	Halotthiaceae fam. nov. (Pleosporales) accommodates the new genus Phaeoseptum and several other aquatic genera. <i>Mycologia</i> , <b>2013</b> , 105, 603-9	2.4	11
340	Frequency-magnitude distribution of debris flows compiled from global data, and comparison with post-fire debris flows in the western U.S.. <i>Geomorphology</i> , <b>2013</b> , 191, 118-128	4.3	26
339	Plant growth and photosynthetic performance of <i>Zizania latifolia</i> are altered by endophytic <i>Ustilago esculenta</i> infection. <i>Physiological and Molecular Plant Pathology</i> , <b>2013</b> , 83, 75-83	2.6	21
338	Two species of <i>Agaricus</i> sect. <i>Xanthodermatei</i> from Thailand. <i>Mycotaxon</i> , <b>2013</b> , 122, 187-195	0.5	10
337	Re-appraisal of <i>Scolecopeltidium</i> . <i>Mycotaxon</i> , <b>2013</b> , 125, 1-10	0.5	5
336	(2234) Proposal to conserve the name <i>Helminthosporium maydis</i> Y. Nisik. & C. Miyake ( <i>Bipolaris maydis</i> ) against <i>H. maydis</i> Brond. and <i>Ophiobolus heterostrophus</i> (Ascomycota: Pleosporales: Pleosporaceae). <i>Taxon</i> , <b>2013</b> , 62, 1332-1333	0.8	6
335	A new <i>Myrmecridium</i> species from Guizhou, China. <i>Mycotaxon</i> , <b>2013</b> , 124, 1-8	0.5	6
334	A without-prejudice list of generic names of fungi for protection under the International Code of Nomenclature for algae, fungi, and plants. <i>IMA Fungus</i> , <b>2013</b> , 4, 381-443	6.8	78
333	<i>Deniquelata barringtoniae</i> gen. et sp. nov., associated with leaf spots of <i>Barringtonia asiatica</i> . <i>Phytotaxa</i> , <b>2013</b> , 105, 11	0.7	27
332	(2233) Proposal to conserve the name <i>Bipolaris</i> against <i>Cochliobolus</i> (Ascomycota: Pleosporales: Pleosporaceae). <i>Taxon</i> , <b>2013</b> , 62, 1331-1332	0.8	16
331	<i>Ophiocordyceps xuefengensis</i> sp. nov. from larvae of <i>Phassus nodus</i> (Hepialidae) in Hunan Province, southern China. <i>Phytotaxa</i> , <b>2013</b> , 123, 41	0.7	28
330	<i>Pestalotiopsis</i> species associated with <i>Camellia sinensis</i> (tea). <i>Mycotaxon</i> , <b>2013</b> , 123, 47-61	0.5	41
329	Two new species of <i>Pestalotiopsis</i> from Southern China. <i>Phytotaxa</i> , <b>2013</b> , 126, 22	0.7	11
328	Shiraiaceae, new family of Pleosporales (Dothideomycetes, Ascomycota). <i>Phytotaxa</i> , <b>2013</b> , 103, 51	0.7	16
327	Towards a natural classification of Dothideomycetes: The genera <i>Dermatodothella</i> , <i>Dothideopsella</i> , <i>Grandigallia</i> , <i>Hysteropeltella</i> and <i>Gloeodiscus</i> (Dothideomycetes incertae sedis). <i>Phytotaxa</i> , <b>2013</b> , 147, 35	0.7	21
326	A new species of <i>Pestalotiopsis</i> from leaf spots of <i>Licuala grandis</i> from Hainan, China. <i>Phytotaxa</i> , <b>2013</b> , 88, 49	0.7	4
325	<i>Pestalotiopsis anacardiacearum</i> sp. nov. (Amphisphaeriaceae) has an intricate relationship with <i>Penicillaria jocosatrix</i> the mango tip borer. <i>Phytotaxa</i> , <b>2013</b> , 99, 49	0.7	13

324	Halojulellaceae a new family of the order Pleosporales. <i>Phytotaxa</i> , <b>2013</b> , 130, 14	0.7	26
323	A destructive new disease of <i>Syzygium samarangense</i> in Thailand caused by the new species <i>Pestalotiopsis samarangensis</i> . <i>Tropical Plant Pathology</i> , <b>2013</b> , 38, 227-235	2.5	34
322	<i>Agaricus subrufescens</i> : A review. <i>Saudi Journal of Biological Sciences</i> , <b>2012</b> , 19, 131-46	4	57
321	Chocolate spot disease of Eucalyptus. <i>Mycological Progress</i> , <b>2012</b> , 11, 61-69	1.9	11
320	Pleosporales. <i>Fungal Diversity</i> , <b>2012</b> , 53, 1-221	17.6	222
319	Phyllosticta species associated with citrus diseases in China. <i>Fungal Diversity</i> , <b>2012</b> , 52, 209-224	17.6	59
318	Low-diversity fungal assemblage in an Antarctic Dry Valleys soil. <i>Polar Biology</i> , <b>2012</b> , 35, 567-574	2	43
317	Two new <i>Kirschsteiniothelia</i> species with <i>Dendryphiopsis</i> anamorphs cluster in <i>Kirschsteiniotheliaceae</i> fam. nov. <i>Mycologia</i> , <b>2012</b> , 104, 698-714	2.4	43
316	List of Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , <b>2012</b> , 355-428		1
315	Anamorphic Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , <b>2012</b> , 125-353		4
314	A multi-locus phylogenetic evaluation of <i>Diaporthe</i> ( <i>Phomopsis</i> ). <i>Fungal Diversity</i> , <b>2012</b> , 56, 157-171	17.6	136
313	Medicinal mushrooms in prevention and control of diabetes mellitus. <i>Fungal Diversity</i> , <b>2012</b> , 56, 1-29	17.6	129
312	Prized edible Asian mushrooms: ecology, conservation and sustainability. <i>Fungal Diversity</i> , <b>2012</b> , 56, 31-47	17.6	61
311	A multi-locus backbone tree for <i>Pestalotiopsis</i> , with a polyphasic characterization of 14 new species. <i>Fungal Diversity</i> , <b>2012</b> , 56, 95-129	17.6	151
310	Phylogeny of <i>Chaetothyriaceae</i> in northern Thailand including three new species. <i>Mycologia</i> , <b>2012</b> , 104, 382-95	2.4	39
309	<i>Aquapeziza</i> : a new genus from freshwater and its morphological and phylogenetic relationships to <i>Pezizaceae</i> . <i>Mycologia</i> , <b>2012</b> , 104, 540-6	2.4	15
308	Three new ascomycetes from freshwater in China. <i>Mycologia</i> , <b>2012</b> , 104, 1478-89	2.4	23
307	The Future of Coelomycete Studies. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 381-391	1.4	6

306	A phylogenetic and taxonomic re-evaluation of the Bipolaris - Cochliobolus - Curvularia Complex. <i>Fungal Diversity</i> , <b>2012</b> , 56, 131-144	17.6	155
305	Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , <b>2012</b> ,		11
304	Amarenographium soliumsp. nov. from Yanbu Mangroves in the Kingdom of Saudi Arabia. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 285-294	1.4	11
303	Multi-locus Phylogeny Reveals Three new Species of Diaporthe from Thailand. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 295-309	1.4	34
302	A Novel Species of Pestalotiopsis Causing Leaf Spots of Trachycarpus Fortunei. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 311-318	1.4	29
301	Agaricus megalosporus: A New Species in SectionMinores. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 145-155	1.4	13
300	Lepiota(Agaricales) in Northern Thailand-2LepiotaSectionLepiota. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 25-42	1.4	8
299	Coelomycetes. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 215-244	1.4	10
298	Sequence Data Reveals Phylogenetic Affinities ofAcrocalymma aquaticasp. nov.,Aquasubmersa mircensisgen. et sp. nov. andClohesyomyces aquaticus(Freshwater Coelomycetes). <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 333-346	1.4	28
297	Bambusicola,a New Genus from Bamboo with Asexual and Sexual Morphs. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 363-379	1.4	34
296	Novel Species ofColletotrichumRevealed by Morphology and Molecular Analysis. <i>Cryptogamie, Mycologie</i> , <b>2012</b> , 33, 347-362	1.4	33
295	Towards a natural classification of Botryosphaeriales. <i>Fungal Diversity</i> , <b>2012</b> , 57, 149-210	17.6	144
294	Trichomeriaceae, a new sooty mould family of Chaetothyriales. <i>Fungal Diversity</i> , <b>2012</b> , 56, 63-76	17.6	45
293	New species and notes of Colletotrichum on daylilies (Hemerocallis spp.). <i>Tropical Plant Pathology</i> , <b>2012</b> , 37, 165-174	2.5	11
292	Climate change effects fruiting of the prize matsutake mushroom in China. <i>Fungal Diversity</i> , <b>2012</b> , 56, 189-198	17.6	30
291	Medicinal mushrooms in supportive cancer therapies: an approach to anti-cancer effects and putative mechanisms of action. <i>Fungal Diversity</i> , <b>2012</b> , 55, 1-35	17.6	117
290	Cytology and ultrastructure of interactions between Ustilago esculenta and Zizania latifolia. <i>Mycological Progress</i> , <b>2012</b> , 11, 499-508	1.9	28
289	Agaricus flocculosipes sp. nov., a new potentially cultivatable species from the palaeotropics. <i>Mycoscience</i> , <b>2012</b> , 53, 300-311	1.2	23

288	Brunneiapiospora brasiliensis sp. nov. (Clypeosphaeriaceae) on palms from Brazil. <i>Nova Hedwigia</i> , <b>2012</b> , 94, 245-250	1.3	1
287	A Destructive New Disease of Citrus in China Caused by Cryptosporiopsis citricarpa sp. nov. <i>Plant Disease</i> , <b>2012</b> , 96, 804-812	1.5	9
286	Lentinus giganteus revisited: new collections from Sri Lanka and Thailand. <i>Mycotaxon</i> , <b>2012</b> , 118, 57-71	0.5	7
285	Psilocybe s.s. in Thailand: four new species and a review of previously recorded species. <i>Mycotaxon</i> , <b>2012</b> , 119, 65-81	0.5	5
284	Epitypification, morphology, and phylogeny of Tothia fuscella. <i>Mycotaxon</i> , <b>2012</b> , 118, 203-211	0.5	7
283	Two new freshwater species of Annulatasceae from China. <i>Mycotaxon</i> , <b>2012</b> , 120, 81-88	0.5	7
282	The Current Understanding of Fungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , <b>2012</b> , 1-10		5
281	Teleomorphic Microfungi Associated with Pandanaceae. <i>Fungal Diversity Research Series</i> , <b>2012</b> , 23-124		3
280	The Family Agaricaceae: phylogenies and two new white-spored genera. <i>Mycologia</i> , <b>2011</b> , 103, 494-509	2.4	47
279	Colletotrichum Species on Orchidaceae in Southwest China. <i>Cryptogamie, Mycologie</i> , <b>2011</b> , 32, 229-253	1.4	66
278	Checklist of Freshwater Fungi in Thailand. <i>Cryptogamie, Mycologie</i> , <b>2011</b> , 32, 199-217	1.4	15
277	Built structure identification in wildland fire decision support. <i>International Journal of Wildland Fire</i> , <b>2011</b> , 20, 78	3.2	14
276	The need to carry out re-inventory of plant pathogenic fungi. <i>Tropical Plant Pathology</i> , <b>2011</b> , 36, 205-213	2.5	33
275	Morphology: still essential in a molecular world. <i>Mycotaxon</i> , <b>2011</b> , 114, 439-451	0.5	35
274	Morphological studies in Dothideomycetes: Elsinoe (Elsinoaceae), Butleria, and three excluded genera. <i>Mycotaxon</i> , <b>2011</b> , 115, 507-520	0.5	11
273	Revisiting the taxonomy of Daruvedia bacillata. <i>Mycotaxon</i> , <b>2011</b> , 114, 135-144	0.5	4
272	Muscodor cinnamomi, a new endophytic species from Cinnamomum bejolghota. <i>Mycotaxon</i> , <b>2011</b> , 114, 15-23	0.5	26
271	Epitypification of Colletotrichum musae, the causative agent of banana anthracnose. <i>Mycoscience</i> , <b>2011</b> , 52, 376-382	1.2	40



270	Colletotrichum species from Jasmine ( <i>Jasminum sambac</i> ). <i>Fungal Diversity</i> , <b>2011</b> , 46, 171-182	17.6	76
269	Effects of fungal endophytes on grass and non-grass litter decomposition rates. <i>Fungal Diversity</i> , <b>2011</b> , 47, 1-7	17.6	107
268	<i>Pestalotiopsis</i> morphology, phylogeny, biochemistry and diversity. <i>Fungal Diversity</i> , <b>2011</b> , 50, 167-187	17.6	153
267	The genus <i>Phomopsis</i> : biology, applications, species concepts and names of common phytopathogens. <i>Fungal Diversity</i> , <b>2011</b> , 50, 189-225	17.6	241
266	From morphology to molecular biology: can we use sequence data to identify fungal endophytes?. <i>Fungal Diversity</i> , <b>2011</b> , 50, 113-120	17.6	94
265	Major clades in tropical <i>Agaricus</i> . <i>Fungal Diversity</i> , <b>2011</b> , 51, 279-296	17.6	69
264	<i>Cochliobolus</i> : an overview and current status of species. <i>Fungal Diversity</i> , <b>2011</b> , 51, 3-42	17.6	103
263	A molecular, morphological and ecological re-appraisal of <i>Venturiales</i> -a new order of <i>Dothideomycetes</i> . <i>Fungal Diversity</i> , <b>2011</b> , 51, 249-277	17.6	74
262	<i>Astrosphaeriella</i> is polyphyletic, with species in <i>Fissuroma</i> gen. nov., and <i>Neoastrosphaeriella</i> gen. nov.. <i>Fungal Diversity</i> , <b>2011</b> , 51, 135-154	17.6	57
261	A reappraisal of <i>Microthyriaceae</i> . <i>Fungal Diversity</i> , <b>2011</b> , 51, 189-248	17.6	73
260	<i>Capnodiaceae</i> . <i>Fungal Diversity</i> , <b>2011</b> , 51, 103-134	17.6	93
259	<i>Phyllosticta</i> an overview of current status of species recognition. <i>Fungal Diversity</i> , <b>2011</b> , 51, 43-61	17.6	70
258	Revision of lignicolous <i>Tubeufiaceae</i> based on morphological reexamination and phylogenetic analysis. <i>Fungal Diversity</i> , <b>2011</b> , 51, 63-102	17.6	76
257	Three new species of <i>Lentinus</i> from northern Thailand. <i>Mycological Progress</i> , <b>2011</b> , 10, 389-398	1.9	20
256	Studies on <i>Microthyriaceae</i> : Placement of <i>Actinomyxa</i> , <i>Asteritea</i> , <i>Cirsosina</i> , <i>Polystomellina</i> and <i>Stegothyrium</i> . <i>Cryptogamie, Mycologie</i> , <b>2011</b> , 32, 3-12	1.4	8
255	Towards a Monograph of <i>Dothideomycetes</i> : Studies on <i>Diademaceae</i> . <i>Cryptogamie, Mycologie</i> , <b>2011</b> , 32, 115-126	1.4	12
254	<i>Arecomyces</i> New to Brazil, Including <i>A. attalea</i> sp. nov.. <i>Cryptogamie, Mycologie</i> , <b>2011</b> , 32, 103-108	1.4	2
253	<i>Trematosphaeriaceae</i> fam. nov. ( <i>Dothideomycetes</i> , <i>Ascomycota</i> ). <i>Cryptogamie, Mycologie</i> , <b>2011</b> , 32, 343-358	1.4	20

252	A new species of <i>Colletotrichum</i> from <i>Cordyline fruticosa</i> and <i>Eugenia javanica</i> causing anthracnose disease. <i>Mycotaxon</i> , <b>2011</b> , 114, 247-257	0.5	15
251	The amsterdam declaration on fungal nomenclature. <i>IMA Fungus</i> , <b>2011</b> , 2, 105-12	6.8	260
250	(117119) Proposals to make the prepublication deposit of key nomenclatural information in a recognized repository a requirement for valid publication of organisms treated as fungi under the Code. <i>Taxon</i> , <b>2010</b> , 59, 660-662	0.8	9
249	Occurrence and distribution of fungi in a mangrove forest on Siargao Island, Philippines. <i>Botanica Marina</i> , <b>2010</b> , 53,	1.8	9
248	Integrating fuel treatment into ecosystem management: a proposed project planning process. <i>International Journal of Wildland Fire</i> , <b>2010</b> , 19, 725	3.2	5
247	Patterns of occurrence of myxomycetes on lianas. <i>Fungal Ecology</i> , <b>2010</b> , 3, 302-310	4.1	8
246	Biology of <i>Colletotrichum horii</i> , the causal agent of persimmon anthracnose. <i>Mycology</i> , <b>2010</b> , 1, 242-253	3.7	18
245	HKU(M) moves to IFRDC Kunming. <i>Mycotaxon</i> , <b>2010</b> , 113, 137-145	0.5	4
244	Studies on Microthyriaceae: some excluded genera. <i>Mycotaxon</i> , <b>2010</b> , 113, 147-156	0.5	13
243	Wood-inhabiting filamentous fungi in 12 high-altitude streams of the Western Ghats by damp incubation and bubble chamber incubation. <i>Mycoscience</i> , <b>2010</b> , 51, 104-115	1.2	16
242	Can leaf degrading enzymes provide evidence that endophytic fungi becoming saprobes?. <i>Fungal Diversity</i> , <b>2010</b> , 41, 89-99	17.6	124
241	The new genus <i>Rostrohypoxylon</i> and two new <i>Annulohypoxylon</i> species from Northern Thailand. <i>Fungal Diversity</i> , <b>2010</b> , 40, 23-36	17.6	25
240	Occurrence and diversity of basidiomycetous endophytes from the oil palm, <i>Elaeis guineensis</i> in Thailand. <i>Fungal Diversity</i> , <b>2010</b> , 41, 71-88	17.6	45
239	<i>Achroceratosphaeria</i> , a new ascomycete genus in the Sordariomycetes, and re-evaluation of <i>Ceratosphaeria incolorata</i> . <i>Fungal Diversity</i> , <b>2010</b> , 43, 75-84	17.6	16
238	Response of endophytic fungi of <i>Stipa grandis</i> to experimental plant function group removal in Inner Mongolia steppe, China. <i>Fungal Diversity</i> , <b>2010</b> , 43, 93-101	17.6	65
237	<i>Colletotrichum gloeosporioides</i> is not a common pathogen on tropical fruits. <i>Fungal Diversity</i> , <b>2010</b> , 44, 33-43	17.6	171
236	A monograph of <i>Micropsalliota</i> in Northern Thailand based on morphological and molecular data. <i>Fungal Diversity</i> , <b>2010</b> , 45, 33-79	17.6	25
235	Mycotoxin-producing fungi occurring in sorghum grains from Saudi Arabia. <i>Fungal Diversity</i> , <b>2010</b> , 44, 45-52	17.6	23

234	Sequence data reveals phylogenetic affinities of fungal anamorphs Bahusutrabeeja, Diplococcium, Natarajania, Paliphora, Polyschema, Rattania and Spadicoides. <i>Fungal Diversity</i> , <b>2010</b> , 44, 161-169	17.6	55
233	Culture collections, the new herbaria for fungal pathogens. <i>Fungal Diversity</i> , <b>2010</b> , 45, 21-32	17.6	20
232	Morphological and molecular characterization of <i>Mariannaea aquaticola</i> sp. nov. collected from freshwater habitats. <i>Mycological Progress</i> , <b>2010</b> , 9, 337-343	1.9	11
231	Mushroom diversity in sustainable shade tea forest and the effect of fire damage. <i>Biodiversity and Conservation</i> , <b>2010</b> , 19, 1401-1415	3.4	26
230	Diversity and ecological distribution of macrofungi in the Laojun Mountain region, southwestern China. <i>Biodiversity and Conservation</i> , <b>2010</b> , 19, 3545-3563	3.4	20
229	Fungal diversity on submerged wood in a tropical stream and an artificial lake. <i>Biodiversity and Conservation</i> , <b>2010</b> , 19, 3799-3808	3.4	21
228	Transfer of <i>Pseudoparodia pseudopeziza</i> to Patellariaceae (Patellariales). <i>Nova Hedwigia</i> , <b>2009</b> , 88, 211-215	2.15	2
227	Molecular diversity of myxomycetes associated with decaying wood and forest floor leaf litter. <i>Mycologia</i> , <b>2009</b> , 101, 592-8	2.4	15
226	Diversity and abundance of nematode-trapping fungi from decaying litter in terrestrial, freshwater and mangrove habitats. <i>Biodiversity and Conservation</i> , <b>2009</b> , 18, 1695-1714	3.4	30
225	Phylogenetic relationships of <i>Chalara</i> and allied species inferred from ribosomal DNA sequences. <i>Mycological Progress</i> , <b>2009</b> , 8, 133-143	1.9	22
224	Multi-gene phylogeny and morphotaxonomy of <i>Amniculicola lignicola</i> : a novel freshwater fungus from France and its relationships to the Pleosporales. <i>Mycological Research</i> , <b>2008</b> , 112, 1186-94		37
223	Fungal Endophytes <b>2008</b> , 281-292		3
222	Taxonomy and molecular phylogeny of <i>Arthrobotrys mangrovispora</i> , a new marine nematode-trapping fungal species. <i>Botanica Marina</i> , <b>2008</b> , 51,	1.8	15
221	Distribution and occurrence of myxomycetes on agricultural ground litter and forest floor litter in Thailand. <i>Mycologia</i> , <b>2008</b> , 100, 181-90	2.4	6
220	Distribution and occurrence of myxomycetes on agricultural ground litter and forest floor litter in Thailand. <i>Mycologia</i> , <b>2008</b> , 100, 181-190	2.4	19
219	Epitypification: should we epitypify?. <i>Journal of Zhejiang University: Science B</i> , <b>2008</b> , 9, 842-6	4.5	50
218	Fungal diversity on fallen leaves of <i>Ficus</i> in northern Thailand. <i>Journal of Zhejiang University: Science B</i> , <b>2008</b> , 9, 835-41	4.5	20
217	Chilli anthracnose disease caused by <i>Colletotrichum</i> species. <i>Journal of Zhejiang University: Science B</i> , <b>2008</b> , 9, 764-78	4.5	102

216	New and rare lignicolous hyphomycetes from Zhejiang Province, China. <i>Journal of Zhejiang University: Science B</i> , <b>2008</b> , 9, 797-801	4-5	5
215	Advances in the phylogenesis of Agaricales and its higher ranks and strategies for establishing phylogenetic hypotheses. <i>Journal of Zhejiang University: Science B</i> , <b>2008</b> , 9, 779-86	4-5	5
214	Morphological and molecular characterization of <i>Aquaticheirospora</i> and phylogenetics of Massarinaceae (Pleosporales). <i>Botanical Journal of the Linnean Society</i> , <b>2007</b> , 155, 283-296	2-2	23
213	Phylogenetic relationships of <i>Nemania plumbea</i> sp. nov. and related taxa based on ribosomal ITS and RPB2 sequences. <i>Mycological Research</i> , <b>2007</b> , 111, 392-402		14
212	A higher-level phylogenetic classification of the Fungi. <i>Mycological Research</i> , <b>2007</b> , 111, 509-47		1630
211	The polyphyletic nature of Pleosporales: an example from <i>Massariosphaeria</i> based on rDNA and RPB2 gene phylogenies. <i>Mycological Research</i> , <b>2007</b> , 111, 1268-76		40
210	Diversity of saprobic microfungi. <i>Biodiversity and Conservation</i> , <b>2007</b> , 16, 7-35	3-4	67
209	Endophytic fungi from <i>Nerium oleander</i> L (Apocynaceae): main constituents and antioxidant activity. <i>World Journal of Microbiology and Biotechnology</i> , <b>2007</b> , 23, 1253-1263	4-4	92
208	New species of <i>Clohiesia</i> and <i>Paraniesslia</i> collected from freshwater habitats in China. <i>Mycoscience</i> , <b>2007</b> , 48, 182-186	1-2	11
207	Anamorphic fungi from freshwater habitats in China: <i>Dictyosporium tetrasporum</i> and <i>Exserticlava yunnanensis</i> spp. nov., and two new records for <i>Pseudofuscophialis lignicola</i> and <i>Pseudobotrytis terrestris</i> . <i>Mycoscience</i> , <b>2007</b> , 48, 290-296	1-2	16
206	Phylogenetic utility of protein (RPB2, beta-tubulin) and ribosomal (LSU, SSU) gene sequences in the systematics of Sordariomycetes (Ascomycota, Fungi). <i>Antonie Van Leeuwenhoek</i> , <b>2007</b> , 91, 327-49	2-1	54
205	Ribosomal DNA phylogenies of <i>Cyathus</i> : is the current infrageneric classification appropriate?. <i>Mycologia</i> , <b>2007</b> , 99, 385-95	2-4	8
204	<i>Berkleasmium crunisia</i> sp. nov. and its phylogenetic affinities to the Pleosporales based on 18S and 28S rDNA sequence analyses. <i>Mycologia</i> , <b>2007</b> , 99, 378-84	2-4	9
203	Ribosomal DNA phylogenies of <i>Cyathus</i> : Is the current infrageneric classification appropriate?. <i>Mycologia</i> , <b>2007</b> , 99, 385-395	2-4	21
202	<i>Berkleasmium crunisia</i> sp. nov. and its phylogenetic affinities to the Pleosporales based on 18S and 28S rDNA sequence analyses. <i>Mycologia</i> , <b>2007</b> , 99, 378-384	2-4	25
201	Phylogenetic investigations of Sordariaceae based on multiple gene sequences and morphology. <i>Mycological Research</i> , <b>2006</b> , 110, 137-50		129
200	Molecular systematics of <i>Zopfiella</i> and allied genera: evidence from multi-gene sequence analyses. <i>Mycological Research</i> , <b>2006</b> , 110, 359-68		32
199	Two new species of nematode-trapping fungi: relationships inferred from morphology, rDNA and protein gene sequence analyses. <i>Mycological Research</i> , <b>2006</b> , 110, 790-800		18

198	Ribosomal and RPB2 DNA sequence analyses suggest that Sporidesmium and morphologically similar genera are polyphyletic. <i>Mycological Research</i> , <b>2006</b> , 110, 916-28		94
197	Diversity and distribution of saprobic microfungi in leaf litter of an Australian tropical rainforest. <i>Mycological Research</i> , <b>2006</b> , 110, 1441-54		42
196	The family Pleosporaceae: intergeneric relationships and phylogenetic perspectives based on sequence analyses of partial 28S rDNA. <i>Mycologia</i> , <b>2006</b> , 98, 571-83	2.4	52
195	Calonectria species and their Cyllindrocladium anamorphs: species with clavate vesicles. <i>Studies in Mycology</i> , <b>2006</b> , 55, 213-26	22.2	104
194	The family Pleosporaceae: intergeneric relationships and phylogenetic perspectives based on sequence analyses of partial 28S rDNA. <i>Mycologia</i> , <b>2006</b> , 98, 571-583	2.4	14
193	Variation between freshwater and terrestrial fungal communities on decaying bamboo culms. <i>Antonie Van Leeuwenhoek</i> , <b>2006</b> , 89, 293-301	2.1	52
192	Succession of microfungal communities on decaying leaves of <i>Castanopsis fissa</i> . <i>Canadian Journal of Microbiology</i> , <b>2005</b> , 51, 967-74	3.2	18
191	Immunomodulatory compounds from <i>Pestalotiopsis leucothrix</i> , an endophytic fungus from <i>Tripterygium wilfordii</i> . <i>Life Sciences</i> , <b>2005</b> , 78, 147-56	6.8	27
190	<i>Endosporoideus</i> gen. nov., a mitosporic fungus on <i>Phoenix hanceana</i> . <i>Mycologia</i> , <b>2005</b> , 97, 238-245	2.4	
189	Phylogenetics and evolution of nematode-trapping fungi (Orbiliiales) estimated from nuclear and protein coding genes. <i>Mycologia</i> , <b>2005</b> , 97, 1034-1046	2.4	48
188	Screening of basidiomycetes and xylariaceous fungi for lignin peroxidase and laccase gene-specific sequences. <i>Mycological Research</i> , <b>2005</b> , 109, 115-24		52
187	Phylogenetics and evolution of nematode-trapping fungi (Orbiliiales) estimated from nuclear and protein coding genes. <i>Mycologia</i> , <b>2005</b> , 97, 1034-46	2.4	87
186	<i>Oxydothis bambusicola</i> , a new ascomycete with a huge subapical ascus ring found on bamboo in Hong Kong. <i>Nova Hedwigia</i> , <b>2005</b> , 80, 511-518	1.3	2
185	<i>Acanthostigma</i> and <i>Tubeufia</i> Species, Including <i>T. claspisphaeria</i> sp. nov., from Submerged Wood in Hong Kong. <i>Mycologia</i> , <b>2004</b> , 96, 667	2.4	4
184	Aquatic Fungi from Peat Swamp Palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and Its Hyphomycete Anamorph. <i>Mycologia</i> , <b>2004</b> , 96, 1163	2.4	4
183	Three new species of <i>Craspedodidymum</i> from palm in Thailand. <i>Mycoscience</i> , <b>2004</b> , 45, 177-180	1.2	5
182	In vitro studies of endophytic fungi from <i>Tripterygium wilfordii</i> with anti-proliferative activity on human peripheral blood mononuclear cells. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 94, 295-300	5	15
181	Aquatic fungi from peat swamp palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and its hyphomycete anamorph. <i>Mycologia</i> , <b>2004</b> , 96, 1163-1170	2.4	9

180	Acanthostigma and Tubeufia species, including <i>T. claspisphaeria</i> sp. nov., from submerged wood in Hong Kong. <i>Mycologia</i> , <b>2004</b> , 96, 667-674	2.4	13
179	Cataractispora receptaculorum, a new freshwater ascomycete from Hong Kong. <i>Mycologia</i> , <b>2004</b> , 96, 411-417	2.4	7
178	Cataractispora receptaculorum, a new freshwater ascomycete from Hong Kong. <i>Mycologia</i> , <b>2004</b> , 96, 411-7	2.4	2
177	Acanthostigma and Tubeufia species, including <i>T. claspisphaeria</i> sp. nov., from submerged wood in Hong Kong. <i>Mycologia</i> , <b>2004</b> , 96, 667-74	2.4	3
176	Aquatic fungi from peat swamp palms: <i>Phruensis brunneispora</i> gen. et sp. nov. and its hyphomycete anamorph. <i>Mycologia</i> , <b>2004</b> , 96, 1163-70	2.4	2
175	Three New Species of <i>Pyricularia</i> Are Isolated as Zingiberaceous Endophytes from Thailand. <i>Mycologia</i> , <b>2003</b> , 95, 519	2.4	10
174	Reflections on the Genus <i>Vanakripa</i> , and a Description of <i>V. ellipsoidea</i> sp. nov.. <i>Mycologia</i> , <b>2003</b> , 95, 124	2.4	1
173	Three new species of <i>Pyricularia</i> are isolated as zingiberaceous endophytes from Thailand. <i>Mycologia</i> , <b>2003</b> , 95, 519-524	2.4	9
172	<i>Cylindrosyndonium cryptocaryae</i> sp. nov. (anamorphic fungi), with keys to the described species and to similar genera. <i>Australian Systematic Botany</i> , <b>2003</b> , 16, 577	1	4
171	Reflections on the genus <i>Vanakripa</i> , and a description of <i>V. ellipsoidea</i> sp. nov. <i>Mycologia</i> , <b>2003</b> , 95, 124-7.4		2
170	Fungi on submerged wood in the Koito River, Japan. <i>Mycoscience</i> , <b>2003</b> , 44, 55-59	1.2	14
169	Aquatic fungi from peat swamp palms: <i>Unisetosphaeria penguinoides</i> gen. et sp. nov., and three new <i>Dactylaria</i> species. <i>Mycoscience</i> , <b>2003</b> , 44, 377-382	1.2	9
168	Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical Xylariaceae. <i>Mycological Research</i> , <b>2003</b> , 107, 231-5		54
167	Molecular identification of white morphotype strains of endophytic fungi from <i>Pinus tabulaeformis</i> . <i>Mycological Research</i> , <b>2003</b> , 107, 680-8		101
166	Estimation of microfungal diversity in tropical rainforest leaf litter using particle filtration: the effects of leaf storage and surface treatment. <i>Mycological Research</i> , <b>2003</b> , 107, 748-56		34
165	Can ascospore ultrastructure differentiate between the genera <i>Linocarpon</i> and <i>Neolinocarpon</i> and species therein?. <i>Mycological Research</i> , <b>2003</b> , 107, 1305-13		4
164	Phylogenetic significance of morphological characters in the taxonomy of <i>Pestalotiopsis</i> species. <i>Molecular Phylogenetics and Evolution</i> , <b>2003</b> , 27, 372-83	4.1	129
163	Molecular systematics of the <i>Amphisphaeriaceae</i> based on cladistic analyses of partial LSU rDNA gene sequences. <i>Mycological Research</i> , <b>2003</b> , 107, 1392-402		34

162	Molecular evidence for teleomorph-anamorph connections in <i>Cordyceps</i> based on ITS-5.8S rDNA sequences. <i>Mycological Research</i> , <b>2002</b> , 106, 1100-1108		69
161	Microfungi on the Pandanaceae : a revision of the hyphomycete genus <i>Balaniopsis</i> with two new species. <i>Mycoscience</i> , <b>2002</b> , 43, 67-72	1.2	6
160	Three new species of <i>Annulatascus</i> (Ascomycetes) from Hong Kong freshwater habitats. <i>Mycoscience</i> , <b>2002</b> , 43, 383-389	1.2	11
159	Phylogenetic relationships of <i>Pestalotiopsis</i> and allied genera inferred from ribosomal DNA sequences and morphological characters. <i>Molecular Phylogenetics and Evolution</i> , <b>2002</b> , 25, 378-92	4.1	133
158	Diversity of fungi on rainforest litter in North Queensland, Australia. <i>Biodiversity and Conservation</i> , <b>2002</b> , 11, 1185-1194	3.4	24
157	Enzymatic activity of endophytic fungi of six native seedling species from Doi Suthep-Pui National Park, Thailand. <i>Canadian Journal of Microbiology</i> , <b>2002</b> , 48, 1109-12	3.2	31
156	An Evaluation of the Monophyly of <i>Massarina</i> Based on Ribosomal DNA Sequences. <i>Mycologia</i> , <b>2002</b> , 94, 803	2.4	26
155	<i>Acrodictys liputii</i> sp. nov. and <i>Digitodesmium bambusicola</i> sp. nov. from bamboo submerged in the Liput River in the Philippines. <i>Nova Hedwigia</i> , <b>2002</b> , 75, 525-532	1.3	13
154	Two New Species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , <b>2002</b> , 94, 302	2.4	5
153	Two new species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , <b>2002</b> , 94, 302-306	2.4	15
152	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. <i>Mycologia</i> , <b>2002</b> , 94, 803-813	2.4	39
151	New saprobic fungi on fronds of palms from northern Queensland, Australia. <i>Australian Systematic Botany</i> , <b>2002</b> , 15, 755	1	8
150	Two new species of <i>Spadicoides</i> from Brunei and Hong Kong. <i>Mycologia</i> , <b>2002</b> , 94, 302-6	2.4	1
149	An evaluation of the monophyly of <i>Massarina</i> based on ribosomal DNA sequences. <i>Mycologia</i> , <b>2002</b> , 94, 803-13	2.4	13
148	<i>Paraniesslia tuberculata</i> gen. et sp. nov., and New Records or Species of <i>Clypeosphaeria</i> , <i>Leptosphaeria</i> and <i>Astrosphaeriella</i> in Hong Kong Freshwater Habitats. <i>Mycologia</i> , <b>2001</b> , 93, 1002	2.4	9
147	Microfungi on the Pandanaceae: <i>Polytretophora macrospora</i> sp. nov.. <i>Mycoscience</i> , <b>2001</b> , 42, 555-558	1.2	5
146	Three new <i>Ophioceras</i> species (Ascomycetes) from the tropics. <i>Mycoscience</i> , <b>2001</b> , 42, 321-326	1.2	7
145	<i>Lasiosphaeria</i> and a similar new genus from palms. <i>Mycoscience</i> , <b>2001</b> , 42, 369-377	1.2	3



144	Lanceispora phyllophila sp. nov. on petioles of unknown dicotyledonous leaves in Singapore. <i>Mycoscience</i> , <b>2001</b> , 42, 97-99	1.2	1
143	Detection and taxonomic placement of endophytic fungi within frond tissues of <i>Livistona chinensis</i> based on rDNA sequences. <i>Molecular Phylogenetics and Evolution</i> , <b>2001</b> , 20, 1-13	4.1	100
142	Longitudinal and temporal distribution of freshwater ascomycetes and dematiaceous hyphomycetes on submerged wood in the Lam Tsuen River, Hong Kong. <i>Journal of the North American Benthological Society</i> , <b>2001</b> , 20, 533-549		30
141	Diversity of fungi on six species of Gramineae and one species of Cyperaceae in Hong Kong. <i>Mycological Research</i> , <b>2001</b> , 105, 1485-1491		46
140	Where are the missing fungi? Does Hong Kong have any answers?. <i>Mycological Research</i> , <b>2001</b> , 105, 1514-1518		36
139	Endophytic fungi of wild banana ( <i>Musa acuminata</i> ) at Doi Suthep Pui National Park, Thailand. <i>Mycological Research</i> , <b>2001</b> , 105, 1508-1513		105
138	Fungal communities on submerged wood from streams in Brunei, Hong Kong, and Malaysia. <i>Mycological Research</i> , <b>2001</b> , 105, 1492-1501		73
137	Fungal communities on decaying palm fronds in Australia, Brunei, and Hong Kong. <i>Mycological Research</i> , <b>2001</b> , 105, 1458-1471		20
136	Two Pantropical Ascomycetes: <i>Chaetosphaeria cylindrospora</i> sp. nov. and <i>Rimaconus</i> , a New Genus for <i>Lasiosphaeria jamaicensis</i> . <i>Mycologia</i> , <b>2001</b> , 93, 1072	2.4	6
135	<i>Brunneospora aquatica</i> gen. et sp. nov., <i>Aqualignicola hyalina</i> gen. et sp. nov., <i>Jobellisia viridifusca</i> sp. nov. and <i>Porosphaerellopsis bipolaris</i> sp. nov. (ascomycetes) from submerged wood in freshwater habitats. <i>Mycological Research</i> , <b>2001</b> , 105, 625-633		19
134	Host-specificity, host-exclusivity, and host-recurrence in saprobic fungi. <i>Mycological Research</i> , <b>2001</b> , 105, 1449-1457		130
133	New Species or Records of <i>Cacumisporium</i> , <i>Helicosporium</i> , <i>Monotosporella</i> and <i>Bahusutrabeeja</i> on Submerged Wood in Hong Kong Streams. <i>Mycologia</i> , <b>2001</b> , 93, 389	2.4	11
132	Revision of the Phyllachoraceae (Ascomycota) on hosts in the angiosperm family, Proteaceae. <i>Australian Systematic Botany</i> , <b>2001</b> , 14, 283	1	7
131	Endophytic fungi from <i>Amomum siamense</i> . <i>Canadian Journal of Microbiology</i> , <b>2001</b> , 47, 943-8	3.2	39
130	Non-lichenised Australian ascomycetes. <i>Australian Systematic Botany</i> , <b>2001</b> , 14, 357	1	1
129	New species or records of <i>Cacumisporium</i> , <i>Helicosporium</i> , <i>Monotosporella</i> and <i>Bahusutrabeeja</i> on submerged wood in Hong Kong streams. <i>Mycologia</i> , <b>2001</b> , 93, 389-397	2.4	20
128	Two pantropical Ascomycetes: <i>Chaetosphaeria cylindrospora</i> sp. nov. and <i>Rimaconus</i> , a new genus for <i>Lasiosphaeria jamaicensis</i> . <i>Mycologia</i> , <b>2001</b> , 93, 1072-1080	2.4	7
127	<i>Paraniesslia tuberculata</i> gen. et sp. nov., and new records or species of <i>Clypeosphaeria</i> , <i>Leptosphaeria</i> and <i>Astrosphaeriella</i> in Hong Kong freshwater habitats. <i>Mycologia</i> , <b>2001</b> , 93, 1002-1009	2.4	12

126	Endophytic fungi from <i>Amomum siamense</i> . <i>Canadian Journal of Microbiology</i> , <b>2001</b> , 47, 943-948	3.2	6
125	Phylogenetic significance of the pseudoparaphyses in Loculoascomycete taxonomy. <i>Molecular Phylogenetics and Evolution</i> , <b>2000</b> , 16, 392-402	4.1	80
124	Endophytic fungi associated with palms. <i>Mycological Research</i> , <b>2000</b> , 104, 1202-1212		163
123	<i>Halorosellinia</i> gen. nov. to accommodate <i>Hypoxylon oceanicum</i> , a common mangrove species. <i>Mycological Research</i> , <b>2000</b> , 104, 368-374		6
122	Eight new species of <i>Anthostomella</i> from South Africa. <i>Mycological Research</i> , <b>2000</b> , 104, 742-754		5
121	A member of the <i>Phyllachora shiraiana</i> complex (Ascomycota) on <i>Bambusa arnhemica</i> : a new record for Australia. <i>Australasian Plant Pathology</i> , <b>2000</b> , 29, 205	1.4	2
120	Biodiversity and distribution of fungi associated with decomposing <i>Nypa fruticans</i> . <i>Biodiversity and Conservation</i> , <b>2000</b> , 9, 393-402	3.4	28
119	<i>Ascominuta lignicola</i> , a new loculoascomycete from submerged wood in Hong Kong. <i>Mycoscience</i> , <b>2000</b> , 41, 1-5	1.2	9
118	<i>Annulatascus fusiformis</i> sp. nov., a new freshwater ascomycete from the Philippines. <i>Mycologia</i> , <b>2000</b> , 92, 553-557	2.4	3
117	A new species of <i>Canalisporium</i> from Australia. <i>Mycologia</i> , <b>2000</b> , 92, 589-592	2.4	9
116	<i>Cheiromyces lignicola</i> , a new chirosporous anamorphic species from Hong Kong. <i>Mycologia</i> , <b>2000</b> , 92, 582-588	2.4	15
115	<i>Verticicola caudatus</i> gen. et sp. nov., and a new species of <i>Rivulicola</i> from submerged wood in freshwater habitats. <i>Mycologia</i> , <b>2000</b> , 92, 1019-1026	2.4	11
114	<i>Verticicola caudatus</i> gen. et sp. nov., and a New Species of <i>Rivulicola</i> from Submerged Wood in Freshwater Habitats. <i>Mycologia</i> , <b>2000</b> , 92, 1019	2.4	7
113	<i>Cheiromyces lignicola</i> , a New Chirosporous Anamorphic Species from Hong Kong. <i>Mycologia</i> , <b>2000</b> , 92, 582	2.4	9
112	<i>Annulatascus fusiformis</i> sp. nov., a New Freshwater Ascomycete from the Philippines. <i>Mycologia</i> , <b>2000</b> , 92, 553	2.4	4
111	<i>Torrentispora fibrosa</i> gen. sp. nov. (Annulatascaceae) from freshwater habitats. <i>Mycological Research</i> , <b>2000</b> , 104, 1399-1403		10
110	Fungi from palms. XLIII. <i>Lophiostoma</i> and <i>Astrosphaeriella</i> species with slit-like ostioles. <i>Nova Hedwigia</i> , <b>2000</b> , 70, 143-160	1.3	12
109	<i>Paraceratocladium malaysianum</i> sp. nov. from submerged wood in Malaysia. <i>Nova Hedwigia</i> , <b>2000</b> , 71, 95-100	1.3	4

108	Two new species of <i>Pseudohalonectria</i> from palms. <i>Mycologia</i> , <b>1999</b> , 91, 520-524	2.4	8
107	Ascal ultrastructural study in <i>Annulatascus hongkongensis</i> sp. nov., a freshwater ascomycete. <i>Mycologia</i> , <b>1999</b> , 91, 885-892	2.4	7
106	<i>Digitodesmium recurvum</i> , a new species of chirosporous hyphomycete from Hong Kong. <i>Mycologia</i> , <b>1999</b> , 91, 900-904	2.4	10
105	Two New Species of <i>Pseudohalonectria</i> from Palms. <i>Mycologia</i> , <b>1999</b> , 91, 520	2.4	6
104	Biodiversity of palm fungi in the tropics: are global fungal diversity estimates realistic?. <i>Biodiversity and Conservation</i> , <b>1999</b> , 8, 977-1004	3.4	127
103	New observations on <i>Monotosporella rhizoidea</i> . <i>Mycoscience</i> , <b>1999</b> , 40, 377-382	1.2	7
102	<i>Linocarpon angustatum</i> sp. nov., and <i>Neolinocarpon nypicola</i> sp. nov. from petioles of <i>Nypa fruticans</i> , and a list of fungi from aerial parts of this host. <i>Mycoscience</i> , <b>1999</b> , 40, 145-149	1.2	15
101	Studies on the Amphisphaeriales I. The Clypeosphaeriaceae. <i>Mycoscience</i> , <b>1999</b> , 40, 151-164	1.2	12
100	The genera <i>Aniptodera</i> , <i>Halosarpheia</i> , <i>Nais</i> and <i>Phaeonectriella</i> from freshwater habitats. <i>Mycoscience</i> , <b>1999</b> , 40, 165-183	1.2	29
99	<i>Cryptophiale sphaerospora</i> sp. nov. occurring on <i>Janetia synnematos</i> a. <i>Mycoscience</i> , <b>1999</b> , 40, 189-191	1.2	1
98	Studies on Amphisphaeriales: The Amphisphaeriaceae (sensu stricto). <i>Mycological Research</i> , <b>1999</b> , 103, 53-64		40
97	<i>Proboscispora aquatica</i> gen. et sp. nov., from wood submerged in freshwater. <i>Mycological Research</i> , <b>1999</b> , 103, 81-87		24
96	Ultrastructural studies on the Myelospermaceae fam. nov., with a new species of <i>Myelosperma</i> . <i>Mycological Research</i> , <b>1999</b> , 103, 347-352		3
95	Ultrastructural studies on the aquatic ascomycetes <i>Annulatascus velatisporus</i> and <i>A. triseptatus</i> sp. nov.. <i>Mycological Research</i> , <b>1999</b> , 103, 561-571		19
94	<i>Cataractispora</i> gen. nov. with three new freshwater lignicolous species. <i>Mycological Research</i> , <b>1999</b> , 103, 1019-1031		16
93	<i>Ascomauritiana lignicola</i> gen. et sp. nov., an ascomycete from submerged wood in Mauritius. <i>Mycological Research</i> , <b>1999</b> , 103, 938-942		7
92	Ultrastructure of the dimorphic ascospores in <i>Mamillisphaeria dimorphospora</i> . <i>Mycological Research</i> , <b>1999</b> , 103, 1284-1288		
91	Studies on Amphisphaeriales: The Cainiaceae. <i>Mycological Research</i> , <b>1999</b> , 103, 1621-1627		9

90	Fungi on submerged wood from the River Coln, England. <i>Mycological Research</i> , <b>1999</b> , 103, 1561-1574		37
89	Ascal Ultrastructural Study in <i>Annulatascus hongkongensis</i> sp. nov., a Freshwater Ascomycete. <i>Mycologia</i> , <b>1999</b> , 91, 885	2.4	10
88	<i>Digitodesmium recurvum</i> , a New Species of Chirosporous Hyphomycete from Hong Kong. <i>Mycologia</i> , <b>1999</b> , 91, 900	2.4	3
87	Tropical Australian Freshwater Fungi. XVI. Some new melanommataceous fungi from woody substrata and a key to genera of lignicolous loculoascomycetes in freshwater. <i>Nova Hedwigia</i> , <b>1999</b> , 68, 251-272	1.3	6
86	Tropical Australian Freshwater Fungi. XV. The ascomycete genus <i>Jahnula</i> , with five new species and one new combination. <i>Nova Hedwigia</i> , <b>1999</b> , 68, 489-509	1.3	21
85	Fungi from palms. XLII. <i>Didymosphaeria</i> and similar ascomycetes from palms. <i>Nova Hedwigia</i> , <b>1999</b> , 69, 449-471	1.3	3
84	Role of fungi in marine ecosystems. <i>Biodiversity and Conservation</i> , <b>1998</b> , 7, 1147-1161	3.4	196
83	Role of fungi in freshwater ecosystems. <i>Biodiversity and Conservation</i> , <b>1998</b> , 7, 1187-1206	3.4	137
82	The genus <i>Brachydesmiella</i> from submerged wood in the tropics, including a new species and a new combination. <i>Mycoscience</i> , <b>1998</b> , 39, 239-247	1.2	11
81	A new species of <i>Clohiesia</i> from Hong Kong. <i>Mycoscience</i> , <b>1998</b> , 39, 257-259	1.2	8
80	<i>Tamsiniella labiosa</i> gen. et sp.nov., a new freshwater ascomycete from submerged wood. <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 332-337		6
79	Fungi on submerged wood in the Riviere St Marie-Louis, The Seychelles. <i>South African Journal of Botany</i> , <b>1998</b> , 64, 330-336	2.9	32
78	Ascomycetes from Freshwater Habitats: <i>Ascolacicola aquatica</i> Gen. et sp. nov. and a New Species of <i>Ascotaiwania</i> from Wood Submerged in a Reservoir in Hong Kong. <i>Mycologia</i> , <b>1998</b> , 90, 1055	2.4	13
77	Ascomycetes from freshwater habitats: <i>Ascolacicola aquatica</i> gen. et sp. nov. and a new species of <i>Ascotaiwania</i> from wood submerged in a reservoir in Hong Kong. <i>Mycologia</i> , <b>1998</b> , 90, 1055-1062	2.4	23
76	A new freshwater species of <i>Herpotrichia</i> from the tropics. <i>Nova Hedwigia</i> , <b>1998</b> , 66, 247-249	1.3	3
75	Tropical Australian Freshwater Fungi XIII. A new species of <i>Anthostomella</i> and its sporodochial <i>Geniculosporium</i> anamorph. <i>Nova Hedwigia</i> , <b>1998</b> , 67, 225-233	1.3	6
74	<i>Tamsiniella labiosa</i> gen. et sp.nov., a new freshwater ascomycete from submerged wood. <i>Canadian Journal of Botany</i> , <b>1998</b> , 76, 332-337		5
73	Additions to the genus <i>Linocarpon</i> (Ascomycetes: Hyponectriaceae). <i>Botanical Journal of the Linnean Society</i> , <b>1997</b> , 123, 109-131	2.2	18

72	Lepteutypa hexagonalis sp. nov. from Pinanga sp. in Ecuador. <i>Mycological Research</i> , <b>1997</b> , 101, 85-88		5
71	Delortia palmicola and two new species from wood submerged in a freshwater stream in Australia. <i>Mycological Research</i> , <b>1997</b> , 101, 42-46		7
70	The genus Roussoella, including two new species from palms in Cuyabeno, Ecuador. <i>Mycological Research</i> , <b>1997</b> , 101, 609-616		12
69	Boerlagiomyces grandisporus sp. nov., a new tropical freshwater ascomycete from the Philippines. <i>Mycological Research</i> , <b>1997</b> , 101, 635-640		10
68	Fungi associated with leaf spots of palms in north Queensland, Australia. <i>Mycological Research</i> , <b>1997</b> , 101, 721-732		8
67	Phaeosphaeria capensis sp. nov. from Avicennia marina in South Africa. <i>Mycoscience</i> , <b>1997</b> , 38, 101-103	1.2	5
66	Cocoicola livistoncola, sp. nov., and notes on Cocoicola cylindrospora from palms. <i>Mycoscience</i> , <b>1997</b> , 38, 255-258	1.2	2
65	Gloniella clavatispora, sp. nov. from Avicennia marina in South Africa. <i>Mycoscience</i> , <b>1997</b> , 38, 7-9	1.2	10
64	Ultrastructure of germination and mucilage production in Halosphaeria appendiculata (Halosphaeriaceae). <i>Mycoscience</i> , <b>1997</b> , 38, 45-53	1.2	3
63	Tropical Australian Freshwater Fungi. XII - Rivulicaria incrustata gen. et sp. nov. and notes on Ceratosphaeria Jampadophora. <i>Nova Hedwigia</i> , <b>1997</b> , 64, 185-196	1.3	16
62	Fungi from palms. XXXIII. The genus Massarina, with a new species. <i>Nova Hedwigia</i> , <b>1997</b> , 64, 491-504	1.3	6
61	Janetia curviapicis, a New Species, and an Emended Description of the Genus. <i>Mycologia</i> , <b>1996</b> , 88, 1014-1021	2.4	7
60	Spadicoides cordanoides sp. nov., a New Dematiaceous Hyphomycete from Submerged Wood in Australia, with a Taxonomic Review of the Genus. <i>Mycologia</i> , <b>1996</b> , 88, 1022-1031	2.4	12
59	Spadicoides cordanoides sp. nov., a new dematiaceous hyphomycete from submerged wood in Australia, with a taxonomic review of the genus. <i>Mycologia</i> , <b>1996</b> , 88, 1022-1031	2.4	26
58	Janetia curviapicis, a new species, and an emended description of the genus. <i>Mycologia</i> , <b>1996</b> , 88, 1014-1021	2.4	18
57	A new species of Nectria on Mauritia flexuosa (Arecaceae) in Ecuador and a key to Nectria and allied genera on palms. <i>Mycoscience</i> , <b>1996</b> , 37, 277-282	1.2	5
56	Two new species of Delitschia from submerged wood. <i>Mycoscience</i> , <b>1996</b> , 37, 99-102	1.2	13
55	Nawawia dendroidea, a new synnematosous hyphomycete from submerged Phragmites in South Africa. <i>Mycological Research</i> , <b>1996</b> , 100, 810-814		9

54	Cryptophiale multiseptata, sp. nov. from submerged wood in Australia, and keys to the genus. <i>Mycological Research</i> , <b>1996</b> , 100, 999-1004	12
53	Brachydesmiella anthostomelloidea, a new species of dematiaceous hyphomycete from Australia. <i>Mycological Research</i> , <b>1996</b> , 100, 1364-1366	8
52	Helicoon gigantisporum sp. nov., and an amended key to the genus. <i>Mycological Research</i> , <b>1996</b> , 100, 1485-1488	18
51	Podosordaria australiensis sp. nov., a new xylariaceous ascomycete on wallaby dung from northern Australia. <i>Mycological Research</i> , <b>1996</b> , 100, 1505-1508	2
50	Fungi associated with leaf spots of palms. Maculatifrondis aequatoriensis gen. et sp. nov., with a Cyclodomus anamorph, and Myelosperma parasitica sp. nov.. <i>Mycological Research</i> , <b>1996</b> , 100, 1509-1514	4
49	Roussolla, an ascomycete genus of uncertain relationships with a Cytoplea anamorph. <i>Mycological Research</i> , <b>1996</b> , 100, 1522-1528	24
48	Pterosporidium gen.nov. to accommodate two species of Anthostomella from mangrove leaves. <i>Canadian Journal of Botany</i> , <b>1996</b> , 74, 1826-1829	5
47	Phyllachora from Australia. Observations on P. grevilleae and two new species: P. victoriensis and P. hakeicola from Hakea. <i>Mycological Research</i> , <b>1995</b> , 99, 1261-1267	2
46	Guignardia candeloflamma sp. nov. causing leaf spots of Pinanga spp.. <i>Mycological Research</i> , <b>1995</b> , 99, 110-112	8
45	Maculatipalma fronsicola gen. et sp. nov. causing leaf spots on palm species in north Queensland with descriptions of related genera: Apioplagiostoma and Plagiostoma. <i>Mycological Research</i> , <b>1995</b> , 99, 727-734	9
44	Astrosphaeriella fronsicola sp. nov. associated with leaf spots of Oraniopsis and other palms. <i>Mycological Research</i> , <b>1995</b> , 99, 453-456	8
43	Phyllachora from Australia. Phyllachora sageretiae sp. nov. from Sageretia hamosa. <i>Mycological Research</i> , <b>1995</b> , 99, 554-556	2
42	Eutypella naqsii sp. nov. from intertidal Avicennia. <i>Mycological Research</i> , <b>1995</b> , 99, 1462-1464	7
41	The genus Massarina, with a description of M. eburnea and an annotated list of Massarina names. <i>Mycological Research</i> , <b>1995</b> , 99, 291-296	26
40	The genus Savoryella from freshwater habitats, including S. grandispora sp. nov.. <i>Mycoscience</i> , <b>1994</b> , 35, 59-61	1.2 10
39	Fungi from rachides of Livistona in the Western Province of Papua New Guinea. <i>Botanical Journal of the Linnean Society</i> , <b>1994</b> , 116, 315-324	2.2 8
38	Some disease-associated microorganisms on plants in the Western Province of Papua New Guinea. <i>Australasian Plant Pathology</i> , <b>1994</b> , 23, 69	1.4 7
37	Aquatic fungi on rachides of Livistona in the Western Province of Papua New Guinea. <i>Mycological Research</i> , <b>1994</b> , 98, 719-725	25

36	The genus <i>Phyllachora</i> from Australia: two new taxa, <i>P. velatipora</i> var. <i>velatipora</i> and <i>P. velatipora</i> var. <i>hilliana</i> , on <i>Grevillea</i> and notes on <i>P. grevilleae</i> . <i>Mycological Research</i> , <b>1994</b> , 98, 1402-1408		4
35	The genus <i>Phyllachora</i> from Australia: observations on taxa from <i>Callistemon</i> species. <i>Mycological Research</i> , <b>1994</b> , 98, 1393-1401		8
34	New <i>Oxydothis</i> species associated with palm leaf spots in north Queensland, Australia. <i>Mycological Research</i> , <b>1994</b> , 98, 213-218		10
33	The genus <i>Phyllachora</i> from Australia: <i>P. queenslandica</i> and notes on <i>P. apiculata</i> from <i>Neolitsea</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 1328-1332		3
32	<i>Phyllachora barringtoniicola</i> nom. nov. and <i>Phyllachora naqsii</i> sp. nov. causing leaf spots on <i>Barringtonia</i> spp.. <i>Mycological Research</i> , <b>1993</b> , 97, 1324-1327		1
31	<i>Eutypa bathurstensis</i> sp. nov. from intertidal <i>Avicennia</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 861-864		9
30	The genus <i>Phyllachora</i> from Australia. Observations on <i>P. bella</i> from <i>Syzygium paniculatum</i> and <i>P. melaspilea</i> from <i>Scolopia braunii</i> . <i>Mycological Research</i> , <b>1993</b> , 97, 1437-1440		3
29	The genus <i>Ophiodothella</i> from Australia. <i>Mycological Research</i> , <b>1993</b> , 97, 1272-1276		6
28	<i>Annelolacinia pandanicola</i> sp. nov. with notes on <i>A. dinemasporioides</i> from pineapple. <i>Mycological Research</i> , <b>1993</b> , 97, 1433-1436		5
27	Spore attachment in marine fungi. <i>Mycological Research</i> , <b>1993</b> , 97, 7-14		23
26	The status of taxonomic mycology in Australia in 1991. <i>Australasian Plant Pathology</i> , <b>1993</b> , 22, 42	1.4	4
25	Some disease-associated microorganisms on plants of Cape York Peninsula and Torres Strait islands. <i>Australasian Plant Pathology</i> , <b>1993</b> , 22, 73	1.4	14
24	The Genus <i>Saccardoella</i> from Intertidal Mangrove Wood. <i>Mycologia</i> , <b>1992</b> , 84, 803	2.4	12
23	<i>Nypaella frondicola</i> gen. et sp. nov., <i>Plectophomella nypae</i> sp. nov. and <i>Pleurophomopsis nypae</i> sp. nov. (Coelomycetes) from intertidal fronds of <i>Nypa fruticans</i> . <i>Mycological Research</i> , <b>1992</b> , 96, 210-214		11
22	The Genus <i>Saccardoella</i> from Intertidal Mangrove Wood. <i>Mycologia</i> , <b>1992</b> , 84, 803-810	2.4	12
21	Fungi from decaying intertidal fronds of <i>Nypa fruticans</i> , including three new genera and four new species. <i>Botanical Journal of the Linnean Society</i> , <b>1992</b> , 110, 95-110	2.2	37
20	<i>Massarina velatospora</i> and a New Mangrove-Inhabiting Species, <i>M. ramunculicola</i> sp. nov.. <i>Mycologia</i> , <b>1991</b> , 83, 839	2.4	8
19	Observations on the genus <i>Aristastoma</i> . <i>Mycological Research</i> , <b>1991</b> , 95, 1151-1152		2



18	Phomopsis mangrovei, from intertidal prop roots of Rhizophora spp.. <i>Mycological Research</i> , <b>1991</b> , 95, 1149-1151		4
17	Massarina Velatospora and a New Mangrove-Inhabiting Species, M. Ramunculicola Sp. Nov.. <i>Mycologia</i> , <b>1991</b> , 83, 839-845	2.4	4
16	A study of the vertical zonation of intertidal fungi on Rhizophora apiculata at Kampong Kapok mangrove, Brunei. <i>Aquatic Botany</i> , <b>1990</b> , 36, 255-262	1.8	43
15	Attachment studies in marine fungi. <i>Biofouling</i> , <b>1989</b> , 1, 287-298	3.3	27
14	Intertidal mangrove fungi from north Sumatra. <i>Canadian Journal of Botany</i> , <b>1989</b> , 67, 3078-3082		32
13	Marine fungi from Seychelles. II. Lanspora coronata gen. et sp. nov. from driftwood. <i>Canadian Journal of Botany</i> , <b>1986</b> , 64, 1581-1585		20
12	Marine fungi from Seychelles. III. Aniptodera mangrovii sp.nov. from mangrove wood. <i>Canadian Journal of Botany</i> , <b>1986</b> , 64, 2989-2992		17
11	Marine fungi from Seychelles. I. Nimbospora effusa and Nimbospora bipolaris sp. no v. from driftwood. <i>Canadian Journal of Botany</i> , <b>1985</b> , 63, 611-615		11
10	17. Tropical peat swamp fungi with special reference to palms		4
9	2 Phylogeny of the Dothideomycetes and other classes of marine Ascomycota		1
8	Species diversity of Basidiomycota. <i>Fungal Diversity</i> ,1	17.6	3
7	Ganoderma sichuanense (Ganodermataceae, Polyporales) new to Thailand. <i>MycoKeys</i> ,22, 27-43	2.4	7
6	Identification of endophytic fungi from leaves of Pandanaceae based on their morphotypes and DNA sequence data from southern Thailand. <i>MycoKeys</i> ,33, 25-67	2.4	3
5	Appressorial interactions with host and their evolution. <i>Fungal Diversity</i> ,1	17.6	2
4	Predicting global numbers of teleomorphic ascomycetes. <i>Fungal Diversity</i> ,1	17.6	1
3	The numbers of fungi: are the most speciose genera truly diverse?. <i>Fungal Diversity</i> ,1	17.6	7
2	The numbers of fungi: contributions from traditional taxonomic studies and challenges of metabarcoding. <i>Fungal Diversity</i> ,1	17.6	5
1	Freshwater fungal numbers. <i>Fungal Diversity</i> ,1	17.6	1

