

John B Weaver

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11938111/publications.pdf>

Version: 2024-02-01

95
papers

3,551
citations

117453

34
h-index

143772

57
g-index

95
all docs

95
docs citations

95
times ranked

2759
citing authors

#	ARTICLE	IF	CITATIONS
1	Initial in vivo experience with steady-state subzone-based MR elastography of the human breast. <i>Journal of Magnetic Resonance Imaging</i> , 2003, 17, 72-85.	1.9	202
2	Magnetic nanoparticle temperature estimation. <i>Medical Physics</i> , 2009, 36, 1822-1829.	1.6	173
3	Local mechanical properties of white matter structures in the human brain. <i>NeuroImage</i> , 2013, 79, 145-152.	2.1	158
4	Three-dimensional subzone-based reconstruction algorithm for MR elastography. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 827-837.	1.9	153
5	Image-guided optical spectroscopy provides molecular-specific information in vivo: MRI-guided spectroscopy of breast cancer hemoglobin, water, and scatterer size. <i>Optics Letters</i> , 2007, 32, 933.	1.7	140
6	Nanoparticles for cancer imaging: The good, the bad, and the promise. <i>Nano Today</i> , 2013, 8, 454-460.	6.2	140
7	Mixed Brownian alignment and Néel rotations in superparamagnetic iron oxide nanoparticle suspensions driven by an ac field. <i>Physical Review B</i> , 2015, 92, .	1.1	109
8	Magnetic resonance-guided near-infrared tomography of the breast. <i>Review of Scientific Instruments</i> , 2004, 75, 5262-5270.	0.6	102
9	Magnetic resonance elastography using 3D gradient echo measurements of steady-state motion. <i>Medical Physics</i> , 2001, 28, 1620-1628.	1.6	96
10	Viscous effects on nanoparticle magnetization harmonics. <i>Journal of Magnetism and Magnetic Materials</i> , 2010, 322, 609-613.	1.0	94
11	Magnetic resonance elastography of the brain using multishot spiral readouts with self-navigated motion correction. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 404-412.	1.9	93
12	Wavelet-encoded MR imaging. <i>Magnetic Resonance in Medicine</i> , 1992, 24, 275-287.	1.9	92
13	Anthropomorphic breast phantoms for testing elastography systems. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 857-874.	0.7	92
14	Frequency distribution of the nanoparticle magnetization in the presence of a static as well as a harmonic magnetic field. <i>Medical Physics</i> , 2008, 35, 1988-1994.	1.6	90
15	3D multislabs, multishot acquisition for fast, whole-brain MR elastography with high signal-to-noise efficiency. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 477-485.	1.9	84
16	Modeling of Soft Poroelastic Tissue in Time-Harmonic MR Elastography. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 598-608.	2.5	79
17	Nanoparticle temperature estimation in combined ac and dc magnetic fields. <i>Physics in Medicine and Biology</i> , 2009, 54, L51-L55.	1.6	76
18	Measurement of molecular binding using the Brownian motion of magnetic nanoparticle probes. <i>Applied Physics Letters</i> , 2010, 96, 033702.	1.5	75

#	ARTICLE	IF	CITATIONS
19	Brain mechanical property measurement using MRE with intrinsic activation. <i>Physics in Medicine and Biology</i> , 2012, 57, 7275-7287.	1.6	75
20	Molecular sensing with magnetic nanoparticles using magnetic spectroscopy of nanoparticle Brownian motion. <i>Biosensors and Bioelectronics</i> , 2013, 50, 441-446.	5.3	74
21	Including Spatial Information in Nonlinear Inversion MR Elastography Using Soft Prior Regularization. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 1901-1909.	5.4	59
22	Magnetic Resonance Poroelastography: An Algorithm for Estimating the Mechanical Properties of Fluid-Saturated Soft Tissues. <i>IEEE Transactions on Medical Imaging</i> , 2010, 29, 746-755.	5.4	58
23	Integration of microwave tomography with magnetic resonance for improved breast imaging. <i>Medical Physics</i> , 2013, 40, 103101.	1.6	58
24	Simultaneous multislice acquisition of MR images. <i>Magnetic Resonance in Medicine</i> , 1988, 8, 275-284.	1.9	54
25	Thresholds for detecting and characterizing focal lesions using steady-state MR elastography. <i>Medical Physics</i> , 2003, 30, 495-504.	1.6	50
26	Measurement of magnetic nanoparticle relaxation time. <i>Medical Physics</i> , 2012, 39, 2765-2770.	1.6	49
27	Simulations of magnetic nanoparticle Brownian motion. <i>Journal of Applied Physics</i> , 2012, 112, 124311.	1.1	46
28	Harmonic phase angle as a concentration-independent measure of nanoparticle dynamics. <i>Medical Physics</i> , 2010, 37, 2587-2592.	1.6	45
29	Multiresolution elastic image registration. <i>Medical Physics</i> , 1998, 25, 1593-1604.	1.6	42
30	Imaging the shear modulus of the heel fat pads. <i>Clinical Biomechanics</i> , 2005, 20, 312-319.	0.5	41
31	Approaches for Modeling Magnetic Nanoparticle Dynamics. <i>Critical Reviews in Biomedical Engineering</i> , 2014, 42, 85-93.	0.5	38
32	Simultaneous quantification of multiple magnetic nanoparticles. <i>Nanotechnology</i> , 2010, 21, 455101.	1.3	37
33	Toward Localized <i>In Vivo</i> Biomarker Concentration Measurements. <i>IEEE Transactions on Magnetics</i> , 2015, 51, 1-4.	1.2	37
34	Combined Néel and Brown rotational Langevin dynamics in magnetic particle imaging, sensing, and therapy. <i>Applied Physics Letters</i> , 2015, 107, 223106.	1.5	36
35	The apparent diffusion constant measured by mri correlates with po2 in a rif-1 tumor. <i>Magnetic Resonance in Medicine</i> , 1995, 34, 515-519.	1.9	31
36	Contrast detection in fluid-saturated media with magnetic resonance poroelastography. <i>Medical Physics</i> , 2010, 37, 3518-3526.	1.6	31

#	ARTICLE	IF	CITATIONS
37	Attenuation coefficients of body tissues using principal-components analysis. <i>Medical Physics</i> , 1985, 12, 40-45.	1.6	30
38	Shear Modulus Estimation Using Parallelized Partial Volumetric Reconstruction. <i>IEEE Transactions on Medical Imaging</i> , 2004, 23, 1404-1416.	5.4	30
39	Concurrent quantification of multiple nanoparticle bound states. <i>Medical Physics</i> , 2011, 38, 1136-1140.	1.6	30
40	Phantom evaluations of nonlinear inversion MR elastography. <i>Physics in Medicine and Biology</i> , 2018, 63, 145021.	1.6	29
41	Contrast enhancement of medical images using multiscale edge representation. , 1994, 2242, 711.		28
42	Gradient-Based Optimization for Poroelastic and Viscoelastic MR Elastography. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 236-250.	5.4	27
43	A three-parameter mechanical property reconstruction method for MR-based elastic property imaging. <i>IEEE Transactions on Medical Imaging</i> , 2005, 24, 311-324.	5.4	26
44	Magnetic nanoparticle sensing: decoupling the magnetization from the excitation field. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 045002.	1.3	24
45	Nonlinear simulations to optimize magnetic nanoparticle hyperthermia. <i>Applied Physics Letters</i> , 2014, 104, 102403.	1.5	23
46	The performance of steady-state harmonic magnetic resonance elastography when applied to viscoelastic materials. <i>Medical Physics</i> , 2010, 37, 3970-3979.	1.6	22
47	Noninvasive assessment of magnetic nanoparticle-cancer cell interactions. <i>Integrative Biology (United Kingdom)</i> , 2012, 4, 1283-1288.	0.6	22
48	Poroelastic Mechanical Properties of the Brain Tissue of Normal Pressure Hydrocephalus Patients During Lumbar Drain Treatment Using Intrinsic Actuation MR Elastography. <i>Academic Radiology</i> , 2021, 28, 457-466.	1.3	20
49	Evaluating blood clot progression using magnetic particle spectroscopy. <i>Medical Physics</i> , 2018, 45, 3258-3263.	1.6	19
50	Quantification of magnetic nanoparticles with low frequency magnetic fields: compensating for relaxation effects. <i>Nanotechnology</i> , 2013, 24, 325502.	1.3	18
51	Spatially-Resolved Hydraulic Conductivity Estimation Via Poroelastic Magnetic Resonance Elastography. <i>IEEE Transactions on Medical Imaging</i> , 2014, 33, 1373-1380.	5.4	18
52	High resolution renal diffusion imaging using a modified steady-state free precession sequence. <i>Magnetic Resonance in Medicine</i> , 1995, 34, 586-595.	1.9	17
53	A three-dimensional quality-guided phase unwrapping method for MR elastography. <i>Physics in Medicine and Biology</i> , 2011, 56, 3935-3952.	1.6	17
54	Blood clot detection using magnetic nanoparticles. <i>AIP Advances</i> , 2017, 7, 056723.	0.6	16

#	ARTICLE	IF	CITATIONS
55	A numerical framework for interstitial fluid pressure imaging in poroelastic MRE. PLoS ONE, 2017, 12, e0178521.	1.1	16
56	MR elastography at 1â€”Hz of gelatin phantoms using 3D or 4D acquisition. Journal of Magnetic Resonance, 2018, 296, 112-120.	1.2	15
57	Two applications of wavelets and related techniques in medical imaging. Annals of Biomedical Engineering, 1995, 23, 637-665.	1.3	14
58	Performance analysis of steady-state harmonic elastography. Physics in Medicine and Biology, 2007, 52, 2657-2674.	1.6	13
59	Comparisons of characteristic timescales and approximate models for Brownian magnetic nanoparticle rotations. Journal of Applied Physics, 2015, 117, 233905.	1.1	13
60	Poroelasticity as a Model of Soft Tissue Structure: Hydraulic Permeability Reconstruction for Magnetic Resonance Elastography in Silico. Frontiers in Physics, 0, 8, .	1.0	13
61	Elastic image registration using correlations. Journal of Digital Imaging, 1998, 11, 59-65.	1.6	11
62	Magnetic spectroscopy of nanoparticle Brownian motion measurement of microenvironment matrix rigidity. Biomedizinische Technik, 2013, 58, 547-50.	0.9	11
63	The effect of viscosity on the phase of the nanoparticle magnetization induced by a harmonic applied field. , 2010, , .		10
64	Measuring protein biomarker concentrations using antibody tagged magnetic nanoparticles. Biomedical Physics and Engineering Express, 2020, 6, 065025.	0.6	10
65	Quantification of magnetic nanoparticles by compensating for multiple environment changes simultaneously. Nanoscale, 2020, 12, 195-200.	2.8	9
66	A Dynamic Mechanical Analysis Technique for Porous Media. IEEE Transactions on Biomedical Engineering, 2015, 62, 443-449.	2.5	8
67	Concurrent quantification of magnetic nanoparticles temperature and relaxation time. Medical Physics, 2019, 46, 4070-4076.	1.6	8
68	Applications of monotonic noise reduction algorithms in fMRI, phase estimation, and contrast enhancement. International Journal of Imaging Systems and Technology, 1999, 10, 177-185.	2.7	7
69	The use of magnetic nanoparticles in thermal therapy monitoring and screening: Localization and imaging (invited). Journal of Applied Physics, 2012, 111, 07B317.	1.1	7
70	Harmonic phase angles used for nanoparticle sensing. Physics in Medicine and Biology, 2017, 62, 8102-8115.	1.6	7
71	Phantom evaluations of low frequency MR elastography. Physics in Medicine and Biology, 2019, 64, 065010.	1.6	7
72	The effects of interstitial tissue pressure on the measured shear modulus in vivo. , 2007, , .		6

#	ARTICLE	IF	CITATIONS
73	Using Magnetic Nanoparticles and Protein-Protein Interactions to Measure pH at the Nanoscale. , 2020, 4, 1-3.		6
74	Identifying <i>in vivo</i> inflammation using magnetic nanoparticle spectra. Physics in Medicine and Biology, 2020, 65, 125003.	1.6	6
75	Monotonic noise suppression used to improve the sensitivity of fMRI activation maps. Journal of Digital Imaging, 1998, 11, 46-52.	1.6	4
76	Optimized motion estimation for MRE data with reduced motion encodes. Physics in Medicine and Biology, 2008, 53, 2181-2196.	1.6	4
77	Perpendicular Magnetic Particle Imaging, pMPI. IEEE Transactions on Magnetics, 2015, 51, 1-4.	1.2	3
78	Nonlinear Inversion MR Elastography With Low-Frequency Actuation. IEEE Transactions on Medical Imaging, 2020, 39, 1775-1784.	5.4	3
79	Limited field of view spin echo MR imaging. Magnetic Resonance Imaging, 1991, 9, 389-394.	1.0	2
80	Chemical binding affinity estimation using MSB. , 2011, , .		2
81	Generalized Scaling and the Master Variable for Brownian Magnetic Nanoparticle Dynamics. PLoS ONE, 2016, 11, e0150856.	1.1	2
82	Assesing the feasibility for a poroelastic reconstruction algorithm in MR elastography. Proceedings of SPIE, 2009, , .	0.8	1
83	Micro-rheology: evaluating the rigidity of the microenvironment surrounding antibody binding sites. , 2010, , .		1
84	Langevin equation simulation of Brownian magnetic nanoparticles with experimental and model comparisons. , 2013, , .		1
85	Temperature measurements using static field magnetic particle spectroscopy. , 2013, , .		1
86	In vivo measurement of local biomarker concentrations. , 2013, , .		1
87	Reducing Noise in Images by Forcing Monotonic Change Between Extrema. , 1998, , 189-199.		1
88	Determination of In-Vivo Elastic Properties of Soft Tissue Using Magnetic Resonance Elastography. , 2003, , .		1
89	THE EFFECTS OF MOLECULAR BINDING ON THE PHASE OF MSB MEASUREMENTS. , 2010, , .		1
90	Sensitivity Limits for ELISA Measurements of Molecular Biomarker Concentrations. International Journal on Magnetic Particle Imaging, 2017, 3, .	1.0	1

#	ARTICLE	IF	CITATIONS
91	MR elastographic methods for the evaluation of plantar fat pads: preliminary comparison of the shear modulus for shearing deformation and compressive deformation in normal subjects. , 2006, , .		0
92	Reproducibility of MRE shear modulus estimates. , 2007, , .		0
93	MSB estimation of bound fraction: bias from binding energy uncertainty. Proceedings of SPIE, 2012, , .	0.8	0
94	Measuring the microenvironmental temperature around magnetic nanoparticles. Materials Research Society Symposia Proceedings, 2014, 1625, 1.	0.1	0
95	MAGNETIZATION HARMONICS AS A REMOTE METHOD FOR MONITORING ENDOCYTOSIS OF NANOPARTICLES. , 2010, , .		0