

E John Wherry

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11939549/e-john-wherry-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

49,415
citations

96
h-index

186
g-index

186
ext. papers

59,923
ext. citations

18.3
avg, IF

7.88
L-index

#	Paper	IF	Citations
175	Human epigenetic and transcriptional T _H cell differentiation atlas for identifying functional T _H cell-specific enhancers.. <i>Immunity</i> , 2022 , 55, 557-574.e7	32.3	0
174	NFAT-dependent and -independent exhaustion circuits program maternal CD8 T cell hypofunction in pregnancy. <i>Journal of Experimental Medicine</i> , 2022 , 219,	16.6	2
173	MicroRNA-29a attenuates CD8 T cell exhaustion and induces memory-like CD8 T cells during chronic infection.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2106083119	11.5	0
172	mRNA vaccines induce durable immune memory to SARS-CoV-2 and variants of concern. <i>Science</i> , 2021 , 374, abm0829	33.3	133
171	Memory T-Cell Heterogeneity and Terminology. <i>Cold Spring Harbor Perspectives in Biology</i> , 2021 , 13,	10.2	3
170	In vivo CD8 T _H cell CRISPR screening reveals control by Fli1 in infection and cancer. <i>Cell</i> , 2021 , 184, 1262-1280.e22	38.0	22
169	Deep immune profiling of MIS-C demonstrates marked but transient immune activation compared to adult and pediatric COVID-19. <i>Science Immunology</i> , 2021 , 6,	28	74
168	Role of nuclear localization in the regulation and function of T-bet and Eomes in exhausted CD8 T _H cells. <i>Cell Reports</i> , 2021 , 35, 109120	10.6	13
167	Epigenetic scarring of exhausted T cells hinders memory differentiation upon eliminating chronic antigenic stimulation. <i>Nature Immunology</i> , 2021 , 22, 1008-1019	19.1	21
166	Inhibitory signaling sustains a distinct early memory CD8 T cell precursor that is resistant to DNA damage. <i>Science Immunology</i> , 2021 , 6,	28	14
165	mRNA Vaccination Induces Durable Immune Memory to SARS-CoV-2 with Continued Evolution to Variants of Concern 2021 ,		23
164	A Cre-driven allele-conditioning line to interrogate CD4 conventional T _H cells. <i>Immunity</i> , 2021 , 54, 2209-2217.e64	17.5	64
163	Rapid induction of antigen-specific CD4 T _H cells is associated with coordinated humoral and cellular immunity to SARS-CoV-2 mRNA vaccination. <i>Immunity</i> , 2021 , 54, 2133-2142.e3	32.3	117
162	Combining Radiation with Immunotherapy: The University of Pennsylvania Experience. <i>Seminars in Radiation Oncology</i> , 2020 , 30, 173-180	5.5	3
161	Developmental Relationships of Four Exhausted CD8 T Cell Subsets Reveals Underlying Transcriptional and Epigenetic Landscape Control Mechanisms. <i>Immunity</i> , 2020 , 52, 825-841.e8	32.3	172
160	Deep immune profiling of COVID-19 patients reveals patient heterogeneity and distinct immunotypes with implications for therapeutic interventions 2020 ,		52
159	Deep Immune Profiling of MIS-C demonstrates marked but transient immune activation compared to adult and pediatric COVID-19 2020 ,		12

158	The PD-1 Pathway Regulates Development and Function of Memory CD8 T Cells following Respiratory Viral Infection. <i>Cell Reports</i> , 2020 , 31, 107827	10.6	26
157	Neuropilin-1 is a T cell memory checkpoint limiting long-term antitumor immunity. <i>Nature Immunology</i> , 2020 , 21, 1010-1021	19.1	36
156	Deep immune profiling of COVID-19 patients reveals distinct immunotypes with therapeutic implications. <i>Science</i> , 2020 , 369,	33.3	744
155	Trib1 regulates T cell differentiation during chronic infection by restraining the effector program. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	8
154	Defining T cell exhaustion <i>Nature Reviews Immunology</i> , 2019 , 19, 665-674	36.5	387
153	CD8 T Cell Exhaustion During Chronic Viral Infection and Cancer. <i>Annual Review of Immunology</i> , 2019 , 37, 457-495	34.7	528
152	Single-cell RNA-seq reveals TOX as a key regulator of CD8 T cell persistence in chronic infection. <i>Nature Immunology</i> , 2019 , 20, 890-901	19.1	198
151	The long noncoding RNA regulates CD8 T cells in response to viral infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 11916-11925	11.5	27
150	A single dose of neoadjuvant PD-1 blockade predicts clinical outcomes in resectable melanoma. <i>Nature Medicine</i> , 2019 , 25, 454-461	50.5	283
149	Opposing Functions of Interferon Coordinate Adaptive and Innate Immune Responses to Cancer Immune Checkpoint Blockade. <i>Cell</i> , 2019 , 178, 933-948.e14	56.2	141
148	TOX transcriptionally and epigenetically programs CD8 T cell exhaustion. <i>Nature</i> , 2019 , 571, 211-218	50.4	459
147	TCF-1-Centered Transcriptional Network Drives an Effector versus Exhausted CD8 T Cell-Fate Decision. <i>Immunity</i> , 2019 , 51, 840-855.e5	32.3	196
146	Determinants of response and resistance to CD19 chimeric antigen receptor (CAR) T cell therapy of chronic lymphocytic leukemia. <i>Nature Medicine</i> , 2018 , 24, 563-571	50.5	649
145	Exosomal PD-L1 contributes to immunosuppression and is associated with anti-PD-1 response. <i>Nature</i> , 2018 , 560, 382-386	50.4	1058
144	Non-conventional Inhibitory CD4Foxp3PD-1 T Cells as a Biomarker of Immune Checkpoint Blockade Activity. <i>Cancer Cell</i> , 2018 , 33, 1017-1032.e7	24.3	81
143	The Loss of TET2 Promotes CD8 T Cell Memory Differentiation. <i>Journal of Immunology</i> , 2018 , 200, 82-91	5.3	72
142	Long-term outcomes of a phase I study of agonist CD40 antibody and CTLA-4 blockade in patients with metastatic melanoma. <i>OncImmunology</i> , 2018 , 7, e1468956	7.2	60
141	A phase I trial of pembrolizumab with hypofractionated radiotherapy in patients with metastatic solid tumours. <i>British Journal of Cancer</i> , 2018 , 119, 1200-1207	8.7	59

140	Long-Term Persistence of Exhausted CD8 ^T Cells in Chronic Infection Is Regulated by MicroRNA-155. <i>Cell Reports</i> , 2018 , 23, 2142-2156	10.6	47
139	Epigenomic-Guided Mass Cytometry Profiling Reveals Disease-Specific Features of Exhausted CD8 ^T Cells. <i>Immunity</i> , 2018 , 48, 1029-1045.e5	32.3	140
138	T-cell invigoration to tumour burden ratio associated with anti-PD-1 response. <i>Nature</i> , 2017 , 545, 60-65	50.4	850
137	Differentiation and Protective Capacity of Virus-Specific CD8 T Cells Suggest Murine Norovirus Persistence in an Immune-Privileged Enteric Niche. <i>Immunity</i> , 2017 , 47, 723-738.e5	32.3	33
136	Optimized retroviral transduction of mouse T cells for in vivo assessment of gene function. <i>Nature Protocols</i> , 2017 , 12, 1980-1998	18.8	21
135	miR-150 Regulates Memory CD8 ^T Cell Differentiation via c-Myb. <i>Cell Reports</i> , 2017 , 20, 2584-2597	10.6	49
134	CD4 T Cell Differentiation in Chronic Viral Infections: The Tfh Perspective. <i>Trends in Molecular Medicine</i> , 2017 , 23, 1072-1087	11.5	25
133	Pregnancy promotes tolerance to future offspring by programming selective dysfunction in long-lived maternal T cells. <i>Journal of Leukocyte Biology</i> , 2017 , 101, 975-987	6.5	26
132	Cutting Edge: B Cell-Intrinsic T-bet Expression Is Required To Control Chronic Viral Infection. <i>Journal of Immunology</i> , 2016 , 197, 1017-22	5.3	105
131	The epigenetic landscape of T cell exhaustion. <i>Science</i> , 2016 , 354, 1165-1169	33.3	485
130	Epigenetic stability of exhausted T cells limits durability of reinvigoration by PD-1 blockade. <i>Science</i> , 2016 , 354, 1160-1165	33.3	618
129	Type I Interferon Receptor Deficiency in Dendritic Cells Facilitates Systemic Murine Norovirus Persistence Despite Enhanced Adaptive Immunity. <i>PLoS Pathogens</i> , 2016 , 12, e1005684	7.6	40
128	Adaptive Immunity 2016 , 57-69		6
127	Tumor Interferon Signaling Regulates a Multigenic Resistance Program to Immune Checkpoint Blockade. <i>Cell</i> , 2016 , 167, 1540-1554.e12	56.2	538
126	De-Risking Immunotherapy: Report of a Consensus Workshop of the Cancer Immunotherapy Consortium of the Cancer Research Institute. <i>Cancer Immunology Research</i> , 2016 , 4, 279-88	12.5	22
125	Costimulatory and Coinhibitory Receptor Pathways in Infectious Disease. <i>Immunity</i> , 2016 , 44, 1052-68	32.3	152
124	Combination Cancer Therapies with Immune Checkpoint Blockade: Convergence on Interferon Signaling. <i>Cell</i> , 2016 , 165, 272-5	56.2	172
123	Bioenergetic Insufficiencies Due to Metabolic Alterations Regulated by the Inhibitory Receptor PD-1 Are an Early Driver of CD8(+) T Cell Exhaustion. <i>Immunity</i> , 2016 , 45, 358-73	32.3	376

122	Molecular and cellular insights into T cell exhaustion. <i>Nature Reviews Immunology</i> , 2015 , 15, 486-99	36.5	2043
121	Elevated Expression of CD160 and 2B4 Defines a Cytolytic HIV-Specific CD8+ T-Cell Population in Elite Controllers. <i>Journal of Infectious Diseases</i> , 2015 , 212, 1376-86	7	25
120	Induction of T-cell Immunity Overcomes Complete Resistance to PD-1 and CTLA-4 Blockade and Improves Survival in Pancreatic Carcinoma. <i>Cancer Immunology Research</i> , 2015 , 3, 399-411	12.5	289
119	Overcoming T cell exhaustion in infection and cancer. <i>Trends in Immunology</i> , 2015 , 36, 265-76	14.4	619
118	Awakening the immune system with radiation: Optimal dose and fractionation. <i>Cancer Letters</i> , 2015 , 368, 185-90	9.9	68
117	Radiation and dual checkpoint blockade activate non-redundant immune mechanisms in cancer. <i>Nature</i> , 2015 , 520, 373-7	50.4	1509
116	SnapShot: T Cell Exhaustion. <i>Cell</i> , 2015 , 163, 1038-1038.e1	56.2	56
115	Genetic absence of PD-1 promotes accumulation of terminally differentiated exhausted CD8+ T cells. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1125-37	16.6	242
114	T cell exhaustion during persistent viral infections. <i>Virology</i> , 2015 , 479-480, 180-93	3.6	179
113	Vaccine-elicited CD4 T cells induce immunopathology after chronic LCMV infection. <i>Science</i> , 2015 , 347, 278-82	33.3	50
112	CD39 Expression Identifies Terminally Exhausted CD8+ T Cells. <i>PLoS Pathogens</i> , 2015 , 11, e1005177	7.6	183
111	The transcription factor BATF operates as an essential differentiation checkpoint in early effector CD8+ T cells. <i>Nature Immunology</i> , 2014 , 15, 373-83	19.1	197
110	Molecular regulation of effector and memory T cell differentiation. <i>Nature Immunology</i> , 2014 , 15, 1104-15	19.1	331
109	Cutting edge: CXCR4 is critical for CD8+ memory T cell homeostatic self-renewal but not rechallenge self-renewal. <i>Journal of Immunology</i> , 2014 , 193, 1013-6	5.3	39
108	Molecular and transcriptional basis of CD4+ T cell dysfunction during chronic infection. <i>Immunity</i> , 2014 , 40, 289-302	32.3	314
107	Multifactorial T-cell hypofunction that is reversible can limit the efficacy of chimeric antigen receptor-transduced human T cells in solid tumors. <i>Clinical Cancer Research</i> , 2014 , 20, 4262-73	12.9	256
106	Bystander chronic infection negatively impacts development of CD8(+) T cell memory. <i>Immunity</i> , 2014 , 40, 801-13	32.3	69
105	B cell antigen presentation in the initiation of follicular helper T cell and germinal center differentiation. <i>Journal of Immunology</i> , 2014 , 192, 3607-17	5.3	81

104	Regulator of fatty acid metabolism, acetyl coenzyme a carboxylase 1, controls T cell immunity. <i>Journal of Immunology</i> , 2014 , 192, 3190-9	5.3	114
103	Engagement of NKG2D on bystander memory CD8 T cells promotes increased immunopathology following <i>Leishmania major</i> infection. <i>PLoS Pathogens</i> , 2014 , 10, e1003970	7.6	55
102	AAV8 induces tolerance in murine muscle as a result of poor APC transduction, T cell exhaustion, and minimal MHC1 upregulation on target cells. <i>Molecular Therapy</i> , 2014 , 22, 28-41	11.7	38
101	Dysfunctional HIV-specific CD8+ T cell proliferation is associated with increased caspase-8 activity and mediated by necroptosis. <i>Immunity</i> , 2014 , 41, 1001-12	32.3	49
100	Liver environment and HCV replication affect human T-cell phenotype and expression of inhibitory receptors. <i>Gastroenterology</i> , 2014 , 146, 550-61	13.3	71
99	Immunology. An interferon paradox. <i>Science</i> , 2013 , 340, 155-6	33.3	46
98	CD8+ T cell exhaustion during persistent viral infection is regulated independently of the virus-specific T cell receptor. <i>Immunological Investigations</i> , 2013 , 42, 204-20	2.9	7
97	Increased T-bet is associated with senescence of influenza virus-specific CD8 T cells in aged humans. <i>Journal of Leukocyte Biology</i> , 2013 , 93, 825-36	6.5	51
96	The microRNA miR-155 controls CD8(+) T cell responses by regulating interferon signaling. <i>Nature Immunology</i> , 2013 , 14, 593-602	19.1	203
95	Innate lymphoid cells regulate CD4+ T-cell responses to intestinal commensal bacteria. <i>Nature</i> , 2013 , 498, 113-7	50.4	508
94	Cooperativity between CD8+ T cells, non-neutralizing antibodies, and alveolar macrophages is important for heterosubtypic influenza virus immunity. <i>PLoS Pathogens</i> , 2013 , 9, e1003207	7.6	100
93	IL-25 simultaneously elicits distinct populations of innate lymphoid cells and multipotent progenitor type 2 (MPPtype2) cells. <i>Journal of Experimental Medicine</i> , 2013 , 210, 1823-37	16.6	105
92	Persistent enteric murine norovirus infection is associated with functionally suboptimal virus-specific CD8 T cell responses. <i>Journal of Virology</i> , 2013 , 87, 7015-31	6.6	68
91	Technical Advance: Fluorescent reporter reveals insights into eomesodermin biology in cytotoxic lymphocytes. <i>Journal of Leukocyte Biology</i> , 2013 , 93, 307-15	6.5	27
90	Enhanced T cell function in a mouse model of human glycosylation. <i>Journal of Immunology</i> , 2013 , 191, 228-37	5.3	18
89	Differential localization of T-bet and Eomes in CD8 T cell memory populations. <i>Journal of Immunology</i> , 2013 , 190, 3207-15	5.3	84
88	Network analysis reveals centrally connected genes and pathways involved in CD8+ T cell exhaustion versus memory. <i>Immunity</i> , 2012 , 37, 1130-44	32.3	337
87	Progenitor and terminal subsets of CD8+ T cells cooperate to contain chronic viral infection. <i>Science</i> , 2012 , 338, 1220-5	33.3	548

86	Toll-like receptor 7 is required for effective adaptive immune responses that prevent persistent virus infection. <i>Cell Host and Microbe</i> , 2012 , 11, 643-53	23.4	57
85	Commensal bacteria calibrate the activation threshold of innate antiviral immunity. <i>Immunity</i> , 2012 , 37, 158-70	32.3	626
84	Acquired transcriptional programming in functional and exhausted virus-specific CD8 T cells. <i>Current Opinion in HIV and AIDS</i> , 2012 , 7, 50-7	4.2	50
83	Progressive loss of memory T cell potential and commitment to exhaustion during chronic viral infection. <i>Journal of Virology</i> , 2012 , 86, 8161-70	6.6	164
82	Protein energy malnutrition impairs homeostatic proliferation of memory CD8 T cells. <i>Journal of Immunology</i> , 2012 , 188, 77-84	5.3	57
81	Antigen-independent differentiation and maintenance of effector-like resident memory T cells in tissues. <i>Journal of Immunology</i> , 2012 , 188, 4866-75	5.3	405
80	Defective CD8 T cell responses in aged mice are due to quantitative and qualitative changes in virus-specific precursors. <i>Journal of Immunology</i> , 2012 , 188, 1933-41	5.3	86
79	Inhibitory receptors on lymphocytes: insights from infections. <i>Journal of Immunology</i> , 2012 , 188, 2957-65	5.3	121
78	The contribution of epigenetic memory to immunologic memory. <i>Current Opinion in Genetics and Development</i> , 2011 , 21, 154-9	4.9	33
77	T cell exhaustion. <i>Nature Immunology</i> , 2011 , 12, 492-9	19.1	2266
76	Transcription factor T-bet represses expression of the inhibitory receptor PD-1 and sustains virus-specific CD8+ T cell responses during chronic infection. <i>Nature Immunology</i> , 2011 , 12, 663-71	19.1	332
75	Cutting edge: persistently open chromatin at effector gene loci in resting memory CD8+ T cells independent of transcriptional status. <i>Journal of Immunology</i> , 2011 , 186, 2705-9	5.3	60
74	A role for the chemokine RANTES in regulating CD8 T cell responses during chronic viral infection. <i>PLoS Pathogens</i> , 2011 , 7, e1002098	7.6	99
73	Innate lymphoid cells promote lung-tissue homeostasis after infection with influenza virus. <i>Nature Immunology</i> , 2011 , 12, 1045-54	19.1	681
72	Transcription factor regulation of CD8+ T-cell memory and exhaustion. <i>Immunological Reviews</i> , 2010 , 236, 167-75	11.3	39
71	Transcriptional analysis of HIV-specific CD8+ T cells shows that PD-1 inhibits T cell function by upregulating BATF. <i>Nature Medicine</i> , 2010 , 16, 1147-51	50.5	344
70	Tissue-specific differences in PD-1 and PD-L1 expression during chronic viral infection: implications for CD8 T-cell exhaustion. <i>Journal of Virology</i> , 2010 , 84, 2078-89	6.6	92
69	Cutting edge: The transcription factor eomesodermin enables CD8+ T cells to compete for the memory cell niche. <i>Journal of Immunology</i> , 2010 , 185, 4988-92	5.3	281

68	Cell-intrinsic defects in the proliferative response of antiviral memory CD8 T cells in aged mice upon secondary infection. <i>Journal of Immunology</i> , 2010 , 184, 5151-9	5.3	53
67	Increased programmed death-1 expression on CD4+ T cells in cutaneous T-cell lymphoma: implications for immune suppression. <i>Archives of Dermatology</i> , 2010 , 146, 1382-8		97
66	Perforin and IL-2 upregulation define qualitative differences among highly functional virus-specific human CD8 T cells. <i>PLoS Pathogens</i> , 2010 , 6, e1000798	7.6	99
65	Loss of tonic T-cell receptor signals alters the generation but not the persistence of CD8+ memory T cells. <i>Blood</i> , 2010 , 116, 5560-70	2.2	18
64	T-cell receptor signals direct the composition and function of the memory CD8+ T-cell pool. <i>Blood</i> , 2010 , 116, 5548-59	2.2	50
63	Integrating genomic signatures for immunologic discovery. <i>Immunity</i> , 2010 , 32, 152-61	32.3	48
62	Role of PD-1 in regulating acute infections. <i>Current Opinion in Immunology</i> , 2010 , 22, 397-401	7.8	104
61	TCF-1 flips the switch on Eomes. <i>Immunity</i> , 2010 , 33, 145-7	32.3	8
60	Synergistic reversal of intrahepatic HCV-specific CD8 T cell exhaustion by combined PD-1/CTLA-4 blockade. <i>PLoS Pathogens</i> , 2009 , 5, e1000313	7.6	273
59	Impact of epitope escape on PD-1 expression and CD8 T-cell exhaustion during chronic infection. <i>Journal of Virology</i> , 2009 , 83, 4386-94	6.6	109
58	Coregulation of CD8+ T cell exhaustion by multiple inhibitory receptors during chronic viral infection. <i>Nature Immunology</i> , 2009 , 10, 29-37	19.1	1403
57	The diversity of costimulatory and inhibitory receptor pathways and the regulation of antiviral T cell responses. <i>Current Opinion in Immunology</i> , 2009 , 21, 179-86	7.8	106
56	Behavior of parasite-specific effector CD8+ T cells in the brain and visualization of a kinesis-associated system of reticular fibers. <i>Immunity</i> , 2009 , 30, 300-11	32.3	146
55	A role for the transcriptional repressor Blimp-1 in CD8(+) T cell exhaustion during chronic viral infection. <i>Immunity</i> , 2009 , 31, 309-20	32.3	328
54	Redefining chronic viral infection. <i>Cell</i> , 2009 , 138, 30-50	56.2	727
53	Dynamic decrease in PD-1 expression correlates with HBV-specific memory CD8 T-cell development in acute self-limited hepatitis B patients. <i>Journal of Hepatology</i> , 2009 , 50, 1163-73	13.4	37
52	Targeting of antigen to the herpesvirus entry mediator augments primary adaptive immune responses. <i>Nature Medicine</i> , 2008 , 14, 205-12	50.5	51
51	Anomalous type 17 response to viral infection by CD8+ T cells lacking T-bet and eomesodermin. <i>Science</i> , 2008 , 321, 408-11	33.3	299

50	Functional restoration of HCV-specific CD8 T cells by PD-1 blockade is defined by PD-1 expression and compartmentalization. <i>Gastroenterology</i> , 2008 , 134, 1927-37, 1937.e1-2	13.3	226
49	Dynamic programmed death 1 expression by virus-specific CD8 T cells correlates with the outcome of acute hepatitis B. <i>Gastroenterology</i> , 2008 , 134, 1938-49, 1949.e1-3	13.3	120
48	MyD88 plays a critical T cell-intrinsic role in supporting CD8 T cell expansion during acute lymphocytic choriomeningitis virus infection. <i>Journal of Immunology</i> , 2008 , 181, 3804-10	5.3	61
47	Selective expansion of a subset of exhausted CD8 T cells by alphaPD-L1 blockade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 15016-21	11.5	349
46	Identification of an evolutionarily conserved transcriptional signature of CD8 memory differentiation that is shared by T and B cells. <i>Journal of Immunology</i> , 2008 , 181, 1859-68	5.3	60
45	Enhancing therapeutic vaccination by blocking PD-1-mediated inhibitory signals during chronic infection. <i>Journal of Experimental Medicine</i> , 2008 , 205, 543-55	16.6	184
44	Diminished primary CD8 T cell response to viral infection during protein energy malnutrition in mice is due to changes in microenvironment and low numbers of viral-specific CD8 T cell precursors. <i>Journal of Nutrition</i> , 2008 , 138, 806-12	4.1	25
43	Examining age-related function and phenotype of influenza-specific CD8+T cells in humans. <i>FASEB Journal</i> , 2008 , 22, 857.15	0.9	
42	A brief history of CD8 T cells. <i>European Journal of Immunology</i> , 2007 , 37 Suppl 1, S103-10	6.1	34
41	CD8 T cell dysfunction during chronic viral infection. <i>Current Opinion in Immunology</i> , 2007 , 19, 408-15	7.8	273
40	The function of programmed cell death 1 and its ligands in regulating autoimmunity and infection. <i>Nature Immunology</i> , 2007 , 8, 239-45	19.1	1048
39	Strength of stimulus and clonal competition impact the rate of memory CD8 T cell differentiation. <i>Journal of Immunology</i> , 2007 , 179, 6704-14	5.3	103
38	Liver-infiltrating lymphocytes in chronic human hepatitis C virus infection display an exhausted phenotype with high levels of PD-1 and low levels of CD127 expression. <i>Journal of Virology</i> , 2007 , 81, 2545-53	6.6	386
37	Viral antigen and extensive division maintain virus-specific CD8 T cells during chronic infection. <i>Journal of Experimental Medicine</i> , 2007 , 204, 941-9	16.6	199
36	Requirement for T-bet in the aberrant differentiation of unhelped memory CD8+ T cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2015-21	16.6	226
35	Adenoviral vectors persist in vivo and maintain activated CD8+ T cells: implications for their use as vaccines. <i>Blood</i> , 2007 , 110, 1916-23	2.2	163
34	IL-10, T cell exhaustion and viral persistence. <i>Trends in Microbiology</i> , 2007 , 15, 143-6	12.4	172
33	Heterogeneity and cell-fate decisions in effector and memory CD8+ T cell differentiation during viral infection. <i>Immunity</i> , 2007 , 27, 393-405	32.3	422

32	Molecular signature of CD8+ T cell exhaustion during chronic viral infection. <i>Immunity</i> , 2007 , 27, 670-84	32.3	1345
31	HIV-specific CD8 T cells express low levels of IL-7Ralpha: implications for HIV-specific T cell memory. <i>Virology</i> , 2006 , 353, 366-73	3.6	42
30	Reinvigorating exhausted HIV-specific T cells via PD-1-PD-1 ligand blockade. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2223-7	16.6	333
29	Cutting Edge: IL-12 inversely regulates T-bet and eomesodermin expression during pathogen-induced CD8+ T cell differentiation. <i>Journal of Immunology</i> , 2006 , 177, 7515-9	5.3	260
28	Cutting edge: gut microenvironment promotes differentiation of a unique memory CD8 T cell population. <i>Journal of Immunology</i> , 2006 , 176, 2079-83	5.3	278
27	Hypogammaglobulinemia and exacerbated CD8 T-cell-mediated immunopathology in SAP-deficient mice with chronic LCMV infection mimics human XLP disease. <i>Blood</i> , 2006 , 108, 3085-93	2.2	42
26	Not-so-great expectations: re-assessing the essence of T-cell memory. <i>Immunological Reviews</i> , 2006 , 211, 203-13	11.3	23
25	Restoring function in exhausted CD8 T cells during chronic viral infection. <i>Nature</i> , 2006 , 439, 682-7	50.4	2903
24	PD-1 expression on HIV-specific T cells is associated with T-cell exhaustion and disease progression. <i>Nature</i> , 2006 , 443, 350-4	50.4	2001
23	Effector and memory CD8+ T cell fate coupled by T-bet and eomesodermin. <i>Nature Immunology</i> , 2005 , 6, 1236-44	19.1	880
22	Low CD8 T-cell proliferative potential and high viral load limit the effectiveness of therapeutic vaccination. <i>Journal of Virology</i> , 2005 , 79, 8960-8	6.6	92
21	Bone marrow is a preferred site for homeostatic proliferation of memory CD8 T cells. <i>Journal of Immunology</i> , 2005 , 174, 1269-73	5.3	217
20	Antigen-independent memory CD8 T cells do not develop during chronic viral infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 16004-9	11.5	402
19	The role of programming in memory T-cell development. <i>Current Opinion in Immunology</i> , 2004 , 16, 217-25.8		158
18	Generation and maintenance of immunological memory. <i>Seminars in Immunology</i> , 2004 , 16, 323-33	10.7	176
17	Memory CD8 T-cell differentiation during viral infection. <i>Journal of Virology</i> , 2004 , 78, 5535-45	6.6	660
16	Changing immunodominance patterns in antiviral CD8 T-cell responses after loss of epitope presentation or chronic antigenic stimulation. <i>Virology</i> , 2003 , 315, 93-102	3.6	90
15	Selective expression of the interleukin 7 receptor identifies effector CD8 T cells that give rise to long-lived memory cells. <i>Nature Immunology</i> , 2003 , 4, 1191-8	19.1	1413

14	Lineage relationship and protective immunity of memory CD8 T cell subsets. <i>Nature Immunology</i> , 2003 , 4, 225-34	19.1	1456
13	Therapeutic use of IL-2 to enhance antiviral T-cell responses in vivo. <i>Nature Medicine</i> , 2003 , 9, 540-7	50.5	310
12	Cutting edge: rapid in vivo killing by memory CD8 T cells. <i>Journal of Immunology</i> , 2003 , 171, 27-31	5.3	359
11	Viral persistence alters CD8 T-cell immunodominance and tissue distribution and results in distinct stages of functional impairment. <i>Journal of Virology</i> , 2003 , 77, 4911-27	6.6	1135
10	TCR signal transduction in antigen-specific memory CD8 T cells. <i>Journal of Immunology</i> , 2003 , 170, 5455-63		97
9	Heterologous immunity provides a potent barrier to transplantation tolerance. <i>Journal of Clinical Investigation</i> , 2003 , 111, 1887-95	15.9	239
8	Heterologous immunity provides a potent barrier to transplantation tolerance. <i>Journal of Clinical Investigation</i> , 2003 , 111, 1887-1895	15.9	471
7	Effector and memory T-cell differentiation: implications for vaccine development. <i>Nature Reviews Immunology</i> , 2002 , 2, 251-62	36.5	1242
6	Interleukin 15 is required for proliferative renewal of virus-specific memory CD8 T cells. <i>Journal of Experimental Medicine</i> , 2002 , 195, 1541-8	16.6	552
5	In vivo CRISPR screening identifies Fli1 as a transcriptional safeguard that restrains effector CD8 T cell differentiation during infection and cancer		1
4	Chronic viral infection promotes early germinal center exit of B cells and impaired antibody development		1
3	Immune Responses to Persistent Viruses 255-267		
2	Rapid induction of antigen-specific CD4+ T cells guides coordinated humoral and cellular immune responses to SARS-CoV-2 mRNA vaccination		15
1	Divergent clonal differentiation trajectories of T cell exhaustion		1