

Geeta Upadhyay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11941194/publications.pdf>

Version: 2024-02-01

25
papers

1,256
citations

471509

17
h-index

642732

23
g-index

25
all docs

25
docs citations

25
times ranked

2410
citing authors

#	ARTICLE	IF	CITATIONS
1	High mRNA expression of LY6 gene family is associated with overall survival outcome in pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2021, 12, 145-159.	1.8	4
2	Small Molecule Binds with Lymphocyte Antigen 6K to Induce Cancer Cell Death. <i>Cancers</i> , 2020, 12, 509.	3.7	9
3	Emerging Role of Lymphocyte Antigen-6 Family of Genes in Cancer and Immune Cells. <i>Frontiers in Immunology</i> , 2019, 10, 819.	4.8	84
4	Emerging Role of Novel Biomarkers of Ly6 Gene Family in Pan Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1164, 47-61.	1.6	7
5	African-American Prostate Normal and Cancer Cells for Health Disparities Research. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1164, 101-108.	1.6	8
6	Conditionally reprogrammed normal and primary tumor prostate epithelial cells: a novel patient-derived cell model for studies of human prostate cancer. <i>Oncotarget</i> , 2017, 8, 22741-22758.	1.8	51
7	Ly6E/K Signaling to TGF β Promotes Breast Cancer Progression, Immune Escape, and Drug Resistance. <i>Cancer Research</i> , 2016, 76, 3376-3386.	0.9	80
8	Distinct lymphocyte antigens 6 (Ly6) family members Ly6D, Ly6E, Ly6K and Ly6H drive tumorigenesis and clinical outcome. <i>Oncotarget</i> , 2016, 7, 11165-11193.	1.8	76
9	Multifactorial Analysis of Conditional Reprogramming of Human Keratinocytes. <i>PLoS ONE</i> , 2015, 10, e0116755.	2.5	18
10	Cellular Reprogramming of Epithelial Cells Leading to Conditional Immortalization is Accompanied by Changes in Multiple Pathways. <i>FASEB Journal</i> , 2015, 29, 670.6.	0.5	0
11	Radiation Induces Diffusible Feeder Cell Factor(s) That Cooperate with ROCK Inhibitor to Conditionally Reprogram and Immortalize Epithelial Cells. <i>American Journal of Pathology</i> , 2013, 183, 1862-1870.	3.8	102
12	PPAR γ Induces Estrogen Receptor-Positive Mammary Neoplasia through an Inflammatory and Metabolic Phenotype Linked to mTOR Activation. <i>Cancer Research</i> , 2013, 73, 4349-4361.	0.9	52
13	Conditionally reprogrammed cells represent a stem-like state of adult epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 20035-20040.	7.1	252
14	Stem Cell Antigen-1 Deficiency Enhances the Chemopreventive Effect of Peroxisome Proliferator-Activated Receptor β Activation. <i>Cancer Prevention Research</i> , 2012, 5, 51-60.	1.5	12
15	Stem cell antigen-1 enhances tumorigenicity by disruption of growth differentiation factor-10 (GDF10)-dependent TGF- β signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7820-7825.	7.1	66
16	Stem cell antigen-1 (Sca1) disrupts GDF10/TGF- β signal transduction at the plasma membrane to regulate Smad2/3 nuclear signaling. <i>FASEB Journal</i> , 2011, 25, 243.5.	0.5	0
17	Cell Migration Is Regulated by Platelet-Derived Growth Factor Receptor Endocytosis. <i>Molecular and Cellular Biology</i> , 2009, 29, 4508-4518.	2.3	64
18	Purinergic Receptor-Stimulated IP3-Mediated Ca $^{2+}$ Release Enhances Neuroprotection by Increasing Astrocyte Mitochondrial Metabolism during Aging. <i>Journal of Neuroscience</i> , 2007, 27, 6510-6520.	3.6	56

#	ARTICLE	IF	CITATIONS
19	Ca ²⁺ signaling, mitochondria and sensitivity to oxidative stress in aging astrocytes. <i>Neurobiology of Aging</i> , 2007, 28, 99-111.	3.1	65
20	An Isoform of GTPase Regulator DOCK4 Localizes to the Stereocilia in the Inner Ear and Binds to Harmonin (USH1C). <i>Journal of Molecular Biology</i> , 2006, 357, 755-764.	4.2	29
21	Severe hyperthyroidism induces mitochondria-mediated apoptosis in rat liver. <i>Hepatology</i> , 2004, 39, 1120-1130.	7.3	74
22	Functional Expression of Sodium Iodide Symporter (NIS) in Human Breast Cancer Tissue. <i>Breast Cancer Research and Treatment</i> , 2003, 77, 157-165.	2.5	43
23	Hypothyroidism alters the expression of Bcl-2 family genes to induce enhanced apoptosis in the developing cerebellum. <i>Journal of Endocrinology</i> , 2003, 176, 39-46.	2.6	57
24	Hypothyroidism alters mitochondrial morphology and induces release of apoptogenic proteins during rat cerebellar development. <i>Journal of Endocrinology</i> , 2003, 176, 321-329.	2.6	30
25	Differential action of iodine on mitochondria from human tumoral- and extra-tumoral tissue in inducing the release of apoptogenic proteins. <i>Mitochondrion</i> , 2002, 2, 199-210.	3.4	17