Gillian E Mead

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1194194/publications.pdf

Version: 2024-02-01

111	7,543	38	80
papers	citations	h-index	g-index
116	116	116	8027
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Physical Activity and Exercise Recommendations for Stroke Survivors. Stroke, 2014, 45, 2532-2553.	1.0	1,009
2	Exercise for depression. The Cochrane Library, 2013, 2013, CD004366.	1.5	859
3	Post-stroke dementia – a comprehensive review. BMC Medicine, 2017, 15, 11.	2.3	442
4	Physical fitness training for stroke patients. The Cochrane Library, 2016, 3, CD003316.	1.5	247
5	Neuropsychiatric outcomes of stroke. Lancet Neurology, The, 2014, 13, 525-534.	4.9	228
6	A Systematic Review of Perceived Barriers and Motivators to Physical Activity after Stroke. International Journal of Stroke, 2013, 8, 357-364.	2.9	213
7	Effects of fluoxetine on functional outcomes after acute stroke (FOCUS): a pragmatic, double-blind, randomised, controlled trial. Lancet, The, 2019, 393, 265-274.	6.3	213
8	Effects of Task-Oriented Circuit Class Training on Walking Competency After Stroke. Stroke, 2009, 40, 2450-2459.	1.0	173
9	Physical Activity and Exercise After Stroke. Stroke, 2014, 45, 3742-3747.	1.0	167
10	Poststroke Fatigue: Emerging Evidence and Approaches to Management: A Scientific Statement for Healthcare Professionals From the American Heart Association. Stroke, 2017, 48, e159-e170.	1.0	148
11	Evaluation of Fatigue Scales in Stroke Patients. Stroke, 2007, 38, 2090-2095.	1.0	144
12	Sedentary Behavior in the First Year After Stroke: AÂLongitudinal Cohort Study With Objective Measures. Archives of Physical Medicine and Rehabilitation, 2015, 96, 15-23.	0.5	144
13	Cardiorespiratory Fitness after Stroke: A Systematic Review. International Journal of Stroke, 2012, 7, 499-510.	2.9	143
14	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2012, 11, CD009286.	1.5	140
15	Frequency and natural history of fatigue after stroke: A systematic review of longitudinal studies. Journal of Psychosomatic Research, 2012, 73, 18-27.	1.2	132
16	Stroke: A Randomized Trial of Exercise or Relaxation. Journal of the American Geriatrics Society, 2007, 55, 892-899.	1.3	121
17	Anxiety After Stroke. Stroke, 2018, 49, 556-564.	1.0	118
18	Model of Understanding Fatigue After Stroke. Stroke, 2015, 46, 893-898.	1.0	112

#	Article	IF	Citations
19	Safety and efficacy of fluoxetine on functional recovery after acute stroke (EFFECTS): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 661-669.	4.9	106
20	Fatigue after stroke: The development and evaluation of a case definition. Journal of Psychosomatic Research, 2007, 63, 539-544.	1.2	100
21	Physical fitness training for stroke patients. The Cochrane Library, 2020, 2020, CD003316.	1.5	99
22	Physical Activity after Stroke: A Systematic Review and Meta-Analysis. ISRN Stroke, 2013, 2013, 1-13.	0.8	92
23	Exercise for depression. , 2008, , CD004366.		90
24	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	4.9	90
25	Interventions for post-stroke fatigue. The Cochrane Library, 2015, 2015, CD007030.	1.5	85
26	Fatigue after Stroke: Baseline Predictors and Influence on Survival. Analysis of Data from UK Patients Recruited in the International Stroke Trial. PLoS ONE, 2011, 6, e16988.	1.1	84
27	Longitudinal Changes in Muscle Strength and Mass after Acute Stroke. Cerebrovascular Diseases, 2006, 21, 201-207.	0.8	81
28	Fatigue after Stroke: A Systematic Review of Associations with Impaired Physical Fitness. International Journal of Stroke, 2012, 7, 157-162.	2.9	77
29	Psychological Associations of Poststroke Fatigue. Stroke, 2014, 45, 1778-1783.	1.0	66
30	Efficacy of Antidepressants in Animal Models of Ischemic Stroke. Stroke, 2014, 45, 3055-3063.	1.0	65
31	Exploratory Longitudinal Cohort Study of Associations of Fatigue After Stroke. Stroke, 2015, 46, 1052-1058.	1.0	64
32	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: a study protocol for three multicentre randomised controlled trials. Trials, 2015, 16, 369.	0.7	63
33	Comparison of Risk Factors in Patients With Transient and Prolonged Eye and Brain Ischemic Syndromes. Stroke, 2002, 33, 2383-2390.	1.0	59
34	Physical fitness training for stroke patients. , 2013, , CD003316.		57
35	Interventions for post-stroke fatigue. , 2009, , CD007030.		52
36	Determining the Modified Rankin Score After Stroke by Postal and Telephone Questionnaires. Stroke, 2012, 43, 851-853.	1.0	52

#	Article	IF	CITATIONS
37	Physical fitness training for stroke patients. , 2009, , CD003316.		50
38	Fatigue after subarachnoid haemorrhage: A systematic review. Journal of Psychosomatic Research, 2012, 72, 305-310.	1.2	50
39	Is Fatigue After Stroke Associated With Physical Deconditioning? A Cross-Sectional Study in Ambulatory Stroke Survivors. Archives of Physical Medicine and Rehabilitation, 2011, 92, 295-298.	0.5	43
40	Exercise Reduces Infarct Volume and Facilitates Neurobehavioral Recovery. Neurorehabilitation and Neural Repair, 2014, 28, 800-812.	1.4	43
41	Association of Activity Limitations and Lower-Limb Explosive Extensor Power in Ambulatory People With Stroke. Archives of Physical Medicine and Rehabilitation, 2008, 89, 677-683.	0.5	42
42	CT and Clinical Predictors of Fatigue at One Month after Stroke. Cerebrovascular Diseases Extra, 2013, 3, 26-34.	0.5	42
43	Investigating post-stroke fatigue: An individual participant data meta-analysis. Journal of Psychosomatic Research, 2018, 113, 107-112.	1.2	42
44	Physical fitness training for stroke patients. , 2011, , CD003316.		41
45	Outcomes, experiences and palliative care in major stroke: a multicentre, mixed-method, longitudinal study. Cmaj, 2018, 190, E238-E246.	0.9	40
46	Variability in Doppler ultrasound influences referral of patients for carotid surgery. European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology, 2000, 12, 137-143.	1.4	37
47	Clinically significant fatigue after stroke: A longitudinal cohort study. Journal of Psychosomatic Research, 2014, 77, 368-373.	1.2	34
48	Depression, Anxiety, and Suicide After Stroke: A Narrative Review of the Best Available Evidence. Stroke, 2022, 53, 1402-1410.	1.0	34
49	Classifying post-stroke fatigue: Optimal cut-off on the Fatigue Assessment Scale. Journal of Psychosomatic Research, 2017, 103, 147-149.	1.2	33
50	Factors Associated with Poststroke Anxiety: A Systematic Review and Meta-Analysis. Stroke Research and Treatment, 2017, 2017, 1-7.	0.5	33
51	Physical Fitness Training after Stroke, Time to Implement what we Know: More Research is Needed. International Journal of Stroke, 2011, 6, 506-508.	2.9	30
52	Life course influences of physical and cognitive function and personality on attitudes to aging in the Lothian Birth Cohort 1936. International Psychogeriatrics, 2014, 26, 1417-1430.	0.6	30
53	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2019, 2019, .	1.5	29
54	Frailty and cerebrovascular disease: Concepts and clinical implications for stroke medicine. International Journal of Stroke, 2022, 17, 251-259.	2.9	28

#	Article	IF	Citations
55	Fluoxetine for stroke recovery: Meta-analysis of randomized controlled trials. International Journal of Stroke, 2020, 15, 365-376.	2.9	27
56	The Nottingham Fatigue after Stroke (NotFAST) study: factors associated with severity of fatigue in stroke patients without depression. Clinical Rehabilitation, 2017, 31, 1406-1415.	1.0	26
57	What Do Older People Do When Sitting and Why? Implications for Decreasing Sedentary Behavior. Gerontologist, The, 2019, 59, 686-697.	2.3	26
58	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2021, 2021, CD009286.	1.5	26
59	The effect of treatment with selective serotonin reuptake inhibitors in comparison to placebo in the progression of dementia: a systematic review and meta-analysis. Age and Ageing, 2016, 45, 448-456.	0.7	25
60	Big data and data repurposing - using existing data to answer new questions in vascular dementia research. BMC Neurology, 2017, 17, 72.	0.8	24
61	Exercise for depression. Mental Health and Physical Activity, 2009, 2, 95-96.	0.9	23
62	Shared decision making after severe stroke—How can we improve patient and family involvement in treatment decisions?. International Journal of Stroke, 2017, 12, 920-922.	2.9	23
63	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical and health economic analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2017, 18, 627.	0.7	23
64	Physical fitness interventions for nonambulatory stroke survivors: A mixedâ€methods systematic review and metaâ€analysis. Brain and Behavior, 2018, 8, e01000.	1.0	23
65	Impact of a clinical pathway on end-of-life care following stroke: A mixed methods study. Palliative Medicine, 2015, 29, 249-259.	1.3	22
66	Maintaining hope after a disabling stroke: A longitudinal qualitative study of patients' experiences, views, information needs and approaches towards making treatment decisions. PLoS ONE, 2019, 14, e0222500.	1.1	22
67	Characterizing Energy Expenditure During Sedentary Behavior After Stroke. Archives of Physical Medicine and Rehabilitation, 2016, 97, 232-237.	0.5	21
68	Development of a psychological intervention for fatigue after stroke. PLoS ONE, 2017, 12, e0183286.	1.1	19
69	Fatigue after Stroke – Perspectives and Future Directions. International Journal of Stroke, 2015, 10, 280-281.	2.9	18
70	Art participation for psychosocial wellbeing during stroke rehabilitation: a feasibility randomised controlled trial. Disability and Rehabilitation, 2019, 41, 9-18.	0.9	18
71	One step closer to understanding poststroke fatigue. Neurology, 2012, 79, 1414-1415.	1.5	15
72	Social context, art making processes and creative output: a qualitative study exploring how psychosocial benefits of art participation during stroke rehabilitation occur. Disability and Rehabilitation, 2016, 38, 661-672.	0.9	15

#	Article	IF	CITATIONS
73	Telemedicine Cognitive Behavioral Therapy for Anxiety After Stroke. Stroke, 2020, 51, 2297-2306.	1.0	15
74	Stroke survivors' perceptions of their sedentary behaviours three months after stroke. Disability and Rehabilitation, 2020, , 1-13.	0.9	15
75	Interventions for reducing sedentary behaviour in people with stroke. The Cochrane Library, 2021, 2021, CD012996.	1.5	15
76	Predicting post-stroke cognitive impairment using acute CT neuroimaging: A systematic review and meta-analysis. International Journal of Stroke, 2022, 17, 618-627.	2.9	15
77	Life after Stroke – is Palliative Care Relevant?. International Journal of Stroke, 2013, 8, 447-448.	2.9	14
78	Regional variation in acute stroke care organisation. Journal of the Neurological Sciences, 2016, 371, 126-130.	0.3	14
79	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	4.5	14
80	Stroke: Physical Fitness, Exercise, and Fatigue. Stroke Research and Treatment, 2012, 2012, 1-2.	0.5	13
81	Exploratory Cohort Study of Associations between Serum C - Reactive Protein and Fatigue after Stroke. PLoS ONE, 2015, 10, e0143784.	1.1	13
82	Cochrane Overview. Stroke, 2015, 46, .	1.0	13
83	Effects of Fluoxetine on Outcomes at 12 Months After Acute Stroke. Stroke, 2021, 52, 3082-3087.	1.0	13
84	Physical environments and community reintegration post stroke: qualitative insights from stroke clubs. Disability and Society, 2016, 31, 1013-1029.	1.4	11
85	Sedentary behavior after stroke: A new target for therapeutic intervention. International Journal of Stroke, 2019, 14, 9-11.	2.9	11
86	Selective Serotonin Reuptake Inhibitors for Stroke Recovery. Stroke, 2020, 51, e142-e143.	1.0	11
87	Palliative care after stroke: A review. International Journal of Stroke, 2021, 16, 632-639.	2.9	11
88	Sedentary Behaviour and Stroke: Foundational Knowledge is Crucial. Translational Stroke Research, 2015, 6, 9-12.	2.3	10
89	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	1.0	10
90	Fluoxetine to improve functional outcomes in patients after acute stroke: the FOCUS RCT. Health Technology Assessment, 2020, 24, 1-94.	1.3	10

#	Article	IF	CITATIONS
91	Extensive haemorrhagic transformation of infarct: might it be an important cause of primary intracerebral haemorrhage?. Age and Ageing, 2002, 31, 429-433.	0.7	9
92	VISTA-Rehab: A Resource for Stroke Rehabilitation Trials. International Journal of Stroke, 2010, 5, 447-452.	2.9	8
93	Community cycling exercise for stroke survivors is feasible and acceptable. Topics in Stroke Rehabilitation, 2019, 26, 485-490.	1.0	7
94	Physical Fitness Training for Patients With Stroke. Stroke, 2020, 51, e299-e300.	1.0	7
95	Update on the EFFECTS study of fluoxetine for stroke recovery: a randomised controlled trial in Sweden. Trials, 2020, 21, 233.	0.7	6
96	Exercise or relaxation after stroke?. BMJ: British Medical Journal, 2005, 330, 1337.1.	2.4	6
97	Neuropsychiatric outcomes after stroke – Authors' reply. Lancet Neurology, The, 2014, 13, 1168-1169.	4.9	5
98	Fluoxetine and Fractures After Stroke. Stroke, 2019, 50, 3280-3282.	1.0	5
99	Reporting "specific abilities―after major stroke to better describe prognosis. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104993.	0.7	4
100	Study protocol for POSITIF, a randomised multicentre feasibility trial of a brief cognitive-behavioural intervention plus information versus information alone for the treatment of post-stroke fatigue. Pilot and Feasibility Studies, 2020, 6, 84.	0.5	4
101	Feasibility of reporting results of large randomised controlled trials to participants: experience from the Fluoxetine Or Control Under Supervision (FOCUS) trial. BMJ Open, 2020, 10, e040492.	0.8	4
102	Informing Patients with Acute Stroke About their Risk of Dementia: A Survey of UK Healthcare Professionals. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106279.	0.7	4
103	Fatigue after stroke. , 2013, , 375-386.		3
104	Predicting specific abilities after disabling stroke: Development and validation of prognostic models. International Journal of Stroke, 2021, 16, 935-943.	2.9	3
105	Maximal muscle power after stroke: a systematic review. Clinical Practice (London, England), 2014, 11, 183-191.	0.1	2
106	Post-Stroke Fatigue: Common but Poorly Understood. , 2015, , 317-345.		2
107	A protocol for a systematic review of process evaluations of interventions investigating sedentary behaviour in adults. BMJ Open, 2019, 9, e031291.	0.8	2
108	Investigating the rigour of research findings in experimental studies assessing the effects of breaking up prolonged sitting – extended scoping review. Brazilian Journal of Physical Therapy, 2021, 25, 4-16.	1.1	2

#	Article	lF	CITATIONS
109	A qualitative study of sedentary behaviours in stroke survivors: non-participant observations and interviews with stroke service staff in stroke units and community services. Disability and Rehabilitation, 2022, 44, 5964-5973.	0.9	2
110	Feasibility of reporting results of large randomised controlled trials to participants: experience from the Fluoxetine Or Control Under Supervision (FOCUS) trial. BMJ Open, 2020, 10, e040492.	0.8	1
111	Interventions for Reducing Sedentary Behavior in People With Stroke. Stroke, 2021, 52, e846-e847.	1.0	0