Gillian E Mead

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1194194/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A qualitative study of sedentary behaviours in stroke survivors: non-participant observations and interviews with stroke service staff in stroke units and community services. Disability and Rehabilitation, 2022, 44, 5964-5973.	0.9	2
2	Frailty and cerebrovascular disease: Concepts and clinical implications for stroke medicine. International Journal of Stroke, 2022, 17, 251-259.	2.9	28
3	Predicting post-stroke cognitive impairment using acute CT neuroimaging: A systematic review and meta-analysis. International Journal of Stroke, 2022, 17, 618-627.	2.9	15
4	Depression, Anxiety, and Suicide After Stroke: A Narrative Review of the Best Available Evidence. Stroke, 2022, 53, 1402-1410.	1.0	34
5	Informing Patients with Acute Stroke About their Risk of Dementia: A Survey of UK Healthcare Professionals. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106279.	0.7	4
6	Investigating the rigour of research findings in experimental studies assessing the effects of breaking up prolonged sitting – extended scoping review. Brazilian Journal of Physical Therapy, 2021, 25, 4-16.	1.1	2
7	Predicting specific abilities after disabling stroke: Development and validation of prognostic models. International Journal of Stroke, 2021, 16, 935-943.	2.9	3
8	Palliative care after stroke: A review. International Journal of Stroke, 2021, 16, 632-639.	2.9	11
9	Interventions for reducing sedentary behaviour in people with stroke. The Cochrane Library, 2021, 2021, 2021, CD012996.	1.5	15
10	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	1.0	10
11	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	4.5	14
12	Effects of Fluoxetine on Outcomes at 12 Months After Acute Stroke. Stroke, 2021, 52, 3082-3087.	1.0	13
13	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2021, 2021, CD009286.	1.5	26
14	Interventions for Reducing Sedentary Behavior in People With Stroke. Stroke, 2021, 52, e846-e847.	1.0	0
15	Fluoxetine for stroke recovery: Meta-analysis of randomized controlled trials. International Journal of Stroke, 2020, 15, 365-376.	2.9	27
16	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	4.9	90
17	Safety and efficacy of fluoxetine on functional recovery after acute stroke (EFFECTS): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 661-669.	4.9	106
18	Reporting "specific abilities―after major stroke to better describe prognosis. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104993.	0.7	4

#	Article	IF	CITATIONS
19	Physical Fitness Training for Patients With Stroke. Stroke, 2020, 51, e299-e300.	1.0	7
20	Selective Serotonin Reuptake Inhibitors for Stroke Recovery. Stroke, 2020, 51, e142-e143.	1.0	11
21	Physical fitness training for stroke patients. The Cochrane Library, 2020, 2020, CD003316.	1.5	99
22	Study protocol for POSITIF, a randomised multicentre feasibility trial of a brief cognitive-behavioural intervention plus information versus information alone for the treatment of post-stroke fatigue. Pilot and Feasibility Studies, 2020, 6, 84.	0.5	4
23	Telemedicine Cognitive Behavioral Therapy for Anxiety After Stroke. Stroke, 2020, 51, 2297-2306.	1.0	15
24	Stroke survivors' perceptions of their sedentary behaviours three months after stroke. Disability and Rehabilitation, 2020, , 1-13.	0.9	15
25	Update on the EFFECTS study of fluoxetine for stroke recovery: a randomised controlled trial in Sweden. Trials, 2020, 21, 233.	0.7	6
26	Fluoxetine to improve functional outcomes in patients after acute stroke: the FOCUS RCT. Health Technology Assessment, 2020, 24, 1-94.	1.3	10
27	Feasibility of reporting results of large randomised controlled trials to participants: experience from the Fluoxetine Or Control Under Supervision (FOCUS) trial. BMJ Open, 2020, 10, e040492.	0.8	1
28	Feasibility of reporting results of large randomised controlled trials to participants: experience from the Fluoxetine Or Control Under Supervision (FOCUS) trial. BMJ Open, 2020, 10, e040492.	0.8	4
29	What Do Older People Do When Sitting and Why? Implications for Decreasing Sedentary Behavior. Gerontologist, The, 2019, 59, 686-697.	2.3	26
30	Sedentary behavior after stroke: A new target for therapeutic intervention. International Journal of Stroke, 2019, 14, 9-11.	2.9	11
31	Community cycling exercise for stroke survivors is feasible and acceptable. Topics in Stroke Rehabilitation, 2019, 26, 485-490.	1.0	7
32	Fluoxetine and Fractures After Stroke. Stroke, 2019, 50, 3280-3282.	1.0	5
33	Maintaining hope after a disabling stroke: A longitudinal qualitative study of patients' experiences, views, information needs and approaches towards making treatment decisions. PLoS ONE, 2019, 14, e0222500.	1.1	22
34	A protocol for a systematic review of process evaluations of interventions investigating sedentary behaviour in adults. BMJ Open, 2019, 9, e031291.	0.8	2
35	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2019, 2019, .	1.5	29
36	Effects of fluoxetine on functional outcomes after acute stroke (FOCUS): a pragmatic, double-blind, randomised, controlled trial. Lancet, The, 2019, 393, 265-274.	6.3	213

#	Article	IF	CITATIONS
37	Art participation for psychosocial wellbeing during stroke rehabilitation: a feasibility randomised controlled trial. Disability and Rehabilitation, 2019, 41, 9-18.	0.9	18
38	Anxiety After Stroke. Stroke, 2018, 49, 556-564.	1.0	118
39	Outcomes, experiences and palliative care in major stroke: a multicentre, mixed-method, longitudinal study. Cmaj, 2018, 190, E238-E246.	0.9	40
40	Investigating post-stroke fatigue: An individual participant data meta-analysis. Journal of Psychosomatic Research, 2018, 113, 107-112.	1.2	42
41	Physical fitness interventions for nonambulatory stroke survivors: A mixedâ€methods systematic review and metaâ€analysis. Brain and Behavior, 2018, 8, e01000.	1.0	23
42	Post-stroke dementia – a comprehensive review. BMC Medicine, 2017, 15, 11.	2.3	442
43	Poststroke Fatigue: Emerging Evidence and Approaches to Management: A Scientific Statement for Healthcare Professionals From the American Heart Association. Stroke, 2017, 48, e159-e170.	1.0	148
44	The Nottingham Fatigue after Stroke (NotFAST) study: factors associated with severity of fatigue in stroke patients without depression. Clinical Rehabilitation, 2017, 31, 1406-1415.	1.0	26
45	Shared decision making after severe stroke—How can we improve patient and family involvement in treatment decisions?. International Journal of Stroke, 2017, 12, 920-922.	2.9	23
46	Classifying post-stroke fatigue: Optimal cut-off on the Fatigue Assessment Scale. Journal of Psychosomatic Research, 2017, 103, 147-149.	1.2	33
47	Big data and data repurposing - using existing data to answer new questions in vascular dementia research. BMC Neurology, 2017, 17, 72.	0.8	24
48	Factors Associated with Poststroke Anxiety: A Systematic Review and Meta-Analysis. Stroke Research and Treatment, 2017, 2017, 1-7.	0.5	33
49	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: statistical and health economic analysis plan for the trials and for the individual patient data meta-analysis. Trials, 2017, 18, 627.	0.7	23
50	Development of a psychological intervention for fatigue after stroke. PLoS ONE, 2017, 12, e0183286.	1.1	19
51	Physical fitness training for stroke patients. The Cochrane Library, 2016, 3, CD003316.	1.5	247
52	Physical environments and community reintegration post stroke: qualitative insights from stroke clubs. Disability and Society, 2016, 31, 1013-1029.	1.4	11
53	The effect of treatment with selective serotonin reuptake inhibitors in comparison to placebo in the progression of dementia: a systematic review and meta-analysis. Age and Ageing, 2016, 45, 448-456.	0.7	25
54	Regional variation in acute stroke care organisation. Journal of the Neurological Sciences, 2016, 371, 126-130.	0.3	14

#	Article	IF	CITATIONS
55	Characterizing Energy Expenditure During Sedentary Behavior After Stroke. Archives of Physical Medicine and Rehabilitation, 2016, 97, 232-237.	0.5	21
56	Social context, art making processes and creative output: a qualitative study exploring how psychosocial benefits of art participation during stroke rehabilitation occur. Disability and Rehabilitation, 2016, 38, 661-672.	0.9	15
57	The FOCUS, AFFINITY and EFFECTS trials studying the effect(s) of fluoxetine in patients with a recent stroke: a study protocol for three multicentre randomised controlled trials. Trials, 2015, 16, 369.	0.7	63
58	Interventions for post-stroke fatigue. The Cochrane Library, 2015, 2015, CD007030.	1.5	85
59	Exploratory Cohort Study of Associations between Serum C - Reactive Protein and Fatigue after Stroke. PLoS ONE, 2015, 10, e0143784.	1.1	13
60	Exploratory Longitudinal Cohort Study of Associations of Fatigue After Stroke. Stroke, 2015, 46, 1052-1058.	1.0	64
61	Post-Stroke Fatigue: Common but Poorly Understood. , 2015, , 317-345.		2
62	Cochrane Overview. Stroke, 2015, 46, .	1.0	13
63	Model of Understanding Fatigue After Stroke. Stroke, 2015, 46, 893-898.	1.0	112
64	Fatigue after Stroke – Perspectives and Future Directions. International Journal of Stroke, 2015, 10, 280-281.	2.9	18
65	Impact of a clinical pathway on end-of-life care following stroke: A mixed methods study. Palliative Medicine, 2015, 29, 249-259.	1.3	22
66	Sedentary Behavior in the First Year After Stroke: AÂLongitudinal Cohort Study With Objective Measures. Archives of Physical Medicine and Rehabilitation, 2015, 96, 15-23.	0.5	144
67	Sedentary Behaviour and Stroke: Foundational Knowledge is Crucial. Translational Stroke Research, 2015, 6, 9-12.	2.3	10
68	Physical Activity and Exercise After Stroke. Stroke, 2014, 45, 3742-3747.	1.0	167
69	Life course influences of physical and cognitive function and personality on attitudes to aging in the Lothian Birth Cohort 1936. International Psychogeriatrics, 2014, 26, 1417-1430.	0.6	30
70	Psychological Associations of Poststroke Fatigue. Stroke, 2014, 45, 1778-1783.	1.0	66
71	Exercise Reduces Infarct Volume and Facilitates Neurobehavioral Recovery. Neurorehabilitation and Neural Repair, 2014, 28, 800-812.	1.4	43
72	Maximal muscle power after stroke: a systematic review. Clinical Practice (London, England), 2014, 11, 183-191.	0.1	2

#	Article	IF	CITATIONS
73	Neuropsychiatric outcomes of stroke. Lancet Neurology, The, 2014, 13, 525-534.	4.9	228
74	Efficacy of Antidepressants in Animal Models of Ischemic Stroke. Stroke, 2014, 45, 3055-3063.	1.0	65
75	Neuropsychiatric outcomes after stroke – Authors' reply. Lancet Neurology, The, 2014, 13, 1168-1169.	4.9	5
76	Clinically significant fatigue after stroke: A longitudinal cohort study. Journal of Psychosomatic Research, 2014, 77, 368-373.	1.2	34
77	Physical Activity and Exercise Recommendations for Stroke Survivors. Stroke, 2014, 45, 2532-2553.	1.0	1,009
78	Physical fitness training for stroke patients. , 2013, , CD003316.		57
79	Exercise for depression. The Cochrane Library, 2013, 2013, CD004366.	1.5	859
80	A Systematic Review of Perceived Barriers and Motivators to Physical Activity after Stroke. International Journal of Stroke, 2013, 8, 357-364.	2.9	213
81	CT and Clinical Predictors of Fatigue at One Month after Stroke. Cerebrovascular Diseases Extra, 2013, 3, 26-34.	0.5	42
82	Life after Stroke – is Palliative Care Relevant?. International Journal of Stroke, 2013, 8, 447-448.	2.9	14
83	Fatigue after stroke. , 2013, , 375-386.		3
84	Physical Activity after Stroke: A Systematic Review and Meta-Analysis. ISRN Stroke, 2013, 2013, 1-13.	0.8	92
85	Stroke: Physical Fitness, Exercise, and Fatigue. Stroke Research and Treatment, 2012, 2012, 1-2.	0.5	13
86	Determining the Modified Rankin Score After Stroke by Postal and Telephone Questionnaires. Stroke, 2012, 43, 851-853.	1.0	52
87	Selective serotonin reuptake inhibitors (SSRIs) for stroke recovery. The Cochrane Library, 2012, 11, CD009286.	1.5	140
88	One step closer to understanding poststroke fatigue. Neurology, 2012, 79, 1414-1415.	1.5	15
89	Fatigue after subarachnoid haemorrhage: A systematic review. Journal of Psychosomatic Research, 2012, 72, 305-310.	1.2	50
90	Frequency and natural history of fatigue after stroke: A systematic review of longitudinal studies. Journal of Psychosomatic Research, 2012, 73, 18-27.	1.2	132

#	Article	IF	CITATIONS
91	Fatigue after Stroke: A Systematic Review of Associations with Impaired Physical Fitness. International Journal of Stroke, 2012, 7, 157-162.	2.9	77
92	Cardiorespiratory Fitness after Stroke: A Systematic Review. International Journal of Stroke, 2012, 7, 499-510.	2.9	143
93	Physical fitness training for stroke patients. , 2011, , CD003316.		41
94	Is Fatigue After Stroke Associated With Physical Deconditioning? A Cross-Sectional Study in Ambulatory Stroke Survivors. Archives of Physical Medicine and Rehabilitation, 2011, 92, 295-298.	0.5	43
95	Physical Fitness Training after Stroke, Time to Implement what we Know: More Research is Needed. International Journal of Stroke, 2011, 6, 506-508.	2.9	30
96	Fatigue after Stroke: Baseline Predictors and Influence on Survival. Analysis of Data from UK Patients Recruited in the International Stroke Trial. PLoS ONE, 2011, 6, e16988.	1.1	84
97	VISTA-Rehab: A Resource for Stroke Rehabilitation Trials. International Journal of Stroke, 2010, 5, 447-452.	2.9	8
98	Effects of Task-Oriented Circuit Class Training on Walking Competency After Stroke. Stroke, 2009, 40, 2450-2459.	1.0	173
99	Exercise for depression. Mental Health and Physical Activity, 2009, 2, 95-96.	0.9	23
100	Interventions for post-stroke fatigue. , 2009, , CD007030.		52
101	Physical fitness training for stroke patients. , 2009, , CD003316.		50
102	Exercise for depression. , 2008, , CD004366.		90
103	Association of Activity Limitations and Lower-Limb Explosive Extensor Power in Ambulatory People With Stroke. Archives of Physical Medicine and Rehabilitation, 2008, 89, 677-683.	0.5	42
104	Evaluation of Fatigue Scales in Stroke Patients. Stroke, 2007, 38, 2090-2095.	1.0	144
105	Fatigue after stroke: The development and evaluation of a case definition. Journal of Psychosomatic Research, 2007, 63, 539-544.	1.2	100
106	Stroke: A Randomized Trial of Exercise or Relaxation. Journal of the American Geriatrics Society, 2007, 55, 892-899.	1.3	121
107	Longitudinal Changes in Muscle Strength and Mass after Acute Stroke. Cerebrovascular Diseases, 2006, 21, 201-207.	0.8	81
108	Exercise or relaxation after stroke?. BMJ: British Medical Journal, 2005, 330, 1337.1.	2.4	6

#	Article	IF	CITATIONS
109	Extensive haemorrhagic transformation of infarct: might it be an important cause of primary intracerebral haemorrhage?. Age and Ageing, 2002, 31, 429-433.	0.7	9
110	Comparison of Risk Factors in Patients With Transient and Prolonged Eye and Brain Ischemic Syndromes. Stroke, 2002, 33, 2383-2390.	1.0	59
111	Variability in Doppler ultrasound influences referral of patients for carotid surgery. European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology, 2000, 12, 137-143.	1.4	37