

Fang Luo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1194808/fang-luo-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

1,407
citations

23
h-index

35
g-index

75
ext. papers

1,953
ext. citations

6.7
avg, IF

5.04
L-index

#	Paper	IF	Citations
71	Target-Induced Horseradish Peroxidase Deactivation for Multicolor Colorimetric Assay of Hydrogen Sulfide in Rat Brain Microdialysis. <i>Analytical Chemistry</i> , 2018 , 90, 6222-6228	7.8	91
70	High peroxidase-like activity of iron and nitrogen co-doped carbon dots and its application in immunosorbent assay. <i>Talanta</i> , 2017 , 164, 1-6	6.2	88
69	Cationic Carbon Dots for Modification-Free Detection of Hyaluronidase via an Electrostatic-Controlled Ratiometric Fluorescence Assay. <i>Analytical Chemistry</i> , 2017 , 89, 8384-8390	7.8	85
68	Detection of aflatoxin B in food samples based on target-responsive aptamer-cross-linked hydrogel using a handheld pH meter as readout. <i>Talanta</i> , 2018 , 176, 34-39	6.2	63
67	Ratiometric Fluorescent Hydrogel Test Kit for On-Spot Visual Detection of Nitrite. <i>ACS Sensors</i> , 2019 , 4, 1252-1260	9.2	52
66	Nano-micelles based on hydroxyethyl starch-curcumin conjugates for improved stability, antioxidant and anticancer activity of curcumin. <i>Carbohydrate Polymers</i> , 2020 , 228, 115398	10.3	51
65	Ratiometric Immunosensor for GP73 Detection Based on the Ratios of Electrochemiluminescence and Electrochemical Signal Using DNA Tetrahedral Nanostructure as the Carrier of Stable Reference Signal. <i>Analytical Chemistry</i> , 2019 , 91, 3717-3724	7.8	49
64	Targets regulated formation of boron nitride quantum dots [Gold nanoparticles nanocomposites for ultrasensitive detection of acetylcholinesterase activity and its inhibitors. <i>Sensors and Actuators B: Chemical</i> , 2019 , 279, 61-68	8.5	45
63	Preparation of an Efficient Ratiometric Fluorescent Nanoprobe (m-CDs@[Ru(bpy)]) for Visual and Specific Detection of Hypochlorite on Site and in Living Cells. <i>ACS Sensors</i> , 2017 , 2, 1684-1691	9.2	42
62	Homogeneous electrochemical aptasensor for mucin 1 detection based on exonuclease I-assisted target recycling amplification strategy. <i>Biosensors and Bioelectronics</i> , 2018 , 117, 474-479	11.8	40
61	Highly Sensitive and Selective Photoelectrochemical Aptasensor for Cancer Biomarker CA125 Based on AuNPs/GaN Schottky Junction. <i>Analytical Chemistry</i> , 2020 , 92, 10114-10120	7.8	38
60	An aptamer-based fluorescence biosensor for multiplex detection using unmodified gold nanoparticles. <i>Chemical Communications</i> , 2012 ,	5.8	38
59	Electrochemiluminescence biosensor for miRNA-21 based on toehold-mediated strand displacement amplification with Ru(phen) loaded DNA nanoclews as signal tags. <i>Biosensors and Bioelectronics</i> , 2020 , 147, 111789	11.8	38
58	A Simple and Convenient Aptasensor for Protein Using an Electronic Balance as a Readout. <i>Analytical Chemistry</i> , 2018 , 90, 1087-1091	7.8	37
57	Stimulus-response click chemistry based aptamer-functionalized mesoporous silica nanoparticles for fluorescence detection of thrombin. <i>Talanta</i> , 2018 , 178, 563-568	6.2	36
56	Sensitive Fluorescent Sensor for Hydrogen Sulfide in Rat Brain Microdialysis via CsPbBr Quantum Dots. <i>Analytical Chemistry</i> , 2019 , 91, 15915-15921	7.8	35
55	Nucleic Acids Analysis. <i>Science China Chemistry</i> , 2020 , 64, 1-33	7.9	33

54	Highly sensitive colorimetric aptasensor for ochratoxin A detection based on enzyme-encapsulated liposome. <i>Analytica Chimica Acta</i> , 2018 , 1002, 90-96	6.6	32
53	Homogeneous and label-free electrochemiluminescence aptasensor based on the difference of electrostatic interaction and exonuclease-assisted target recycling amplification. <i>Biosensors and Bioelectronics</i> , 2018 , 105, 182-187	11.8	31
52	Cu-Modified Boron Nitride Nanosheets-Supported Subnanometer Gold Nanoparticles: An Oxidase-Mimicking Nanoenzyme with Unexpected Oxidation Properties. <i>Analytical Chemistry</i> , 2020 , 92, 1236-1244	7.8	30
51	Signal-on electrochemiluminescence aptasensor for bisphenol A based on hybridization chain reaction and electrically heated electrode. <i>Biosensors and Bioelectronics</i> , 2019 , 129, 36-41	11.8	29
50	Sensitive detection of telomerase activity in cancer cells using portable pH meter as readout. <i>Biosensors and Bioelectronics</i> , 2018 , 121, 153-158	11.8	28
49	Sensitive Hyaluronidase Biosensor Based on Target-Responsive Hydrogel Using Electronic Balance as Readout. <i>Analytical Chemistry</i> , 2019 , 91, 11821-11826	7.8	25
48	Development of an Immunosensor Based on the Exothermic Reaction between HO and CaO Using a Common Thermometer as Readout. <i>ACS Sensors</i> , 2019 , 4, 2375-2380	9.2	23
47	Ultrasensitive and Portable Assay for Lead(II) Ions by Electronic Balance as a Readout. <i>ACS Sensors</i> , 2019 , 4, 2465-2470	9.2	21
46	Homogeneous Electrochemical Method for Ochratoxin A Determination Based on Target Triggered Aptamer Hairpin Switch and Exonuclease III-Assisted Recycling Amplification. <i>Food Analytical Methods</i> , 2017 , 10, 1982-1990	3.4	20
45	Highly reproducible ratiometric aptasensor based on the ratio of amplified electrochemiluminescence signal and stable internal reference electrochemical signal. <i>Electrochimica Acta</i> , 2018 , 283, 798-805	6.7	20
44	Emission Wavelength Switchable Carbon Dots Combined with Biomimetic Inorganic Nanozymes for a Two-Photon Fluorescence Immunoassay. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 30085-30094	7.5	18
43	Electrochemiluminescence biosensor for hyaluronidase activity detection and inhibitor assay based on the electrostatic interaction between hyaluronic acid and Ru(bpy) ₃ ²⁺ . <i>Sensors and Actuators B: Chemical</i> , 2018 , 275, 409-414	8.5	16
42	Highly Sensitive and Selective Photoelectrochemical Aptasensors for Cancer Biomarkers Based on MoS ₂ /Au/GaN Photoelectrodes. <i>Analytical Chemistry</i> , 2021 , 93, 7341-7347	7.8	16
41	Real-Time Visualization of the Single-Nanoparticle Electrocatalytic Hydrogen Generation Process and Activity under Dark Field Microscopy. <i>Analytical Chemistry</i> , 2020 , 92, 9016-9023	7.8	15
40	Highly sensitive and selective aflatoxin B biosensor based on Exonuclease I-catalyzed target recycling amplification and targeted response aptamer-crosslinked hydrogel using electronic balances as a readout. <i>Talanta</i> , 2020 , 214, 120862	6.2	14
39	Target-triggered aggregation of gold nanoparticles for photothermal quantitative detection of adenosine using a thermometer as readout. <i>Analytica Chimica Acta</i> , 2020 , 1110, 151-157	6.6	14
38	Homogeneous Electrochemiluminescence Biosensor for the Detection of RNase A Activity and Its Inhibitor. <i>Analytical Chemistry</i> , 2019 , 91, 14751-14756	7.8	14
37	Ultrasensitive Homogeneous Electrochemiluminescence Biosensor for a Transcription Factor Based on Target-Modulated Proximity Hybridization and Exonuclease III-Powered Recycling Amplification. <i>Analytical Chemistry</i> , 2020 , 92, 12686-12692	7.8	13

36	Sensitive biosensor for p53 DNA sequence based on the photothermal effect of gold nanoparticles and the signal amplification of locked nucleic acid functionalized DNA walkers using a thermometer as readout. <i>Talanta</i> , 2020 , 220, 121398	6.2	12
35	A highly sensitive signal-on biosensor for microRNA 142-3p based on the quenching of Ru(bpy)-TPA electrochemiluminescence by carbon dots and duplex specific nuclease-assisted target recycling amplification. <i>Chemical Communications</i> , 2020 , 56, 6692-6695	5.8	11
34	A fluorometric histidine biosensor based on the use of a quencher-labeled Cu(II)-dependent DNAzyme. <i>Mikrochimica Acta</i> , 2017 , 184, 4015-4020	5.8	11
33	Core-satellite assemblies and exonuclease assisted double amplification strategy for ultrasensitive SERS detection of biotoxin. <i>Analytica Chimica Acta</i> , 2020 , 1110, 56-63	6.6	10
32	Highly sensitive electrochemical immunosensor for golgi protein 73 based on proximity ligation assay and enzyme-powered recycling amplification. <i>Analytica Chimica Acta</i> , 2018 , 1040, 150-157	6.6	10
31	Electrochemiluminescence biosensor for thrombin detection based on metal organic framework with electrochemiluminescence indicator embedded in the framework. <i>Biosensors and Bioelectronics</i> , 2021 , 189, 113374	11.8	10
30	Convenient detection of HS based on the photothermal effect of Au@Ag nanocubes using a handheld thermometer as readout. <i>Analytica Chimica Acta</i> , 2021 , 1149, 338211	6.6	8
29	Electrochemiluminescence Biosensor for the Detection of the Folate Receptor in HeLa Cells Based on Hyperbranched Rolling Circle Amplification and Terminal Protection. <i>ChemElectroChem</i> , 2019 , 6, 827-833	4.3	8
28	Rapid detection of dibutyl phthalate in liquor by a semi-quantitative multicolor immunosensor with naked eyes as readout. <i>Analytical Methods</i> , 2019 , 11, 524-529	3.2	7
27	A signal-on homogeneous electrochemical biosensor for sequence-specific microRNA based on duplex-specific nuclease-assisted target recycling amplification. <i>Analytical Methods</i> , 2016 , 8, 7034-7039	3.2	7
26	Enzyme-linked immunosorbent assay for aflatoxin B1 using a portable pH meter as the readout. <i>Analytical Methods</i> , 2018 , 10, 3804-3809	3.2	7
25	Terminal protection G-quadruplex-based turn-on fluorescence biosensor for H5N1 antibody. <i>Analytical Methods</i> , 2012 , 4, 3425	3.2	7
24	Quantitative gold nanorods based photothermal biosensor for glucose using a thermometer as readout. <i>Talanta</i> , 2021 , 230, 122364	6.2	7
23	Fluorescence biosensor for DNA methyltransferase activity and related inhibitor detection based on methylation-sensitive cleavage primer triggered hyperbranched rolling circle amplification. <i>Analytica Chimica Acta</i> , 2020 , 1122, 1-8	6.6	6
22	Biocompatible perovskite quantum dots with superior water resistance enable long-term monitoring of the HS level. <i>Nanoscale</i> , 2021 , 13, 14297-14303	7.7	5
21	Electrochemiluminescence Sensor for Cancer Cell Detection Based on H2O2-Triggered Stimulus Response System. <i>Journal of Analysis and Testing</i> , 2020 , 4, 128-135	3.2	4
20	A homogeneous photoelectrochemical hydrogen sulfide sensor based on the electronic transfer mediated by tetrasulfophthalocyanine. <i>Analyst, The</i> , 2020 , 145, 3543-3548	5	4
19	Electrochemiluminescence Biosensor for Hyaluronidase Based on the Ru(bpy) Doped SiO Nanoparticles Embedded in the Hydrogel Fabricated by Hyaluronic Acid and Polyethylenimine.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 1158-1164	4.1	4

18	A Bright Nitrogen-doped-Carbon-Dots based Fluorescent Biosensor for Selective Detection of Copper Ions. <i>Journal of Analysis and Testing</i> , 2021 , 5, 84-92	3.2	4
17	Ultrasensitive Photoelectrochemical Biosensor for microRNA-155 Based on Energy Transfer between Au Nanocages and Red Emission Carbon Dot-Assembled Nanosheets Coupled with the Duplex-Specific Nuclease Enzyme-Assisted Target Recycling Strategy.. <i>Analytical Chemistry</i> , 2021 ,	7.8	4
16	Chemiluminescent sensor for hydrogen sulfide in rat brain microdialysis based on target-induced horseradish peroxidase deactivation. <i>Analytical Methods</i> , 2019 , 11, 3085-3089	3.2	3
15	Dark field microscope-based single nanoparticle identification coupled with statistical analysis for ultrasensitive biotoxin detection in complex sample matrix. <i>Mikrochimica Acta</i> , 2020 , 187, 413	5.8	3
14	A signal-on fluorescence sensor for hydrogen sulphide detection in environmental samples based on silver-mediated base pairs. <i>Analytical Methods</i> , 2020 , 12, 188-192	3.2	3
13	A Novel Enzyme-Responded Controlled Release Electrochemical Biosensor for Hyaluronidase Activity Detection. <i>Journal of Analysis and Testing</i> , 2021 , 5, 69-75	3.2	3
12	Design of an electrochemiluminescence detection system through the regulation of charge density in a microchannel. <i>Chemical Science</i> , 2021 , 12, 13151-13157	9.4	2
11	Homogeneous photoelectrochemical biosensor for microRNA based on target-responsive hydrogel coupled with exonuclease III and nicking endonuclease Nb.BbvCI assistant cascaded amplification strategy. <i>Mikrochimica Acta</i> , 2021 , 188, 267	5.8	2
10	A smart and sensitive sensing platform to monitor the extracellular concentration of hydrogen peroxide in rat brain microdialysates during pathological processes based on mesoporous silica nanoparticles. <i>Analytical Methods</i> , 2018 , 10, 4361-4366	3.2	1
9	Single nanoparticle identification coupled with auto-identify algorithm for rapid and accurate detection of L-histidine. <i>Analytica Chimica Acta</i> , 2021 , 1187, 339162	6.6	1
8	Sensitive Electrochemiluminescence Biosensor Based on the Target Trigger Difference of the Electrostatic Interaction between an ECL Reporter and the Electrode Surface.. <i>Analytical Chemistry</i> , 2022 ,	7.8	1
7	Multicolor hydrogen sulfide sensor for meat freshness assessment based on Cu-modified boron nitride nanosheets-supported subnanometer gold nanoparticles.. <i>Food Chemistry</i> , 2022 , 381, 132278	8.5	0
6	Quick preparation of water-soluble perovskite nanocomposite via cetyltrimethylammonium bromide and its application.. <i>Mikrochimica Acta</i> , 2022 , 189, 68	5.8	0
5	Photothermal immunoassay for carcinoembryonic antigen based on the inhibition of cysteine-induced aggregation of gold nanoparticles by copper ion using a common thermometer as readout. <i>Analytica Chimica Acta</i> , 2021 , 1181, 338929	6.6	0
4	Electrochemiluminescence Aptasensor for Charged Targets through the Direct Regulation of Charge Density in Microchannels.. <i>Analytical Chemistry</i> , 2021 , 93, 17127-17133	7.8	0
3	Determination of copper ions in herbal medicine based on click chemistry using an electronic balance as a readout. <i>Analytical Methods</i> , 2020 , 12, 4473-4478	3.2	
2	A Ratiometric Fluorescence Probe for Selective Detection of ex vivo Methylglyoxal in Diabetic Mice.. <i>ChemistryOpen</i> , 2022 , 11, e202200055	2.3	
1	Electrochemiluminescence biosensor for HPV16 detection based on the adjusting of steric hindrance effect coupled with Exonuclease III amplification strategy.. <i>Bioelectrochemistry</i> , 2022 , 146, 108149	5.6	

