Paul E Gottschall

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11948206/publications.pdf

Version: 2024-02-01

66 papers

6,920 citations

57631 44 h-index 62 g-index

66 all docs

66 docs citations

66 times ranked 4766 citing authors

#	Article	IF	CITATIONS
1	${\rm A\hat{l}^2}$ peptide vaccination prevents memory loss in an animal model of Alzheimer's disease. Nature, 2000, 408, 982-985.	13.7	1,506
2	INTERLEUKIN-1 STIMULATES ACTH RELEASE BY AN INDIRECT ACTION WHICH REQUIRES ENDOGENOUS CORTICOTROPIN RELEASING FACTOR. Endocrinology, 1987, 121, 1580-1582.	1.4	365
3	Two High Affinity Binding Sites for Pituitary Adenylate Cyclase-Activating Polypeptide Have Different Tissue Distributions*. Endocrinology, 1991, 128, 3055-3065.	1.4	313
4	Characterization and Distribution of Binding Sites for the Hypothalamic Peptide, Pituitary Adenylate Cyclase-Activating Polypeptide*. Endocrinology, 1990, 127, 272-277.	1.4	311
5	Adrenocorticotropin Release Induced by Intracerebroventricular Injection of Recombinant Human Interleukin-1 in Rats: Possible Involvement of Prostaglandin*. Endocrinology, 1988, 122, 1773-1779.	1.4	230
6	Regulation of Matrix Metalloproteinase Expression in Astrocytes, Microglia and Neurons. NeuroImmunoModulation, 1996, 3, 69-75.	0.9	201
7	INTERLEUKIN-1 <i>BETA</i> INCREASES PROSTAGLANDIN E ₂ IN RAT ASTROCYTE CULTURES: MODULATORY EFFECT OF NEUROPEPTIDES. Endocrinology, 1989, 124, 3125-3127.	1.4	178
8	Cytokines Regulate Gelatinase A and B (Matrix Metalloproteinase 2 and 9) Activity in Cultured Rat Astrocytes. Journal of Neurochemistry, 1995, 64, 1513-1520.	2.1	174
9	Identification of a high-affinity receptor for interleukin-1 beta in rat brain. Biochemical and Biophysical Research Communications, 1988, 156, 61-67.	1.0	168
10	Activation of the Proteolytic Activity of ADAMTS4 (Aggrecanase-1) by C-terminal Truncation. Journal of Biological Chemistry, 2002, 277, 11034-11041.	1.6	160
11	Neuropeptide Regulation of Interleukin-6 Production from the Pituitary: Stimulation by Pituitary Adenylate Cyclase Activating Polypeptide and Calcitonin Gene-Related Peptide*. Endocrinology, 1991, 129, 1797-1804.	1.4	158
12	Deglycosylated Anti-Amyloid-beta Antibodies Eliminate Cognitive Deficits and Reduce Parenchymal Amyloid with Minimal Vascular Consequences in Aged Amyloid Precursor Protein Transgenic Mice. Journal of Neuroscience, 2006, 26, 5340-5346.	1.7	156
13	Increased Production of Matrix Metalloproteinases in Enriched Astrocyte and Mixed Hippocampal Cultures Treated with βâ€Amyloid Peptides. Journal of Neurochemistry, 1996, 66, 1641-1647.	2.1	140
14	Regulation of interleukin-6 (IL-6) secretion in primary cultured rat astrocytes: synergism of interleukin-1 (IL-1) and pituitary adenylate cyclase activating polypeptide (PACAP). Brain Research, 1994, 637, 197-203.	1.1	133
15	Stimulation of ACTH release by human interleukin- $1\hat{l}^2$, but not by interleukin- $1\hat{l}^2$, in conscious, freely-moving rats. Biochemical and Biophysical Research Communications, 1987, 146, 1286-1290.	1.0	128
16	Demonstration of specific binding sites for pituitary adenylate cyclase activating polypeptide (PACAP) in rat astrocytes. Biochemical and Biophysical Research Communications, 1990, 168, 1027-1033.	1.0	126
17	Interleukin-1 inhibits follicle stimulating hormone-induced differentiation in rat granulosa cells in vitro. Biochemical and Biophysical Research Communications, 1987, 149, 502-509.	1.0	118
18	Trafficking CD11b-Positive Blood Cells Deliver Therapeutic Genes to the Brain of Amyloid-Depositing Transgenic Mice. Journal of Neuroscience, 2010, 30, 9651-9658.	1.7	116

#	Article	IF	Citations
19	Zymographic measurement of gelatinase activity in brain tissue after detergent extraction and affinity-support purification. Journal of Neuroscience Methods, 1997, 76, 15-20.	1.3	108
20	Regional and differential expression of gelatinases in rat brain after systemic kainic acid or bicuculline administration. European Journal of Neuroscience, 1998, 10, 3358-3368.	1.2	105
21	ADAMTS4 (aggrecanase-1) cleaves human brain versican V2 at Glu405-Gln406 to generate glial hyaluronate binding protein. Biochemical Journal, 2004, 377, 787-795.	1.7	95
22	Number of $\hat{Al^2}$ Inoculations in APP+PS1 Transgenic Mice Influences Antibody Titers, Microglial Activation, and Congophilic Plaque Levels. DNA and Cell Biology, 2001, 20, 731-736.	0.9	90
23	Interleukin 1: an inhibitor of luteinizing hormone receptor formation in cultured rat granulosa cells. FASEB Journal, 1988, 2, 2492-2496.	0.2	86
24	Growth Hormone Secretory Patterns in Young, Middle-Aged and Old Female Rats. Neuroendocrinology, 1987, 46, 137-142.	1.2	85
25	\hat{l}^2 -Amyloid induces the production of active, matrix-degrading proteases in cultured rat astrocytes. Brain Research, 2003, 970, 205-213.	1.1	83
26	Cytochemical characterization of anterior pituitary target cells for the neuropeptide, pituitary adenylate cyclase activating polypeptide (PACAP), using biotinylated ligands. Peptides, 1993, 14, 59-65.	1.2	80
27	ADAMTS expression and function in central nervous system injury and disorders. Matrix Biology, 2015, 44-46, 70-76.	1.5	73
28	Molecular identification of receptor for pituitary adenylate cyclase activating polypeptide. Biochemical and Biophysical Research Communications, 1990, 171, 838-844.	1.0	72
29	Hypothalamic binding sites for pituitary adenylate cyclase activating polypeptide: characterization and molecular identification 1. FASEB Journal, 1991, 5, 194-199.	0.2	71
30	Increased secretion of somatostatin-28 from hypothalamic neurons of aged rats in vitro. Brain Research, 1986, 380, 229-234.	1.1	66
31	Inhibition of Mitogen-Stimulated Proliferation of Murine Splenocytes by a Novel Neuropeptide, Pituitary Adenylate Cyclase Activating Polypeptide: A Comparative Study with Vasoactive Intestinal Peptide*. Endocrinology, 1991, 128, 728-734.	1.4	65
32	Adeno-associated Viral (AAV) Serotype 5 Vector Mediated Gene Delivery of Endothelin-converting Enzyme Reduces AÎ ² Deposits in APP + PS1 Transgenic Mice. Molecular Therapy, 2008, 16, 1580-1586.	3.7	64
33	Differential effect of cytokines on the phenobarbital or 3-methylcholanthrene induction of P450 mediated monooxygenase activity in cultured rat hepatocytes. Biochemical Pharmacology, 1995, 49, 97-104.	2.0	63
34	Specific binding sites for pituitary adenylate cyclase activating polypeptide (PACAP) in rat cultured astrocytes: Molecular identification and interaction with vasoactive intestinal peptide (VIP). Peptides, 1991, 12, 617-621.	1.2	60
35	Delayed administration of a matrix metalloproteinase inhibitor limits progressive brain injury after hypoxia-ischemia in the neonatal rat. Journal of Neuroinflammation, 2008, 5, 34.	3.1	56
36	Discordance in the Effects of Interleukin-1 on Rat Granulosa Cell Differentiation Induced by Follicle-Stimulating Hormone or Activators of Adenylate Cyclase1. Biology of Reproduction, 1988, 39, 1074-1085.	1.2	53

3

#	Article	IF	CITATIONS
37	L-Dopa Restores Amplitude of Growth Hormone Pulses in Old Male Rats to That Observed in Young Male Rats. Neuroendocrinology, 1982, 34, 163-168.	1.2	51
38	Multimodal signaling by the ADAMTSs (a disintegrin and metalloproteinase with thrombospondin) Tj ETQq0 0	0 rgBT/Ove	rlock 10 Tf 50
39	Possible recognition of the GnRH receptor by an antiserum against a peptide encoded by nucleotide sequence complementary to mRNA of a GnRH precursor peptide. Peptides, 1986, 7, 1137-1145.	1.2	50
40	Increased Circulating Interleukin-1 and Interleukin-6 after Intracerebroventricular Injection of Lipopolysaccharide. Neuroendocrinology, 1992, 56, 935-938.	1.2	50
41	Evidence for proteolytic cleavage of brevican by the ADAMTSs in the dentate gyrus after excitotoxic lesion of the mouse entorhinal cortex. BMC Neuroscience, 2005, 6, 52.	0.8	50
42	Discordant localization of WFA reactivity and brevican/ADAMTS-derived fragment in rodent brain. BMC Neuroscience, 2008, 9, 14.	0.8	48
43	Interleukin-1 suppresses follicle-stimulating hormone-induced estradiol secretion from cultured ovarian granulosa cells. Journal of Reproductive Immunology, 1989, 15, 281-290.	0.8	47
44	Interleukin-1 beta is more potent than interleukin-1 alpha in supressing follicle-stimulating hormone-induced differentiation of ovarian granulosa cells. Biochemical and Biophysical Research Communications, 1989, 163, 764-770.	1.0	46
45	Intracranial administration of deglycosylated C-terminal-specific anti-Abeta antibody efficiently clears amyloid plaques without activating microglia in amyloid-depositing transgenic mice. Journal of Neuroinflammation, 2006, 3, 11 .	3.1	42
46	Altered production and proteolytic processing of brevican by transforming growth factor \hat{l}^2 in cultured astrocytes. Journal of Neurochemistry, 2005, 93, 1533-1541.	2.1	41
47	Regional and age-related expression of gelatinases in the brains of young and old rats after treatment with kainic acid. Neuroscience Letters, 2000, 295, 9-12.	1.0	39
48	Hippocampal administration of chondroitinase ABC increases plaque-adjacent synaptic marker and diminishes amyloid burden in aged APPswe/PS1dE9 mice. Acta Neuropathologica Communications, 2015, 3, 54.	2.4	38
49	Reduced Tuberoinfundibular Dopaminergic Neuronal Function in Rats with in situ Prolactin-Secreting Pituitary Tumors. Neuroendocrinology, 1984, 38, 498-503.	1.2	34
50	\hat{l}^2 -amyloid induction of gelatinase B secretion in cultured microglia. NeuroReport, 1996, 7, 3077-3080.	0.6	34
51	Abnormal postâ€translational and extracellular processing of brevican in plaqueâ€bearing mice overâ€expressing APPsw. Journal of Neurochemistry, 2010, 113, 784-795.	2.1	33
52	Activated isoforms of MMP-2 are induced in U87 human glioma cells in response to \hat{I}^2 -amyloid peptide. Journal of Neuroscience Research, 1999, 55, 44-53.	1.3	31
53	Versican and brevican are expressed with distinct pathology in neonatal hypoxicâ€ischemic injury. Journal of Neuroscience Research, 2008, 86, 1106-1114.	1.3	29
54	The effect of hypoxic–ischemic brain injury in perinatal rats on the abundance and proteolysis of brevican and NG2. Experimental Neurology, 2005, 193, 149-162.	2.0	27

#	Article	IF	CITATIONS
55	Deglycosylated Anti-Aβ Antibody Dose–Response Effects on Pathology and Memory in APP Transgenic Mice. Journal of NeuroImmune Pharmacology, 2008, 3, 187-197.	2.1	22
56	Panel of synaptic protein ELISAs for evaluating neurological phenotype. Experimental Brain Research, 2010, 201, 885-893.	0.7	22
57	Selective Decline of Synaptic Protein Levels in the Frontal Cortex of Female Mice Deficient in the Extracellular Metalloproteinase ADAMTS1. PLoS ONE, 2012, 7, e47226.	1.1	20
58	Evidence for a Permanent Decline in Tuberoinfundibular Dopaminergic Neuronal Function after Chronic Estrogen Treatment Is Terminated in Fischer 344 Rats. Neuroendocrinology, 1986, 44, 211-216.	1.2	13
59	Interleukin- $\hat{l^2}$ activation of the central nervous system. , 1992, , 27-49.		12
60	Altered Synaptic Marker Abundance in the Hippocampal Stratum Oriens of Ts65Dn Mice is Associated with Exuberant Expression of Versican. ASN Neuro, 2012, 4, AN20110037.	1.5	10
61	Increased sensitivity of glioblastoma cells to interleukin 1 after long-term incubation with dexamethasone. Molecular and Cellular Neurosciences, 1992, 3, 49-55.	1.0	9
62	Effects of phenobarbital and interleukin-6 on cytochrome P4502B1 and 2B2 in cultured rat hepatocytes. Biochemical Pharmacology, 1996, 51, 701-706.	2.0	8
63	Neuronal cells derived from human induced pluripotent stem cells as a functional tool of melanocortin system. Neuropeptides, 2017, 65, 10-20.	0.9	4
64	Effects of Bacterial Endotoxin (Lipopolysaccharide) on FSH-Induced Granulosa Cell Activities. , 1991, , 170-177.		2
65	Activated isoforms of MMP-2 are induced in U87 human glioma cells in response to \hat{l}^2 -amyloid peptide. , 1999, 55, 44.		1
66	Methodological Evaluation of Sites and Mechanisms of Action Involved in Neuroendocrine Effects of Cytokines. Methods in Neurosciences, 1993, , 269-293.	0.5	0