

# Miren del Rio

## List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/1195256/publications.pdf](https://exaly.com/author-pdf/1195256/publications.pdf)

Version: 2024-02-01

121  
papers

5,431  
citations

62334

43  
h-index

99211

67  
g-index

124  
all docs

124  
docs citations

124  
times ranked

3897  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Growth and yield of mixed versus pure stands of Scots pine ( <i>Pinus sylvestris</i> L.) and European beech ( <i>Fagus sylvatica</i> L.) analysed along a productivity gradient through Europe. <i>European Journal of Forest Research</i> , 2015, 134, 927-947.     | 2.5 | 257       |
| 2  | Growth response to climate and drought in <i>Pinus nigra</i> Arn. trees of different crown classes. <i>Trees - Structure and Function</i> , 2008, 22, 363-373.   | 1.9 | 212       |
| 3  | Characterization of the structure, dynamics, and productivity of mixed-species stands: review and perspectives. <i>European Journal of Forest Research</i> , 2016, 135, 23-49.   | 2.5 | 170       |
| 4  | Response of climate-growth relationships and water use efficiency to thinning in a <i>Pinus nigra</i> afforestation. <i>Forest Ecology and Management</i> , 2010, 259, 967-975.  | 3.3 | 151       |
| 5  | Species interactions increase the temporal stability of community productivity in <i>Pinus sylvestris</i> – <i>Fagus sylvatica</i> mixtures across Europe. <i>Journal of Ecology</i> , 2017, 105, 1032-1043.   | 4.1 | 140       |
| 6  | Temporal variation of competition and facilitation in mixed species forests in Central Europe. <i>Plant Biology</i> , 2014, 16, 166-176.   | 3.8 | 132       |
| 7  | Effects of crown architecture and stand structure on light absorption in mixed and monospecific <i>Fagus sylvatica</i> and <i>Pinus sylvestris</i> forests along a productivity and climate gradient through Europe. <i>Journal of Ecology</i> , 2018, 106, 746-760. | 4.1 | 125       |
| 8  | Mixing effect on volume growth of <i>Fagus sylvatica</i> and <i>Pinus sylvestris</i> is modulated by stand density. <i>Forest Ecology and Management</i> , 2013, 292, 86-95.   | 3.3 | 115       |
| 9  | Mixing of Scots pine ( <i>Pinus sylvestris</i> L.) and European beech ( <i>Fagus sylvatica</i> L.) enhances structural heterogeneity, and the effect increases with water availability. <i>Forest Ecology and Management</i> , 2016, 373, 149-166.                   | 3.3 | 115       |
| 10 | New models for estimating the carbon sink capacity of Spanish softwood species. <i>Forest Systems</i> , 2011, 20, 176-188.   | 0.3 | 110       |
| 11 | Comparaison de la croissance en volume dans des peuplements purs et des peuplements mixtes de <i>Pinus sylvestris</i> et de <i>Quercus pyrenaica</i> . <i>Annals of Forest Science</i> , 2009, 66, 502-502.  | 2.0 | 108       |
| 12 | European Mixed Forests: definition and research perspectives. <i>Forest Systems</i> , 2014, 23, 518.   | 0.3 | 107       |
| 13 | Biomass models to estimate carbon stocks for hardwood tree species. <i>Forest Systems</i> , 2012, 21, 42-52.   | 0.3 | 106       |
| 14 | The greater resilience of mixed forests to drought mainly depends on their composition: Analysis along a climate gradient across Europe. <i>Forest Ecology and Management</i> , 2021, 481, 118687.   | 3.3 | 104       |
| 15 | What is Climate-Smart Forestry? A definition from a multinational collaborative process focused on mountain regions of Europe. <i>Ecosystem Services</i> , 2020, 43, 101113.   | 5.4 | 100       |
| 16 | Growth response to thinning in <i>Quercus pyrenaica</i> Willd. coppice stands in Spanish central mountain. <i>Annals of Forest Science</i> , 2004, 61, 243-250.  | 2.0 | 99        |
| 17 | Growth responses of West-Mediterranean <i>Pinus nigra</i> to climate change are modulated by competition and productivity: Past trends and future perspectives. <i>Forest Ecology and Management</i> , 2011, 262, 1030-1040.   | 3.3 | 96        |
| 18 | Analyzing size-symmetric vs. size-asymmetric and intra- vs. inter-specific competition in beech ( <i>Fagus</i> )   | 3.3 | 90        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Terrestrial laser scanning reveals differences in crown structure of <i>Fagus sylvatica</i> in mixed vs. pure European forests. <i>Forest Ecology and Management</i> , 2017, 405, 381-390.  | 3.3 | 80        |
| 20 | Individual-tree diameter growth model for rebollo oak ( <i>Quercus pyrenaica</i> Willd.) coppices. <i>Forest Ecology and Management</i> , 2008, 255, 1011-1022.   | 3.3 | 77        |
| 21 | Analysis of diameter–density relationships and self-thinning in non-thinned even-aged Scots pine stands. <i>Forest Ecology and Management</i> , 2001, 142, 79-87.   | 3.3 | 76        |
| 22 | Litter fall in Mediterranean <i>Pinus pinaster</i> Ait. stands under different thinning regimes. <i>Forest Ecology and Management</i> , 2005, 206, 179-190.   | 3.3 | 76        |
| 23 | A mixed nonlinear height–diameter model for pyrenean oak ( <i>Quercus pyrenaica</i> Willd.). <i>Forest Ecology and Management</i> , 2008, 256, 88-98.   | 3.3 | 75        |
| 24 | Competition-induced mortality for Mediterranean <i>Pinus pinaster</i> Ait. and <i>P. sylvestris</i> L.. <i>Forest Ecology and Management</i> , 2006, 222, 88-98.  | 3.3 | 73        |
| 25 | Intensité de claircie et croissance dans des peuplements de pin sylvestre du sud ouest de l'Europe. <i>Annals of Forest Science</i> , 2008, 65, 308-308.  | 2.0 | 70        |
| 26 | Black pine ( <i>Pinus nigra</i> Arn.) growth divergence along a latitudinal gradient in Western Mediterranean mountains. <i>Annals of Forest Science</i> , 2010, 67, 401-401.   | 2.0 | 70        |
| 27 | Do thinnings influence biomass and soil carbon stocks in Mediterranean maritime pinewoods?. <i>European Journal of Forest Research</i> , 2013, 132, 253-262.  | 2.5 | 69        |
| 28 | Maintenance of long-term experiments for unique insights into forest growth dynamics and trends: review and perspectives. <i>European Journal of Forest Research</i> , 2019, 138, 165-185.  | 2.5 | 68        |
| 29 | A review of thinning effects on Scots pine stands: From growth and yield to new challenges under global change. <i>Forest Systems</i> , 2017, 26, eR03S.  | 0.3 | 66        |
| 30 | Species mixing reduces drought susceptibility of Scots pine ( <i>Pinus sylvestris</i> L.) and oak ( <i>Quercus</i> ) stands. <i>Forest Ecology and Management</i> , 2020, 461, 117908.  | 3.3 | 65        |
| 31 | Forest management and carbon sequestration in the Mediterranean region: A review. <i>Forest Systems</i> , 2017, 26, eR04S.  | 0.3 | 65        |
| 32 | Climate modifies tree interactions in terms of basal area growth and mortality in monospecific and mixed <i>Fagus sylvatica</i> and <i>Pinus sylvestris</i> forests. <i>European Journal of Forest Research</i> , 2015, 134, 1095-1108. | 2.5 | 62        |
| 33 | Thinning enhances the species-specific radial increment response to drought in Mediterranean pine-oak stands. <i>Agricultural and Forest Meteorology</i> , 2017, 237-238, 371-383.  | 4.8 | 60        |
| 34 | Using historic management records to characterize the effects of management on the structural diversity of forests. <i>Forest Ecology and Management</i> , 2005, 207, 279-293.  | 3.3 | 59        |
| 35 | Climate influences on the maximum size-density relationship in Scots pine ( <i>Pinus sylvestris</i> L.) and European beech ( <i>Fagus sylvatica</i> L.) stands. <i>Forest Ecology and Management</i> , 2017, 385, 295-307.              | 3.3 | 59        |
| 36 | Tree allometry variation in response to intra- and inter-specific competitions. <i>Trees - Structure and Function</i> , 2019, 33, 121-138.  | 1.9 | 59        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Stand growth and structure of mixed-species and monospecific stands of Scots pine ( <i>Pinus sylvestris</i> ) Tj ETQq1 1 0.784314 rgBT /Ove<br>Europe. <i>European Journal of Forest Research</i> , 2020, 139, 349-367. | 2.5 | 59        |
| 38 | Tree ring wood density of Scots pine and European beech lower in mixed-species stands compared with monocultures. <i>Forest Ecology and Management</i> , 2017, 400, 363-374.  | 3.3 | 51        |
| 39 | Dominant height growth equations including site attributes in the generalized algebraic difference approach. <i>Canadian Journal of Forest Research</i> , 2008, 38, 2348-2358.  | 1.7 | 50        |
| 40 | Effects of Drought on Xylem Anatomy and Water-Use Efficiency of Two Co-Occurring Pine Species. <i>Forests</i> , 2017, 8, 332.   | 2.1 | 49        |
| 41 | Using stand-scale forest models for estimating indicators of sustainable forest management. <i>Forest Ecology and Management</i> , 2012, 285, 164-178.  | 3.3 | 48        |
| 42 | The productivity of mixed mountain forests comprised of <i>Fagus sylvatica</i> , <i>Picea abies</i> , and <i>Abies alba</i> across Europe. <i>Forestry</i> , 2019, 92, 512-522.   | 2.4 | 46        |
| 43 | Effect of species proportion definition on the evaluation of growth in pure vs. mixed stands. <i>Forest Systems</i> , 2014, 23, 547-559.  | 0.3 | 45        |
| 44 | Resin-tapped pine forests in Spain: Ecological diversity and economic valuation. <i>Science of the Total Environment</i> , 2018, 625, 1146-1155.  | 8.1 | 44        |
| 45 | Shrub biomass accumulation and growth rate models to quantify carbon stocks and fluxes for the Mediterranean region. <i>European Journal of Forest Research</i> , 2015, 134, 537-553.                                   | 2.5 | 43        |
| 46 | Results from a thinning experiment in a Scots pine ( <i>Pinus sylvestris</i> L.) natural regeneration stand in the Sistema Ibárico Mountain Range (Spain). <i>Forest Ecology and Management</i> , 2001, 145, 151-161.   | 3.3 | 42        |
| 47 | Changes in structural heterogeneity and stand productivity by mixing Scots pine and Maritime pine. <i>Forest Ecology and Management</i> , 2017, 405, 219-228.   | 3.3 | 41        |
| 48 | The effects of thinning on the structural diversity of coppice forests. <i>Annals of Forest Science</i> , 2004, 61, 771-779.  | 2.0 | 41        |
| 49 | Predicting the spatial and temporal dynamics of species interactions in <i>Fagus sylvatica</i> and <i>Pinus sylvestris</i> forests across Europe. <i>Forest Ecology and Management</i> , 2017, 405, 112-133.            | 3.3 | 40        |
| 50 | The symmetry of competitive interactions in mixed Norway spruce, silver fir and European beech forests. <i>Journal of Vegetation Science</i> , 2018, 29, 775-787.   | 2.2 | 39        |
| 51 | Site index curves and growth model for Mediterranean maritime pine ( <i>Pinus pinaster</i> Ait.) in Spain. <i>Forest Ecology and Management</i> , 2004, 201, 187-197.   | 3.3 | 38        |
| 52 | Modelling dominant height growth and site index curves for rebollo oak ( <i>Quercus pyrenaica</i> Willd.). <i>Annals of Forest Science</i> , 2006, 63, 929-940.   | 2.0 | 38        |
| 53 | Intra- and inter-specific variation of the maximum size-density relationship along an aridity gradient in Iberian pinewoods. <i>Forest Ecology and Management</i> , 2018, 411, 90-100.                                  | 3.3 | 37        |
| 54 | Drought modifies tree competitiveness in an oak-beech temperate forest. <i>Forest Ecology and Management</i> , 2018, 429, 7-17.   | 3.3 | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Evidence of elevation-specific growth changes of spruce, fir, and beech in European mixed mountain forests during the last three centuries. <i>Canadian Journal of Forest Research</i> , 2020, 50, 689-703.                                     | 1.7 | 35        |
| 56 | Distance independent tree diameter growth model for cork oak stands. <i>Forest Ecology and Management</i> , 2006, 225, 262-270.   | 3.3 | 34        |
| 57 | Thinning alters the early-decomposition rate and nutrient immobilization-release pattern of foliar litter in Mediterranean oak-pine mixed stands. <i>Forest Ecology and Management</i> , 2017, 391, 309-320.                                    | 3.3 | 34        |
| 58 | Geographic variation and parameter assessment in generalized algebraic difference site index modelling. <i>Forest Ecology and Management</i> , 2007, 247, 107-119.  | 3.3 | 33        |
| 59 | Long-term impacts of drought on growth and forest dynamics in a temperate beech-oak-birch forest. <i>Agricultural and Forest Meteorology</i> , 2018, 259, 48-59.  | 4.8 | 32        |
| 60 | Importance of tree species size dominance and heterogeneity on the productivity of spruce-fir-beech mountain forest stands in Europe. <i>Forest Ecology and Management</i> , 2020, 457, 117716.   | 3.3 | 31        |
| 61 | Regional changes of <i>Pinus pinaster</i> site index in Spain using a climate-based dominant height model. <i>Canadian Journal of Forest Research</i> , 2010, 40, 2036-2048.  | 1.7 | 30        |
| 62 | Modelling approaches for mixed forests dynamics prognosis. Research gaps and opportunities. <i>Forest Systems</i> , 2019, 28, eR002.  | 0.3 | 29        |
| 63 | Growth and yield models in Spain: Historical overview, Contemporary Examples and perspectives. <i>Forest Systems</i> , 2011, 20, 315-328.   | 0.3 | 28        |
| 64 | EuMIXFOR empirical forest mensuration and ring width data from pure and mixed stands of Scots pine ( <i>Pinus sylvestris</i> L.) and European beech ( <i>Fagus sylvatica</i> L.) through Europe. <i>Annals of Forest Science</i> , 2017, 74, 1. | 2.0 | 27        |
| 65 | Implications of Reduced Stand Density on Tree Growth and Drought Susceptibility: A Study of Three Species under Varying Climate. <i>Forests</i> , 2020, 11, 627.  | 2.1 | 27        |
| 66 | Long-term trends in dominant-height growth of black pine using dynamic models. <i>Forest Ecology and Management</i> , 2008, 256, 1230-1238.   | 3.3 | 25        |
| 67 | Modeling individual-tree mortality in Pyrenean oak ( <i>Quercus pyrenaica</i> Willd.) stands. <i>Annals of Forest Science</i> , 2010, 67, 810-810.  | 2.0 | 25        |
| 68 | Mixing effects on growth efficiency in mixed pine forests. <i>Forestry</i> , 0, , .   | 2.4 | 25        |
| 69 | Species Mixing Effects on Heightâ€“Diameter and Basal Area Increment Models for Scots Pine and Maritime Pine. <i>Forests</i> , 2019, 10, 249.   | 2.1 | 25        |
| 70 | â€“Carbon stocks in a Scots pine afforestation under different thinning intensities managementâ€™. <i>Mitigation and Adaptation Strategies for Global Change</i> , 2016, 21, 1059.  | 2.1 | 24        |
| 71 | Maximum stand density strongly depends on species-specific wood stability, shade and drought tolerance. <i>Forestry</i> , 2018, 91, 459-469.  | 2.4 | 24        |
| 72 | Mediterranean Pine Forests: Management Effects on Carbon Stocks. <i>Managing Forest Ecosystems</i> , 2017, , 301-327.   | 0.9 | 23        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Species and soil effects on overyielding of tree species mixtures in the Netherlands. <i>Forest Ecology and Management</i> , 2018, 409, 105-118.   | 3.3 | 23        |
| 74 | European beech stem diameter grows better in mixed than in mono-specific stands at the edge of its distribution in mountain forests. <i>European Journal of Forest Research</i> , 2021, 140, 127-145.                          | 2.5 | 23        |
| 75 | Mixing effects on Scots pine ( <i>Pinus sylvestris</i> L.) and Norway spruce ( <i>Picea abies</i> (L.) Karst.) productivity along a climatic gradient across Europe. <i>Forest Ecology and Management</i> , 2021, 482, 118834. | 3.3 | 23        |
| 76 | Spatio-temporal variation of natural regeneration in <i>Pinus pinea</i> and <i>Pinus pinaster</i> Mediterranean forests in Spain. <i>European Journal of Forest Research</i> , 2019, 138, 313-326.                             | 2.5 | 21        |
| 77 | Species-specific weather response in the daily stem variation cycles of Mediterranean pine-oak mixed stands. <i>Agricultural and Forest Meteorology</i> , 2018, 256-257, 220-230.  | 4.8 | 20        |
| 78 | Mixed short rotation plantations of <i>Populus alba</i> and <i>Robinia pseudoacacia</i> for biomass yield. <i>Forest Ecology and Management</i> , 2018, 410, 48-55.  | 3.3 | 20        |
| 79 | Productivity Estimations for Monospecific and Mixed Pine Forests along the Iberian Peninsula Aridity Gradient. <i>Forests</i> , 2019, 10, 430.   | 2.1 | 20        |
| 80 | Tree species identity drives soil organic carbon storage more than species mixing in major two-species mixtures (pine, oak, beech) in Europe. <i>Forest Ecology and Management</i> , 2021, 481, 118752.                        | 3.3 | 20        |
| 81 | Density regulation of mixed and mono-specific forest stands as a continuum: a new concept based on species-specific coefficients for density equivalence and density modification. <i>Forestry</i> , 2020, 93, 1-15.           | 2.4 | 19        |
| 82 | Environmental variability and its relationship to site index in Mediterranean maritime pine. <i>Forest Systems</i> , 2011, 20, 50-64.  | 0.3 | 19        |
| 83 | Adapting a model for even-aged <i>Pinus pinea</i> L. stands to complex multi-aged structures. <i>Forest Ecology and Management</i> , 2008, 256, 1390-1399.   | 3.3 | 16        |
| 84 | Influence of individual tree and stand attributes in stem straightness in <i>Pinus pinaster</i> Ait. stands. <i>Annals of Forest Science</i> , 2004, 61, 141-148.  | 2.0 | 16        |
| 85 | Ingrowth model for pyrenean oak stands in north-western Spain using continuous forest inventory data. <i>European Journal of Forest Research</i> , 2010, 129, 669-678.   | 2.5 | 15        |
| 86 | Aleppo pine vulnerability to climate stress is independent of site productivity of forest stands in southeastern Spain. <i>Trees - Structure and Function</i> , 2014, 28, 1209-1224.   | 1.9 | 15        |
| 87 | Estimation and Uncertainty of the Mixing Effects on Scots Pine and European Beech Productivity from National Forest Inventories Data. <i>Forests</i> , 2018, 9, 518.   | 2.1 | 15        |
| 88 | Climate-mediated regeneration occurrence in Mediterranean pine forests: A modeling approach. <i>Forest Ecology and Management</i> , 2019, 446, 10-19.  | 3.3 | 15        |
| 89 | Species stratification and weather conditions drive tree growth in Scots pine and Norway spruce mixed stands along Europe. <i>Forest Ecology and Management</i> , 2021, 481, 118697.   | 3.3 | 15        |
| 90 | Effects of elevation-dependent climate warming on intra- and inter-specific growth synchrony in mixed mountain forests. <i>Forest Ecology and Management</i> , 2021, 479, 118587.  | 3.3 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Tracing drought effects from the tree to the stand growth in temperate and Mediterranean forests: insights and consequences for forest ecology and management. <i>European Journal of Forest Research</i> , 2022, 141, 727-751. | 2.5 | 15        |
| 92  | Crown plasticity of five pine species in response to competition along an aridity gradient. <i>Forest Ecology and Management</i> , 2020, 473, 118302.   | 3.3 | 14        |
| 93  | Species Mixing Effects on Forest Productivity: A Case Study at Stand-, Species- and Tree-Level in the Netherlands. <i>Forests</i> , 2018, 9, 713.   | 2.1 | 13        |
| 94  | Tree diversity reduces pine infestation by mistletoe. <i>Forest Ecology and Management</i> , 2019, 449, 117470.   | 3.3 | 13        |
| 95  | Climate effects on growth differ according to height and diameter along the stem in <i>Pinus pinaster</i> Ait.. <i>IForest</i> , 2018, 11, 237-242.   | 1.4 | 13        |
| 96  | Characterization of Mixed Forests. <i>Managing Forest Ecosystems</i> , 2018, , 27-71.   | 0.9 | 12        |
| 97  | Differences in stem radial variation between <i>Pinus pinaster</i> Ait. and <i>Quercus pyrenaica</i> Willd. may release inter-specific competition. <i>Forest Ecology and Management</i> , 2021, 481, 118779.                   | 3.3 | 12        |
| 98  | Silviculture of Mixed Forests: A European Overview of Current Practices and Challenges. <i>Managing Forest Ecosystems</i> , 2018, , 185-253.  | 0.9 | 11        |
| 99  | Modelling silviculture alternatives for managing <i>Pinus pinea</i> L.. <i>Forest Systems</i> , 2011, 20, 3-20.   | 0.3 | 11        |
| 100 | With increasing site quality asymmetric competition and mortality reduces Scots pine ( <i>Pinus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382  | 3.3 | 11        |
| 101 | Short- and long-term growth response to climate in mixed and monospecific forests of <i>Pinus pinea</i> and <i>Pinus pinaster</i> . <i>European Journal of Forest Research</i> , 2021, 140, 387-402.                            | 2.5 | 9         |
| 102 | Improving tree biomass models through crown ratio patterns and incomplete data sources. <i>European Journal of Forest Research</i> , 2021, 140, 675-689.  | 2.5 | 8         |
| 103 | Mapping forest site quality at national level. <i>Forest Ecology and Management</i> , 2022, 508, 120043.  | 3.3 | 8         |
| 104 | New approaches to modelling cross-sectional area to height allometry in four Mediterranean pine species. <i>Forestry</i> , 2014, 87, 399-406.   | 2.4 | 7         |
| 105 | Stand-level biomass models for predicting C stock for the main Spanish pine species. <i>Forest Ecosystems</i> , 2021, 8, .  | 3.1 | 7         |
| 106 | Species-specific and generalized biomass models for estimating carbon stocks of young reforestations. <i>Biomass and Bioenergy</i> , 2022, 161, 106453.   | 5.8 | 7         |
| 107 | Mixture mitigates the effect of climate change on the provision of relevant ecosystem services in managed <i>Pinus pinea</i> L. forests. <i>Forest Ecology and Management</i> , 2021, 481, 118782.                              | 3.3 | 6         |
| 108 | Simulating the effects of thinning and species mixing on stands of oak ( <i>Quercus petraea</i> (Matt.)) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6<br>109406.  | 2.5 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Data Platforms for Mixed Forest Research: Contributions from the EuMIXFOR Network. <i>Managing Forest Ecosystems</i> , 2018, , 73-101.   | 0.9 | 6         |
| 110 | Temperature effect on size distributions in spruce-fir-beech mixed stands across Europe. <i>Forest Ecology and Management</i> , 2022, 504, 119819.   | 3.3 | 6         |
| 111 | Forest Carbon Sequestration: The Impact of Forest Management. <i>Managing Forest Ecosystems</i> , 2017, , 251-275.   | 0.9 | 5         |
| 112 | Dynamics of ecosystem services in <i>Pinus sylvestris</i> stands under different managements and site quality classes. <i>European Journal of Forest Research</i> , 2017, 136, 983-996.  | 2.5 | 5         |
| 113 | Dynamic growth and yield model for Black pine stands in Spain. <i>Forest Systems</i> , 2012, 21, 439-445.  | 0.3 | 5         |
| 114 | The distribution of carbon stocks between tree woody biomass and soil differs between Scots pine and broadleaved species (beech, oak) in European forests. <i>European Journal of Forest Research</i> , 2022, 141, 467-480.                                      | 2.5 | 5         |
| 115 | Soil erodibility in European mountain beech forests. <i>Canadian Journal of Forest Research</i> , 2021, 51, 1846-1855.   | 1.7 | 4         |
| 116 | Regional climate moderately influences species-mixing effect on tree growth-climate relationships and drought resistance for beech and pine across Europe. <i>Forest Ecology and Management</i> , 2022, 520, 120317.   | 3.3 | 4         |
| 117 | Mixed Forests™ Future. <i>Managing Forest Ecosystems</i> , 2018, , 397-412.  | 0.9 | 2         |
| 118 | Presentation of the Special Section "Mediterranean Silviculture: Homage to Gregorio Montero™". <i>Forest Systems</i> , 2017, 26, eP1.  | 0.3 | 2         |
| 119 | Entresaca por bosquetes pequeños y corta a hecho en dos tiempos sobre repoblaciones de <i>Pinus pinaster</i> Ait.. <i>Cuadernos De La Sociedad Española De Ciencias Forestales</i> , 2020, 45, 59-76.  | 0.1 | 0         |
| 120 | Patrón de la regeneración tras cortas a hecho en dos tiempos sobre masas de repoblación de <i>Pinus pinaster</i> Ait. con presencia variable de frondosas (Sierra Madrona). <i>Cuadernos De La Sociedad Española De Ciencias Forestales</i> , 2020, 46, 197-210. | 0.1 | 0         |
| 121 | Correction: Soil erodibility in European mountain beech forests. <i>Canadian Journal of Forest Research</i> , 2022, 52, 135-135.   | 1.7 | 0         |