Katsuhiko Shimizu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11957546/publications.pdf

Version: 2024-02-01

430442 433756 1,009 47 18 citations h-index papers

g-index 48 48 48 1799 docs citations times ranked citing authors all docs

31

#	Article	IF	CITATIONS
1	Tumor-Infiltrating Foxp3+ Regulatory T Cells are Correlated with Cyclooxygenase-2 Expression and are Associated with Recurrence in Resected Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2010, 5, 585-590.	0.5	225
2	PD-L1 overexpression is partially regulated by EGFR/HER2 signaling and associated with poor prognosis in patients with non-small-cell lung cancer. Cancer Immunology, Immunotherapy, 2017, 66, 865-876.	2.0	117
3	Preoperative neutrophil/lymphocyte ratio and prognostic nutritional index predict survival in patients with non-small cell lung cancer. World Journal of Surgical Oncology, 2015, 13, 291.	0.8	79
4	MHC class I chain-related molecule A and B expression is upregulated by cisplatin and associated with good prognosis in patients with non-small cell lung cancer. Cancer Immunology, Immunotherapy, 2016, 65, 499-509.	2.0	53
5	Pneumatosis intestinalis after gefitinib therapy for pulmonary adenocarcinoma: a case report. World Journal of Surgical Oncology, 2016, 14, 175.	0.8	40
6	Clinical significance of dual-time-point 18F-FDG PET imaging in resectable non-small cell lung cancer. Annals of Nuclear Medicine, 2015, 29, 854-860.	1.2	33
7	Serum Antibody Against NY-ESO-1 and XAGE1 Antigens Potentially Predicts Clinical Responses to Anti–Programmed Cell Death-1 Therapy in NSCLC. Journal of Thoracic Oncology, 2019, 14, 2071-2083.	0.5	33
8	Extra-abdominal desmoid tumor presenting as an intrathoracic tumor: Case report and literature review. Pathology International, 2001, 51, 824-828.	0.6	31
9	Clinicopathological and immunohistochemical features of lung invasive mucinous adenocarcinoma based on computed tomography findings. OncoTargets and Therapy, 2017, Volume 10, 153-163.	1.0	28
10	Cavernous hemangioma of the rib. Annals of Thoracic Surgery, 2002, 74, 932-934.	0.7	26
11	Contrasting Effects of the Cytotoxic Anticancer Drug Gemcitabine and the EGFR Tyrosine Kinase Inhibitor Gefitinib on NK Cell-Mediated Cytotoxicity via Regulation of NKG2D Ligand in Non-Small-Cell Lung Cancer Cells. PLoS ONE, 2015, 10, e0139809.	1.1	26
12	Adoptive Immunotherapy of Cancer using Activated Autologous Lymphocytes -Current Status and New Strategies Human Cell, 2003, 16, 183-189.	1.2	25
13	Heterogeneity of the EGFR mutation status between the primary tumor and metastatic lymph node and the sensitivity to EGFR tyrosine kinase inhibitor in non-small cell lung cancer. Targeted Oncology, 2013, 8, 237-242.	1.7	25
14	Impact of COX2 Inhibitor for Regulation of PD-L1 Expression in Non-small Cell Lung Cancer. Anticancer Research, 2018, 38, 4637-4644.	0.5	25
15	Prognostic nutritional index before adjuvant chemotherapy predicts chemotherapy compliance and survival among patients with non-small-cell lung cancer. Therapeutics and Clinical Risk Management, 2015, 11, 1555.	0.9	22
16	Clinical significance of the tumor microenvironment in non-small cell lung cancer. Annals of Translational Medicine, 2013, 1, 20.	0.7	22
17	Teratoma with malignant transformation in the anterior mediastinum. Journal of Thoracic and Cardiovascular Surgery, 2008, 136, 225-227.	0.4	19
18	Prognostic value of Cox-2 and PD-L1 expression and its relationship with tumor-infiltrating lymphocytes in resected lung adenocarcinoma. Cancer Management and Research, 2017, Volume 9, 741-750.	0.9	19

#	Article	IF	Citations
19	Cyclooxygenase-2 expression is a prognostic biomarker for non-small cell lung cancer patients treated with adjuvant platinum-based chemotherapy. World Journal of Surgical Oncology, 2015, 13, 21.	0.8	18
20	Membrane-bound estrogen receptor- $\hat{l}\pm$ expression and epidermal growth factor receptor mutation are associated with a poor prognosis in lung adenocarcinoma patients. World Journal of Surgical Oncology, 2012, 10, 141.	0.8	16
21	Difference in prognostic values of maximal standardized uptake value on fluorodeoxyglucose-positron emission tomography and cyclooxygenase-2 expression between lung adenocarcinoma and squamous cell carcinoma. World Journal of Surgical Oncology, 2014, 12, 343.	0.8	12
22	Recent results regarding the clinical impact of smoking history on postoperative complications in lung cancer patients. Interactive Cardiovascular and Thoracic Surgery, 2008, 7, 1001-1006.	0.5	11
23	Maximal Standardized Uptake Value on FDG-PET Is Correlated With Cyclooxygenase-2 Expression in Patients With Lung Adenocarcinoma. Annals of Thoracic Surgery, 2012, 93, 398-403.	0.7	11
24	Effect of platinumâ€'based chemotherapy on the expression of natural killer group�2 member�D ligands, programmed cell deathâ€'1 ligand�1 and HLA class�I in nonâ€'small cell lung cancer. Oncology Reports, 2019 42, 839-848.	91.2	10
25	Clinical evaluation of low-dose cisplatin and 5-fluorouracil as adjuvant chemoradiotherapy for advanced squamous cell carcinoma of the esophagus. Hiroshima Journal of Medical Sciences, 2005, 54, 67-71.	0.1	10
26	Novel system for generating cytotoxic effector lymphocytes using carcinoembryonic antigen (CEA) peptide and cultured dendritic cells. Anticancer Research, 2002, 22, 2597-606.	0.5	9
27	Clinicopathological relevance of tumor expression of NK group 2 member D ligands in resected non-small cell lung cancer. Oncotarget, 2019, 10, 6805-6815.	0.8	8
28	Histological comparison between preoperative and surgical specimens of non-small cell lung cancer for distinguishing between "squamous" and "non-squamous" cell carcinoma. Diagnostic Pathology, 2014, 9, 103.	0.9	6
29	Cyclooxygenase-2 genetic variants influence intratumoral infiltration of Foxp3-positive regulatory T cells in non-small cell lung cancer. Oncology Reports, 2015, 33, 74-80.	1.2	6
30	Urinary levels of prostaglandin E2 are positively correlated with intratumoral infiltration of Foxp3+ regulatory T cells in non-small cell lung cancer. Oncology Letters, 2017, 14, 1615-1620.	0.8	6
31	Long survival after resection for lung metastasis of malignant peripheral nerve sheath tumor in neurofibromatosis 1. Annals of Thoracic and Cardiovascular Surgery, 2008, 14, 322-4.	0.3	6
32	Tofacitinib overcomes an IFN \hat{I}^3 \hat{a} induced decrease in NK cell \hat{a} immune \hat{a} related molecules in LC \hat{a} add. Thoracic Cancer, 2021, 12, 775-782.	0.8	5
33	Epithelial-mesenchymal transition-induced metastasis could be a bait for natural killer cells. Journal of Thoracic Disease, 2018, 10, S3143-S3146.	0.6	4
34	Tumor PD-L1 and VEGF Expression, and CD8 T Cell Infiltration Predict Clinical Response to Immune Checkpoint Inhibitors in Non-small Cell Lung Cancer. Anticancer Research, 2021, 41, 5469-5475.	0.5	4
35	Deciduoid type malignant pleural mesothelioma: a case report. AME Case Reports, 2018, 2, 43-43.	0.2	3
36	A case of congenital bronchogenic cyst resected with video-assisted thoracic surgery The Journal of the Japanese Association for Chest Surgery, 2003, 17, 25-29.	0.0	3

#	Article	IF	CITATIONS
37	Analysis of T cell receptors reactive with squamous cell carcinoma antigen SART-1 presented by the HLA-A24 molecule. Oncology Reports, 2002, 9, 599-605.	1.2	3
38	Comparative study of the PD-L1 expression and CD8+ tumor-infiltrating lymphocyte between surgically resected and matched re-biopsy specimens in recurrent non-small cell lung cancer. Therapeutics and Clinical Risk Management, 2019, Volume 15, 605-612.	0.9	2
39	RELATIONSHIP BETWEEN SURGICAL APPROACH AND POSTOPERATIVE ILEUS IN GASTRIC CANCER. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2003, 64, 801-804.	0.0	2
40	A Case of Recurrent Lung Adenocarcinoma Complicated by a Hemorrhagic Ulcer Arising from Gastroduodenal Metastasis. Japanese Journal of Lung Cancer, 2014, 54, 974-977.	0.0	2
41	Case of pleural metastasis of prostate cancer. Thoracic Cancer, 2013, 4, 465-468.	0.8	1
42	A case report of positive cancer cells in the pleural lavage caused by intraoperative needle biopsy The Journal of the Japanese Association for Chest Surgery, 2001, 15, 758-763.	0.0	1
43	Induction chemoradiation therapy with cisplatin plus irinotecan followed by surgical resection for superior sulcus tumor. Annals of Thoracic and Cardiovascular Surgery, 2010, 16, 326-30.	0.3	1
44	A Case of Curative Resection for Non-small Cell Lung Cancer with Invasion to the Proximal Pulmonary Artery after Induction Therapy Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical) Tj ETQq0 0 0 rgBT /G	Ov enlo ck 1	O T 6 50 457 To
45	Diagnosis and Treatment for Solitary Lung Metastasis After Radical Mastectomy for Breast Cancer Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2001, 62, 1151-1155.	0.0	0
46	A case of congenital esophagobronchial fistula in an adult who needed radical operation after unsuccessful endoscopic therapy Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical) Tj ETQq0 0 0 rgB	T/ Ove rloc	k 100 Tf 50 37
47	Serum NY-ESO-1 and XAGE1 antibodies as predictive biomarkers in anti-PD-1 therapy for non-small-cell lung cancer Journal of Clinical Oncology, 2019, 37, 106-106.	0.8	0