
Diane F Jelinek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11962439/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Stage-Specific Non-Coding RNA Expression Patterns during In Vitro Human B Cell Differentiation into Antibody Secreting Plasma Cells. Non-coding RNA, 2022, 8, 15.	1.3	3
2	Long-term outcomes for ibrutinib–rituximab and chemoimmunotherapy in CLL: updated results of the E1912 trial. Blood, 2022, 140, 112-120.	0.6	93
3	Multiplex Immunofluorescence of Bone Marrow Core Biopsies: Visualizing the Bone Marrow Immune Contexture. Journal of Histochemistry and Cytochemistry, 2020, 68, 99-112.	1.3	5
4	A rare case of selective Igκ chain deficiency: Biologic and clinical implications. Journal of Allergy and Clinical Immunology, 2020, 146, 1208-1210.e6.	1.5	2
5	lbrutinib–Rituximab or Chemoimmunotherapy for Chronic Lymphocytic Leukemia. New England Journal of Medicine, 2019, 381, 432-443.	13.9	545
6	Role of long non-coding RNAs in disease progression of early stage unmutated chronic lymphocytic leukemia. Oncotarget, 2019, 10, 60-75.	0.8	6
7	Ibrutinib and Rituximab Provides Superior Clinical Outcome Compared to FCR in Younger Patients with Chronic Lymphocytic Leukemia (CLL): Extended Follow-up from the E1912 Trial. Blood, 2019, 134, 33-33.	0.6	29
8	RNA-Seq Based Immunoglobulin Repertoire Analysis of Normal Plasma Cells Generated in an in Vitro B Cell Differentiation System. Blood, 2019, 134, 1051-1051.	0.6	0
9	No improvement in long-term survival over time for chronic lymphocytic leukemia patients in stereotyped subsets #1 and #2 treated with chemo(immuno)therapy. Haematologica, 2018, 103, e158-e161.	1.7	16
10	Characterization and use of the novel human multiple myeloma cell line MC-B11/14 to study biological consequences of CRISPR-mediated loss of immunoglobulin A heavy chain. Experimental Hematology, 2018, 57, 42-49.e1.	0.2	2
11	<scp>CD</scp> 49d associates with nodal presentation and subsequent development of lymphadenopathy in patients with chronic lymphocytic leukaemia. British Journal of Haematology, 2017, 178, 99-105.	1.2	23
12	Chronic Lymphocytic Leukemia with Mutated IGHV4-34 Receptors: Shared and Distinct Immunogenetic Features and Clinical Outcomes. Clinical Cancer Research, 2017, 23, 5292-5301.	3.2	27
13	Clonotypic Light Chain Peptides Identified for Monitoring Minimal Residual Disease in Multiple Myeloma without Bone Marrow Aspiration. Clinical Chemistry, 2016, 62, 243-251.	1.5	57
14	Role of Lncrnas in Early Stage Immunoglobulin Heavy Chain Variable Region (IGHV) Unmutated CLL Disease Progression. Blood, 2016, 128, 4364-4364.	0.6	1
15	Reliability of Myeloma Model Systems: KP-6 Is a Novel Hyperdiploid Cell Line. Blood, 2016, 128, 3279-3279.	0.6	0
16	The oncogenic transcription factor IRF4 is regulated by a novel CD30/NF-κB positive feedback loop in peripheral T-cell lymphoma. Blood, 2015, 125, 3118-3127.	0.6	68
17	Not all IGHV3-21 chronic lymphocytic leukemias are equal: prognostic considerations. Blood, 2015, 125, 856-859.	0.6	70
18	Hypogammaglobulinemia in newly diagnosed chronic lymphocytic leukemia: Natural history, clinical correlates, and outcomes. Cancer, 2015, 121, 2883-2891.	2.0	77

#	Article	IF	CITATIONS
19	Cytogenetic prioritization with inclusion of molecular markers predicts outcome in previously untreated patients with chronic lymphocytic leukemia treated with fludarabine or fludarabine plus cyclophosphamide: a long-term follow-up study of the US intergroup phase III trial E2997. Leukemia and Lymphoma, 2015, 56, 3031-3037.	0.6	9
20	Proteomic Detection of Immunoglobulin Light Chain Variable Region Peptides from Amyloidosis Patient Biopsies. Journal of Proteome Research, 2015, 14, 1957-1967.	1.8	50
21	CLL with Mutated IGHV4-34 Antigen Receptors Is Clinically Heterogeneous: Antigen Receptor Stereotypy Makes the Difference. Blood, 2015, 126, 5263-5263.	0.6	0
22	Acquired chromosomal anomalies in chronic lymphocytic leukemia patients compared with more than 50,000 quasi-normal participants. Cancer Genetics, 2014, 207, 19-30.	0.2	5
23	A Structurally Distinct Human Mycoplasma Protein that Generically Blocks Antigen-Antibody Union. Science, 2014, 343, 656-661.	6.0	85
24	Clinical effect of stereotyped B-cell receptor immunoglobulins in chronic lymphocytic leukaemia: a retrospective multicentre study. Lancet Haematology,the, 2014, 1, e74-e84.	2.2	93
25	Multiple myeloma cell-derived microvesicles are enriched in CD147 expression and enhance tumor cell proliferation. Oncotarget, 2014, 5, 5686-5699.	0.8	59
26	Monoclonal Gammopathies of Undetermined Significance and Smoldering Multiple Myeloma. , 2014, , 65-80.		0
27	Phase 2 trial of daily, oral polyphenon E in patients with asymptomatic, Rai stage 0 to II chronic lymphocytic leukemia. Cancer, 2013, 119, 363-370.	2.0	147
28	Responsiveness of cytogenetically discrete human myeloma cell lines to lenalidomide: lack of correlation with cereblon and interferon regulatory factor 4 expression levels. European Journal of Haematology, 2013, 91, 504-513.	1.1	14
29	Ofatumumabâ€based chemoimmunotherapy is effective and well tolerated in patients with previously untreated chronic lymphocytic leukemia (CLL). Cancer, 2013, 119, 3788-3796.	2.0	41
30	Long-term repair of T-cell synapse activity in a phase II trial of chemoimmunotherapy followed by lenalidomide consolidation in previously untreated chronic lymphocytic leukemia (CLL). Blood, 2013, 121, 4137-4141.	0.6	79
31	Induction of Malignant Plasma Cell Proliferation by Eosinophils. PLoS ONE, 2013, 8, e70554.	1.1	29
32	The Comprehensive Genomic Characterization Of All Commercially and Non-Commercially Available Multiple Myeloma Cell Lines. Blood, 2013, 122, 1914-1914.	0.6	6
33	Hypogammaglobulinemia In Patients With Previously Untreated Chronic Lymphocytic Leukemia: Clinical Correlates and Outcomes. Blood, 2013, 122, 4178-4178.	0.6	2
34	Outcomes Of Chronic Lymphocytic Leukemia Patients With Richter Syndrome. Blood, 2013, 122, 4179-4179.	0.6	4
35	Targeting the BAFF/APRIL Cytokine Network in Multiple Myeloma. , 2013, , 187-202.		0
36	Monitoring Minimum Residual Disease In Multiple Myeloma Patients By LC-MS/MS. Blood, 2013, 122, 3152-3152.	0.6	0

#	Article	IF	CITATIONS
37	Mass Spectrometry-Based Proteomics Reveals Distinct Immunoglobulin Light Chain Variable Region Usage In Systemic Versus Localized AL Amyloidosis. Blood, 2013, 122, 3142-3142.	0.6	0
38	The AKT Inhibitor MK2206 In Combination With Rituximab and Bendamustine Is Tolerable and Active In Relapsed Or Refractory Chronic Lymphocytic Leukemia: Results From a Phase 1 Study (NCCTG N1087) Tj ETQqO	0 @.r gBT /	Overlock 10 1
39	Quantitative DNA Methylation Analysis Identifies a Single CpG Dinucleotide Important for ZAP-70 Expression and Predictive of Prognosis in Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2012, 30, 2483-2491.	0.8	120
40	Comprehensive Assessment of Potential Multiple Myeloma Immunoglobulin Heavy Chain V-D-J Intraclonal Variation Using Massively Parallel Pyrosequencing. Oncotarget, 2012, 3, 502-513.	0.8	19
41	What Numbers Don't Say: Immunogenetic Evidence Shows That High-Count MBL Resembles Rai 0 CLL While Low-Count MBL Does Not Blood, 2012, 120, 2883-2883.	0.6	0
42	Molecular Interrogation of Biclonal Multiple Myeloma for Clonal Relatedness Blood, 2012, 120, 2928-2928.	0.6	0
43	Chronic Lymphocytic Leukemia in Young (â‰\$5 years) Patients: A Comprehensive Analysis of Prognostic Factors and Outcomes Blood, 2012, 120, 2901-2901.	0.6	0
44	Transformation of Chronic Lymphocytic Leukemia Into Diffuse Large B-Cell Lymphoma (Richter's) Tj ETQq0 0 0 rg	gBT /Qverlo	ock 10 Tf 50 4
45	Eosinophils in the Bone Marrow Microenvironment: Effects On Malignant Plasma Cell Biology Blood, 2012, 120, 2917-2917.	0.6	0
46	Lenalidomide Consolidation Appears to Prolong Time to Retreatment After First-Line Chemoimmunotherapy for Patients with Previously Untreated CLL,. Blood, 2011, 118, 3899-3899.	0.6	2
47	Ofatumumab Based Chemoimmunotherapy (CIT) for Patients with Previously Untreated CLL,. Blood, 2011, 118, 3898-3898.	0.6	1
48	The Histone Methytransferase MMSET Regulates Class-Switch Recombination. Blood, 2011, 118, 691-691.	0.6	0
49	CD147 Is a Novel Regulator of Progression and Proliferation of Multiple Myeloma Plasma Cells. Blood, 2011, 118, 470-470.	0.6	0
50	LEF-1 is a prosurvival factor in chronic lymphocytic leukemia and is expressed in the preleukemic state of monoclonal B-cell lymphocytosis. Blood, 2010, 116, 2975-2983.	0.6	136
51	Platelet-derived growth factor (PDGF)–PDGF receptor interaction activates bone marrow–derived mesenchymal stromal cells derived from chronic lymphocytic leukemia: implications for an angiogenic switch. Blood, 2010, 116, 2984-2993.	0.6	113
52	Age at diagnosis and the utility of prognostic testing in patients with chronic lymphocytic leukemia. Cancer, 2010, 116, 4777-4787.	2.0	107

Selective Induction of DNA Repair Pathways in Human B Cells Activated by CD4+ T Cells. PLoS ONE, 2010, 5, e15549. 1.1 10

54The Structure of the <i>TNFRSF13C</i>Promoter Enables Differential Expression of BAFF-R during B
Cell Ontogeny and Terminal Differentiation. Journal of Immunology, 2010, 185, 1045-1054.0.418

#	Article	IF	CITATIONS
55	Transcriptional and post-transcriptional mechanisms of BAFF-receptor dysregulation in human B lineage malignanciesÂ. Cell Cycle, 2010, 9, 4884-4892.	1.3	15
56	Progressive but previously untreated CLL patients with greater array CGH complexity exhibit a less durable response to chemoimmunotherapy. Cancer Genetics and Cytogenetics, 2010, 203, 161-168.	1.0	35
57	Brief Report: Natural History of Individuals With Clinically Recognized Monoclonal B-Cell Lymphocytosis Compared With Patients With Rai 0 Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2009, 27, 3959-3963.	0.8	123
58	Phase I Trial of Daily Oral Polyphenon E in Patients With Asymptomatic Rai Stage 0 to II Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2009, 27, 3808-3814.	0.8	161
59	Autoimmune cytopenia in chronic lymphocytic leukemia/small lymphocytic lymphoma: changes in clinical presentation and prognosis. Leukemia and Lymphoma, 2009, 50, 1261-1268.	0.6	69
60	Growth and Survival Signals in Myeloma: Roles for BAFF and APRIL?. Clinical Lymphoma and Myeloma, 2009, 9, S19-S21.	1.4	0
61	Percentage of Smudge Cells on Routine Blood Smear Predicts Survival in Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2009, 27, 1844-1849.	0.8	71
62	Mcl-1 expression predicts progression-free survival in chronic lymphocytic leukemia patients treated with pentostatin, cyclophosphamide, and rituximab. Blood, 2009, 113, 535-537.	0.6	61
63	B-cell count and survival: differentiating chronic lymphocytic leukemia from monoclonal B-cell lymphocytosis based on clinical outcome. Blood, 2009, 113, 4188-4196.	0.6	104
64	Response: Cautious interpretation of assessment of AID variant activities using cells with endogenous AID expression. Blood, 2009, 113, 1864-1864.	0.6	5
65	Somatic Hyperrepair: A Novel Tumor Suppression Mechanism for Germinal Center B Cells Blood, 2009, 114, 92-92.	0.6	2
66	Aberrant Regulation of the LEF-1 Locus in Monoclonal B Cell Lymphocytosis (MBL) and Chronic Lymphocytic Leukemia (CLL): A Possible Role for Epigenetic Regulation Blood, 2009, 114, 669-669.	0.6	2
67	Early treatment of highâ€risk chronic lymphocytic leukemia with alemtuzumab and rituximab. Cancer, 2008, 113, 2110-2118.	2.0	67
68	CD49d expression is an independent predictor of overall survival in patients with chronic lymphocytic leukaemia: a prognostic parameter with therapeutic potential. British Journal of Haematology, 2008, 140, 537-546.	1.2	152
69	Prognostic importance of T and NKâ€cells in a consecutive series of newly diagnosed patients with chronic lymphocytic leukaemia. British Journal of Haematology, 2008, 141, 607-614.	1.2	86
70	The prognostic significance of cytopenia in chronic lymphocytic leukaemia/small lymphocytic lymphoma. British Journal of Haematology, 2008, 141, 615-621.	1.2	101
71	B Lymphocyte Stimulator Regulates Adaptive Immune Responses by Directly Promoting Dendritic Cell Maturation. Journal of Immunology, 2008, 180, 7394-7403.	0.4	49
72	Immunoglobulin free light chain ratio is an independent risk factor for progression of smoldering (asymptomatic) multiple myeloma. Blood, 2008, 111, 785-789.	0.6	355

5

#	Article	IF	CITATIONS
73	Biologic and genetic characterization of the novel amyloidogenic lambda light chain–secreting human cell lines, ALMC-1 and ALMC-2. Blood, 2008, 112, 1931-1941.	0.6	64
74	Immunoglobulin diversity gene usage predicts unfavorable outcome in a subset of chronic lymphocytic leukemia patients. Journal of Clinical Investigation, 2008, 118, 306-315.	3.9	20
75	Mechanisms of the Formation of Multinuclear Malignant Plasma Cells in the Novel AL/MM Human Cell Lines, ALMC-1 and ALMC-2: Implications for Tumor Cell Growth Control Blood, 2008, 112, 1707-1707.	0.6	0
76	Overexpression of the LEF-1 and TCF4 Transcription Factors in B-CLL: Further Evidence for a Role of the Wnt Signaling Pathway in B-CLL Biology and Leukemogenesis. Blood, 2008, 112, 544-544.	0.6	1
77	Molecular Mechanisms Regulating BAFF and APRIL Receptor Expression in B Cells: Promoter Structure and Epigenetics. Blood, 2008, 112, 4765-4765.	0.6	2
78	Divergent Effects of BAFF on Human Memory B Cell Differentiation into Ig-Secreting Cells. Journal of Immunology, 2007, 178, 5612-5622.	0.4	57
79	Regulated Expression of BAFF-Binding Receptors during Human B Cell Differentiation. Journal of Immunology, 2007, 179, 7276-7286.	0.4	236
80	Combination chemoimmunotherapy with pentostatin, cyclophosphamide, and rituximab shows significant clinical activity with low accompanying toxicity in previously untreated B chronic lymphocytic leukemia. Blood, 2007, 109, 405-411.	0.6	278
81	Clinical Course and Prognosis of Smoldering (Asymptomatic) Multiple Myeloma. New England Journal of Medicine, 2007, 356, 2582-2590.	13.9	740
82	Using Smudge Cells on Routine Blood Smears to Predict Clinical Outcome in Chronic Lymphocytic Leukemia: A Universally Available Prognostic Test. Mayo Clinic Proceedings, 2007, 82, 449-453.	1.4	55
83	Comprehensive Assessment of Genetic and Molecular Features Predicting Outcome in Patients With Chronic Lymphocytic Leukemia: Results From the US Intergroup Phase III Trial E2997. Journal of Clinical Oncology, 2007, 25, 799-804.	0.8	320
84	Methylprednisolone-rituximab is an effective salvage therapy for patients with relapsed chronic lymphocytic leukemia including those with unfavorable cytogenetic features. Leukemia and Lymphoma, 2007, 48, 2412-2417.	0.6	85
85	Expression of TCL-1 as a potential prognostic factor for treatment outcome in B-cell chronic lymphocytic leukemia. Leukemia Research, 2007, 31, 1737-1740.	0.4	14
86	Risk factors for development of a second lymphoid malignancy in patients with chronic lymphocytic leukaemia. British Journal of Haematology, 2007, 139, 398-404.	1.2	76
87	Immunoglobulin Free Light Chain Ratio Is an Independent Risk Factor for Progression of Smoldering Multiple Myeloma Blood, 2007, 110, 1487-1487.	0.6	2
88	Alemtuzumab and Rituximab for Initial Treatment of High Risk, Early Stage Chronic Lymphocytic Leukemia (CLL) Blood, 2007, 110, 2050-2050.	0.6	1
89	The Prognostic Significance of Cytopenia in Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL) Blood, 2007, 110, 746-746.	0.6	0
90	Comprehensive Analysis of BAFF Binding Receptor Profiles and Receptor Occupancy in B Cell Chronic Lymphocytic Leukemia: Identification of Discrete Phenotypic Subgroups Blood, 2007, 110, 1135-1135.	0.6	0

#	Article	IF	CITATIONS
91	Prospective Evaluation of Clonal Evolution During Long-Term Follow-Up of Patients With Untreated Early-Stage Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2006, 24, 4634-4641.	0.8	223
92	A role for BLyS in the activation of innate immune cells. Blood, 2006, 108, 2687-2694.	0.6	101
93	Elevated Serum B-Lymphocyte Stimulator Levels in Patients With Familial Lymphoproliferative Disorders. Journal of Clinical Oncology, 2006, 24, 983-987.	0.8	85
94	Alemtuzumab and Rituximab for Therapy of Patents with Early Stage High Risk CLL: Report of a Planned Interim Analysis Blood, 2006, 108, 2829-2829.	0.6	4
95	High Density Oligonucleotide Array CGH Analysis of CLL Reveals Areas of Recurrent Genomic Gain or Loss Blood, 2006, 108, 2093-2093.	0.6	Ο
96	Expression and Functional Analysis of Activation-Induced Deaminase (AID) in Normal Human B Lymphocytes Blood, 2006, 108, 934-934.	0.6	0
97	D Gene Usage Predicts Clinical Outcome in Patients with Low Rai Risk Unmutated B-CLL Blood, 2006, 108, 2779-2779.	0.6	Ο
98	Fluorescent-labeled DNA probes applied to novel biological aspects of B-cell chronic lymphocytic leukemia. Leukemia Research, 2005, 29, 253-262.	0.4	30
99	A recombinant IL-4-Pseudomonas exotoxin inhibits protein synthesis and overcomes apoptosis resistance in human CLL B cells. Leukemia Research, 2005, 29, 1009-1018.	0.4	13
100	Protein expression profiling of CLL B cells using replicate off-line strong cation exchange chromatography and LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 819, 33-39.	1.2	15
101	Quantitative Protein Expression Analysis Of CLL B Cells from Mutated and Unmutated IgVHSubgroups Using Acid-Cleavable Isotope-Coded Affinity Tag Reagents. Journal of Proteome Research, 2005, 4, 1310-1317.	1.8	15
102	Molecular and Clinical Analysis of a Midwest Cohort of B-CLL Patients Utilizing the Immunoglobulin VH 1-69 Gene Blood, 2005, 106, 5016-5016.	0.6	0
103	Human B Lymphocyte Malignancies: Exploitation of BLyS and APRIL and Their Receptors. , 2004, 8, 266-288.		35
104	Expression of BCMA, TACI, and BAFF-R in multiple myeloma: a mechanism for growth and survival. Blood, 2004, 103, 689-694.	0.6	474
105	IL-3 expression by myeloma cells increases both osteoclast formation and growth of myeloma cells. Blood, 2004, 103, 2308-2315.	0.6	215
106	Expression of BLyS and its receptors in B-cell non-Hodgkin lymphoma: correlation with disease activity and patient outcome. Blood, 2004, 104, 2247-2253.	0.6	216
107	ZAP-70 Expression Associated with Activation in Normal Human B Cells and B Cell Chronic Lymphocytic Leukemia Blood, 2004, 104, 2794-2794.	0.6	11
108	Combination Chemotherapy with Pentostatin, Cyclophosphamide and Rituximab Induces High Rate of Remissions Including Complete Responses and Achievement of Minimal Residual Disease in Previously Untreated B-Chronic Lymphocytic Leukemia Blood, 2004, 104, 339-339.	0.6	18

#	Article	IF	CITATIONS
109	Elevated BLyS Levels in Patients with Familial and Sporadic B-CLL: Correlation with BLyS Polymorphisms Blood, 2004, 104, 964-964.	0.6	0
110	Leukemic B Cells from CD38 Positive but Not CD38 Negative B-CLL Patients Express Heightened Levels of Cell Cycle Related Genes Blood, 2004, 104, 4809-4809.	0.6	1
111	BLyS Regulates Human Myeloma Cell IL-6 Expression Blood, 2004, 104, 1412-1412.	0.6	0
112	Chromosome anomalies detected by interphase fluorescence in situ hybridization: correlation with significant biological features of B-cell chronic lymphocytic leukaemia. British Journal of Haematology, 2003, 121, 287-295.	1.2	198
113	AML-1A and AML-1B regulation of MIP-1α expression in multiple myeloma. Blood, 2003, 101, 3778-3783.	0.6	40
114	Identification of a global gene expression signature of B-chronic lymphocytic leukemia. Molecular Cancer Research, 2003, 1, 346-61.	1.5	108
115	Chronic Lymphocytic Leukemia. Hematology American Society of Hematology Education Program, 2002, 2002, 193-213.	0.9	86
116	Phase 1 study of interleukin-12 in combination with rituximab in patients with B-cell non-Hodgkin lymphoma. Blood, 2002, 99, 67-74.	0.6	149
117	Aberrant expression of B-lymphocyte stimulator by B chronic lymphocytic leukemia cells: a mechanism for survival. Blood, 2002, 100, 2973-2979.	0.6	213
118	T Helper Cell Activation in B-Cell Lymphomas. Journal of Clinical Oncology, 2002, 20, 2904-2905.	0.8	4
119	CD4+ T-Cell Immune Response to Large B-Cell Non-Hodgkin's Lymphoma Predicts Patient Outcome. Journal of Clinical Oncology, 2001, 19, 720-726.	0.8	153
120	Analysis of clonal B-cell CD38 and immunoglobulin variable region sequence status in relation to clinical outcome for B-chronic lymphocytic leukaemia. British Journal of Haematology, 2001, 115, 854-861.	1.2	179